


REVISIONS				
REV		DESCRIPTION	BY	DATE
4.0	PR2712	NEW POWER RATING FOR SPEAKER OUTPUTS.	KT	12/2/2013
4.1	PR2712	ADDED FCC ID NUMBERS..	KT	1/9/2014
4.2	PR2712	ADDED MODEL NAME BY FCC ID NUMBERS.	KT	1/10/2014

2014-01-15



- 4. TEXT AND GRAPHICS TO BE: WHITE.
- 3. BACKGROUND TO BE: PANTONE PROCESS BLACK.
- 2. SAMPLES OF FIRST PARTS MUST BE APPROVED BY FENDER R&D BEFORE STARTING PRODUCTION. QTY. 3 UNLESS OTHERWISE SPECIFIED.
- 1. ALL DIMENSIONS ARE IN MILLIMETERS.

NOTES: UNLESS OTHERWISE SPECIFIED.

ANY PART SUPPLIED FOR USE IN ANY FENDER PRODUCT MUST CONFORM TO THE EUROPEAN RoHS DIRECTIVE.  
 ALL ARTWORK TO BE SUPPLIED BY FENDER R&D UNLESS OTHERWISE APPROVED.  
 COPYRIGHT - 2014 - FENDER MUSICAL INSTRUMENTS CORP.

MATERIAL	SEE SHEET 1	GENERAL TOLERANCES UNLESS OTHERWISE SPECIFIED	ENGINEER	IJA KOTHRAD	DATE	8/19/2013	Fender FENDER MUSICAL INSTRUMENTS CORP. RESEARCH AND DEVELOPMENT CORONA, CALIFORNIA U.S.A.			
			DRAWN	KIMBO TIPPETT	DATE	8/19/2013				
FINISH	AS NOTED	THIRD ANGLE PROJECTION	CHKD		DATE		TITLE PANEL REAR PASSPORT EVENT			
			S.M.E. (OPT)		DATE					
		DO NOT SCALE DRAWING	MGR/DIR		DATE		SIZE	PART NUMBER	SPECS	REV
			P.E.		DATE		D	2712CGP002		4.2
			FILE NAME:		2712CGP002 SPECS 2-3-4.2		SCALE:	1/1	SHEET:	2 of 3

REV	DESCRIPTION	CHKD	BY	DATE
4.0	SEE SHEET 2		KT	12/2/2013
4.1	SEE SHEET 2		KT	1/9/2014
4.2	SEE SHEET 2		KT	1/10/2014

2014-01-15

**CAUTION:**  
RISK OF ELECTRIC SHOCK  
DO NOT OPEN

**警告:**  
感電の恐れがありますので  
（開封禁止）を開封しないでください。

Laitte on elektivää suojausadoituskoskettimilla  
varustettuun pistotapaan  
Apparatet må tilkoples jordat stikkontakt  
Apparatet skall anslutas till jordat uttag

**WARNING:**  
FENDER AMPLIFIER SYSTEMS ARE CAPABLE OF PRODUCING VERY HIGH SOUND PRESSURE LEVELS WHICH MAY CAUSE TEMPORARY OR PERMANENT HEARING DAMAGE. USE CARE WHEN SETTING AND ADJUSTING VOLUME LEVELS DURING USE.

**CAUTION:** CHASSIS SURFACE HOT  
**WARNING:** TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS EQUIPMENT TO RAIN OR MOISTURE  
**AVIS:** RISQUE DE CHOC ELECTRIQUE NE PAS OUVRIR  
**ATTENTION:** SUPERFICIE DE CHASSIS CHAUDE


100-120V-50/60Hz    220-240V-50/60Hz

ON    OFF

**FUSE**  
T6, 3A F  
250V

**CAUTION:**  
TO REDUCE THE RISK OF FIRE, REPLACE FUSE WITH SAME TYPE AND RATING  
**ATTENTION:**  
UTILISER UN FUSIBLE DE RECHANGE DE MEME TYPE ET CALIBRE

**INPUT POWER**  
450W



**PASSPORT® EVENT**

A PRODUCT OF:  
**FENDER MUSICAL INSTRUMENTS CORP.,**  
CORONA, CA U.S.A.  
MADE IN CHINA

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

Use only with supplied 4 ohm speakers

**SPEAKER OUTPUTS**

⊕ LEFT





⚡ 375W total ⚡


4Ω MIN 185W

RIGHT

This product is covered by US patent No. 5,933,507

**TYPE: PR 845**  
SERIAL NUMBER



PANEL REAR PASSPORT EVENT  
2712CGP002  
REV  
4.2

2014-01-15