



## Appendix D

### RF Test Data for B1WIFI(Conducted Measurement)

Product Name: E Ink Tablet, Smart E Ink Tablet, ePaper Tablet, E-bag Tablet, E-book Tablet, E-reader Tablet, Eyes protection E Ink Tablet, E-paper Tablet, Color E Ink Tablet, Color ePaper Tablet, eBook reader

Trade Mark: BOOX

Test Model: Note Air4 C

#### Environmental Conditions

Temperature:	25.7°C
Relative Humidity:	52.3%
ATM Pressure:	101Kpa
Test Engineer:	Emiya lin
Supervised by:	Simba Haung



# Contents

	Page
<b>COVER PAGE</b>	
1 Duty Cycle.....	3
1.1 Test Result .....	3
1.2 Test Graphs.....	4
2 Maximum Conducted Output Power.....	11
2.1 Test Result .....	11
3 -26dB Bandwidth.....	12
3.1 Test Result .....	12
3.2 Test Graphs.....	13
4 Occupied Channel Bandwidth .....	20
4.1 Test Result .....	20
4.2 Test Graphs.....	21
5 Maximum Power Spectral Density Level .....	28
5.1 Test Result .....	28
5.2 Test Graphs.....	29
6 Frequency Stability.....	36
6.1 Test Result .....	36
7 Conducted RF Spurious Emission.....	40
7.1 Test Result .....	40
7.2 Test Graphs.....	41
8 Restrict Band .....	48
8.1 Test Result .....	48
8.2 Test Graphs.....	50



# 1 Duty Cycle



## 1.1 Test Result



Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
a	5180	Ant1	86.97	0.61	4.76
a	5200	Ant1	86.96	0.61	4.76
a	5240	Ant1	86.93	0.61	4.55
n20	5180	Ant1	87.64	0.57	4.35
n20	5200	Ant1	87.65	0.57	4.35
n20	5240	Ant1	87.61	0.57	4.35
n40	5190	Ant1	88.13	0.55	4
n40	5230	Ant1	88.1	0.55	4.17
ac20	5180	Ant1	87.22	0.59	4.35
ac20	5200	Ant1	87.39	0.59	4.55
ac20	5240	Ant1	87.19	0.6	4.55
ac40	5190	Ant1	87.08	0.6	4.35
ac40	5230	Ant1	86.91	0.61	4.55
ac80	5210	Ant1	87.4	0.58	4.35






### 1.2 Test Graphs






















## 2 Maximum Conducted Output Power

### 2.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
a	5180	Ant1	14.13	24	Pass
a	5200	Ant1	14.03	24	Pass
a	5240	Ant1	13.74	24	Pass
n20	5180	Ant1	13.61	24	Pass
n20	5200	Ant1	13.45	24	Pass
n20	5240	Ant1	13.14	24	Pass
n40	5190	Ant1	13.15	24	Pass
n40	5230	Ant1	12.73	24	Pass
ac20	5180	Ant1	13.58	24	Pass
ac20	5200	Ant1	13.44	24	Pass
ac20	5240	Ant1	13.17	24	Pass
ac40	5190	Ant1	13.16	24	Pass
ac40	5230	Ant1	12.78	24	Pass
ac80	5210	Ant1	13.26	24	Pass

Note:

The duty factor has been compensated into the result.




### 3 -26dB Bandwidth

#### 3.1 Test Result

Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
a	5180	Ant1	21.852	0.5	Pass
a	5200	Ant1	22.008	0.5	Pass
a	5240	Ant1	22.779	0.5	Pass
n20	5180	Ant1	22.146	0.5	Pass
n20	5200	Ant1	23.472	0.5	Pass
n20	5240	Ant1	22.527	0.5	Pass
n40	5190	Ant1	41.106	0.5	Pass
n40	5230	Ant1	43.128	0.5	Pass
ac20	5180	Ant1	22.686	0.5	Pass
ac20	5200	Ant1	22.605	0.5	Pass
ac20	5240	Ant1	23.397	0.5	Pass
ac40	5190	Ant1	40.62	0.5	Pass
ac40	5230	Ant1	44.022	0.5	Pass
ac80	5210	Ant1	82.668	0.5	Pass




### 3.2 Test Graphs






-26dB Bandwidtha 5240MHz Ant1




-26dB Bandwidth n20 5180MHz Ant1







-26dB Bandwidth n20 5200MHz Ant1



-26dB Bandwidth n20 5240MHz Ant1











-26dB Bandwidth ac20 5180MHz Ant1




-26dB Bandwidth ac20 5200MHz Ant1






-26dB Bandwidth ac20 5240MHz Ant1




-26dB Bandwidth ac40 5190MHz Ant1






-26dB Bandwidthac40 5230MHz Ant1



-26dB Bandwidthac80 5210MHz Ant1






## 4 Occupied Channel Bandwidth



### 4.1 Test Result

Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
a	5180	Ant1	16.465
a	5200	Ant1	16.6
a	5240	Ant1	16.42
n20	5180	Ant1	17.533
n20	5200	Ant1	17.59
n20	5240	Ant1	17.671
n40	5190	Ant1	36.158
n40	5230	Ant1	35.996
ac20	5180	Ant1	17.656
ac20	5200	Ant1	17.554
ac20	5240	Ant1	17.59
ac40	5190	Ant1	35.942
ac40	5230	Ant1	36.074
ac80	5210	Ant1	74.861




### 4.2 Test Graphs










OBW n20 5200MHz Ant1






OBW n20 5240MHz Ant1

















## 5 Maximum Power Spectral Density Level

### 5.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
a	5180	Ant1	-0.12	0.61	0.49	11	Pass
a	5200	Ant1	-0.43	0.61	0.18	11	Pass
a	5240	Ant1	0.1	0.61	0.71	11	Pass
n20	5180	Ant1	-2.39	0.57	-1.82	11	Pass
n20	5200	Ant1	-1.08	0.57	-0.51	11	Pass
n20	5240	Ant1	-1.11	0.57	-0.54	11	Pass
n40	5190	Ant1	-4.43	0.55	-3.88	11	Pass
n40	5230	Ant1	-5.19	0.55	-4.64	11	Pass
ac20	5180	Ant1	-1.71	0.59	-1.12	11	Pass
ac20	5200	Ant1	-1.16	0.59	-0.57	11	Pass
ac20	5240	Ant1	-1.96	0.6	-1.36	11	Pass
ac40	5190	Ant1	-4.81	0.6	-4.21	11	Pass
ac40	5230	Ant1	-4.29	0.61	-3.68	11	Pass
ac80	5210	Ant1	-7.26	0.58	-6.68	11	Pass



## 5.2 Test Graphs

