

	<p>Product Label Emerson RMM-W</p>	<p>Date: 2016.12.07 Revision 1.1 Status: released</p>
---	--	---

Product Label

Emerson RMM-W


Dokumentvorlage: Vorlage_Hirschmann_TV-Tuner.dot, Version 4.2
 EULE-Link: <http://ccs-dev/eule/browse.php?sess=0&parent=554&expand=1&fileid=4870>

	Name, Department	Date	Signature
Author:	Gerd Zoellmer	2016-12-07	
Approval	Gerd Zoellmer	2016-12-07	
Distribution			

	Product Label Emerson RMM-W	Date: 2016.12.07 Revision 1.1 Status: released
---	---------------------------------------	--

1 Label (HCC No. 292-278-180)

Material: PET Label, white
 Thickness: 0,077 mm (DIN 5337)
 Temperature Range: -40 .. 150 °C
 Size: 68 mm x 50 mm
 Technology: Thermo-Transfer
 IMDS-ID: 416917875 / 2





	<p>Product Label Emerson RMM-W</p>	<p>Date: 2016.12.07 Revision 1.1 Status: released</p>
---	--	---

2 Design Examples


2.1 Model: 920 571 (no BLE)

Single Battery

RMM-W

S/N: ABH791600116491234 HW Rev. 0004
Reorder PN: 7916-001
IMSI : 310170202941335
IMEI : 357520070027103



Contains IC: 8595A-1CGM5NNN
Contains FCC-ID: XPY1CGM5NNN



Emerson Climate Technologies | Axel Kiers Vej 5A | 8270 Højebjerg | Denmark




Model: 920571 010 Supply: 24V~, 1A max. Li-Ion Battery
2618700200003202 4V, 330 mAh,
<1.4 Wh
Country of origin: Germany RMMU: 9999999

Double Battery

RMM-W

S/N: ABH791600216491234 HW Rev. 0004
Reorder PN: 7916-002
IMSI : 310170202941335
IMEI : 357520070027103



Contains IC: 8595A-1CGM5NNN
Contains FCC-ID: XPY1CGM5NNN

Emerson Climate Technologies | Axel Kiers Vej 5A | 8270 Højebjerg | Denmark





Model: 920571 060 Supply: 24V~, 1A max. Li-Ion Battery
2618700200003202 4V, 660 mAh,
<2.8 Wh
Country of origin: Germany RMMU: 9999999


2.2 Model: 920 536 (with BLE Option)

Single Battery

RMM-W

S/N: ABH791600316380058 HW Rev. 0004
Reorder PN: 7916-003
IMSI : 310170202941328
IMEI : 357520070023748
MAC-ID : B0:XX:XX:XX:XX:XX



Contains IC: 8595A-1CGM5NNN
Contains FCC-ID: XPY1CGM5NNN
FCC-ID: XTJ-RMM-W-26187
IC: 8653A-RMMW26187



Emerson Climate Technologies | Axel Kiers Vej 5A | 8270 Højebjerg | Denmark




Model: 920536 010 Supply: 24V~, 1A max. Li-Ion Battery
2618700200001801 4V, 330 mAh,
<1.4 Wh
Country of origin: Germany RMMU: 5041260

Double Battery

RMM-W

S/N: ABH791600416380058 HW Rev. 0004
Reorder PN: 7916-004
IMSI : 310170202941328
IMEI : 357520070023748
MAC-ID : B0:XX:XX:XX:XX:XX



Contains IC: 8595A-1CGM5NNN
Contains FCC-ID: XPY1CGM5NNN
FCC-ID: XTJ-RMM-W-26187
IC: 8653A-RMMW26187


Emerson Climate Technologies | Axel Kiers Vej 5A | 8270 Højebjerg | Denmark



Model: 920536 060 Supply: 24V~, 1A max. Li-Ion Battery
2618700200001801 4V, 660 mAh,
<2.8 Wh
Country of origin: Germany RMMU: 5041260

	<p>Product Label Emerson RMM-W</p>	<p>Date: 2016.12.07 Revision 1.1 Status: released</p>
---	--	---

3 Label Placement



The label can also be placed on the bottom side, in case the device is mounted with VHB tape on the cover.