

FCC RF Exposure Report

FCC ID : XU8TEW825DAP

Equipment : AC1750 Dual Band PoE Access Point

Model No. : TEW-825DAP

Multiple Listing : Refer to item 1.1.1 for more details

Brand Name : TRENDnet

Applicant : TRENDnet, Inc.

Address : 20675 Manhattan Place, Torrance, CA 90501,

USA

Standard : 47 CFR FCC Part 2.1091

Received Date : Jan. 14, 2016

Tested Date : Jan. 14 ~ Jul. 06, 2016

We, International Certification Corp., would like to declare that the tested sample has been evaluated and in compliance with the requirement of the above standards. The test results contained in this report refer exclusively to the product. It may be duplicated completely for legal use with the approval of the applicant. It shall not be reproduced except in full without the written approval of our laboratory.

Reviewed by: Approved by:

Along Cheld/ Assistant Manager Gary Chang / Manager

Testing Laboratory 2732

Report No.: FA621702 Page: 1 of 6



Table of Contents

1.1	Information	4
2	MPE EVALUATION OF MOBILE DEVICES	5
2.1	LIMITS FOR GENERAL POPULATION/UNCONTROLLED EXPOSURE	5
2.2	MPE EVALUATION FORMULA	5
2.3	MPE EVALUATION RESULTS	5
3	TEST LABORATORY INFORMATION	6

Report No.: FA621702 Report Version: Rev. 02 Page : 2 of 6



Release Record

Report No.	Version	Description	Issued Date
FA621702	Rev. 01	Initial issue	Oct. 03, 2016
FA621702	Rev. 02	Corrected type error	Dec. 21, 2016

Report No.: FA621702 Page: 3 of 6



1.1 Information

1.1.1 Product Details

The following models are provided to this EUT.

Brand Name	Model Name	Product Name	Description		
	TEW-825DAP	AC1750 Dual Band PoE Access Point	Main test model		
	TEW-825DAP3K	AC1750 Dual Band PoE Preconfigured Access Point Kit			
TRENDnet	net TEW-825DAP2K AC1750 Dual Band PoE Preconfigured Access Point Kit	Markating numan			
	TEW-825DAP3KAC	AC1750 Dual Band Wireless Controller Kit	Marketing purpose		
	TEW-825DAP2KAC	AC1750 Dual Band Wireless Controller Kit			
→ All models are electrically identical, different model names are for marketing purpose.					

Report No.: FA621702 Page: 4 of 6



2 MPE EVALUATION OF MOBILE DEVICES

Human exposure to RF emissions from mobile devices (47 CFR §2.1091) may be evaluated based on the MPE limits adopted by the FCC for electric and magnetic field strength and/or power density, as appropriate, since exposures are assumed to occur at distances of 20 cm or more from persons.

2.1 LIMITS FOR GENERAL POPULATION/UNCONTROLLED EXPOSURE

Frequency Range (MHz)	Power Density (mW /cm²)	Averaging Time (minutes)
300~1500	F/1500	30
1500~100000	1.0	30

2.2 MPE EVALUATION FORMULA

Pd =
$$\frac{Pt}{4*Pi*R^2}$$

Where

Pd= Power density in mW/cm²

Pt= EIRP in mW Pi= 3.1416

R= Measurement distance

2.3 MPE EVALUATION RESULTS

Frequency Range (MHz)	Maximum Conducted Power (dBm)	Antenna Gain (dBi)	Distance (cm)	Power Density (mW/cm ²)	Limit (mW/cm²)
2412~2462	26.75	4	20	0.236	1
5180~5240	27.94	4	20	0.311	1
5745~5825	27.55	4	20	0.284	1

Both of the WLAN 2.4G & 5.0G can transmit simultaneously, the formula of calculated the MPE is:

CPD1 / LPD1 + CPD2 / LPD2 +etc. < 1

CPD = Calculation power density

LPD = Limit of power density

1. WLAN 2.4G + WLAN 5.0G = 0.236 / 1 + 0.311 / 1 = 0.547

Therefore, the maximum calculation of this situation is 0.547, which is less than the "1" limit.

Report No.: FA621702 Page: 5 of 6



3 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corp (EMC and Wireless Communication Laboratory), it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan Hsiang. Location map can be found on our website http://www.icertifi.com.tw.

Linkou

Tel: 886-2-2601-1640 No. 30-2, Ding Fwu Tsuen, Lin Kou District, New Taipei City, Taiwan, R.O.C.

Kwei Shan

Tel: 886-3-271-8666 No. 3-1, Lane 6, Wen San 3rd St., Kwei Shan District, Tao Yuan City 333, Taiwan, R.O.C.

Kwei Shan Site II

Tel: 886-3-271-8640 No. 14-1, Lane 19, Wen San 3rd St., Kwei Shan District, Tao Yuan City 333, Taiwan, R.O.C.

If you have any suggestion, please feel free to contact us as below information.

Tel: 886-3-271-8666 Fax: 886-3-318-0155

Email: ICC_Service@icertifi.com.tw

==END===

Report No.: FA621702 Page: 6 of 6