


## Test Result of Power Spectral Density


### 802.11a

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-2A	52	5260	3.90	4.78	7.62	7.88	Pass
	60	5300	3.91	4.45	7.44	7.88	Pass
	64	5320	3.90	4.12	7.27	7.88	Pass
U-NII-2C	100	5500	4.01	4.77	7.66	7.88	Pass
	116	5580	3.84	5.16	7.81	7.88	Pass
	140	5700	4.44	4.09	7.52	7.88	Pass


### 802.11a-Channel 52





802.11a-Channel 60




802.11a-Channel 64




**802.11a-Channel 100**

**802.11a-Channel 116**




802.11a-Channel 140




**802.11ax HE20**

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-2A	52	5260	4.52	4.89	7.72	7.88	Pass
	60	5300	4.58	4.76	7.68	7.88	Pass
	64	5320	4.33	4.55	7.45	7.88	Pass
U-NII-2C	100	5500	4.24	5.28	7.80	7.88	Pass
	116	5580	4.30	5.29	7.83	7.88	Pass
	140	5700	4.80	4.62	7.72	7.88	Pass


**802.11ax HE20-Channel 52**


**802.11ax HE20-Channel 60**

**802.11ax HE20-Channel 64**



802.11ax HE20-Channel 100



802.11ax HE20-Channel 116




802.11ax HE20-Channel 140






**802.11ax HE40**


Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-2A	54	5270	4.22	4.94	7.61	7.88	Pass
	62	5310	4.43	4.83	7.64	7.88	Pass
U-NII-2C	102	5510	4.51	4.87	7.70	7.88	Pass
	110	5550	4.36	4.67	7.53	7.88	Pass
	134	5670	4.70	4.16	7.45	7.88	Pass

**802.11ax HE40-Channel 54**



802.11ax HE40-Channel 62




802.11ax HE40-Channel 102



802.11ax HE40-Channel 110





802.11ax HE40-Channel 134




**802.11ax HE80**

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-2A	58	5290	3.10	2.96	6.04	7.88	Pass
U-NII-2C	106	5530	2.83	3.23	6.04	7.88	Pass

**802.11ax HE80-Channel 58**

**802.11ax HE80-Channel 106**


**802.11ax HE160**

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	50	5250	-0.94	-0.83	2.13	13.88	Pass
U-NII-2A	50	5250	-1.26	-1.00	1.88	7.88	Pass

**802.11ax HE160-Channel 50-(U-NII-1)**

**802.11ax HE160-Channel 50-(U-NII-2A)**
