


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	10690.00	46.71	48.17	-1.46	54.00	-7.29	300	19 Average	Horizontal
2	10690.00	48.15	49.61	-1.46	68.20	-20.05	300	19 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	10690.00	49.81	51.27	-1.46	54.00	-4.19	100	2 Average	Vertical
2	10690.00	53.05	54.51	-1.46	68.20	-15.15	100	2 Peak	Vertical


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	44.91	46.32	-1.41	54.00	-9.09	100	83 Average	Horizontal	
2	10640.00	47.58	48.99	-1.41	74.00	-26.42	100	83 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	49.29	50.70	-1.41	54.00	-4.71	101	360 Average	Vertical	
2	10640.00	50.60	52.01	-1.41	74.00	-23.40	101	360 Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10540.00	48.39	49.85	-1.46	68.20	-19.81	100	80	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	----	------	------------



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10540.00	52.15	53.61	-1.46	68.20	-16.05	100	345	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Level	Line	Limit							
Factor									
dB/m	dBuV/m	dB	cm	deg					
1	10620.00	46.69	48.13	-1.44	54.00	-7.31	100	70 Average	Horizontal
2	10620.00	47.06	48.50	-1.44	74.00	-26.94	100	70 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Level	Line	Limit							
Factor									
dB/m	dBuV/m	dB	cm	deg					
1	10620.00	49.73	51.17	-1.44	54.00	-4.27	100	8 Average	Vertical
2	10620.00	50.29	51.73	-1.44	74.00	-23.71	100	8 Peak	Vertical


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10588.00	48.07	49.53	-1.46	68.20	-20.13	100	89	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10588.00	49.93	51.39	-1.46	68.20	-18.27	200	349	Peak	Vertical	


802.11ax HE160

CH 50 (Horizontal)

CH 50 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10500.00	48.23	49.70	-1.47	68.20	-19.97	200	330	Peak	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10500.00	49.90	51.37	-1.47	68.20	-18.30	100	332	Peak	Vertical	

U-NII-2C




802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level Factor	Line	Limit	dB	cm	deg		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	44.59	45.23	-0.64	54.00	-9.41	285	359 Average	Horizontal
2	11160.00	49.36	50.00	-0.64	74.00	-24.64	285	359 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level Factor	Line	Limit	dB	cm	deg		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	49.37	50.01	-0.64	54.00	-4.63	100	3 Average	Vertical
2	11160.00	50.55	51.19	-0.64	74.00	-23.45	100	3 Peak	Vertical


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322




Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor	dB/m	dB					
dBuV	dBuV/m	dB					
44.63	54.00	-9.37	180	57	Average	Horizontal	
49.38	74.00	-24.70	180	57	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor	dB/m	dB					
dBuV	dBuV/m	dB					
53.71	54.00	-0.29	182	3	Average	Vertical	
57.59	74.00	-16.41	182	3	Peak	Vertical	




802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level Factor	Line	Limit	dB	cm	deg	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	11160.00	44.59	45.23	-0.64	54.00	-9.41	280	353 Average Horizontal
2	11160.00	47.77	48.41	-0.64	74.00	-26.23	280	353 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level Factor	Line	Limit	dB	cm	deg	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	11160.00	50.11	50.75	-0.64	54.00	-3.89	180	360 Average Vertical
2	11160.00	51.30	51.94	-0.64	74.00	-22.70	180	360 Peak Vertical


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dBuV/m	dB	cm	deg			
45.34	54.00	-8.82	300	27	Average	Horizontal	
47.35	74.00	-26.81	300	27	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dBuV/m	dB	cm	deg			
52.89	54.00	-1.11	100	360	Average	Vertical	
53.74	74.00	-20.26	100	360	Peak	Vertical	




802.11ax HE40

CH 110 (Horizontal)

CH 110 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	11180.00	45.16	45.88	-0.72	54.00	-8.84	200	49 Average Horizontal
2	11180.00	48.27	48.99	-0.72	74.00	-25.73	200	49 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	11180.00	47.11	47.83	-0.72	54.00	-6.89	188	360 Average Vertical
2	11180.00	48.84	49.56	-0.72	74.00	-25.16	188	360 Peak Vertical


802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2023-03-30

Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11340.00	46.92	47.21	-0.29	54.00	-7.08	300	33	Average Horizontal
2	11340.00	48.52	48.91	-0.29	74.00	-25.38	300	33	Peak Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2023-03-30

Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11340.00	53.42	53.71	-0.29	54.00	-0.58	189	360	Average Vertical
2	11340.00	53.69	53.98	-0.29	74.00	-20.31	189	360	Peak Vertical


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dBuV	dBuV/m	dB					
46.98	54.00	-7.98	100	44	Average	Horizontal	
49.64	74.00	-24.96	100	44	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dBuV	dBuV/m	dB					
48.51	54.00	-5.49	300	28	Average	Vertical	
49.59	74.00	-24.41	300	28	Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-2A


802.11ax HE80

CH 58 (9kHz ~ 150kHz)

CH 58 (150kHz ~ 30MHz)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.01	57.99	40.27	17.72	127.50	-69.61	100	86	Peak	Open	
2	0.03	60.30	41.36	18.94	119.18	-58.88	100	204	Peak	Open	
3	0.05	63.51	44.38	19.13	114.43	-50.92	100	211	Peak	Open	
4	0.06	48.32	29.56	18.76	111.38	-63.06	100	199	Peak	Open	
5	0.09	50.80	32.66	18.14	108.48	-57.68	100	206	Peak	Open	
6	0.13	39.17	21.12	18.05	105.15	-65.98	100	208	Peak	Open	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.30	47.91	22.18	18.73	98.08	-50.17	100	360	Peak	Open	
2	1.64	33.28	14.05	19.23	63.29	-30.01	100	216	Peak	Open	
3	9.02	33.99	12.92	21.07	69.50	-35.51	100	19	Peak	Open	
4	15.88	34.82	12.93	21.89	69.50	-34.68	100	93	Peak	Open	
5	19.07	36.38	14.29	22.09	69.50	-33.12	100	316	Peak	Open	
6	25.50	35.50	13.30	22.20	69.50	-34.00	100	112	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-2A


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq MHz	Level dBuV/m	Read		Limit		APos cm	TPos deg	Remark	Pol/Phase	Note
			Level Factor	dBuV	Line	Limit					
1	186.63	23.63	33.54	-10.01	43.50	-19.97	200	268	Peak	Horizontal	
2	183.26	21.70	29.29	-7.59	43.50	-21.80	300	22	Peak	Horizontal	
3	390.17	27.90	31.06	-3.16	46.00	-18.10	100	236	Peak	Horizontal	
4	490.08	29.95	31.71	-1.76	46.00	-16.05	200	165	Peak	Horizontal	
5	712.88	32.08	30.24	1.84	46.00	-13.92	300	193	Peak	Horizontal	
6	831.22	38.54	34.75	3.79	46.00	-7.46	100	148	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




No.	Freq MHz	Level dBuV/m	Read		Limit		APos cm	TPos deg	Remark	Pol/Phase	Note
			Level Factor	dBuV	Line	Limit					
1	53.28	31.86	38.02	-6.16	40.00	-8.14	100	168	Peak	Vertical	
2	159.98	22.03	27.79	-5.76	43.50	-21.47	200	357	Peak	Vertical	
3	393.75	30.43	33.37	-2.94	46.00	-15.57	100	139	Peak	Vertical	
4	490.75	34.83	36.55	-1.72	46.00	-11.17	100	346	Peak	Vertical	
5	786.09	32.86	31.04	1.82	46.00	-13.14	100	359	Peak	Vertical	
6	886.97	37.95	34.64	3.31	46.00	-8.05	200	202	Peak	Vertical	

Mains Conducted Emission, (150kHz ~ 30MHz)



<POE Mode>
Band Edges, 5.35GHz
U-NII-2A




802.11ax HE80

CH 58 (Horizontal) Average

CH 58 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.83	44.35	1.18	43.17	54.00	-9.65	115	346 Average	Horizontal	
2 *	5290.00	99.17	55.69	43.48	54.00	45.17	115	346 Average	Horizontal	
3 !	5366.44	53.15	9.80	43.35	54.00	-0.85	115	346 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.84	44.30	1.14	43.16	54.00	-9.70	142	24 Average	Vertical	
2 *	5290.00	98.77	55.29	43.48	54.00	44.77	142	24 Average	Vertical	
3 !	5349.97	53.77	10.64	43.13	54.00	-0.23	142	24 Average	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-2A

802.11ax HE80																																																													
CH 58 (Horizontal)	CH 58 (Vertical)																																																												
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; font-size: 8px; margin-top: 10px;">Date: 2023-03-30</div> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read</th> <th>Limit</th> <th>Over</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>48.07</td> <td>49.53</td> <td>-1.46</td> <td>68.20</td> <td>-20.13</td> <td>100</td> <td>83 Peak</td> <td>Horizontal</td> <td></td> </tr> </tbody> </table>	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1 10580.00	48.07	49.53	-1.46	68.20	-20.13	100	83 Peak	Horizontal		<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; font-size: 8px; margin-top: 10px;">Date: 2023-03-30</div> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read</th> <th>Limit</th> <th>Over</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>49.13</td> <td>50.59</td> <td>-1.46</td> <td>68.20</td> <td>-19.07</td> <td>200</td> <td>331 Peak</td> <td>Vertical</td> <td></td> </tr> </tbody> </table>	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1 10580.00	49.13	50.59	-1.46	68.20	-19.07	200	331 Peak	Vertical	
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note																																																				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																						
1 10580.00	48.07	49.53	-1.46	68.20	-20.13	100	83 Peak	Horizontal																																																					
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note																																																				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																						
1 10580.00	49.13	50.59	-1.46	68.20	-19.07	200	331 Peak	Vertical																																																					

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz
U-NII-2A

802.11ax HE80																																																																																																																																																																	
CH 58 (9kHz ~ 150kHz)	CH 58 (150kHz ~ 30MHz)																																																																																																																																																																
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; font-size: 10px; margin-top: 10px;">Date: 2023-05-04</div> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read</th> <th>Limit</th> <th>Over</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>PoI/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>0.01</td><td>59.04</td><td>41.32</td><td>17.72</td><td>127.60</td><td>-68.56</td><td>100</td><td>193 Peak</td><td>Open</td></tr> <tr><td>2</td><td>0.03</td><td>62.17</td><td>43.23</td><td>18.94</td><td>119.18</td><td>-57.01</td><td>100</td><td>260 Peak</td><td>Open</td></tr> <tr><td>3</td><td>0.05</td><td>41.91</td><td>22.86</td><td>19.05</td><td>113.13</td><td>-71.22</td><td>100</td><td>348 Peak</td><td>Open</td></tr> <tr><td>4</td><td>0.06</td><td>41.55</td><td>22.75</td><td>18.80</td><td>111.55</td><td>-70.00</td><td>100</td><td>162 Peak</td><td>Open</td></tr> <tr><td>5</td><td>0.09</td><td>39.18</td><td>20.99</td><td>18.19</td><td>108.63</td><td>-69.45</td><td>100</td><td>176 Peak</td><td>Open</td></tr> <tr><td>6</td><td>0.12</td><td>35.67</td><td>17.68</td><td>17.99</td><td>106.13</td><td>-70.46</td><td>100</td><td>176 Peak</td><td>Open</td></tr> </tbody> </table>	Freq	Level	Read	Limit	Over	APos	TPos	Remark	PoI/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1	0.01	59.04	41.32	17.72	127.60	-68.56	100	193 Peak	Open	2	0.03	62.17	43.23	18.94	119.18	-57.01	100	260 Peak	Open	3	0.05	41.91	22.86	19.05	113.13	-71.22	100	348 Peak	Open	4	0.06	41.55	22.75	18.80	111.55	-70.00	100	162 Peak	Open	5	0.09	39.18	20.99	18.19	108.63	-69.45	100	176 Peak	Open	6	0.12	35.67	17.68	17.99	106.13	-70.46	100	176 Peak	Open	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; font-size: 10px; margin-top: 10px;">Date: 2023-05-04</div> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read</th> <th>Limit</th> <th>Over</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>PoI/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>0.42</td><td>38.62</td><td>20.62</td><td>18.00</td><td>95.17</td><td>-56.35</td><td>100</td><td>227 Peak</td><td>Open</td></tr> <tr><td>2</td><td>3.67</td><td>32.45</td><td>12.90</td><td>19.55</td><td>69.50</td><td>-37.05</td><td>100</td><td>86 Peak</td><td>Open</td></tr> <tr><td>3</td><td>7.13</td><td>34.54</td><td>14.23</td><td>20.31</td><td>69.50</td><td>-34.96</td><td>100</td><td>334 Peak</td><td>Open</td></tr> <tr><td>4</td><td>12.75</td><td>34.73</td><td>13.06</td><td>21.67</td><td>69.50</td><td>-34.77</td><td>100</td><td>31 Peak</td><td>Open</td></tr> <tr><td>5</td><td>18.84</td><td>35.24</td><td>13.15</td><td>22.09</td><td>69.50</td><td>-34.26</td><td>100</td><td>138 Peak</td><td>Open</td></tr> <tr><td>6</td><td>24.87</td><td>35.31</td><td>13.11</td><td>22.20</td><td>69.50</td><td>-34.19</td><td>100</td><td>213 Peak</td><td>Open</td></tr> </tbody> </table>	Freq	Level	Read	Limit	Over	APos	TPos	Remark	PoI/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1	0.42	38.62	20.62	18.00	95.17	-56.35	100	227 Peak	Open	2	3.67	32.45	12.90	19.55	69.50	-37.05	100	86 Peak	Open	3	7.13	34.54	14.23	20.31	69.50	-34.96	100	334 Peak	Open	4	12.75	34.73	13.06	21.67	69.50	-34.77	100	31 Peak	Open	5	18.84	35.24	13.15	22.09	69.50	-34.26	100	138 Peak	Open	6	24.87	35.31	13.11	22.20	69.50	-34.19	100	213 Peak	Open
Freq	Level	Read	Limit	Over	APos	TPos	Remark	PoI/Phase	Note																																																																																																																																																								
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																																																																																										
1	0.01	59.04	41.32	17.72	127.60	-68.56	100	193 Peak	Open																																																																																																																																																								
2	0.03	62.17	43.23	18.94	119.18	-57.01	100	260 Peak	Open																																																																																																																																																								
3	0.05	41.91	22.86	19.05	113.13	-71.22	100	348 Peak	Open																																																																																																																																																								
4	0.06	41.55	22.75	18.80	111.55	-70.00	100	162 Peak	Open																																																																																																																																																								
5	0.09	39.18	20.99	18.19	108.63	-69.45	100	176 Peak	Open																																																																																																																																																								
6	0.12	35.67	17.68	17.99	106.13	-70.46	100	176 Peak	Open																																																																																																																																																								
Freq	Level	Read	Limit	Over	APos	TPos	Remark	PoI/Phase	Note																																																																																																																																																								
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																																																																																										
1	0.42	38.62	20.62	18.00	95.17	-56.35	100	227 Peak	Open																																																																																																																																																								
2	3.67	32.45	12.90	19.55	69.50	-37.05	100	86 Peak	Open																																																																																																																																																								
3	7.13	34.54	14.23	20.31	69.50	-34.96	100	334 Peak	Open																																																																																																																																																								
4	12.75	34.73	13.06	21.67	69.50	-34.77	100	31 Peak	Open																																																																																																																																																								
5	18.84	35.24	13.15	22.09	69.50	-34.26	100	138 Peak	Open																																																																																																																																																								
6	24.87	35.31	13.11	22.20	69.50	-34.19	100	213 Peak	Open																																																																																																																																																								

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-2A


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	82.38	29.00	48.03	-11.03	46.00	-11.00	300	101	Peak	Horizontal	
2	285.11	28.31	33.33	-5.02	46.00	-17.69	100	243	Peak	Horizontal	
3	393.75	29.60	32.53	-2.93	46.00	-16.40	200	360	Peak	Horizontal	
4	538.28	35.60	36.54	-0.86	46.00	-10.32	200	253	Peak	Horizontal	
5	669.23	29.51	28.21	1.30	46.00	-16.49	100	77	Peak	Horizontal	
6	806.97	39.52	36.12	3.40	46.00	-6.48	100	149	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	43.58	30.84	36.91	-6.07	46.00	-9.16	100	13	Peak	Vertical	
2	107.60	26.97	36.85	-9.88	43.50	-16.53	100	268	Peak	Vertical	
3	371.44	34.16	37.43	-3.27	46.00	-11.84	100	157	Peak	Vertical	
4	525.67	38.28	39.21	-0.93	46.00	-7.72	158	360	Peak	Vertical	
5	731.31	31.39	29.18	2.21	46.00	-14.61	100	339	Peak	Vertical	
6	846.74	33.05	28.92	4.13	46.00	-12.95	100	228	Peak	Vertical	

Mains Conducted Emission, (150kHz ~ 30MHz)

