

TRENDnet[®]



WiFi HD Baby Cam TV-IP745SIC

-
- Quick Installation Guide (1)
 - Guide d'installation rapide (13)
 - Anleitung zur Schnellinstallation (25)
 - Guía de instalación rápida (37)
 - Руководство по быстрой установке (49)
 - Português (Para Guia de Instalação em Português, favor ver CD)
 - Eesti (Eestikeelse paigaldusjuhendi leiate kaasasolevalt CD-plaadilt)

TV-IP745SIC (V2)/ 04.17.2015

1. Before You Start

Package Contents

- TV-IP745SIC
- Multi-Language Quick Installation Guide
- CD-ROM (User's Guide)
- Power adapter (5V DC, 1.2A) (3 m / 10 ft.)
- Camera mounting hardware

Minimum Requirements

- Existing Wireless N network
- Mobile device (e.g. smartphone, tablet) with Android (version 2.3 or higher) or iOS (version 6.1 or higher)
- TRENDnet CloudView app installed on mobile device

Video Installation Guide

The camera video installation guide is provided on the CD. Please navigate to the Manuals folder and open VideoInstallationGuide.mp4. The camera video installation guide is also available on the web. Please visit https://www.trendnet.com/mobile/743_745SIC.html or scan the QR code below.




2. Installation with Apple Mobile Device

1. Tap the App Store icon to download and install the TRENDnet CloudView app. Alternatively, scan the QR code to download and install the free TRENDnet CloudView app.



2. Connect the power adapter to the TV-IP745SIC and then plug it in. Wait 30 seconds until the amber light turns on.




3. Enable the Wi-Fi settings on your Apple mobile device, forget your home network and connect to TRENDnet745.



4. Open the TRENDnet CloudView app and agree with the terms of use.



5. The TRENDnet CloudView app will start searching for your camera automatically. If the search has failed, tap on the scan icon again.
6. Tap the wireless signal icon to the right of the baby cam.



7. Enter the camera's default username (admin) and password (admin).

8. Tap **OK**.



9. Enter an easy to remember username such as 'babyroom'.

10. Enter a password between 8 and 16 characters.

11. Enter the password again.

12. Tap **Done** to save the changes.



13. The app now automatically searches for your wireless network. Select your wireless network.

14. Enter the **Key** (wireless password).


15. Tap the **Save** icon.



16. Tap **Close the App**.



17. Connect your iPhone or iPad to your wireless network and relaunch TRENDnet CloudView app to confirm connectivity to the camera. Tap the camera to view video.




18. Tap the back icon.




19. In the **Camera List**, select the camera.

20. Tap the Edit icon.



21. Enter an easy to remember name for the camera (e.g. babyroom).

22. Tap the save icon.



23. Install the camera in your desired location. Before installation, confirm wireless network coverage is present in the chosen location.

Note: Please follow the directions below to view the camera on another iPhone or iPad.

24. Connect your iPhone or iPad to your wireless network and launch TRENDnet CloudView app.
25. The TRENDnet CloudView app will start searching for your camera automatically. If the search has failed, tap on the scan icon again.
26. Click the add icon.



27. Enter the username and password that you configured for the camera.

28. Tap OK.



29. In the **Camera List**, select the camera.

30. Tap the Edit icon.



31. Enter an easy to remember name for the camera (e.g. babyroom).

32. Tap the save icon.



33. Tap on the camera to confirm connectivity.




34. You can now view your baby cam anywhere with Internet access. No further installation is needed. Expect to wait up to 5 minutes if you are connecting your baby cam remotely for the first time with a 3G or 4G connection. Video will display automatically after the first connection. For instructions on adding camera through your 3G or 4G connection, please refer to the CloudView user's guide on the provided CD.

3. Installation with Android Device

1. Tap on the Play Store icon to download and install the TRENDnet CloudView app. Alternatively, scan the QR code to download and install the free TRENDnet CloudView app.



2. Connect the power adapter to the TV-IP745SIC and then plug it in. Wait 30 seconds until the amber light turns on.



3. Enable the Wi-Fi settings on your Android mobile device, forget your home network and connect to TRENDnet745.




4. Open the TRENDnet CloudView app and agree with the terms of use.



5. The TRENDnet CloudView app will start searching for your camera automatically. If the search has failed, tap on the scan icon again.

6. Tap the wireless signal icon to the right of the baby cam.



7. Enter the baby cam's default username (**admin**) and password (**admin**).

8. Tap OK.




9. Enter an easy to remember user name such as 'babyroom'.

10. Enter a password between 8 and 16 characters.

11. Enter the password again.

12. Tap the check icon to save the changes.




13. The app now automatically searches for your wireless network. Select your wireless network.

14. Enter the Key (wireless password).

15. Tap the Save icon.



16. Tap Close the App.



17. Connect your Android smartphone or tablet to your wireless network and relaunch TRENDnet CloudView app to confirm connectivity to the baby cam.

18. Tap the back icon.



19. In the **Camera List**, select the camera.

20. Tap **Edit**.



21. Enter an easy to remember name for the baby cam (e.g. babyroom).

22. Tap the save icon.



23. Install the camera in your desired location. Before installation, confirm wireless network coverage is present in the chosen location.

Note: Please follow the directions below to view the camera on another android device.

24. Connect another Android smartphone or tablet to your wireless network and launch TRENDnet CloudView app.


25. The TRENDnet CloudView app will start searching for your camera automatically. If the search has failed, tap on the scan icon again.

26. Click the add icon.



27. Enter the username and password that you configured for the camera.

28. Tap OK.



29. Video will appear, confirming connectivity to the camera.

30. Tap the back icon.



ENGLISH

FRANÇAIS

DEUTSCH

ESPAÑOL

РУССКИЙ

ENGLISH

FRANÇAIS


DEUTSCH

ESPAÑOL

РУССКИЙ

31. In the **Camera List**, select the baby cam.

32. Tap **Edit**.



33. Enter an easy to remember name for the camera (e.g. babyroom).


34. Tap the save icon.




35. You can now view your camera anywhere with Internet access. No further installation is needed. Expect to wait up to 5 minutes if you are connecting your baby cam remotely for the first time with a 3G or 4G connection. Video will display automatically after the first connection. For instructions on adding camera through your 3G or 4G connection, please refer to the CloudView user's guide on the provide CD.

4. Vertical Surface Installation

1. Pull the mounting base up to extend it from the camera.



2. Rotate the base 90 degrees.



3. While the camera is powered on, position the camera in the desired location and confirm that the desired viewing field is displayed on your mobile app.


4. Mark the mounting location on the wall.

- a. Screw Mounting Option:


- (a) measure and mark screw hole locations;
- (b) drill holes in wall;
- (c) insert expansion holders in the holes;
- (d) install screws into expansion holders.

- b. Adhesive Tape Mounting Option:

- (a) Remove protective strip from one side of the adhesive tape strips and firmly apply both to the camera base;
- (b) Remove remaining protective strips.



5. Mount camera in desired location.



1. Avant de commencer

Contenu de l'emballage

- TV-IP745SIC
- Guide d'installation rapide en plusieurs langues
- CD-ROM (Guide de l'utilisateur)
- Adaptateur secteur (5V DC, 1.2A) (3 m / 10 pieds)
- Matériel de montage pour caméra

Exigences minimales

- Réseau sans fil N existant
- Dispositif mobile (p. ex. smartphone ou tablette) avec Android (version 2.3 ou supérieure) ou iOS (version 6.1 ou supérieure)
- L'appli CloudView de TRENDnet installée sur le dispositif mobile

Guide d'installation de la vidéo

La vidéo du guide d'installation de la caméra est fournie sur le CD. Rendez-vous sur le dossier Manuals (Manuels) et ouvrez VideoInstallationGuide.mp4. La vidéo du guide d'installation de la caméra est disponible sur le web. Veuillez visiter https://www.trendnet.com/mobile/743_745SIC.html ou scannez le code QR ci-dessous.




2. Installation avec un dispositif mobile Apple

1. Appuyez sur l'icône App Store afin de télécharger et d'installer l'appli CloudView TRENDnet. Vous pouvez également scanner le code QR afin de télécharger et d'installer l'appli CloudView gratuite de TRENDnet



2. Branchez l'adaptateur secteur à la TV-IP745SIC et mettez la prise. Attendez 30 secondes pour que la lumière orange s'allume.



3. Activez les paramètres WiFi de votre appareil mobile Android et connectez-vous à TRENDnet745.



4. Ouvrez l'appli CloudView de TRENDnet et acceptez les conditions d'utilisation.



5. L'appli CloudView de TRENDnet commencera automatiquement à rechercher votre caméra. Si la recherche échoue, veuillez appuyer à nouveau sur l'icône de recherche.

6. Appuyez sur l'icône de signal WiFi à la droite de la caméra.



ENGLISH

FRANÇAIS

DEUTSCH

ESPAÑOL

РУССКИЙ

7. Indiquez le nom d'utilisateur et le mot de passe par défaut de la caméra ('admin').

8. Appuyez sur **OK**.



9. Indiquez un nom d'utilisateur que vous retiendrez facilement, comme 'chambre de bébé'.

10. Indiquez un mot de passe compris 8 et 16 caractères.

11. Indiquez à nouveau le mot de passe.

12. Appuyez sur **Done** (terminé) pour enregistrer les modifications.



13. L'appli recherche à présent automatiquement votre réseau WiFi. Sélectionnez votre réseau WiFi.

14. Indiquez la clé (mode passe WiFi).

15. Appuyez sur l'icône **Save** (Enregistrer).



16. Appuyez sur **Close the App** (Fermer l'appli).



17. Connectez votre iPhone ou iPad à votre réseau WiFi et relancez l'appli CloudView TRENDnet afin de confirmer la connexion à la bébé caméra. Appuyez sur la caméra pour voir la vidéo.



18. Appuyez sur l'icône «back» (retour).



19. Dans la liste des caméras, sélectionnez la vôtre.

20. Appuyez sur l'icône **Edit** (Modifier).



21. Indiquez un nom que vous retiendrez aisément pour la caméra (p. ex. chambre de bébé).

22. Appuyez sur l'icône **Save** (Enregistrer).



23. Installez la caméra à l'endroit désiré. Avant l'installation, vérifiez que vous disposez bien d'une couverture du réseau WiFi à l'endroit choisi.

Remarque: Veuillez suivre les instructions ci-dessous pour voir la caméra sur un autre iPhone ou iPad.

24. Connectez votre iPhone ou votre iPad à votre réseau WiFi et lancez l'appli CloudView de TRENDnet.
25. L'appli CloudView de TRENDnet commencera automatiquement à rechercher votre caméra. Si la recherche échoue, veuillez appuyer à nouveau sur l'icône de recherche.
26. Cliquez sur l'icône **Add** (Ajouter).



27. Indiquez le nom d'utilisateur et le mot de passe que vous avez configuré pour la caméra.
28. Appuyez sur **OK**.



29. Dans la liste des caméras, sélectionnez la vôtre.
30. Appuyez sur l'icône **Edit** (Modifier).



31. Indiquez un nom que vous retiendrez aisément pour la caméra (p. ex. chambre de bébé).

32. Appuyez sur l'icône **Save** (Enregistrer).



33. Appuyez sur la caméra pour confirmer la connexion.



34. Vous pouvez maintenant afficher l'écran de votre bébé n'importe où avec un accès Internet. Aucune installation n'est nécessaire. Veuillez attendre jusqu'à 5 minutes pour voir si votre connexion 3G ou 4G est activé pour surveiller votre bébé à distance pour la première fois. La vidéo s'affiche automatiquement après la première connexion. Pour obtenir des instructions sur l'ajout de bébé caméra à travers votre connexion 3G ou 4G, s'il vous plaît vous référer au guide de l'utilisateur sur le CD CloudView fournir.

ENGLISH

FRANÇAIS

DEUTSCH

ESPAÑOL


РУССКИЙ

3. Installation avec un appareil Android

1. Appuyez sur l'icône Play Store afin de télécharger et d'installer l'appli CloudView TRENDnet. Vous pouvez également scanner le code QR afin de télécharger et d'installer l'appli CloudView gratuite de TRENDnet.



2. Branchez l'adaptateur secteur à la TV-IP742SIC et mettez la prise. Attendez 30 secondes pour que la lumière orange s'allume.



3. Activez les paramètres WiFi de votre appareil mobile Android et connectez-vous à TRENDnet745.




4. Ouvrez l'appli CloudView de TRENDnet et acceptez les conditions d'utilisation.



5. L'appli CloudView de TRENDnet commencera automatiquement à rechercher votre caméra. Si la recherche échoue, veuillez appuyer à nouveau sur l'icône de recherche.

6. Appuyez sur l'icône du signal WiFi à la droite de la caméra.



7. Indiquez le nom d'utilisateur (**admin**) et le mot de passe par défaut de la caméra (**admin**).