

APPENDIX REPORT

Project No.	SHT2307022602EW	Radio Specification	Bluetooth BLE
Test sample No.	YPHT23070226002	Model No.	EG 100
Start test date	2023/7/21	Finish date	2023/7/21
Temperature	24.8℃	Humidity	47%
Test Engineer	Caspar Chen	Auditor	Xiaodong Zheo

Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS

Appendix A: Peak Output Power




Test rate	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
1Mbps	00	6.11	6.10	≤ 30.00	Pass
	19	5.79	5.77		
	39	5.65	5.62		
2Mbps	00	6.14	6.13	≤ 30.00	Pass
	19	5.82	5.80		
	39	5.66	5.64		

Test rate: 1Mbps	
CH00	<p>Spectrum plot for channel CH00. The plot shows a peak at 2.40198550 GHz with a power level of 6.11 dBm. The y-axis represents power in dBm, ranging from -80 to 0. The x-axis represents frequency in GHz, ranging from 2.402 to 2.404. The plot includes a grid and a peak marker labeled M1[1].</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 2 MHz Att 20 dB SWT 1 ms VBW 5 MHz Mode Auto Sweep Count 500/500 IPK View CF 2.402 GHz 691 pts Span 5.0 MHz Date: 21 JUL 2023 09:42:00</p>
CH19	<p>Spectrum plot for channel CH19. The plot shows a peak at 2.43997110 GHz with a power level of 5.79 dBm. The y-axis represents power in dBm, ranging from -80 to 0. The x-axis represents frequency in GHz, ranging from 2.44 to 2.442. The plot includes a grid and a peak marker labeled M1[1].</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 2 MHz Att 20 dB SWT 1 ms VBW 5 MHz Mode Auto Sweep Count 500/500 IPK View CF 2.44 GHz 691 pts Span 5.0 MHz Date: 21 JUL 2023 09:45:03</p>
CH39	<p>Spectrum plot for channel CH39. The plot shows a peak at 2.47973230 GHz with a power level of 5.65 dBm. The y-axis represents power in dBm, ranging from -80 to 0. The x-axis represents frequency in GHz, ranging from 2.48 to 2.482. The plot includes a grid and a peak marker labeled M1[1].</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 2 MHz Att 20 dB SWT 1 ms VBW 5 MHz Mode Auto Sweep Count 500/500 IPK View CF 2.48 GHz 691 pts Span 5.0 MHz Date: 21 JUL 2023 09:47:02</p>

Test rate: 2Mbps	
CH00	<p>Spectrum plot for CH00. The plot shows a signal peak at 6.14 dBm at a frequency of 2.4019570 GHz. The y-axis represents power in dBm, ranging from -80 to 0. The x-axis represents frequency in GHz, with a span of 10.0 MHz. The plot includes a grid and a peak marker labeled M1[1].</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 3 MHz Att 20 dB SWT 1 ms VBW 10 MHz Mode Auto Sweep Count 500/500 IPK View CF 2.402 GHz 691 pts Span 10.0 MHz Date: 21 JUL 2023 09:48:58</p>
CH19	<p>Spectrum plot for CH19. The plot shows a signal peak at 5.82 dBm at a frequency of 2.4400000 GHz. The y-axis represents power in dBm, ranging from -80 to 0. The x-axis represents frequency in GHz, with a span of 10.0 MHz. The plot includes a grid and a peak marker labeled M1[1].</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 3 MHz Att 20 dB SWT 1 ms VBW 10 MHz Mode Auto Sweep Count 500/500 IPK View CF 2.44 GHz 691 pts Span 10.0 MHz Date: 21 JUL 2023 09:50:54</p>
CH39	<p>Spectrum plot for CH39. The plot shows a signal peak at 5.66 dBm at a frequency of 2.4003760 GHz. The y-axis represents power in dBm, ranging from -80 to 0. The x-axis represents frequency in GHz, with a span of 10.0 MHz. The plot includes a grid and a peak marker labeled M1[1].</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 3 MHz Att 20 dB SWT 1 ms VBW 10 MHz Mode Auto Sweep Count 500/500 IPK View CF 2.48 GHz 691 pts Span 10.0 MHz Date: 21 JUL 2023 09:53:40</p>

Appendix B: Power Spectral Density

Test rate	Channel	Power Spectral Density(dBm/3KHz)	Limit (dBm/3KHz)	Result
1Mbps	00	-9.87	≤8.00	Pass
	19	-10.27		
	39	-10.10		
2Mbps	00	-12.39	≤8.00	Pass
	19	-12.66		
	39	-12.78		

Test rate: 1Mbps	
CH00	 <p>Spectrum</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWT 632.3 μs VBW 10 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -9.87 dBm 2.40186690 GHz</p> <p>CF 2.402 GHz 691 pts Span 1.0 MHz</p> <p>Date: 21 JUL 2023 09:42:04</p>
CH19	 <p>Spectrum</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWT 632.3 μs VBW 10 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -10.27 dBm 2.43986690 GHz</p> <p>CF 2.44 GHz 691 pts Span 1.0 MHz</p> <p>Date: 21 JUL 2023 09:45:07</p>
CH39	 <p>Spectrum</p> <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWT 632.3 μs VBW 10 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -10.10 dBm 2.47986830 GHz</p> <p>CF 2.48 GHz 691 pts Span 1.0 MHz</p> <p>Date: 21 JUL 2023 09:47:06</p>

Test rate: 2Mbps	
CH00	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWT 632.1 μs VBW 10 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] -12.39 dBm 2.40206080 GHz CF 2.402 GHz 691 pts Span 3.0 MHz Date: 21 JUL 2023 09:49:02</p>
CH19	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWT 632.1 μs VBW 10 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] -12.66 dBm 2.44006080 GHz CF 2.44 GHz 691 pts Span 3.0 MHz Date: 21 JUL 2023 09:51:09</p>
CH39	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWT 632.1 μs VBW 10 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] -12.78 dBm 2.48006080 GHz CF 2.48 GHz 691 pts Span 3.0 MHz Date: 21 JUL 2023 09:52:05</p>

Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth(kHz)	Limit (kHz)	Result
1Mbps	00	720.00	≥500	Pass
	19	710.00		
	39	730.00		
2Mbps	00	1160.00	≥500	Pass
	19	1160.00		
	39	1165.00		

Test rate: 1Mbps																													
CH00	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 19.1 μs VBW 300 kHz Mode Auto FFT Count 500/500 IPK View</p> <p>CF 2.402 GHz 1001 pts Span 2.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.401682 GHz</td> <td>-0.25 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.402066 GHz</td> <td>5.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>720.0 kHz</td> <td>-0.04 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 JUL 2023 09:42:01</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.401682 GHz	-0.25 dBm			M2	1		2.402066 GHz	5.75 dBm			D3	M1	1	720.0 kHz	-0.04 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1	1		2.401682 GHz	-0.25 dBm																									
M2	1		2.402066 GHz	5.75 dBm																									
D3	M1	1	720.0 kHz	-0.04 dB																									
CH19	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 19.1 μs VBW 300 kHz Mode Auto FFT Count 500/500 IPK View</p> <p>CF 2.44 GHz 1001 pts Span 2.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.439688 GHz</td> <td>-0.56 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.44006 GHz</td> <td>5.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>710.0 kHz</td> <td>-0.07 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 JUL 2023 09:45:07</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.439688 GHz	-0.56 dBm			M2	1		2.44006 GHz	5.45 dBm			D3	M1	1	710.0 kHz	-0.07 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1	1		2.439688 GHz	-0.56 dBm																									
M2	1		2.44006 GHz	5.45 dBm																									
D3	M1	1	710.0 kHz	-0.07 dB																									
CH39	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 19.1 μs VBW 300 kHz Mode Auto FFT Count 500/500 IPK View</p> <p>CF 2.48 GHz 1001 pts Span 2.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.47967 GHz</td> <td>-0.73 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.48006 GHz</td> <td>5.30 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>730.0 kHz</td> <td>0.03 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 JUL 2023 09:46:46</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.47967 GHz	-0.73 dBm			M2	1		2.48006 GHz	5.30 dBm			D3	M1	1	730.0 kHz	0.03 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1	1		2.47967 GHz	-0.73 dBm																									
M2	1		2.48006 GHz	5.30 dBm																									
D3	M1	1	730.0 kHz	0.03 dB																									

Test rate:		2Mbps																												
CH00	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 19 μs VBW 300 kHz Mode Auto FFT Count 500/500 IPK View -0.561 dBm -0.60 dBm 2.40145500 GHz 5.44 dBm 2.40204000 GHz CF 2.402 GHz 1001 pts Span 5.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.401455 GHz</td> <td>-0.60 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.40204 GHz</td> <td>5.44 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1.16 MHz</td> <td>-0.03 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 JUL 2023 09:48:42</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.401455 GHz	-0.60 dBm			M2		1	2.40204 GHz	5.44 dBm			D3	M1	1	1.16 MHz	-0.03 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.401455 GHz	-0.60 dBm																										
M2		1	2.40204 GHz	5.44 dBm																										
D3	M1	1	1.16 MHz	-0.03 dB																										
CH19	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 19 μs VBW 300 kHz Mode Auto FFT Count 500/500 IPK View -0.825 dBm -0.92 dBm 2.43945500 GHz 5.17 dBm 2.44007000 GHz CF 2.44 GHz 1001 pts Span 5.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.439455 GHz</td> <td>-0.92 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.44007 GHz</td> <td>5.17 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1.16 MHz</td> <td>-0.06 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 JUL 2023 09:50:09</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.439455 GHz	-0.92 dBm			M2		1	2.44007 GHz	5.17 dBm			D3	M1	1	1.16 MHz	-0.06 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.439455 GHz	-0.92 dBm																										
M2		1	2.44007 GHz	5.17 dBm																										
D3	M1	1	1.16 MHz	-0.06 dB																										
CH39	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 19 μs VBW 300 kHz Mode Auto FFT Count 500/500 IPK View -0.985 dBm -1.02 dBm 2.47945500 GHz 5.01 dBm 2.48007000 GHz CF 2.48 GHz 1001 pts Span 5.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.479455 GHz</td> <td>-1.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.48007 GHz</td> <td>5.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1.165 MHz</td> <td>0.01 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 JUL 2023 09:52:55</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.479455 GHz	-1.02 dBm			M2		1	2.48007 GHz	5.01 dBm			D3	M1	1	1.165 MHz	0.01 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.479455 GHz	-1.02 dBm																										
M2		1	2.48007 GHz	5.01 dBm																										
D3	M1	1	1.165 MHz	0.01 dB																										

Appendix D: 99% Occupied Bandwidth


Test rate	Channel	99% Occupied Bandwidth(MHz)	Limit (kHz)	Result
1Mbps	00	1.04	-	Pass
	19	1.03		
	39	1.04		
2Mbps	00	2.07	-	Pass
	19	2.07		
	39	2.07		

Test rate: 1Mbps	
CH00	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 30 kHz Att 20 dB SWT 63.3 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm CF 2.402 GHz 1001 pts Span 2.0 MHz 3.64 dBm 2.40204600 GHz 1.040959041 MHz M1 M1[1] Occ Bw T1 T2 Date: 21 JUL 2023 09:42:11</p>
CH19	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 30 kHz Att 20 dB SWT 63.3 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm CF 2.44 GHz 1001 pts Span 2.0 MHz 3.60 dBm 2.44004200 GHz 1.034965035 MHz M1 M1[1] Occ Bw T1 T2 Date: 21 JUL 2023 09:45:45</p>
CH39	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 30 kHz Att 20 dB SWT 63.3 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm CF 2.48 GHz 1001 pts Span 2.0 MHz 3.43 dBm 2.48004400 GHz 1.038961039 MHz M1 M1[1] Occ Bw T1 T2 Date: 21 JUL 2023 09:46:54</p>


Test rate: 2Mbps	
CH00	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 30 kHz Att 20 dB SWT 63.2 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View M1[1] 1.79 dBm 2.4025000 GHz Occ Bw 2.067932068 MHz CF 2.402 GHz 1001 pts Span 5.0 MHz Date: 21 JUL 2023 09:48:49</p>
CH19	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 30 kHz Att 20 dB SWT 63.2 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View M1[1] 1.79 dBm 2.44004500 GHz Occ Bw 2.067932068 MHz CF 2.44 GHz 1001 pts Span 5.0 MHz Date: 21 JUL 2023 09:50:46</p>
CH39	<p>Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 30 kHz Att 20 dB SWT 63.2 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View M1[1] 1.68 dBm 2.48005000 GHz Occ Bw 2.072927073 MHz CF 2.48 GHz 1001 pts Span 5.0 MHz Date: 21 JUL 2023 09:52:02</p>

Appendix E: Duty cycle

Test Rate:			1Mbps	
Test Frequency (MHz)	Ton time for single burst (ms)	Tperiod (ms)	Duty cycle	1/Ton time (kHz)
2440	0.61	1.24	49.2%	1.6




Test Rate:			2Mbps	
Test Frequency (MHz)	Ton time for single burst (ms)	Tperiod (ms)	Duty cycle	1/Ton time (kHz)
2440	0.31	0.61	50.8%	3.2



Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Band edge	Test Rate:	1Mbps																																										
CH00	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40204 GHz</td> <td>5.42 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-49.30 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-63.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.60 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.370304 GHz</td> <td>-46.01 dBm</td> <td></td> <td></td> </tr> </tbody> </table>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40204 GHz	5.42 dBm			M2	1		2.4 GHz	-49.30 dBm			M3	1		2.39 GHz	-63.07 dBm			M4	1		2.31 GHz	-63.60 dBm			M5	1		2.370304 GHz	-46.01 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.40204 GHz	5.42 dBm																																									
M2	1		2.4 GHz	-49.30 dBm																																									
M3	1		2.39 GHz	-63.07 dBm																																									
M4	1		2.31 GHz	-63.60 dBm																																									
M5	1		2.370304 GHz	-46.01 dBm																																									
CH39	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.480054 GHz</td> <td>5.20 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-59.85 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-66.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4879797 GHz</td> <td>-52.61 dBm</td> <td></td> <td></td> </tr> </tbody> </table>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.480054 GHz	5.20 dBm			M2	1		2.4835 GHz	-59.85 dBm			M3	1		2.5 GHz	-66.48 dBm			M4	1		2.4879797 GHz	-52.61 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.480054 GHz	5.20 dBm																																									
M2	1		2.4835 GHz	-59.85 dBm																																									
M3	1		2.5 GHz	-66.48 dBm																																									
M4	1		2.4879797 GHz	-52.61 dBm																																									
CH00	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40204 GHz</td> <td>5.38 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-28.31 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-63.99 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.92 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399906 GHz</td> <td>-35.33 dBm</td> <td></td> <td></td> </tr> </tbody> </table>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40204 GHz	5.38 dBm			M2	1		2.4 GHz	-28.31 dBm			M3	1		2.39 GHz	-63.99 dBm			M4	1		2.31 GHz	-63.92 dBm			M5	1		2.399906 GHz	-35.33 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.40204 GHz	5.38 dBm																																									
M2	1		2.4 GHz	-28.31 dBm																																									
M3	1		2.39 GHz	-63.99 dBm																																									
M4	1		2.31 GHz	-63.92 dBm																																									
M5	1		2.399906 GHz	-35.33 dBm																																									


CH39




Test Item:	SE	Test Rate:	1Mbps
<p>CH00 Reference level</p>			
<p>CH00 30MHz~1000MHz</p>			
<p>CH00 1GHz~26GHz</p>			

<p>CH19 Reference level</p>	
<p>CH19 30MHz~1000MHz</p>	
<p>CH19 1GHz~26GHz</p>	


CH39
Reference level



CH39
30MHz~1000MHz




CH39
1GHz~26GHz




Test Item:	SE	Test Rate:	2Mbps
<p>CH00 Reference level</p>			
<p>CH00 30MHz~1000MHz</p>			
<p>CH00 1GHz~26GHz</p>			

<p>CH19 Reference level</p>	
<p>CH19 30MHz~1000MHz</p>	
<p>CH19 1GHz~26GHz</p>	


CH39
Reference level



CH39
30MHz~1000MHz



CH39
1GHz~26GHz



-----End of Report-----