





Sunny

COMPUTER TECHNOLOGY EUROPE s.r.o.
Trnkova 156, 62800 Brno, Czech Republic

YSOFT®

呈威国际有限公司/呈威國際有限公司
开关电源适配器/交換式電源供應器

RoHS

SWITCHING ADAPTER/AC ADAPTADOR
MODEL/MODELO(型号/型號): SYS1357-2412



INPUT/ENTRADA(输入/輸入): 100-240V~1.0A MAX, 50-60Hz

TÜVRheinland

OUTPUT/SAIDA(输出/輸出): +12V === 2.0A

BRASIL - OCP 0004

OUTPUT POWER/PODER DA SAIDA(输出功率/輸出功率): 24W MAX.



品 號 : SY1357-2412
型 號 : SY1357-2412
額 定 電 壓 : 100-240V~1.0A MAX 50-60Hz
額 定 電 流 : +12V 2.0A
額 定 功 率 : 24W
A / S 註 冊 : 2014-08-01
備 註 : 請 認 準 商 標 為 準
A / S 註 冊 : 2014-08-01
備 註 : 請 認 準 商 標 為 準



P E C


BZ02

EFFICIENCY LEVEL: V



警告: 仅适用于海拔2000m以下地区安全使用

MADE IN CHINA/FABRICADO NA CHINA 中国制造/中國製造 CPC



PN: YW01000 001

Accessory kit EU 12V/2.0A

YSOFT
SAFEQ®



Terminal Pro 125kHz ASK FSK



PH: YP04016 001



SN: S0PRB063536E48E

MAC Address: 00:0A:59:F4:6E:48

INPUT  12V/2.0A www.ysoff.com

Y Soti Corporation, Made in Czech Republic, E. U.

FOR INDOOR USE ONLY. PS2R UTILISATION A
L'INTERIEUR SEULEMENT. NUR ZUR
VERWENDUNG IN GESCHLOSSENEN RAUMEN.



国内用






QC OK YCZLK
Warranty VOID
if broken or removed.
SOL
THE GEORGE CENTER COMPANY



Terminal Pro 125kHz ASK FSK



PN: YP04016 001



SN: SQPRE393532EE4E

MAC Address: 68:7C:D5:03:2E:E4

INPUT 12V/2.0A + - www.ysoft.com

Y Soft Corporation, Made in Czech Republic, E. U.

MODEL: MP04016

FCC ID: XUY0YX0MP04016
IC ID: 8647B-0YX0MP04016

This device complies with Part 15 of the FCC Rules and with Industry Canada license exempt RSS standard(s). Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.



Complies with
IDA Standards
DA104290

CMIIT ID: 2013DJ9252



N136

屋内用



INTERFACE | 10/100 ETHERNET | POWER

INTERFACE	DEVICE(S)						NETWORK		POWER
	LINK/ACT	DUPLX	LINK/ACT	DUPLX	LINK/ACT	DUPLX	LINK/ACT	DUPLX	
D.I.*	LINK-0		LINK-1		LINK-2		UP-LINK		12V /1.5A

*) DEVICE (MP04016)

DC IN