

Key Fob 315 MHz
Model:NI1-001



2 key: Lockout key

1 key:Unlock key

3key: Tail box key, used to switch the trunk

4 key: Car search key



Ignition key

Operation instructions

1. After matching the key to the car, press 1 the unlock key for 2 seconds to open the door and press 2 the lockout key for 2 seconds to close the door.
2. In the parking lot or in a small area, when the owner can not find his own car, by clicking the "finding button", the vehicle sounds and lights twin flash, allowing the owner to quickly find the car.
3. The ignition key is used to manually unlock and start the car.

Product parameters

Rated voltage	DC 3V
Working current	<6mA
Operating voltage	3V
Transmit power	>-15dbm
Key operation force	200±50g
Operating temperature	-5° C +45° C
Stand-by current	<5uA
transmitting frequency	315MHz ± 50KHz
Modulation	FSK
Battery	CR2032
Key durability	More than 100,000 times

IC warning statements:

-English Warning Statement:

“This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.”

The digital apparatus complies with Canadian CAN ICES-3 (B)/NMB-3(B).

-French Warning Statement:

“Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.”

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment and meets RSS-102 of the IC radio frequency (RF) Exposure rules. This equipment has very low levels of RF energy that are deemed to comply without testing of specific absorption ratio (SAR). Cet équipement est conforme aux limites d'exposition aux rayonnements énoncées pour un environnement non contrôlé et respecte les règles d'exposition aux fréquences radioélectriques (RF) CNR-102 de l'IC. Cet équipement émet une énergie RF très faible qui est considérée conforme sans évaluation du débit d'absorption spécifique (DAS).

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.