

FCC RF EXPOSURE REPORT

FCC ID: XW3DK8061RM

Project No. : 1309C002

Equipment : 2.4 GHz Mini Thumb keyboard

Model : DK-8061RM; KB115

Applicant : Dongguan Siliten Electronics CO.,LTD : Sijia Yewu Industrial estate, Shijie Town, Dongguan City, Guangdong Province, China

According: : FCC Guidelines for Human Exposure IEEE C95.1

Neutron Engineering Inc.

No.3, Jinshagang 1st Road, ShiXia, Dalang Town, Dong Guan, China.

TEL: (0769) 8318-3000 FAX: (0769) 8319-6000

GENERAL CONCULUSION:

Table for Filed Antenna:

| Ant. | Brand | Model Name | Antenna Type | Connector | Gain (dBi) |
|------|-------|------------|--------------------|-----------|------------|
| 1 | N/A | N/A | Printed Antenna | N/A | 1.10 |

Maximum measured transmitter power:

| Field Strength (dBuV/m) | Out Power (mW) | Limit (mW) |
|-------------------------|----------------|------------|
| 66.55 | 0.001 | 10 |

According to FCC KDB447498, Appendix A, SAR Test Exclusion Thresholds for 100 MHz - 6 GHz and $\leq 50 \text{ mm}$

The maximum power specification of this device is 0.001mW, less than10mW at 5mm distance.

Conclusion: No SAR evaluation required since transmitter power is below FCC threshold