

USER MANUAL

Model NAME : 2.4G WIRELESS Transceiver

MODEL NO. : DR-9053RM

VERSION : 0.1

DATE : 2013.3.6



Version. #	Revised Date	PIC	Remark
0.1	03/06/2012	Natural	Preliminary



Electrical Specification

1. Operating Voltage

Transceiver supply voltage: DC 5V (USB Port)

2. Current Consumption

Current use :< 35mA

3. Wireless specifications

2.408-2.474GHz frequency coverage.

GFSK RF transceiver

High Speed RF link data rate Max. 1M bit/s

4. USB Features

Supports USB interface both device of keyboard and mouse or mouse device only by strap/AP-software option



Operation Process

Step	1
$\mathcal{S}_{\mathcal{U}}$	ı

Insert the Transceiver in a USB port of PC

Step 2

Wait a jiffy and use the pairing equipments freely.

Caution

Please use the Transceiver in human house only and keep away water.

Children don't to install the Transceiver.

Keep dry. Humidity, liquids, contain minerals that will corrode electronic circuits.

Don't use or store in dusty, dirty areas.

Don't store in hot areas. High temperature can shorten the life of



electronic devices and warp or melt certain plastics.

Don't store in very cold areas. Moisture can form inside the case, which may damage electronic circuit boards.

Don't attempt to open the case. Non-expert handling of the device may damage the system.

Avoid dropping and strong impact.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the harmful interference may radio instructions, cause to communications. However, there is no guarantee interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off



and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example- use only shielded interface cables when connecting to computer or peripheral devices).

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1) This device may not cause harmful interference, and
- 2) This device must accept any interference received, including interference that may cause undesired operation.

Caution!

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this



equipment. Such modifications could void the user authority to operate the equipment.