



NXP Semiconductors
 Tel: +33(0)2 31 45 63 08 Mob: +33 (0)6 17 57 69 71
 2, Esplanade Anton Philips, Campus Effiscience, Colombelles
 BP 20 000, 14906 Caen Cedex 9, France

To: Curtis-Straus LLC TCB
 One Distribution Center Circle, #1
 Littleton, MA 02702

Limited Modular approval letter

Dear application examiner,

NXP Semiconductors, would like to have your authorization as a (Limited) modular approval on the JN5169-001-U00-2 module, with FCC ID: XXMJN5169U0V2 and IC: 8764A-JN5169U0V2. The requirements of CFR 47 part 15.212 and RSP-100 part 7.3 have been checked and shown in the following statement,

Modular transmitter requirement	Yes	No	Comment
(i) The radio elements of the modular transmitter must have their own shielding. The physical crystal and tuning capacitors may be located external to the shielded radio elements.		X	The ZigBee module uses microstrip shielding and flooding groundplanes to effectively control emissions. Spurious emissions have been checked and shown to be compliant. For final products that contain the certified device and do not use a typical enclosure, spurious emissions testing is required to confirm compliance.
(ii) The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with Part 15 requirements under conditions of excessive data rates or over-modulation.	X		
(iii) The modular transmitter must have its own power supply regulation.	X		
(iv) The modular transmitter must comply with the antenna and transmission system requirements of Sections 15.203, 15.204(b) and 15.204(c). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of Section 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph (b) of this section.	X		
(v) The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing for compliance with Part 15 requirements....	X		
(vi) The modular transmitter must be equipped with either a permanently affixed label or must be capable of electronically displaying its FCC identification number.	X		
If the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the			



enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XXMJN5179U0V2 " or "Contains FCC ID: XXMJN5179U0V2 ." The exact wording is not specified in our Rules (since modules are not specifically addressed), so you may use similar wording which expresses the same meaning.			
(vii) The modular transmitter must comply with any specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.	X		
(viii) The modular transmitter must comply with any applicable RF exposure requirements in its final configuration.	X		

(Shall provide a detailed explanation if the answer is "No.")

The module shall comply with the provisions for external power amplifiers and antennas detailed in the applicable RSS standard. The equipment certification submission shall contain a detailed description of the configuration of all antennas that will be used with the module.	X		
The module shall comply with applicable RSS-102 exposure requirements, which are based on the intended use/configurations	X		
Is the modular device for an Industry Canada licence-exempt service?	X		

(Shall provide a detailed explanation if the answer is "No.")

Best regards,

28/09/2016