

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3707.52	647168	15	15kHz	Inner_1RB_Left	26.47	24.38	0.274
					Inner_1RB_Right	26.79	24.7	0.295
					Inner_Full	26.79	24.7	0.295
	3840	656000			Inner_1RB_Left	26.18	24.09	0.256
					Inner_1RB_Right	26.25	24.16	0.261
					Inner_Full	26.37	24.28	0.268
	3972.48	664832			Inner_1RB_Left	25.91	23.82	0.241
					Inner_1RB_Right	26.16	24.07	0.255
					Inner_Full	26.15	24.06	0.255
CP-16QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	25.31	23.22	0.210
					Inner_1RB_Right	25.90	23.81	0.240
					Inner_Full	25.88	23.79	0.239
	3840	656000			Inner_1RB_Left	25.30	23.21	0.209
					Inner_1RB_Right	25.46	23.37	0.217
					Inner_Full	25.12	23.03	0.201
	3972.48	664832			Inner_1RB_Left	25.00	22.91	0.195
					Inner_1RB_Right	25.34	23.25	0.211
					Inner_Full	25.29	23.2	0.209
CP-64QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	23.59	21.5	0.141
					Inner_1RB_Right	23.93	21.84	0.153
					Inner_Full	24.04	21.95	0.157
	3840	656000			Inner_1RB_Left	23.72	21.63	0.146
					Inner_1RB_Right	23.45	21.36	0.137
					Inner_Full	23.53	21.44	0.139
	3972.48	664832			Inner_1RB_Left	23.26	21.17	0.131
					Inner_1RB_Right	23.32	21.23	0.133
					Inner_Full	23.48	21.39	0.138
CP-256QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	23.54	21.45	0.140
					Inner_1RB_Right	23.95	21.86	0.153
					Inner_Full	24.13	22.04	0.160
	3840	656000			Inner_1RB_Left	23.23	21.14	0.130
					Inner_1RB_Right	23.47	21.38	0.137
					Inner_Full	23.84	21.75	0.150
	3972.48	664832			Inner_1RB_Left	23.07	20.98	0.125
					Inner_1RB_Right	23.30	21.21	0.132
					Inner_Full	23.45	21.36	0.137

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3710.01	647334	20	15kHz	Inner_1RB_Left	26.26	24.17	0.261
					Inner_1RB_Right	26.64	24.55	0.285
					Inner_Full	26.64	24.55	0.285
	3840	656000			Inner_1RB_Left	24.77	22.68	0.185
					Inner_1RB_Right	24.87	22.78	0.190
					Inner_Full	24.66	22.57	0.181
	3969.99	664666			Inner_1RB_Left	24.84	22.75	0.188
					Inner_1RB_Right	25.15	23.06	0.202
					Inner_Full	25.24	23.15	0.207
DFT-16QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	25.11	23.02	0.200
					Inner_1RB_Right	25.73	23.64	0.231
					Inner_Full	25.62	23.53	0.225
	3840	656000			Inner_1RB_Left	23.78	21.69	0.148
					Inner_1RB_Right	23.81	21.72	0.149
					Inner_Full	24.11	22.02	0.159
	3969.99	664666			Inner_1RB_Left	23.31	21.22	0.132
					Inner_1RB_Right	23.61	21.52	0.142
					Inner_Full	23.51	21.42	0.139
DFT-64QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	23.74	21.65	0.146
					Inner_1RB_Right	23.81	21.72	0.149
					Inner_Full	24.00	21.91	0.155
	3840	656000			Inner_1RB_Left	22.33	20.24	0.106
					Inner_1RB_Right	22.50	20.41	0.110
					Inner_Full	22.54	20.45	0.111
	3969.99	664666			Inner_1RB_Left	21.42	19.33	0.086
					Inner_1RB_Right	21.55	19.46	0.088
					Inner_Full	21.44	19.35	0.086
DFT-256QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	23.38	21.29	0.135
					Inner_1RB_Right	24.16	22.07	0.161
					Inner_Full	23.97	21.88	0.154
	3840	656000			Inner_1RB_Left	22.33	20.24	0.106
					Inner_1RB_Right	22.60	20.51	0.112
					Inner_Full	22.55	20.46	0.111
	3969.99	664666			Inner_1RB_Left	20.96	18.87	0.077
					Inner_1RB_Right	21.26	19.17	0.083
					Inner_Full	21.43	19.34	0.086

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3710.01	647334	20	15kHz	Inner_1RB_Left	26.25	24.54	0.284
					Inner_1RB_Right	26.63	24.5	0.282
					Inner_Full	26.59	22.71	0.187
	3840	656000			Inner_1RB_Left	24.80	22.78	0.190
					Inner_1RB_Right	24.87	22.6	0.182
					Inner_Full	24.69	22.76	0.189
	3969.99	664666			Inner_1RB_Left	24.85	23.35	0.216
					Inner_1RB_Right	25.44	23.34	0.216
					Inner_Full	25.43	23.26	0.212
CP-16QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	25.35	23.61	0.230
					Inner_1RB_Right	25.70	23.36	0.217
					Inner_Full	25.45	21.64	0.146
	3840	656000			Inner_1RB_Left	23.73	21.91	0.155
					Inner_1RB_Right	24.00	22.09	0.162
					Inner_Full	24.18	21.16	0.131
	3969.99	664666			Inner_1RB_Left	23.25	21.41	0.138
					Inner_1RB_Right	23.50	21.46	0.140
					Inner_Full	23.55	21.29	0.135
CP-64QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	23.38	21.7	0.148
					Inner_1RB_Right	23.79	22.05	0.160
					Inner_Full	24.14	20.22	0.105
	3840	656000			Inner_1RB_Left	22.31	20.49	0.112
					Inner_1RB_Right	22.58	20.37	0.109
					Inner_Full	22.46	19.29	0.085
	3969.99	664666			Inner_1RB_Left	21.38	19.46	0.088
					Inner_1RB_Right	21.55	19.56	0.090
					Inner_Full	21.65	21.68	0.147
CP-256QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	23.77	22.05	0.160
					Inner_1RB_Right	24.14	22.05	0.160
					Inner_Full	24.14	20.26	0.106
	3840	656000			Inner_1RB_Left	22.35	20.47	0.111
					Inner_1RB_Right	22.56	20.4	0.110
					Inner_Full	22.49	18.89	0.077
	3969.99	664666			Inner_1RB_Left	20.98	19.47	0.089
					Inner_1RB_Right	21.56	19.55	0.090
					Inner_Full	21.64	24.54	0.284

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3720	648000	40	15kHz	Inner_1RB_Left	22.84	20.75	0.119
					Inner_1RB_Right	22.83	20.74	0.119
					Inner_Full	22.82	20.73	0.118
	3840	656000			Inner_1RB_Left	24.42	22.33	0.171
					Inner_1RB_Right	24.64	22.55	0.180
					Inner_Full	24.67	22.58	0.181
	3960	664000			Inner_1RB_Left	25.39	23.3	0.214
					Inner_1RB_Right	25.81	23.72	0.236
					Inner_Full	26.00	23.91	0.246
DFT-16QAM	3720	648000	Inner_1RB_Left	22.81	20.72	0.118		
			Inner_1RB_Right	22.83	20.74	0.119		
			Inner_Full	23.82	21.73	0.149		
	3840	656000	Inner_1RB_Left	23.39	21.3	0.135		
			Inner_1RB_Right	23.62	21.53	0.142		
			Inner_Full	24.12	22.03	0.160		
	3960	664000	Inner_1RB_Left	24.43	22.34	0.171		
			Inner_1RB_Right	24.98	22.89	0.195		
			Inner_Full	24.98	22.89	0.195		
DFT-64QAM	3720	648000	Inner_1RB_Left	22.79	20.7	0.117		
			Inner_1RB_Right	22.80	20.71	0.118		
			Inner_Full	22.83	20.74	0.119		
	3840	656000	Inner_1RB_Left	22.00	19.91	0.098		
			Inner_1RB_Right	22.21	20.12	0.103		
			Inner_Full	22.61	20.52	0.113		
	3960	664000	Inner_1RB_Left	22.45	20.36	0.109		
			Inner_1RB_Right	22.94	20.85	0.122		
			Inner_Full	23.34	21.25	0.133		
DFT-256QAM	3720	648000	Inner_1RB_Left	22.79	20.7	0.117		
			Inner_1RB_Right	22.81	20.72	0.118		
			Inner_Full	22.85	20.76	0.119		
	3840	656000	Inner_1RB_Left	22.00	19.91	0.098		
			Inner_1RB_Right	22.21	20.12	0.103		
			Inner_Full	22.58	20.49	0.112		
	3960	664000	Inner_1RB_Left	22.52	20.43	0.110		
			Inner_1RB_Right	22.94	20.85	0.122		
			Inner_Full	23.36	21.27	0.134		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3720	648000	40	15kHz	Inner_1RB_Left	22.84	20.75	0.119
					Inner_1RB_Right	22.79	20.7	0.117
					Inner_Full	22.81	20.72	0.118
	3840	656000			Inner_1RB_Left	24.30	22.21	0.166
					Inner_1RB_Right	24.66	22.57	0.181
					Inner_Full	24.68	22.59	0.182
	3960	664000			Inner_1RB_Left	25.38	23.29	0.213
					Inner_1RB_Right	25.81	23.72	0.236
					Inner_Full	26.05	23.96	0.249
CP-16QAM	3720	648000			Inner_1RB_Left	22.82	20.73	0.118
					Inner_1RB_Right	22.86	20.77	0.119
					Inner_Full	22.81	20.72	0.118
	3840	656000			Inner_1RB_Left	23.45	21.36	0.137
					Inner_1RB_Right	23.65	21.56	0.143
					Inner_Full	24.11	22.02	0.159
	3960	664000			Inner_1RB_Left	24.22	22.13	0.163
					Inner_1RB_Right	24.98	22.89	0.195
					Inner_Full	25.02	22.93	0.196
CP-64QAM	3720	648000			Inner_1RB_Left	24.82	22.73	0.187
					Inner_1RB_Right	25.82	23.73	0.236
					Inner_Full	24.79	22.7	0.186
	3840	656000			Inner_1RB_Left	22.01	19.92	0.098
					Inner_1RB_Right	22.23	20.14	0.103
					Inner_Full	22.63	20.54	0.113
	3960	664000			Inner_1RB_Left	22.92	20.83	0.121
					Inner_1RB_Right	23.35	21.26	0.134
					Inner_Full	23.34	21.25	0.133
CP-256QAM	3720	648000	Inner_1RB_Left	22.85	20.76	0.119		
			Inner_1RB_Right	22.85	20.76	0.119		
			Inner_Full	22.81	20.72	0.118		
	3840	656000	Inner_1RB_Left	22.02	19.93	0.098		
			Inner_1RB_Right	22.21	20.12	0.103		
			Inner_Full	22.59	20.5	0.112		
	3960	664000	Inner_1RB_Left	22.91	20.82	0.121		
			Inner_1RB_Right	22.93	20.84	0.121		
			Inner_Full	23.37	21.28	0.134		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3725.01	648334	50	15kHz	Inner_1RB_Left	25.11	23.02	0.200
					Inner_1RB_Right	25.67	23.58	0.228
					Inner_Full	25.39	23.3	0.214
	3840	656000			Inner_1RB_Left	25.84	23.75	0.237
					Inner_1RB_Right	26.21	24.12	0.258
					Inner_Full	26.37	24.28	0.268
	3954.99	663666			Inner_1RB_Left	25.61	23.52	0.225
					Inner_1RB_Right	26.15	24.06	0.255
					Inner_Full	26.10	24.01	0.252
DFT-16QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	23.98	21.89	0.155
					Inner_1RB_Right	24.77	22.68	0.185
					Inner_Full	24.93	22.84	0.192
	3840	656000			Inner_1RB_Left	24.97	22.88	0.194
					Inner_1RB_Right	25.03	22.94	0.197
					Inner_Full	25.31	23.22	0.210
	3954.99	663666			Inner_1RB_Left	24.55	22.46	0.176
					Inner_1RB_Right	25.26	23.17	0.207
					Inner_Full	25.05	22.96	0.198
DFT-64QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	22.76	20.67	0.117
					Inner_1RB_Right	23.44	21.35	0.136
					Inner_Full	23.34	21.25	0.133
	3840	656000			Inner_1RB_Left	23.38	21.29	0.135
					Inner_1RB_Right	23.32	21.23	0.133
					Inner_Full	23.73	21.64	0.146
	3954.99	663666			Inner_1RB_Left	22.79	20.7	0.117
					Inner_1RB_Right	23.62	21.53	0.142
					Inner_Full	23.35	21.26	0.134
DFT-256QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	22.69	20.6	0.115
					Inner_1RB_Right	23.43	21.34	0.136
					Inner_Full	23.34	21.25	0.133
	3840	656000			Inner_1RB_Left	22.99	20.9	0.123
					Inner_1RB_Right	23.31	21.22	0.132
					Inner_Full	23.70	21.61	0.145
	3954.99	663666			Inner_1RB_Left	23.24	21.15	0.130
					Inner_1RB_Right	23.20	21.11	0.129
					Inner_Full	23.43	21.34	0.136

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3725.01	648334	50	15kHz	Inner_1RB_Left	24.84	22.75	0.188
					Inner_1RB_Right	25.64	23.55	0.226
					Inner_Full	25.40	23.31	0.214
	3840	656000			Inner_1RB_Left	25.84	23.75	0.237
					Inner_1RB_Right	26.21	24.12	0.258
					Inner_Full	26.36	24.27	0.267
	3954.99	663666			Inner_1RB_Left	25.71	23.62	0.230
					Inner_1RB_Right	26.14	24.05	0.254
					Inner_Full	26.10	24.01	0.252
CP-16QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	23.95	21.86	0.153
					Inner_1RB_Right	24.81	22.72	0.187
					Inner_Full	24.88	22.79	0.190
	3840	656000			Inner_1RB_Left	24.99	22.9	0.195
					Inner_1RB_Right	25.29	23.2	0.209
					Inner_Full	25.36	23.27	0.212
	3954.99	663666			Inner_1RB_Left	24.57	22.48	0.177
					Inner_1RB_Right	24.94	22.85	0.193
					Inner_Full	24.98	22.89	0.195
CP-64QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	22.66	20.57	0.114
					Inner_1RB_Right	23.35	21.26	0.134
					Inner_Full	23.36	21.27	0.134
	3840	656000			Inner_1RB_Left	23.41	21.32	0.136
					Inner_1RB_Right	23.68	21.59	0.144
					Inner_Full	23.72	21.63	0.146
	3954.99	663666			Inner_1RB_Left	23.24	21.15	0.130
					Inner_1RB_Right	23.62	21.53	0.142
					Inner_Full	23.42	21.33	0.136
CP-256QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	22.72	20.63	0.116
					Inner_1RB_Right	23.42	21.33	0.136
					Inner_Full	23.33	21.24	0.133
	3840	656000			Inner_1RB_Left	23.01	20.92	0.124
					Inner_1RB_Right	23.27	21.18	0.131
					Inner_Full	23.76	21.67	0.147
	3954.99	663666			Inner_1RB_Left	22.82	20.73	0.118
					Inner_1RB_Right	23.25	21.16	0.131
					Inner_Full	23.41	21.32	0.136

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3705	647000	10	30kHz	Inner_1RB_Left	23.13	21.04	0.127
					Inner_1RB_Right	23.49	21.4	0.138
					Inner_Full	23.38	21.29	0.135
	3840	656000			Inner_1RB_Left	23.42	21.33	0.136
					Inner_1RB_Right	23.49	21.4	0.138
					Inner_Full	23.49	21.4	0.138
	3975	665000			Inner_1RB_Left	23.27	21.18	0.131
					Inner_1RB_Right	23.44	21.35	0.136
					Inner_Full	23.33	21.24	0.133
DFT-16QAM	3705	647000	Inner_1RB_Left	22.07	19.98	0.100		
			Inner_1RB_Right	22.22	20.13	0.103		
			Inner_Full	22.37	20.28	0.107		
	3840	656000	Inner_1RB_Left	22.24	20.15	0.104		
			Inner_1RB_Right	22.25	20.16	0.104		
			Inner_Full	22.37	20.28	0.107		
	3975	665000	Inner_1RB_Left	22.01	19.92	0.098		
			Inner_1RB_Right	22.16	20.07	0.102		
			Inner_Full	22.25	20.16	0.104		
DFT-64QAM	3705	647000	Inner_1RB_Left	20.80	18.71	0.074		
			Inner_1RB_Right	20.90	18.81	0.076		
			Inner_Full	20.80	18.71	0.074		
	3840	656000	Inner_1RB_Left	20.88	18.79	0.076		
			Inner_1RB_Right	20.87	18.78	0.076		
			Inner_Full	20.84	18.75	0.075		
	3975	665000	Inner_1RB_Left	20.77	18.68	0.074		
			Inner_1RB_Right	20.99	18.9	0.078		
			Inner_Full	20.73	18.64	0.073		
DFT-256QAM	3705	647000	Inner_1RB_Left	19.20	17.11	0.051		
			Inner_1RB_Right	19.30	17.21	0.053		
			Inner_Full	18.91	16.82	0.048		
	3840	656000	Inner_1RB_Left	19.28	17.19	0.052		
			Inner_1RB_Right	19.32	17.23	0.053		
			Inner_Full	18.94	16.85	0.048		
	3975	665000	Inner_1RB_Left	19.15	17.06	0.051		
			Inner_1RB_Right	16.08	13.99	0.025		
			Inner_Full	18.87	16.78	0.048		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3705	647000	10	30kHz	Inner_1RB_Left	21.82	19.73	0.094
					Inner_1RB_Right	18.81	16.72	0.047
					Inner_Full	21.82	19.73	0.094
	3840	656000			Inner_1RB_Left	21.91	19.82	0.096
					Inner_1RB_Right	21.98	19.89	0.097
					Inner_Full	21.91	19.82	0.096
	3975	665000			Inner_1RB_Left	21.82	19.73	0.094
					Inner_1RB_Right	21.97	19.88	0.097
					Inner_Full	21.79	19.7	0.093
CP-16QAM	3705	647000	10	30kHz	Inner_1RB_Left	21.16	19.07	0.081
					Inner_1RB_Right	21.34	19.25	0.084
					Inner_Full	21.35	19.26	0.084
	3840	656000			Inner_1RB_Left	21.20	19.11	0.081
					Inner_1RB_Right	21.26	19.17	0.083
					Inner_Full	21.38	19.29	0.085
	3975	665000			Inner_1RB_Left	21.03	18.94	0.078
					Inner_1RB_Right	21.21	19.12	0.082
					Inner_Full	21.26	19.17	0.083
CP-64QAM	3705	647000	10	30kHz	Inner_1RB_Left	19.91	17.82	0.061
					Inner_1RB_Right	20.03	17.94	0.062
					Inner_Full	19.97	17.88	0.061
	3840	656000			Inner_1RB_Left	19.99	17.9	0.062
					Inner_1RB_Right	20.02	17.93	0.062
					Inner_Full	20.01	17.92	0.062
	3975	665000			Inner_1RB_Left	19.86	17.77	0.060
					Inner_1RB_Right	20.09	18	0.063
					Inner_Full	19.96	17.87	0.061
CP-256QAM	3705	647000	10	30kHz	Inner_1RB_Left	17.14	15.05	0.032
					Inner_1RB_Right	17.23	15.14	0.033
					Inner_Full	16.87	14.78	0.030
	3840	656000			Inner_1RB_Left	17.29	15.2	0.033
					Inner_1RB_Right	17.25	15.16	0.033
					Inner_Full	16.94	14.85	0.031
	3975	665000			Inner_1RB_Left	17.21	15.12	0.033
					Inner_1RB_Right	17.26	15.17	0.033
					Inner_Full	16.85	14.76	0.030

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3707.52	647168	15	30kHz	Inner_1RB_Left	23.19	21.1	0.129
					Inner_1RB_Right	23.39	21.3	0.135
					Inner_Full	23.45	21.36	0.137
	3840	656000			Inner_1RB_Left	23.31	21.22	0.132
					Inner_1RB_Right	23.38	21.29	0.135
					Inner_Full	23.46	21.37	0.137
	3972.48	664832			Inner_1RB_Left	23.11	21.02	0.126
					Inner_1RB_Right	23.34	21.25	0.133
					Inner_Full	23.35	21.26	0.134
DFT-16QAM	3707.52	647168	Inner_1RB_Left	21.96	19.87	0.097		
			Inner_1RB_Right	22.16	20.07	0.102		
			Inner_Full	22.38	20.29	0.107		
	3840	656000	Inner_1RB_Left	22.21	20.12	0.103		
			Inner_1RB_Right	22.18	20.09	0.102		
			Inner_Full	22.38	20.29	0.107		
	3972.48	664832	Inner_1RB_Left	21.79	19.7	0.093		
			Inner_1RB_Right	22.13	20.04	0.101		
			Inner_Full	22.27	20.18	0.104		
DFT-64QAM	3707.52	647168	Inner_1RB_Left	20.66	18.57	0.072		
			Inner_1RB_Right	20.82	18.73	0.075		
			Inner_Full	20.92	18.83	0.076		
	3840	656000	Inner_1RB_Left	20.79	18.7	0.074		
			Inner_1RB_Right	20.85	18.76	0.075		
			Inner_Full	20.97	18.88	0.077		
	3972.48	664832	Inner_1RB_Left	20.54	18.45	0.070		
			Inner_1RB_Right	20.79	18.7	0.074		
			Inner_Full	20.84	18.75	0.075		
DFT-256QAM	3707.52	647168	Inner_1RB_Left	19.09	17	0.050		
			Inner_1RB_Right	19.25	17.16	0.052		
			Inner_Full	18.98	16.89	0.049		
	3840	656000	Inner_1RB_Left	19.15	17.06	0.051		
			Inner_1RB_Right	19.24	17.15	0.052		
			Inner_Full	19.00	16.91	0.049		
	3972.48	664832	Inner_1RB_Left	19.02	16.93	0.049		
			Inner_1RB_Right	19.23	17.14	0.052		
			Inner_Full	18.92	16.83	0.048		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3707.52	647168	15	30kHz	Inner_1RB_Left	21.68	19.59	0.091
					Inner_1RB_Right	21.85	19.76	0.095
					Inner_Full	21.87	19.78	0.095
	3840	656000			Inner_1RB_Left	21.81	19.72	0.094
					Inner_1RB_Right	10.53	8.44	0.007
					Inner_Full	21.90	19.81	0.096
	3972.48	664832			Inner_1RB_Left	21.56	19.47	0.089
					Inner_1RB_Right	21.87	19.78	0.095
					Inner_Full	21.80	19.71	0.094
CP-16QAM	3707.52	647168	15	30kHz	Inner_1RB_Left	21.04	18.95	0.079
					Inner_1RB_Right	21.21	19.12	0.082
					Inner_Full	21.33	19.24	0.084
	3840	656000			Inner_1RB_Left	21.23	19.14	0.082
					Inner_1RB_Right	21.30	19.21	0.083
					Inner_Full	21.35	19.26	0.084
	3972.48	664832			Inner_1RB_Left	21.00	18.91	0.078
					Inner_1RB_Right	21.14	19.05	0.080
					Inner_Full	21.27	19.18	0.083
CP-64QAM	3707.52	647168	15	30kHz	Inner_1RB_Left	19.79	17.7	0.059
					Inner_1RB_Right	19.99	17.9	0.062
					Inner_Full	20.02	17.93	0.062
	3840	656000			Inner_1RB_Left	19.89	17.8	0.060
					Inner_1RB_Right	19.94	17.85	0.061
					Inner_Full	20.04	17.95	0.062
	3972.48	664832			Inner_1RB_Left	19.71	17.62	0.058
					Inner_1RB_Right	19.92	17.83	0.061
					Inner_Full	19.94	17.85	0.061
CP-256QAM	3707.52	647168	15	30kHz	Inner_1RB_Left	16.99	14.9	0.031
					Inner_1RB_Right	17.20	15.11	0.032
					Inner_Full	16.91	14.82	0.030
	3840	656000			Inner_1RB_Left	17.07	14.98	0.031
					Inner_1RB_Right	17.21	15.12	0.033
					Inner_Full	16.94	14.85	0.031
	3972.48	664832			Inner_1RB_Left	17.04	14.95	0.031
					Inner_1RB_Right	17.24	15.15	0.033
					Inner_Full	16.88	14.79	0.030

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3710.01	647334	20	30kHz	Inner_1RB_Left	23.10	21.01	0.126
					Inner_1RB_Right	23.22	21.13	0.130
					Inner_Full	23.49	21.4	0.138
	3840	656000			Inner_1RB_Left	23.23	21.14	0.130
					Inner_1RB_Right	23.31	21.22	0.132
					Inner_Full	23.46	21.37	0.137
	3969.99	664666			Inner_1RB_Left	23.02	20.93	0.124
					Inner_1RB_Right	23.27	21.18	0.131
					Inner_Full	23.34	21.25	0.133
DFT-16QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	21.97	19.88	0.097
					Inner_1RB_Right	22.08	19.99	0.100
					Inner_Full	22.47	20.38	0.109
	3840	656000			Inner_1RB_Left	21.98	19.89	0.097
					Inner_1RB_Right	21.99	19.9	0.098
					Inner_Full	22.42	20.33	0.108
	3969.99	664666			Inner_1RB_Left	21.75	19.66	0.092
					Inner_1RB_Right	21.97	19.88	0.097
					Inner_Full	22.28	20.19	0.104
DFT-64QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	20.55	18.46	0.070
					Inner_1RB_Right	20.73	18.64	0.073
					Inner_Full	20.91	18.82	0.076
	3840	656000			Inner_1RB_Left	20.74	18.65	0.073
					Inner_1RB_Right	20.75	18.66	0.073
					Inner_Full	20.87	18.78	0.076
	3969.99	664666			Inner_1RB_Left	20.56	18.47	0.070
					Inner_1RB_Right	20.76	18.67	0.074
					Inner_Full	20.77	18.68	0.074
DFT-256QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	18.97	16.88	0.049
					Inner_1RB_Right	19.08	16.99	0.050
					Inner_Full	19.08	16.99	0.050
	3840	656000			Inner_1RB_Left	19.15	17.06	0.051
					Inner_1RB_Right	19.17	17.08	0.051
					Inner_Full	19.02	16.93	0.049
	3969.99	664666			Inner_1RB_Left	18.90	16.81	0.048
					Inner_1RB_Right	19.12	17.03	0.050
					Inner_Full	18.89	16.8	0.048

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3710.01	647334	20	30kHz	Inner_1RB_Left	21.61	19.52	0.090
					Inner_1RB_Right	21.75	19.66	0.092
					Inner_Full	21.94	19.85	0.097
	3840	656000			Inner_1RB_Left	21.70	19.61	0.091
					Inner_1RB_Right	21.76	19.67	0.093
					Inner_Full	21.87	19.78	0.095
	3969.99	664666			Inner_1RB_Left	21.41	19.32	0.086
					Inner_1RB_Right	21.73	19.64	0.092
					Inner_Full	21.71	19.62	0.092
CP-16QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	20.88	18.79	0.076
					Inner_1RB_Right	21.07	18.98	0.079
					Inner_Full	21.39	19.3	0.085
	3840	656000			Inner_1RB_Left	21.04	18.95	0.079
					Inner_1RB_Right	21.16	19.07	0.081
					Inner_Full	21.34	19.25	0.084
	3969.99	664666			Inner_1RB_Left	20.79	18.7	0.074
					Inner_1RB_Right	21.08	18.99	0.079
					Inner_Full	21.21	19.12	0.082
CP-64QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	19.70	17.61	0.058
					Inner_1RB_Right	19.87	17.78	0.060
					Inner_Full	20.06	17.97	0.063
	3840	656000			Inner_1RB_Left	19.83	17.74	0.059
					Inner_1RB_Right	19.94	17.85	0.061
					Inner_Full	20.03	17.94	0.062
	3969.99	664666			Inner_1RB_Left	19.61	17.52	0.056
					Inner_1RB_Right	19.90	17.81	0.060
					Inner_Full	19.91	17.82	0.061
CP-256QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	19.53	17.44	0.055
					Inner_1RB_Right	17.12	15.03	0.032
					Inner_Full	17.05	14.96	0.031
	3840	656000			Inner_1RB_Left	17.07	14.98	0.031
					Inner_1RB_Right	17.13	15.04	0.032
					Inner_Full	16.97	14.88	0.031
	3969.99	664666			Inner_1RB_Left	16.89	14.8	0.030
					Inner_1RB_Right	17.12	15.03	0.032
					Inner_Full	16.82	14.73	0.030

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3720	648000	40	30kHz	Inner_1RB_Left	24.02	21.93	0.156
					Inner_1RB_Right	26.16	24.07	0.255
					Inner_Full	26.50	24.41	0.276
	3840	656000			Inner_1RB_Left	26.07	23.98	0.250
					Inner_1RB_Right	26.29	24.2	0.263
					Inner_Full	26.53	24.44	0.278
	3960	664000			Inner_1RB_Left	25.82	23.73	0.236
					Inner_1RB_Right	26.25	24.16	0.261
					Inner_Full	26.34	24.25	0.266
DFT-16QAM	3720	648000	40	30kHz	Inner_1RB_Left	24.70	22.61	0.182
					Inner_1RB_Right	24.94	22.85	0.193
					Inner_Full	25.48	23.39	0.218
	3840	656000			Inner_1RB_Left	24.94	22.85	0.193
					Inner_1RB_Right	25.10	23.01	0.200
					Inner_Full	25.52	23.43	0.220
	3960	664000			Inner_1RB_Left	24.56	22.47	0.177
					Inner_1RB_Right	24.91	22.82	0.191
					Inner_Full	25.32	23.23	0.210
DFT-64QAM	3720	648000	40	30kHz	Inner_1RB_Left	23.46	21.37	0.137
					Inner_1RB_Right	23.70	21.61	0.145
					Inner_Full	23.95	21.86	0.153
	3840	656000			Inner_1RB_Left	23.67	21.58	0.144
					Inner_1RB_Right	23.89	21.8	0.151
					Inner_Full	23.99	21.9	0.155
	3960	664000			Inner_1RB_Left	23.44	21.35	0.136
					Inner_1RB_Right	23.78	21.69	0.148
					Inner_Full	23.79	21.7	0.148
DFT-256QAM	3720	648000	40	30kHz	Inner_1RB_Left	21.66	19.57	0.091
					Inner_1RB_Right	22.87	20.78	0.120
					Inner_Full	21.88	19.79	0.095
	3840	656000			Inner_1RB_Left	21.88	19.79	0.095
					Inner_1RB_Right	22.07	19.98	0.100
					Inner_Full	21.95	19.86	0.097
	3960	664000			Inner_1RB_Left	21.61	19.52	0.090
					Inner_1RB_Right	21.35	19.26	0.084
					Inner_Full	21.77	19.68	0.093

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3720	648000	40	30kHz	Inner_1RB_Left	24.38	22.29	0.169
					Inner_1RB_Right	24.58	22.49	0.177
					Inner_Full	24.90	22.81	0.191
	3840	656000			Inner_1RB_Left	24.53	22.44	0.175
					Inner_1RB_Right	24.72	22.63	0.183
					Inner_Full	22.26	20.17	0.104
	3960	664000			Inner_1RB_Left	24.23	22.14	0.164
					Inner_1RB_Right	24.60	22.51	0.178
					Inner_Full	24.76	22.67	0.185
CP-16QAM	3720	648000	40	30kHz	Inner_1RB_Left	23.76	21.67	0.147
					Inner_1RB_Right	23.91	21.82	0.152
					Inner_Full	24.44	22.35	0.172
	3840	656000			Inner_1RB_Left	23.93	21.84	0.153
					Inner_1RB_Right	24.10	22.01	0.159
					Inner_Full	24.50	22.41	0.174
	3960	664000			Inner_1RB_Left	23.68	21.59	0.144
					Inner_1RB_Right	24.07	21.98	0.158
					Inner_Full	24.29	22.2	0.166
CP-64QAM	3720	648000	40	30kHz	Inner_1RB_Left	22.11	20.02	0.100
					Inner_1RB_Right	22.50	20.41	0.110
					Inner_Full	22.83	20.74	0.119
	3840	656000			Inner_1RB_Left	22.46	20.37	0.109
					Inner_1RB_Right	22.63	20.54	0.113
					Inner_Full	22.94	20.85	0.122
	3960	664000			Inner_1RB_Left	22.24	20.15	0.104
					Inner_1RB_Right	22.58	20.49	0.112
					Inner_Full	22.76	20.67	0.117
CP-256QAM	3720	648000	40	30kHz	Inner_1RB_Left	19.75	17.66	0.058
					Inner_1RB_Right	20.02	17.93	0.062
					Inner_Full	19.94	17.85	0.061
	3840	656000			Inner_1RB_Left	20.13	18.04	0.064
					Inner_1RB_Right	20.37	18.28	0.067
					Inner_Full	20.00	17.91	0.062
	3960	664000			Inner_1RB_Left	19.89	17.8	0.060
					Inner_1RB_Right	20.29	18.2	0.066
					Inner_Full	19.81	17.72	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3725.01	648334	50	30kHz	Inner_1RB_Left	26.16	24.07	0.255
					Inner_1RB_Right	26.44	24.35	0.272
					Inner_Full	26.54	24.45	0.279
	3840	656000			Inner_1RB_Left	26.26	24.17	0.261
					Inner_1RB_Right	26.42	24.33	0.271
					Inner_Full	26.59	24.5	0.282
	3954.99	663666			Inner_1RB_Left	25.95	23.86	0.243
					Inner_1RB_Right	26.37	24.28	0.268
					Inner_Full	26.38	24.29	0.269
DFT-16QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	24.95	22.86	0.193
					Inner_1RB_Right	25.22	23.13	0.206
					Inner_Full	25.49	23.4	0.219
	3840	656000			Inner_1RB_Left	25.14	23.05	0.202
					Inner_1RB_Right	25.23	23.14	0.206
					Inner_Full	25.57	23.48	0.223
	3954.99	663666			Inner_1RB_Left	21.54	19.45	0.088
					Inner_1RB_Right	25.18	23.09	0.204
					Inner_Full	25.35	23.26	0.212
DFT-64QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	23.61	21.52	0.142
					Inner_1RB_Right	23.86	21.77	0.150
					Inner_Full	23.95	21.86	0.153
	3840	656000			Inner_1RB_Left	23.90	21.81	0.152
					Inner_1RB_Right	23.95	21.86	0.153
					Inner_Full	24.03	21.94	0.156
	3954.99	663666			Inner_1RB_Left	23.65	21.56	0.143
					Inner_1RB_Right	23.93	21.84	0.153
					Inner_Full	23.81	21.72	0.149
DFT-256QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	21.82	19.73	0.094
					Inner_1RB_Right	22.06	19.97	0.099
					Inner_Full	21.94	19.85	0.097
	3840	656000			Inner_1RB_Left	21.98	19.89	0.097
					Inner_1RB_Right	22.19	20.1	0.102
					Inner_Full	22.03	19.94	0.099
	3954.99	663666			Inner_1RB_Left	21.68	19.59	0.091
					Inner_1RB_Right	22.11	20.02	0.100
					Inner_Full	21.80	19.71	0.094

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3725.01	648334	50	30kHz	Inner_1RB_Left	24.59	22.5	0.178
					Inner_1RB_Right	24.76	22.67	0.185
					Inner_Full	24.92	22.83	0.192
	3840	656000			Inner_1RB_Left	24.67	22.58	0.181
					Inner_1RB_Right	0.68	-1.41	0.001
					Inner_Full	24.98	22.89	0.195
	3954.99	663666			Inner_1RB_Left	24.41	22.32	0.171
					Inner_1RB_Right	24.90	22.81	0.191
					Inner_Full	24.79	22.7	0.186
CP-16QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	24.00	21.91	0.155
					Inner_1RB_Right	24.24	22.15	0.164
					Inner_Full	24.44	22.35	0.172
	3840	656000			Inner_1RB_Left	24.07	21.98	0.158
					Inner_1RB_Right	24.33	22.24	0.167
					Inner_Full	24.51	22.42	0.175
	3954.99	663666			Inner_1RB_Left	23.78	21.69	0.148
					Inner_1RB_Right	24.25	22.16	0.164
					Inner_Full	24.30	22.21	0.166
CP-64QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	22.33	20.24	0.106
					Inner_1RB_Right	22.62	20.53	0.113
					Inner_Full	22.89	20.8	0.120
	3840	656000			Inner_1RB_Left	22.62	20.53	0.113
					Inner_1RB_Right	22.80	20.71	0.118
					Inner_Full	22.98	20.89	0.123
	3954.99	663666			Inner_1RB_Left	22.39	20.3	0.107
					Inner_1RB_Right	22.75	20.66	0.116
					Inner_Full	22.78	20.69	0.117
CP-256QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	20.10	18.01	0.063
					Inner_1RB_Right	20.34	18.25	0.067
					Inner_Full	20.03	17.94	0.062
	3840	656000			Inner_1RB_Left	20.34	18.25	0.067
					Inner_1RB_Right	17.17	15.08	0.032
					Inner_Full	20.09	18	0.063
	3954.99	663666			Inner_1RB_Left	20.17	18.08	0.064
					Inner_1RB_Right	20.55	18.46	0.070
					Inner_Full	19.91	17.82	0.061

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3730.02	648668	60	30kHz	Inner_1RB_Left	26.24	24.15	0.260
					Inner_1RB_Right	26.23	24.14	0.259
					Inner_Full	26.54	24.45	0.279
	3840	656000			Inner_1RB_Left	26.26	24.17	0.261
					Inner_1RB_Right	26.47	24.38	0.274
					Inner_Full	26.57	24.48	0.281
	3949.98	663332			Inner_1RB_Left	25.95	23.86	0.243
					Inner_1RB_Right	26.29	24.2	0.263
					Inner_Full	26.36	24.27	0.267
DFT-16QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	24.93	22.84	0.192
					Inner_1RB_Right	24.97	22.88	0.194
					Inner_Full	25.55	23.46	0.222
	3840	656000			Inner_1RB_Left	24.94	22.85	0.193
					Inner_1RB_Right	25.12	23.03	0.201
					Inner_Full	25.57	23.48	0.223
	3949.98	663332			Inner_1RB_Left	24.90	22.81	0.191
					Inner_1RB_Right	25.28	23.19	0.208
					Inner_Full	25.35	23.26	0.212
DFT-64QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	23.70	21.61	0.145
					Inner_1RB_Right	23.74	21.65	0.146
					Inner_Full	23.34	21.25	0.133
	3840	656000			Inner_1RB_Left	23.77	21.68	0.147
					Inner_1RB_Right	24.02	21.93	0.156
					Inner_Full	24.02	21.93	0.156
	3949.98	663332			Inner_1RB_Left	23.55	21.46	0.140
					Inner_1RB_Right	23.82	21.73	0.149
					Inner_Full	23.81	21.72	0.149
DFT-256QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	21.91	19.82	0.096
					Inner_1RB_Right	21.91	19.82	0.096
					Inner_Full	21.94	19.85	0.097
	3840	656000			Inner_1RB_Left	22.00	19.91	0.098
					Inner_1RB_Right	22.19	20.1	0.102
					Inner_Full	21.98	19.89	0.097
	3949.98	663332			Inner_1RB_Left	21.73	19.64	0.092
					Inner_1RB_Right	22.06	19.97	0.099
					Inner_Full	21.73	19.64	0.092

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3730.02	648668	60	30kHz	Inner_1RB_Left	24.50	22.41	0.174
					Inner_1RB_Right	24.65	22.56	0.180
					Inner_Full	24.99	22.9	0.195
	3840	656000			Inner_1RB_Left	24.57	22.48	0.177
					Inner_1RB_Right	24.85	22.76	0.189
					Inner_Full	24.98	22.89	0.195
	3949.98	663332			Inner_1RB_Left	24.57	22.48	0.177
					Inner_1RB_Right	24.95	22.86	0.193
					Inner_Full	24.81	22.72	0.187
CP-16QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	24.31	22.22	0.167
					Inner_1RB_Right	24.28	22.19	0.166
					Inner_Full	24.47	22.38	0.173
	3840	656000			Inner_1RB_Left	23.94	21.85	0.153
					Inner_1RB_Right	24.23	22.14	0.164
					Inner_Full	24.50	22.41	0.174
	3949.98	663332			Inner_1RB_Left	23.99	21.9	0.155
					Inner_1RB_Right	24.45	22.36	0.172
					Inner_Full	24.26	22.17	0.165
CP-64QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	22.66	20.57	0.114
					Inner_1RB_Right	22.64	20.55	0.114
					Inner_Full	22.99	20.9	0.123
	3840	656000			Inner_1RB_Left	22.62	20.53	0.113
					Inner_1RB_Right	22.88	20.79	0.120
					Inner_Full	22.56	20.47	0.111
	3949.98	663332			Inner_1RB_Left	22.39	20.3	0.107
					Inner_1RB_Right	22.85	20.76	0.119
					Inner_Full	22.71	20.62	0.115
CP-256QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	20.13	18.04	0.064
					Inner_1RB_Right	20.47	18.38	0.069
					Inner_Full	20.05	17.96	0.063
	3840	656000			Inner_1RB_Left	20.22	18.13	0.065
					Inner_1RB_Right	20.46	18.37	0.069
					Inner_Full	20.06	17.97	0.063
	3949.98	663332			Inner_1RB_Left	20.13	18.04	0.064
					Inner_1RB_Right	20.52	18.43	0.070
					Inner_Full	19.83	17.74	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3735	649000	70	30kHz	Inner_1RB_Left	26.60	24.51	0.282
					Inner_1RB_Right	26.61	24.52	0.283
					Inner_Full	26.63	24.54	0.284
	3840	656000			Inner_1RB_Left	26.53	24.44	0.278
					Inner_1RB_Right	26.53	24.44	0.278
					Inner_Full	26.58	24.49	0.281
	3945	663000			Inner_1RB_Left	26.31	24.22	0.264
					Inner_1RB_Right	26.31	24.22	0.264
					Inner_Full	26.32	24.23	0.265
DFT-16QAM	3735	649000	Inner_1RB_Left	25.62	23.53	0.225		
			Inner_1RB_Right	25.63	23.54	0.226		
			Inner_Full	25.61	23.52	0.225		
	3840	656000	Inner_1RB_Left	25.50	23.41	0.219		
			Inner_1RB_Right	25.53	23.44	0.221		
			Inner_Full	25.53	23.44	0.221		
	3945	663000	Inner_1RB_Left	25.30	23.21	0.209		
			Inner_1RB_Right	25.25	23.16	0.207		
			Inner_Full	25.27	23.18	0.208		
DFT-64QAM	3735	649000	Inner_1RB_Left	24.04	21.95	0.157		
			Inner_1RB_Right	0.48	-1.61	0.001		
			Inner_Full	24.09	22	0.158		
	3840	656000	Inner_1RB_Left	24.00	21.91	0.155		
			Inner_1RB_Right	20.67	18.58	0.072		
			Inner_Full	23.97	21.88	0.154		
	3945	663000	Inner_1RB_Left	23.74	21.65	0.146		
			Inner_1RB_Right	23.75	21.66	0.147		
			Inner_Full	23.73	21.64	0.146		
DFT-256QAM	3735	649000	Inner_1RB_Left	22.55	20.46	0.111		
			Inner_1RB_Right	22.68	20.59	0.115		
			Inner_Full	21.98	19.89	0.097		
	3840	656000	Inner_1RB_Left	21.90	19.81	0.096		
			Inner_1RB_Right	21.92	19.83	0.096		
			Inner_Full	21.95	19.86	0.097		
	3945	663000	Inner_1RB_Left	21.66	19.57	0.091		
			Inner_1RB_Right	21.66	19.57	0.091		
			Inner_Full	21.66	19.57	0.091		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3735	649000	70	30kHz	Inner_1RB_Left	25.00	22.91	0.195
					Inner_1RB_Right	25.00	22.91	0.195
					Inner_Full	25.01	22.92	0.196
	3840	656000			Inner_1RB_Left	24.92	22.83	0.192
					Inner_1RB_Right	24.94	22.85	0.193
					Inner_Full	24.96	22.87	0.194
	3945	663000			Inner_1RB_Left	24.71	22.62	0.183
					Inner_1RB_Right	24.00	21.91	0.155
					Inner_Full	24.68	22.59	0.182
CP-16QAM	3735	649000	70	30kHz	Inner_1RB_Left	24.52	22.43	0.175
					Inner_1RB_Right	24.52	22.43	0.175
					Inner_Full	24.52	22.43	0.175
	3840	656000			Inner_1RB_Left	24.47	22.38	0.173
					Inner_1RB_Right	24.48	22.39	0.173
					Inner_Full	24.49	22.4	0.174
	3945	663000			Inner_1RB_Left	24.23	22.14	0.164
					Inner_1RB_Right	24.23	22.14	0.164
					Inner_Full	24.23	22.14	0.164
CP-64QAM	3735	649000	70	30kHz	Inner_1RB_Left	23.01	20.92	0.124
					Inner_1RB_Right	23.00	20.91	0.123
					Inner_Full	22.96	20.87	0.122
	3840	656000			Inner_1RB_Left	22.93	20.84	0.121
					Inner_1RB_Right	22.94	20.85	0.122
					Inner_Full	22.95	20.86	0.122
	3945	663000			Inner_1RB_Left	22.64	20.55	0.114
					Inner_1RB_Right	22.65	20.56	0.114
					Inner_Full	22.65	20.56	0.114
CP-256QAM	3735	649000	70	30kHz	Inner_1RB_Left	20.10	18.01	0.063
					Inner_1RB_Right	20.10	18.01	0.063
					Inner_Full	20.10	18.01	0.063
	3840	656000			Inner_1RB_Left	20.05	17.96	0.063
					Inner_1RB_Right	20.06	17.97	0.063
					Inner_Full	20.06	17.97	0.063
	3945	663000			Inner_1RB_Left	19.79	17.7	0.059
					Inner_1RB_Right	19.81	17.72	0.059
					Inner_Full	19.82	17.73	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3740.01	649334	80	30kHz	Inner_1RB_Left	26.42	24.33	0.271
					Inner_1RB_Right	26.42	24.33	0.271
					Inner_Full	26.90	24.81	0.303
	3840	656000			Inner_1RB_Left	25.92	23.83	0.242
					Inner_1RB_Right	26.19	24.1	0.257
					Inner_Full	26.55	24.46	0.279
	3939.99	662666			Inner_1RB_Left	26.00	23.91	0.246
					Inner_1RB_Right	26.11	24.02	0.252
					Inner_Full	26.31	24.22	0.264
DFT-16QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	25.18	23.09	0.204
					Inner_1RB_Right	25.23	23.14	0.206
					Inner_Full	25.88	23.79	0.239
	3840	656000			Inner_1RB_Left	24.74	22.65	0.184
					Inner_1RB_Right	25.02	22.93	0.196
					Inner_Full	25.51	23.42	0.220
	3939.99	662666			Inner_1RB_Left	24.78	22.69	0.186
					Inner_1RB_Right	24.87	22.78	0.190
					Inner_Full	25.30	23.21	0.209
DFT-64QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	23.85	21.76	0.150
					Inner_1RB_Right	23.98	21.89	0.155
					Inner_Full	24.34	22.25	0.168
	3840	656000			Inner_1RB_Left	23.41	21.32	0.136
					Inner_1RB_Right	23.77	21.68	0.147
					Inner_Full	23.96	21.87	0.154
	3939.99	662666			Inner_1RB_Left	23.49	21.4	0.138
					Inner_1RB_Right	23.58	21.49	0.141
					Inner_Full	23.76	21.67	0.147
DFT-256QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	22.10	20.01	0.100
					Inner_1RB_Right	22.13	20.04	0.101
					Inner_Full	22.31	20.22	0.105
	3840	656000			Inner_1RB_Left	21.56	19.47	0.089
					Inner_1RB_Right	21.89	19.8	0.095
					Inner_Full	21.94	19.85	0.097
	3939.99	662666			Inner_1RB_Left	21.69	19.6	0.091
					Inner_1RB_Right	21.81	19.72	0.094
					Inner_Full	21.71	19.62	0.092

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3740.01	649334	80	30kHz	Inner_1RB_Left	24.74	22.65	0.184
					Inner_1RB_Right	24.87	22.78	0.190
					Inner_Full	25.32	23.23	0.210
	3840	656000			Inner_1RB_Left	24.26	22.17	0.165
					Inner_1RB_Right	24.65	22.56	0.180
					Inner_Full	24.93	22.84	0.192
	3939.99	662666			Inner_1RB_Left	24.37	22.28	0.169
					Inner_1RB_Right	24.93	22.84	0.192
					Inner_Full	24.73	22.64	0.184
CP-16QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	24.13	22.04	0.160
					Inner_1RB_Right	24.25	22.16	0.164
					Inner_Full	24.84	22.75	0.188
	3840	656000			Inner_1RB_Left	24.01	21.92	0.156
					Inner_1RB_Right	24.31	22.22	0.167
					Inner_Full	24.49	22.4	0.174
	3939.99	662666			Inner_1RB_Left	23.74	21.65	0.146
					Inner_1RB_Right	23.89	21.8	0.151
					Inner_Full	24.23	22.14	0.164
CP-64QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	22.62	20.53	0.113
					Inner_1RB_Right	22.75	20.66	0.116
					Inner_Full	23.33	21.24	0.133
	3840	656000			Inner_1RB_Left	22.17	20.08	0.102
					Inner_1RB_Right	22.63	20.54	0.113
					Inner_Full	22.96	20.87	0.122
	3939.99	662666			Inner_1RB_Left	22.29	20.2	0.105
					Inner_1RB_Right	22.48	20.39	0.109
					Inner_Full	22.73	20.64	0.116
CP-256QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	20.29	18.2	0.066
					Inner_1RB_Right	20.42	18.33	0.068
					Inner_Full	20.43	18.34	0.068
	3840	656000			Inner_1RB_Left	19.92	17.83	0.061
					Inner_1RB_Right	20.19	18.1	0.065
					Inner_Full	20.05	17.96	0.063
	3939.99	662666			Inner_1RB_Left	19.94	17.85	0.061
					Inner_1RB_Right	20.17	18.08	0.064
					Inner_Full	19.82	17.73	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3745.02	649668	90	30kHz	Inner_1RB_Left	26.30	24.21	0.264
					Inner_1RB_Right	26.40	24.31	0.270
					Inner_Full	26.88	24.79	0.301
	3840	656000			Inner_1RB_Left	25.91	23.82	0.241
					Inner_1RB_Right	26.13	24.04	0.254
					Inner_Full	26.50	24.41	0.276
	3934.98	662332			Inner_1RB_Left	24.63	22.54	0.179
					Inner_1RB_Right	26.04	23.95	0.248
					Inner_Full	26.33	24.24	0.265
DFT-16QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	25.08	22.99	0.199
					Inner_1RB_Right	25.22	23.13	0.206
					Inner_Full	25.89	23.8	0.240
	3840	656000			Inner_1RB_Left	24.30	22.21	0.166
					Inner_1RB_Right	24.95	22.86	0.193
					Inner_Full	25.52	23.43	0.220
	3934.98	662332			Inner_1RB_Left	24.78	22.69	0.186
					Inner_1RB_Right	24.92	22.83	0.192
					Inner_Full	25.31	23.22	0.210
DFT-64QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	23.82	21.73	0.149
					Inner_1RB_Right	23.86	21.77	0.150
					Inner_Full	24.28	22.19	0.166
	3840	656000			Inner_1RB_Left	23.40	21.31	0.135
					Inner_1RB_Right	23.62	21.53	0.142
					Inner_Full	23.93	21.84	0.153
	3934.98	662332			Inner_1RB_Left	23.82	21.73	0.149
					Inner_1RB_Right	23.39	21.3	0.135
					Inner_Full	23.78	21.69	0.148
DFT-256QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	21.99	19.9	0.098
					Inner_1RB_Right	22.05	19.96	0.099
					Inner_Full	22.26	20.17	0.104
	3840	656000			Inner_1RB_Left	21.61	19.52	0.090
					Inner_1RB_Right	21.86	19.77	0.095
					Inner_Full	21.89	19.8	0.095
	3934.98	662332			Inner_1RB_Left	21.59	19.5	0.089
					Inner_1RB_Right	21.90	19.81	0.096
					Inner_Full	21.72	19.63	0.092

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3745.02	649668	90	30kHz	Inner_1RB_Left	24.66	22.57	0.181
					Inner_1RB_Right	24.81	22.72	0.187
					Inner_Full	25.32	23.23	0.210
	3840	656000			Inner_1RB_Left	24.21	22.12	0.163
					Inner_1RB_Right	24.63	22.54	0.179
					Inner_Full	24.54	22.45	0.176
	3934.98	662332			Inner_1RB_Left	24.38	22.29	0.169
					Inner_1RB_Right	24.54	22.45	0.176
					Inner_Full	24.77	22.68	0.185
CP-16QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	24.05	21.96	0.157
					Inner_1RB_Right	24.18	22.09	0.162
					Inner_Full	24.74	22.65	0.184
	3840	656000			Inner_1RB_Left	23.69	21.6	0.145
					Inner_1RB_Right	23.99	21.9	0.155
					Inner_Full	24.41	22.32	0.171
	3934.98	662332			Inner_1RB_Left	23.60	21.51	0.142
					Inner_1RB_Right	23.85	21.76	0.150
					Inner_Full	23.36	21.27	0.134
CP-64QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	22.60	20.51	0.112
					Inner_1RB_Right	22.58	20.49	0.112
					Inner_Full	23.22	21.13	0.130
	3840	656000			Inner_1RB_Left	22.17	20.08	0.102
					Inner_1RB_Right	22.52	20.43	0.110
					Inner_Full	22.85	20.76	0.119
	3934.98	662332			Inner_1RB_Left	22.08	19.99	0.100
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	22.69	20.6	0.115
CP-256QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	20.34	18.25	0.067
					Inner_1RB_Right	20.43	18.34	0.068
					Inner_Full	19.69	17.6	0.058
	3840	656000			Inner_1RB_Left	19.91	17.82	0.061
					Inner_1RB_Right	20.24	18.15	0.065
					Inner_Full	20.02	17.93	0.062
	3934.98	662332			Inner_1RB_Left	20.06	17.97	0.063
					Inner_1RB_Right	20.18	18.09	0.064
					Inner_Full	19.85	17.76	0.060

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	26.05	23.96	0.249
					Inner_1RB_Right	26.00	23.91	0.246
					Inner_Full	26.80	24.71	0.296
	3840	656000			Inner_1RB_Left	25.73	23.64	0.231
					Inner_1RB_Right	25.94	23.85	0.243
					Inner_Full	26.47	24.38	0.274
	3930	662000			Inner_1RB_Left	25.62	23.53	0.225
					Inner_1RB_Right	25.88	23.79	0.239
					Inner_Full	26.29	24.2	0.263
DFT-16QAM	3750	650000	Inner_1RB_Left	24.80	22.71	0.187		
			Inner_1RB_Right	24.80	22.71	0.187		
			Inner_Full	25.79	23.7	0.234		
	3840	656000	Inner_1RB_Left	24.54	22.45	0.176		
			Inner_1RB_Right	24.71	22.62	0.183		
			Inner_Full	24.05	21.96	0.157		
	3930	662000	Inner_1RB_Left	24.33	22.24	0.167		
			Inner_1RB_Right	24.48	22.39	0.173		
			Inner_Full	24.19	22.1	0.162		
DFT-64QAM	3750	650000	Inner_1RB_Left	23.53	21.44	0.139		
			Inner_1RB_Right	23.48	21.39	0.138		
			Inner_Full	24.27	22.18	0.165		
	3840	656000	Inner_1RB_Left	23.24	21.15	0.130		
			Inner_1RB_Right	23.46	21.37	0.137		
			Inner_Full	23.96	21.87	0.154		
	3930	662000	Inner_1RB_Left	23.41	21.32	0.136		
			Inner_1RB_Right	23.25	21.16	0.131		
			Inner_Full	23.81	21.72	0.149		
DFT-256QAM	3750	650000	Inner_1RB_Left	21.70	19.61	0.091		
			Inner_1RB_Right	21.59	19.5	0.089		
			Inner_Full	22.21	20.12	0.103		
	3840	656000	Inner_1RB_Left	21.34	19.25	0.084		
			Inner_1RB_Right	21.57	19.48	0.089		
			Inner_Full	23.07	20.98	0.125		
	3930	662000	Inner_1RB_Left	21.30	19.21	0.083		
			Inner_1RB_Right	21.45	19.36	0.086		
			Inner_Full	24.17	22.08	0.161		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	24.39	22.3	0.170
					Inner_1RB_Right	24.35	22.26	0.168
					Inner_Full	25.27	23.18	0.208
	3840	656000			Inner_1RB_Left	24.05	21.96	0.157
					Inner_1RB_Right	20.93	18.84	0.077
					Inner_Full	24.92	22.83	0.192
	3930	662000			Inner_1RB_Left	24.06	21.97	0.157
					Inner_1RB_Right	24.44	22.35	0.172
					Inner_Full	24.76	22.67	0.185
CP-16QAM	3750	650000	100	30kHz	Inner_1RB_Left	23.87	21.78	0.151
					Inner_1RB_Right	23.80	21.71	0.148
					Inner_Full	19.04	16.95	0.050
	3840	656000			Inner_1RB_Left	23.62	21.53	0.142
					Inner_1RB_Right	23.96	21.87	0.154
					Inner_Full	24.42	22.33	0.171
	3930	662000			Inner_1RB_Left	23.53	21.44	0.139
					Inner_1RB_Right	23.84	21.75	0.150
					Inner_Full	24.30	22.21	0.166
CP-64QAM	3750	650000	100	30kHz	Inner_1RB_Left	22.50	20.41	0.110
					Inner_1RB_Right	22.46	20.37	0.109
					Inner_Full	23.22	21.13	0.130
	3840	656000			Inner_1RB_Left	22.09	20	0.100
					Inner_1RB_Right	22.33	20.24	0.106
					Inner_Full	22.89	20.8	0.120
	3930	662000			Inner_1RB_Left	21.93	19.84	0.096
					Inner_1RB_Right	22.27	20.18	0.104
					Inner_Full	22.73	20.64	0.116
CP-256QAM	3750	650000	100	30kHz	Inner_1RB_Left	20.11	18.02	0.063
					Inner_1RB_Right	20.34	18.25	0.067
					Inner_Full	20.33	18.24	0.067
	3840	656000			Inner_1RB_Left	19.96	17.87	0.061
					Inner_1RB_Right	20.01	17.92	0.062
					Inner_Full	20.02	17.93	0.062
	3930	662000			Inner_1RB_Left	20.00	17.91	0.062
					Inner_1RB_Right	19.97	17.88	0.061
					Inner_Full	19.85	17.76	0.060

MIMO:

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3705	647000	10	30kHz	Inner_1RB_Left	21.53	21.98	24.77	22.68	0.185
					Inner_1RB_Right	21.66	21.99	24.84	22.75	0.188
					Inner_Full	21.51	22.13	24.84	22.75	0.188
	3840	656000			Inner_1RB_Left	21.98	22.61	25.32	23.23	0.210
					Inner_1RB_Right	21.97	22.62	25.32	23.23	0.210
					Inner_Full	21.86	22.64	25.28	23.19	0.208
	3975	665000			Inner_1RB_Left	21.59	21.66	24.64	22.55	0.180
					Inner_1RB_Right	21.96	22.22	25.10	23.01	0.200
					Inner_Full	21.47	22.62	25.09	23	0.200
CP-16QAM	3705	647000	10	30kHz	Inner_1RB_Left	21.45	21.38	24.43	22.34	0.171
					Inner_1RB_Right	21.61	21.42	24.53	22.44	0.175
					Inner_Full	21.12	21.56	24.36	22.27	0.169
	3840	656000			Inner_1RB_Left	21.76	21.83	24.81	22.72	0.187
					Inner_1RB_Right	21.8	21.96	24.89	22.8	0.191
					Inner_Full	21.35	22.21	24.81	22.72	0.187
	3975	665000			Inner_1RB_Left	21.15	21.8	24.50	22.41	0.174
					Inner_1RB_Right	21.12	21.8	24.48	22.39	0.173
					Inner_Full	20.96	22.03	24.54	22.45	0.176
CP-64QAM	3705	647000	10	30kHz	Inner_1RB_Left	19.57	20.23	22.92	20.83	0.121
					Inner_1RB_Right	19.69	19.38	22.55	20.46	0.111
					Inner_Full	19.6	20.08	22.86	20.77	0.119
	3840	656000			Inner_1RB_Left	20.65	20.61	23.64	21.55	0.143
					Inner_1RB_Right	20.19	20.79	23.51	21.42	0.139
					Inner_Full	19.93	20.61	23.29	21.2	0.132
	3975	665000			Inner_1RB_Left	19.55	20.72	23.18	21.09	0.129
					Inner_1RB_Right	19.6	20.69	23.19	21.1	0.129
					Inner_Full	19.53	20.53	23.07	20.98	0.125
CP-256QAM	3705	647000	10	30kHz	Inner_1RB_Left	16.91	17.03	19.98	17.89	0.062
					Inner_1RB_Right	16.92	17.29	20.12	18.03	0.064
					Inner_Full	16.53	17.18	19.88	17.79	0.060
	3840	656000			Inner_1RB_Left	16.7	17.6	20.18	18.09	0.064
					Inner_1RB_Right	17.31	17.71	20.52	18.43	0.070
					Inner_Full	16.99	17.75	20.40	18.31	0.068
	3975	665000			Inner_1RB_Left	16.31	15.42	18.90	16.81	0.048
					Inner_1RB_Right	16.4	17.52	20.01	17.92	0.062
					Inner_Full	16.54	17.67	20.15	18.06	0.064

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3707.52	647168	15	30kHz	Inner_1RB_Left	21.59	22.06	24.84	22.75	0.188
					Inner_1RB_Right	21.76	22.03	24.91	22.82	0.191
					Inner_Full	21.57	22.23	24.92	22.83	0.192
	3840	656000			Inner_1RB_Left	21.97	22.63	25.32	23.23	0.210
					Inner_1RB_Right	21.93	22.68	25.33	23.24	0.211
					Inner_Full	21.89	22.73	25.34	23.25	0.211
	3972.48	664832			Inner_1RB_Left	21.68	22.6	25.17	23.08	0.203
					Inner_1RB_Right	21.48	22.63	25.10	23.01	0.200
					Inner_Full	21.52	22.8	25.22	23.13	0.206
CP-16QAM	3707.52	647168	15	30kHz	Inner_1RB_Left	21.4	21.38	24.40	22.31	0.170
					Inner_1RB_Right	21.61	21.41	24.52	22.43	0.175
					Inner_Full	21.2	21.66	24.45	22.36	0.172
	3840	656000			Inner_1RB_Left	21.72	21.83	24.79	22.7	0.186
					Inner_1RB_Right	21.75	21.89	24.83	22.74	0.188
					Inner_Full	21.38	22.19	24.81	22.72	0.187
	3972.48	664832			Inner_1RB_Left	21.26	21.92	24.61	22.52	0.179
					Inner_1RB_Right	21.17	21.87	24.54	22.45	0.176
					Inner_Full	20.99	22.15	24.62	22.53	0.179
CP-64QAM	3707.52	647168	15	30kHz	Inner_1RB_Left	19.65	17.98	21.91	19.82	0.096
					Inner_1RB_Right	20.29	20.06	23.19	21.1	0.129
					Inner_Full	19.72	20.08	22.91	20.82	0.121
	3840	656000			Inner_1RB_Left	19.98	20.65	23.34	21.25	0.133
					Inner_1RB_Right	20.19	20.82	23.53	21.44	0.139
					Inner_Full	20.07	20.64	23.37	21.28	0.134
	3972.48	664832			Inner_1RB_Left	19.68	20.68	23.22	21.13	0.130
					Inner_1RB_Right	20.22	20.17	23.21	21.12	0.129
					Inner_Full	19.69	20.67	23.22	21.13	0.130
CP-256QAM	3707.52	647168	15	30kHz	Inner_1RB_Left	16.9	16.99	19.96	17.87	0.061
					Inner_1RB_Right	16.89	17.23	20.07	17.98	0.063
					Inner_Full	16.66	17.22	19.96	17.87	0.061
	3840	656000			Inner_1RB_Left	16.6	17.63	20.16	18.07	0.064
					Inner_1RB_Right	16.62	17.75	20.23	18.14	0.065
					Inner_Full	17.01	17.76	20.41	18.32	0.068
	3972.48	664832			Inner_1RB_Left	16.4	16.76	19.59	17.5	0.056
					Inner_1RB_Right	17.02	17.41	20.23	18.14	0.065
					Inner_Full	16.66	17.71	20.23	18.14	0.065

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3710.01	647334	20	30kHz	Inner_1RB_Left	21.61	22.04	24.84	22.75	0.188
					Inner_1RB_Right	21.68	21.94	24.82	22.73	0.187
					Inner_Full	21.59	22.18	24.91	22.82	0.191
	3840	656000			Inner_1RB_Left	21.89	22.55	25.24	23.15	0.207
					Inner_1RB_Right	21.89	22.63	25.29	23.2	0.209
					Inner_Full	21.9	22.67	25.31	23.22	0.210
	3969.99	664666			Inner_1RB_Left	21.61	22.35	25.01	22.92	0.196
					Inner_1RB_Right	21.52	22.53	25.06	22.97	0.198
					Inner_Full	21.51	22.62	25.11	23.02	0.200
CP-16QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	21.47	21.41	24.45	22.36	0.172
					Inner_1RB_Right	21.38	21.29	24.35	22.26	0.168
					Inner_Full	21.28	21.71	24.51	22.42	0.175
	3840	656000			Inner_1RB_Left	21.57	21.81	24.70	22.61	0.182
					Inner_1RB_Right	21.5	22	24.77	22.68	0.185
					Inner_Full	21.37	22.26	24.85	22.76	0.189
	3969.99	664666			Inner_1RB_Left	21.25	21.66	24.47	22.38	0.173
					Inner_1RB_Right	21.11	21.72	24.44	22.35	0.172
					Inner_Full	21.02	22.19	24.65	22.56	0.180
CP-64QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	19.63	20.16	22.91	20.82	0.121
					Inner_1RB_Right	19.74	20.17	22.97	20.88	0.122
					Inner_Full	20.15	20.23	23.20	21.11	0.129
	3840	656000			Inner_1RB_Left	19.88	20.81	23.38	21.29	0.135
					Inner_1RB_Right	19.92	20.89	23.44	21.35	0.136
					Inner_Full	20.53	20.68	23.62	21.53	0.142
	3969.99	664666			Inner_1RB_Left	19.62	19.63	22.64	20.55	0.114
					Inner_1RB_Right	20.07	20.11	23.10	21.01	0.126
					Inner_Full	19.69	20.69	23.23	21.14	0.130
CP-256QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	16.83	17.01	19.93	17.84	0.061
					Inner_1RB_Right	16.9	17.12	20.02	17.93	0.062
					Inner_Full	16.66	17.27	19.99	17.9	0.062
	3840	656000			Inner_1RB_Left	16.62	16.66	19.65	17.56	0.057
					Inner_1RB_Right	16.59	17.77	20.23	18.14	0.065
					Inner_Full	16.89	17.77	20.36	18.27	0.067
	3969.99	664666			Inner_1RB_Left	16.35	17.53	19.99	17.9	0.062
					Inner_1RB_Right	16.86	17.23	20.06	17.97	0.063
					Inner_Full	16.51	17.75	20.18	18.09	0.064

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3720	648000	40	30kHz	Inner_1RB_Left	21.23	21.7	24.48	22.39	0.173
					Inner_1RB_Right	21.55	21.94	24.76	22.67	0.185
					Inner_Full	21.57	22.08	24.84	22.75	0.188
	3840	656000			Inner_1RB_Left	21.65	22.39	25.05	22.96	0.198
					Inner_1RB_Right	21.62	22.4	25.04	22.95	0.197
					Inner_Full	21.85	22.72	25.32	23.23	0.210
	3960	664000			Inner_1RB_Left	21.31	21.97	24.66	22.57	0.181
					Inner_1RB_Right	21.32	22.25	24.82	22.73	0.187
					Inner_Full	21.57	22.45	25.04	22.95	0.197
CP-16QAM	3720	648000	40	30kHz	Inner_1RB_Left	21.15	21.12	24.15	22.06	0.161
					Inner_1RB_Right	21.17	21.3	24.25	22.16	0.164
					Inner_Full	21.18	21.57	24.39	22.3	0.170
	3840	656000			Inner_1RB_Left	21.36	21.74	24.56	22.47	0.177
					Inner_1RB_Right	21.31	21.8	24.57	22.48	0.177
					Inner_Full	21.37	22.28	24.86	22.77	0.189
	3960	664000			Inner_1RB_Left	20.95	21.3	24.14	22.05	0.160
					Inner_1RB_Right	21.04	21.51	24.29	22.2	0.166
					Inner_Full	21.1	21.98	24.57	22.48	0.177
CP-64QAM	3720	648000	40	30kHz	Inner_1RB_Left	19.24	20.09	22.70	20.61	0.115
					Inner_1RB_Right	19.55	20.37	22.99	20.9	0.123
					Inner_Full	20.02	20.01	23.03	20.94	0.124
	3840	656000			Inner_1RB_Left	19.64	20.63	23.17	21.08	0.128
					Inner_1RB_Right	19.64	20.75	23.24	21.15	0.130
					Inner_Full	20.46	20.48	23.48	21.39	0.138
	3960	664000			Inner_1RB_Left	19.36	20.14	22.78	20.69	0.117
					Inner_1RB_Right	19.84	19.75	22.81	20.72	0.118
					Inner_Full	19.69	20.38	23.06	20.97	0.125
CP-256QAM	3720	648000	40	30kHz	Inner_1RB_Left	16.07	16.91	19.52	17.43	0.055
					Inner_1RB_Right	16.51	17.14	19.85	17.76	0.060
					Inner_Full	16.66	17.12	19.91	17.82	0.061
	3840	656000			Inner_1RB_Left	16.96	17.18	20.08	17.99	0.063
					Inner_1RB_Right	16.92	17.44	20.20	18.11	0.065
					Inner_Full	16.96	17.8	20.41	18.32	0.068
	3960	664000			Inner_1RB_Left	16.04	17.19	19.66	17.57	0.057
					Inner_1RB_Right	16.76	17.31	20.05	17.96	0.063
					Inner_Full	16.66	17.53	20.13	18.04	0.064

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3725.01	648334	50	30kHz	Inner_1RB_Left	21.36	21.81	24.60	22.51	0.178
					Inner_1RB_Right	21.86	22.3	25.10	23.01	0.200
					Inner_Full	20.07	20.46	23.28	21.19	0.132
	3840	656000			Inner_1RB_Left	21.87	22.71	25.32	23.23	0.210
					Inner_1RB_Right	21.95	22.61	25.30	23.21	0.209
					Inner_Full	21.91	22.81	25.39	23.3	0.214
	3954.99	663666			Inner_1RB_Left	21.72	22.4	25.08	22.99	0.199
					Inner_1RB_Right	21.39	22.47	24.97	22.88	0.194
					Inner_Full	21.55	22.51	25.07	22.98	0.199
CP-16QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	20.9	21.09	24.01	21.92	0.156
					Inner_1RB_Right	21.55	21.65	24.61	22.52	0.179
					Inner_Full	21.12	21.54	24.35	22.26	0.168
	3840	656000			Inner_1RB_Left	21.57	22.05	24.83	22.74	0.188
					Inner_1RB_Right	21.64	22.05	24.86	22.77	0.189
					Inner_Full	21.43	22.27	24.88	22.79	0.190
	3954.99	663666			Inner_1RB_Left	21.25	21.79	24.54	22.45	0.176
					Inner_1RB_Right	21.03	21.68	24.38	22.29	0.169
					Inner_Full	21.1	21.96	24.56	22.47	0.177
CP-64QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	19.48	20.08	22.80	20.71	0.118
					Inner_1RB_Right	19.97	20.47	23.24	21.15	0.130
					Inner_Full	19.73	20.05	22.90	20.81	0.121
	3840	656000			Inner_1RB_Left	19.98	20.9	23.47	21.38	0.137
					Inner_1RB_Right	20.37	20.44	23.42	21.33	0.136
					Inner_Full	20.01	20.8	23.43	21.34	0.136
	3954.99	663666			Inner_1RB_Left	19.72	20.63	23.21	21.12	0.129
					Inner_1RB_Right	19.95	19.99	22.98	20.89	0.123
					Inner_Full	19.66	20.47	23.09	21	0.126
CP-256QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	16.55	16.78	19.68	17.59	0.057
					Inner_1RB_Right	16.94	17.4	20.19	18.1	0.065
					Inner_Full	16.67	17.14	19.92	17.83	0.061
	3840	656000			Inner_1RB_Left	17.21	17.53	20.38	18.29	0.067
					Inner_1RB_Right	17.04	17.65	20.37	18.28	0.067
					Inner_Full	16.99	17.89	20.47	18.38	0.069
	3954.99	663666			Inner_1RB_Left	16.83	17.75	20.32	18.23	0.067
					Inner_1RB_Right	16.86	17.25	20.07	17.98	0.063
					Inner_Full	16.65	17.54	20.13	18.04	0.064

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3705	647000	60	30kHz	Inner_1RB_Left	21.46	21.87	24.68	22.59	0.182
					Inner_1RB_Right	21.69	22.27	25.00	22.91	0.195
					Inner_Full	21.62	22.2	24.93	22.84	0.192
	3840	656000			Inner_1RB_Left	21.95	22.68	25.34	23.25	0.211
					Inner_1RB_Right	22	22.61	25.33	23.24	0.211
					Inner_Full	21.95	22.87	25.44	23.35	0.216
	3975	665000			Inner_1RB_Left	21.49	22.23	24.89	22.8	0.191
					Inner_1RB_Right	21.56	22.43	25.03	22.94	0.197
					Inner_Full	21.56	22.49	25.06	22.97	0.198
CP-16QAM	3705	647000	60	30kHz	Inner_1RB_Left	21.47	21.34	24.42	22.33	0.171
					Inner_1RB_Right	21.38	21.58	24.49	22.4	0.174
					Inner_Full	21.13	21.71	24.44	22.35	0.172
	3840	656000			Inner_1RB_Left	21.59	22.07	24.85	22.76	0.189
					Inner_1RB_Right	21.85	21.98	24.93	22.84	0.192
					Inner_Full	21.42	22.36	24.93	22.84	0.192
	3975	665000			Inner_1RB_Left	21.2	21.59	24.41	22.32	0.171
					Inner_1RB_Right	21.18	21.79	24.51	22.42	0.175
					Inner_Full	21.07	21.92	24.53	22.44	0.175
CP-64QAM	3705	647000	60	30kHz	Inner_1RB_Left	19.54	20.36	22.98	20.89	0.123
					Inner_1RB_Right	19.82	20.64	23.26	21.17	0.131
					Inner_Full	20.01	20.12	23.08	20.99	0.126
	3840	656000			Inner_1RB_Left	20.08	20.83	23.48	21.39	0.138
					Inner_1RB_Right	20.5	20.43	23.48	21.39	0.138
					Inner_Full	20.07	20.72	23.42	21.33	0.136
	3975	665000			Inner_1RB_Left	19.67	20.46	23.09	21	0.126
					Inner_1RB_Right	19.74	20.64	23.22	21.13	0.130
					Inner_Full	20.14	20.32	23.24	21.15	0.130
CP-256QAM	3705	647000	60	30kHz	Inner_1RB_Left	16.47	17.24	19.88	17.79	0.060
					Inner_1RB_Right	16.75	17.54	20.17	18.08	0.064
					Inner_Full	16.71	17.23	19.99	17.9	0.062
	3840	656000			Inner_1RB_Left	17.34	17.46	20.41	18.32	0.068
					Inner_1RB_Right	17.28	17.85	20.58	18.49	0.071
					Inner_Full	17	17.88	20.47	18.38	0.069
	3975	665000			Inner_1RB_Left	16.37	17.42	19.94	17.85	0.061
					Inner_1RB_Right	17.09	17.36	20.24	18.15	0.065
					Inner_Full	16.61	17.51	20.09	18	0.063

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3735	649000	70	30kHz	Inner_1RB_Left	21.05	21.55	24.32	22.23	0.167
					Inner_1RB_Right	21.51	22.22	24.89	22.8	0.191
					Inner_Full	20.21	20.59	23.41	21.32	0.136
	3840	656000			Inner_1RB_Left	21.59	22.51	25.08	22.99	0.199
					Inner_1RB_Right	21.7	22.25	24.99	22.9	0.195
					Inner_Full	20.5	21.2	23.87	21.78	0.151
	3945	663000			Inner_1RB_Left	21.24	21.9	24.59	22.5	0.178
					Inner_1RB_Right	21.33	22.29	24.85	22.76	0.189
					Inner_Full	20.22	20.84	23.55	21.46	0.140
CP-16QAM	3735	649000	70	30kHz	Inner_1RB_Left	21.06	21.01	24.05	21.96	0.157
					Inner_1RB_Right	21.18	21.55	24.38	22.29	0.169
					Inner_Full	20.24	20.61	23.44	21.35	0.136
	3840	656000			Inner_1RB_Left	21.21	21.77	24.51	22.42	0.175
					Inner_1RB_Right	21.24	21.66	24.47	22.38	0.173
					Inner_Full	20.52	21.25	23.91	21.82	0.152
	3945	663000			Inner_1RB_Left	20.72	21.33	24.05	21.96	0.157
					Inner_1RB_Right	20.84	21.56	24.23	22.14	0.164
					Inner_Full	20.24	20.87	23.58	21.49	0.141
CP-64QAM	3735	649000	70	30kHz	Inner_1RB_Left	19.6	19.57	22.60	20.51	0.112
					Inner_1RB_Right	19.71	20.18	22.96	20.87	0.122
					Inner_Full	19.7	20.11	22.92	20.83	0.121
	3840	656000			Inner_1RB_Left	19.93	20.55	23.26	21.17	0.131
					Inner_1RB_Right	20.23	20.16	23.21	21.12	0.129
					Inner_Full	19.98	20.76	23.40	21.31	0.135
	3945	663000			Inner_1RB_Left	19.49	20.12	22.83	20.74	0.119
					Inner_1RB_Right	19.55	13.36	20.49	18.4	0.069
					Inner_Full	19.69	20.36	23.05	20.96	0.125
CP-256QAM	3735	649000	70	30kHz	Inner_1RB_Left	16.04	16.98	19.55	17.46	0.056
					Inner_1RB_Right	16.82	17.31	20.08	17.99	0.063
					Inner_Full	16.68	17.21	19.96	17.87	0.061
	3840	656000			Inner_1RB_Left	16.58	17.69	20.18	18.09	0.064
					Inner_1RB_Right	17.09	17.48	20.30	18.21	0.066
					Inner_Full	16.91	17.87	20.43	18.34	0.068
	3945	663000			Inner_1RB_Left	16.17	17.15	19.70	17.61	0.058
					Inner_1RB_Right	16.92	17.16	20.05	17.96	0.063
					Inner_Full	16.67	17.45	20.09	18	0.063

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3740.01	649334	80	30kHz	Inner_1RB_Left	21.51	21.97	24.76	22.67	0.185
					Inner_1RB_Right	21.84	22.59	25.24	23.15	0.207
					Inner_Full	22	22.67	25.36	23.27	0.212
	3840	656000			Inner_1RB_Left	21.5	22.23	24.89	22.8	0.191
					Inner_1RB_Right	21.57	22.15	24.88	22.79	0.190
					Inner_Full	21.86	22.8	25.37	23.28	0.213
	3939.99	662666			Inner_1RB_Left	21.31	22.02	24.69	22.6	0.182
					Inner_1RB_Right	21.17	22.12	24.68	22.59	0.182
					Inner_Full	21.59	22.45	25.05	22.96	0.198
CP-16QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	21.48	21.45	24.48	22.39	0.173
					Inner_1RB_Right	21.5	21.95	24.74	22.65	0.184
					Inner_Full	21.53	22.17	24.87	22.78	0.190
	3840	656000			Inner_1RB_Left	21.14	21.58	24.38	22.29	0.169
					Inner_1RB_Right	21.16	21.54	24.36	22.27	0.169
					Inner_Full	21.37	22.3	24.87	22.78	0.190
	3939.99	662666			Inner_1RB_Left	20.95	21.54	24.27	22.18	0.165
					Inner_1RB_Right	20.82	21.52	24.19	22.1	0.162
					Inner_Full	21.09	21.96	24.56	22.47	0.177
CP-64QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	19.68	20.26	22.99	20.9	0.123
					Inner_1RB_Right	20.05	20.71	23.40	21.31	0.135
					Inner_Full	20.19	20.57	23.39	21.3	0.135
	3840	656000			Inner_1RB_Left	19.75	20.45	23.12	21.03	0.127
					Inner_1RB_Right	19.8	20.44	23.14	21.05	0.127
					Inner_Full	20.38	20.65	23.53	21.44	0.139
	3939.99	662666			Inner_1RB_Left	19.52	20.32	22.95	20.86	0.122
					Inner_1RB_Right	19.97	19.8	22.90	20.81	0.121
					Inner_Full	19.73	20.4	23.09	21	0.126
CP-256QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	16.4	17.27	19.87	17.78	0.060
					Inner_1RB_Right	17.42	18.2	20.84	18.75	0.075
					Inner_Full	17.13	17.71	20.44	18.35	0.068
	3840	656000			Inner_1RB_Left	16.41	17.52	20.01	17.92	0.062
					Inner_1RB_Right	17.07	17.66	20.39	18.3	0.068
					Inner_Full	16.95	17.85	20.43	18.34	0.068
	3939.99	662666			Inner_1RB_Left	16.27	17.18	19.76	17.67	0.058
					Inner_1RB_Right	16.79	17.27	20.05	17.96	0.063
					Inner_Full	16.62	17.46	20.07	17.98	0.063

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3745.02	649668	90	30kHz	Inner_1RB_Left	21.15	21.86	24.53	22.44	0.175
					Inner_1RB_Right	21.99	22.49	25.26	23.17	0.207
					Inner_Full	21.98	22.59	25.31	23.22	0.210
	3840	656000			Inner_1RB_Left	21.31	22.1	24.73	22.64	0.184
					Inner_1RB_Right	21.53	22.04	24.80	22.71	0.187
					Inner_Full	21.86	22.77	25.35	23.26	0.212
	3934.98	662332			Inner_1RB_Left	21.35	22.07	24.74	22.65	0.184
					Inner_1RB_Right	20.95	21.87	24.44	22.35	0.172
					Inner_Full	21.55	22.43	25.02	22.93	0.196
CP-16QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	21.3	21.35	24.34	22.25	0.168
					Inner_1RB_Right	21.64	21.98	24.82	22.73	0.187
					Inner_Full	21.45	22.08	24.79	22.7	0.186
	3840	656000			Inner_1RB_Left	20.95	21.37	24.18	22.09	0.162
					Inner_1RB_Right	20.99	21.43	24.23	22.14	0.164
					Inner_Full	21.32	22.24	24.81	22.72	0.187
	3934.98	662332			Inner_1RB_Left	20.84	21.49	24.19	22.1	0.162
					Inner_1RB_Right	20.49	21.17	23.85	21.76	0.150
					Inner_Full	21.05	21.98	24.55	22.46	0.176
CP-64QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	19.54	20.03	22.80	20.71	0.118
					Inner_1RB_Right	20.15	20.75	23.47	21.38	0.137
					Inner_Full	20.06	20.49	23.29	21.2	0.132
	3840	656000			Inner_1RB_Left	19.55	20.19	22.89	20.8	0.120
					Inner_1RB_Right	19.79	20.29	23.06	20.97	0.125
					Inner_Full	19.95	20.65	23.32	21.23	0.133
	3934.98	662332			Inner_1RB_Left	19.57	20.37	23.00	20.91	0.123
					Inner_1RB_Right	19.7	19.59	22.66	20.57	0.114
					Inner_Full	19.66	20.36	23.03	20.94	0.124
CP-256QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	16.22	13.07	17.93	15.84	0.038
					Inner_1RB_Right	17.33	17.84	20.60	18.51	0.071
					Inner_Full	17.06	17.63	20.36	18.27	0.067
	3840	656000			Inner_1RB_Left	16.22	17.34	19.83	17.74	0.059
					Inner_1RB_Right	16.39	17.35	19.91	17.82	0.061
					Inner_Full	16.88	17.8	20.37	18.28	0.067
	3934.98	662332			Inner_1RB_Left	16.18	17.42	19.85	17.76	0.060
					Inner_1RB_Right	16.76	17.27	20.03	17.94	0.062
					Inner_Full	16.63	17.5	20.10	18.01	0.063

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	21.12	21.67	24.41	22.32	0.171
					Inner_1RB_Right	21.59	22.12	24.87	22.78	0.190
					Inner_Full	21.98	22.72	25.38	23.29	0.213
	3840	656000			Inner_1RB_Left	21.13	21.87	24.53	22.44	0.175
					Inner_1RB_Right	21.24	21.91	24.60	22.51	0.178
					Inner_Full	21.85	22.77	25.34	23.25	0.211
	3930	662000			Inner_1RB_Left	21.05	21.65	24.37	22.28	0.169
					Inner_1RB_Right	21.4	21.71	24.57	22.48	0.177
					Inner_Full	21.58	22.44	25.04	22.95	0.197
CP-16QAM	3750	650000	100	30kHz	Inner_1RB_Left	21.31	21.19	24.26	22.17	0.165
					Inner_1RB_Right	21.15	21.59	24.39	22.3	0.170
					Inner_Full	21.54	22.27	24.93	22.84	0.192
	3840	656000			Inner_1RB_Left	20.7	21.25	23.99	21.9	0.155
					Inner_1RB_Right	20.81	21.36	24.10	22.01	0.159
					Inner_Full	21.36	22.3	24.87	22.78	0.190
	3930	662000			Inner_1RB_Left	20.7	21.09	23.91	21.82	0.152
					Inner_1RB_Right	20.43	21.18	23.83	21.74	0.149
					Inner_Full	-26.63	21.96	21.96	19.87	0.097
CP-64QAM	3750	650000	100	30kHz	Inner_1RB_Left	-26.24	19.85	19.85	17.76	0.060
					Inner_1RB_Right	19.96	20.28	23.13	21.04	0.127
					Inner_Full	20.41	20.65	23.54	21.45	0.140
	3840	656000			Inner_1RB_Left	19.43	19.97	22.72	20.63	0.116
					Inner_1RB_Right	19.61	19.17	22.41	20.32	0.108
					Inner_Full	19.98	20.74	23.39	21.3	0.135
	3930	662000			Inner_1RB_Left	19.73	19.77	22.76	20.67	0.117
					Inner_1RB_Right	19.74	19.71	22.74	20.65	0.116
					Inner_Full	19.73	20.37	23.07	20.98	0.125
CP-256QAM	3750	650000	100	30kHz	Inner_1RB_Left	16.15	17.11	19.67	17.58	0.057
					Inner_1RB_Right	17	17.59	20.32	18.23	0.067
					Inner_Full	17.15	17.77	20.48	18.39	0.069
	3840	656000			Inner_1RB_Left	16.04	17.27	19.71	17.62	0.058
					Inner_1RB_Right	16.81	17.33	20.09	18	0.063
					Inner_Full	16.95	17.83	20.42	18.33	0.068
	3930	662000			Inner_1RB_Left	16.13	17.07	19.64	17.55	0.057
					Inner_1RB_Right	16.53	16.79	19.67	17.58	0.057
					Inner_Full	16.7	17.47	20.11	18.02	0.063

3450-3500

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3457.5	630500	10	15kHz	Inner_1RB_Left	24.95	22.86	0.193
					Inner_1RB_Right	25.17	24.63	0.290
					Inner_Full	24.98	24.44	0.278
	3500.01	633334			Inner_1RB_Left	25.33	24.79	0.301
					Inner_1RB_Right	25.74	25.2	0.331
					Inner_Full	25.54	25	0.316
	3542.49	636166			Inner_1RB_Left	25.48	24.94	0.312
					Inner_1RB_Right	25.63	25.09	0.323
					Inner_Full	25.19	24.65	0.292
DFT-16QAM	3457.5	630500	Inner_1RB_Left	23.78	23.24	0.211		
			Inner_1RB_Right	24.39	23.85	0.243		
			Inner_Full	24.47	23.93	0.247		
	3500.01	633334	Inner_1RB_Left	24.01	23.47	0.222		
			Inner_1RB_Right	24.09	23.55	0.226		
			Inner_Full	23.96	23.42	0.220		
	3542.49	636166	Inner_1RB_Left	23.46	22.92	0.196		
			Inner_1RB_Right	23.79	23.25	0.211		
			Inner_Full	23.62	23.08	0.203		
DFT-64QAM	3457.5	630500	Inner_1RB_Left	22.70	22.16	0.164		
			Inner_1RB_Right	23.16	22.62	0.183		
			Inner_Full	22.75	22.21	0.166		
	3500.01	633334	Inner_1RB_Left	22.12	21.58	0.144		
			Inner_1RB_Right	22.23	21.69	0.148		
			Inner_Full	23.93	23.39	0.218		
	3542.49	636166	Inner_1RB_Left	23.82	23.28	0.213		
			Inner_1RB_Right	24.03	23.49	0.223		
			Inner_Full	23.79	23.25	0.211		
DFT-256QAM	3457.5	630500	Inner_1RB_Left	24.08	23.54	0.226		
			Inner_1RB_Right	22.08	21.54	0.143		
			Inner_Full	21.79	21.25	0.133		
	3500.01	633334	Inner_1RB_Left	23.98	23.44	0.221		
			Inner_1RB_Right	23.92	23.38	0.218		
			Inner_Full	22.02	21.48	0.141		
	3542.49	636166	Inner_1RB_Left	23.50	22.96	0.198		
			Inner_1RB_Right	23.98	23.44	0.221		
			Inner_Full	23.96	23.42	0.220		