

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Band4\_EIRP

### 1.1.1 Test Result

Band: 4											
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict			
	Network	Subset				Result	Limit				
NTNV	RMC	12.2kbps RMC	1712.4	17.25	0.88	18.13	<=30	Pass			
			1732.6	16.69	0.88	17.57	<=30	Pass			
			1752.6	16.77	0.88	17.65	<=30	Pass			
	HSDPA		Subtest 1	1712.4	15.36	0.88	16.24	<=30	Pass		
			Subtest 2	1712.4	15.34	0.88	16.22	<=30	Pass		
			Subtest 3	1712.4	15.29	0.88	16.17	<=30	Pass		
			Subtest 4	1712.4	15.28	0.88	16.16	<=30	Pass		
			Subtest 1	1732.6	17.87	0.88	18.75	<=30	Pass		
			Subtest 2	1732.6	9.38	0.88	10.26	<=30	Pass		
			Subtest 3	1732.6	9.35	0.88	10.23	<=30	Pass		
			Subtest 4	1732.6	9.36	0.88	10.24	<=30	Pass		
			Subtest 1	1752.6	5.05	0.88	5.93	<=30	Pass		
			Subtest 2	1752.6	5.05	0.88	5.93	<=30	Pass		
			Subtest 3	1752.6	5.02	0.88	5.90	<=30	Pass		
			Subtest 4	1752.6	5.01	0.88	5.89	<=30	Pass		
			HSUPA		Subtest 1	1712.4	12.12	0.88	13.00	<=30	Pass
					Subtest 2	1712.4	12.21	0.88	13.09	<=30	Pass
					Subtest 3	1712.4	12.05	0.88	12.93	<=30	Pass
					Subtest 4	1712.4	12.10	0.88	12.98	<=30	Pass
					Subtest 5	1712.4	12.04	0.88	12.92	<=30	Pass
	Subtest 1	1732.6			7.41	0.88	8.29	<=30	Pass		
	Subtest 2	1732.6			7.18	0.88	8.06	<=30	Pass		
	Subtest 3	1732.6			7.17	0.88	8.05	<=30	Pass		
	Subtest 4	1732.6			7.51	0.88	8.39	<=30	Pass		
	Subtest 5	1732.6			7.00	0.88	7.88	<=30	Pass		
	Subtest 1	1752.6			3.06	0.88	3.94	<=30	Pass		
	Subtest 2	1752.6			2.69	0.88	3.57	<=30	Pass		
	Subtest 3	1752.6			3.16	0.88	4.04	<=30	Pass		
	Subtest 4	1752.6	2.69	0.88	3.57	<=30	Pass				
	Subtest 5	1752.6	3.16	0.88	4.04	<=30	Pass				

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 Band4

#### 2.1.1 Test Result

Band: 4							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	1712.4	20	3.27	3.827	0.0022	-2.5 to 2.5	Pass
			3.85	2.031	0.0012	-2.5 to 2.5	Pass
			4.43	2.460	0.0014	-2.5 to 2.5	Pass
		-30	3.85	2.117	0.0012	-2.5 to 2.5	Pass
		-20	3.85	2.103	0.0012	-2.5 to 2.5	Pass

	1732.6	-10	3.85	2.732	0.0016	-2.5 to 2.5	Pass	
		0	3.85	3.340	0.0020	-2.5 to 2.5	Pass	
		10	3.85	2.296	0.0013	-2.5 to 2.5	Pass	
		30	3.85	2.868	0.0017	-2.5 to 2.5	Pass	
		40	3.85	3.469	0.0020	-2.5 to 2.5	Pass	
		50	3.85	4.835	0.0028	-2.5 to 2.5	Pass	
		20	1752.6	3.27	-1.616	-0.0009	-2.5 to 2.5	Pass
				3.85	-0.901	-0.0005	-2.5 to 2.5	Pass
				4.43	-0.966	-0.0006	-2.5 to 2.5	Pass
			-30	3.85	-0.322	-0.0002	-2.5 to 2.5	Pass
			-20	3.85	-1.917	-0.0011	-2.5 to 2.5	Pass
			-10	3.85	-1.202	-0.0007	-2.5 to 2.5	Pass
			0	3.85	-1.280	-0.0007	-2.5 to 2.5	Pass
			10	3.85	-1.001	-0.0006	-2.5 to 2.5	Pass
			30	3.85	-1.152	-0.0007	-2.5 to 2.5	Pass
	40		3.85	-0.215	-0.0001	-2.5 to 2.5	Pass	
	50	3.85	-0.172	-0.0001	-2.5 to 2.5	Pass		
	20	1752.6	3.27	-7.925	-0.0045	-2.5 to 2.5	Pass	
			3.85	-7.746	-0.0044	-2.5 to 2.5	Pass	
			4.43	-6.037	-0.0034	-2.5 to 2.5	Pass	
			-30	3.85	-6.974	-0.0040	-2.5 to 2.5	Pass
			-20	3.85	-6.180	-0.0035	-2.5 to 2.5	Pass
			-10	3.85	-6.530	-0.0037	-2.5 to 2.5	Pass
			0	3.85	-6.516	-0.0037	-2.5 to 2.5	Pass
			10	3.85	-6.123	-0.0035	-2.5 to 2.5	Pass
			30	3.85	-5.865	-0.0033	-2.5 to 2.5	Pass
			40	3.85	-6.323	-0.0036	-2.5 to 2.5	Pass
	50	3.85	-5.736	-0.0033	-2.5 to 2.5	Pass		
	HSDPA	1712.4	20	3.27	3.276	0.0019	-2.5 to 2.5	Pass
				3.85	3.719	0.0022	-2.5 to 2.5	Pass
4.43				2.568	0.0015	-2.5 to 2.5	Pass	
-30			3.85	2.189	0.0013	-2.5 to 2.5	Pass	
-20			3.85	2.224	0.0013	-2.5 to 2.5	Pass	
-10			3.85	2.167	0.0013	-2.5 to 2.5	Pass	
0			3.85	1.502	0.0009	-2.5 to 2.5	Pass	
10			3.85	1.895	0.0011	-2.5 to 2.5	Pass	
30			3.85	1.802	0.0011	-2.5 to 2.5	Pass	
40			3.85	1.438	0.0008	-2.5 to 2.5	Pass	
50			3.85	1.681	0.0010	-2.5 to 2.5	Pass	
20			1732.6	3.27	5.171	0.0030	-2.5 to 2.5	Pass
				3.85	4.871	0.0028	-2.5 to 2.5	Pass
				4.43	4.649	0.0027	-2.5 to 2.5	Pass
				-30	3.85	4.492	0.0026	-2.5 to 2.5
		-20		3.85	3.898	0.0022	-2.5 to 2.5	Pass
		-10		3.85	4.470	0.0026	-2.5 to 2.5	Pass
		0		3.85	4.134	0.0024	-2.5 to 2.5	Pass
		10		3.85	3.777	0.0022	-2.5 to 2.5	Pass
		30		3.85	4.599	0.0027	-2.5 to 2.5	Pass
		40		3.85	4.478	0.0026	-2.5 to 2.5	Pass
50		3.85	4.377	0.0025	-2.5 to 2.5	Pass		
20		1752.6	3.27	-7.360	-0.0042	-2.5 to 2.5	Pass	
			3.85	-9.055	-0.0052	-2.5 to 2.5	Pass	
			4.43	-8.526	-0.0049	-2.5 to 2.5	Pass	
			-30	3.85	-8.633	-0.0049	-2.5 to 2.5	Pass
			-20	3.85	-8.712	-0.0050	-2.5 to 2.5	Pass
			-10	3.85	-8.640	-0.0049	-2.5 to 2.5	Pass
			0	3.85	-8.125	-0.0046	-2.5 to 2.5	Pass
			10	3.85	-8.461	-0.0048	-2.5 to 2.5	Pass
	30		3.85	-8.440	-0.0048	-2.5 to 2.5	Pass	

		40	3.85	-7.346	-0.0042	-2.5 to 2.5	Pass
		50	3.85	-8.211	-0.0047	-2.5 to 2.5	Pass
HSUPA	1712.4	20	3.27	10.765	0.0063	-2.5 to 2.5	Pass
			3.85	10.114	0.0059	-2.5 to 2.5	Pass
			4.43	10.729	0.0063	-2.5 to 2.5	Pass
		-30	3.85	10.715	0.0063	-2.5 to 2.5	Pass
		-20	3.85	12.059	0.0070	-2.5 to 2.5	Pass
		-10	3.85	10.936	0.0064	-2.5 to 2.5	Pass
		0	3.85	9.778	0.0057	-2.5 to 2.5	Pass
		10	3.85	9.692	0.0057	-2.5 to 2.5	Pass
		30	3.85	9.649	0.0056	-2.5 to 2.5	Pass
		40	3.85	11.344	0.0066	-2.5 to 2.5	Pass
		50	3.85	9.363	0.0055	-2.5 to 2.5	Pass
	1732.6	20	3.27	-6.702	-0.0039	-2.5 to 2.5	Pass
			3.85	-7.939	-0.0046	-2.5 to 2.5	Pass
			4.43	-5.608	-0.0032	-2.5 to 2.5	Pass
		-30	3.85	-5.901	-0.0034	-2.5 to 2.5	Pass
		-20	3.85	-5.722	-0.0033	-2.5 to 2.5	Pass
		-10	3.85	-5.779	-0.0033	-2.5 to 2.5	Pass
		0	3.85	-6.058	-0.0035	-2.5 to 2.5	Pass
		10	3.85	-7.832	-0.0045	-2.5 to 2.5	Pass
		30	3.85	-6.452	-0.0037	-2.5 to 2.5	Pass
		40	3.85	-7.339	-0.0042	-2.5 to 2.5	Pass
		50	3.85	-5.522	-0.0032	-2.5 to 2.5	Pass
	1752.6	20	3.27	-3.211	-0.0018	-2.5 to 2.5	Pass
			3.85	-1.981	-0.0011	-2.5 to 2.5	Pass
			4.43	-2.503	-0.0014	-2.5 to 2.5	Pass
		-30	3.85	-1.431	-0.0008	-2.5 to 2.5	Pass
		-20	3.85	-0.315	-0.0002	-2.5 to 2.5	Pass
		-10	3.85	-1.194	-0.0007	-2.5 to 2.5	Pass
		0	3.85	-0.744	-0.0004	-2.5 to 2.5	Pass
		10	3.85	0.072	0.0000	-2.5 to 2.5	Pass
		30	3.85	-0.858	-0.0005	-2.5 to 2.5	Pass
		40	3.85	-0.672	-0.0004	-2.5 to 2.5	Pass
		50	3.85	0.458	0.0003	-2.5 to 2.5	Pass



### 3. Modulation Characteristics

#### 3.1 Band4

##### 3.1.1 Test Result

Band: 4						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1732.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	1732.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	1732.6	Refer To Test Graph		Pass

### 3.1.2 Test Graph




Band4 HSUPA\_MCH\_1732.6MHz\_Subtest 1\_NTV

WCDMA UE TX Measurement 1 - V3.7.20 - Base V 3.7.22

Multi Evaluation TPC Measurement PRACH DPCCH Open Loop Power Out-of-Sync Handling

UL Frequency: 1732.600000 MHz Ref. Level: 34.00 dBm Connector: RF1COM Meas. Period: Full Slot

IQ



Statistic Count: 20 / 20

Statistics @ Pre. ...		Current	StdDev
Power [dBm]	4.78	2.36	
Power Steps [dB]	NCAP	NCAP	
EVM RMS [%]	4.01	1.17	
EVM Peak [%]	10.94	29.65	
Magn. Error RMS [%]	2.28	0.85	
Magn. Error Peak [%]	-6.55	31.21	
Phase Error RMS [°]	1.89	0.65	
Phase Error Peak [°]	6.27	2.65	
IQ Origin Offset [dB]	-57.32	5.17	
IQ Imbalance [dB]	-52.10	4.51	
CF Error [Hz]	-0.84	13.79	
Phase Disc. [°]	NCAP		

1st Measured Slot No: 0

HSDPA+ CPO Circuit Switched  
 HSUPA CM Registered

Packet Switched: Connection Established  
 Power: ON  
 Sync: ON



## 4. 99% & 26dB Bandwidth

### 4.1 Band4\_OBW


#### 4.1.1 Test Result

Band: 4						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1712.4	4.137	/	Pass
			1732.6	4.134	/	Pass
			1752.6	4.128	/	Pass
	HSDPA	Subtest 1	1712.4	4.188	/	Pass
			1732.6	4.131	/	Pass
			1752.6	4.176	/	Pass
	HSUPA	Subtest 1	1712.4	4.163	/	Pass
			1732.6	4.144	/	Pass
			1752.6	4.157	/	Pass


### 4.1.2 Test Graph



Band4\_RMC\_HCH\_1752.6MHz\_12.2kbps\_RMC\_NTNV




Band4\_HSDPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV







Band4\_HSDPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV



Band4\_HSUPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV



Band4 HSUPA HCH 1752.6MHz\_Subtest 1\_NTNV





## 4.2 Band4\_XDB


### 4.2.1 Test Result

Band: 4						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1712.4	4.724	/	Pass
			1732.6	4.702	/	Pass
			1752.6	4.740	/	Pass
	HSDPA	Subtest 1	1712.4	6.008	/	Pass
			1732.6	4.750	/	Pass
			1752.6	5.696	/	Pass
	HSUPA	Subtest 1	1712.4	5.542	/	Pass
			1732.6	4.767	/	Pass
			1752.6	5.617	/	Pass


## 4.2.2 Test Graph




Band4\_RMC\_HCH\_1752.6MHz\_12.2kbps\_RMC\_NTNV




Band4\_HSDPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV



Band4\_HSUPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV





Band4 HSUPA HCH 1752.6MHz\_Subtest 1\_NTNV





## 5. Peak-Average Ratio

### 5.1 Band4


#### 5.1.1 Test Result

Band: 4						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1712.4	2.92	<=13	Pass
			1732.6	3.20	<=13	Pass
			1752.6	2.75	<=13	Pass
	HSDPA	Subtest 1	1712.4	5.62	<=13	Pass
			1732.6	5.73	<=13	Pass
			1752.6	5.71	<=13	Pass
	HSUPA	Subtest 1	1712.4	5.52	<=13	Pass
			1732.6	5.79	<=13	Pass
			1752.6	5.70	<=13	Pass


## 5.1.2 Test Graph




Band4\_RMC\_HCH\_1752.6MHz\_12.2kbps\_RMC\_NTNV




Band4\_HSDPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV



Band4\_HSUPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV



Band4 HSUPA HCH 1752.6MHz\_Subtest 1\_NTNV



## 6. Spurious Emission



### 6.1 Band4

#### 6.1.1 Test Result


Band: 4						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1712.4	Refer To Test Graph	Pass	
			1732.6	Refer To Test Graph	Pass	
			1752.6	Refer To Test Graph	Pass	
	HSDPA	Subtest 1	1712.4	Refer To Test Graph	Pass	
			1732.6	Refer To Test Graph	Pass	
			1752.6	Refer To Test Graph	Pass	
	HSUPA	Subtest 1	1712.4	Refer To Test Graph	Pass	
			1732.6	Refer To Test Graph	Pass	
			1752.6	Refer To Test Graph	Pass	




### 6.1.2 Test Graph




Band4\_RMC\_LCH\_1712.4MHz\_12.2kbps\_RMC\_NTNV




Band4\_RMC\_LCH\_1712.4MHz\_12.2kbps\_RMC\_NTNV




Band4\_RMC\_LCH\_1712.4MHz\_12.2kbps\_RMC\_NTNV




Band4\_RMC\_LCH\_1712.4MHz\_12.2kbps\_RMC\_NTNV




Band4\_RMC\_MCH\_1732.6MHz\_12.2kbps\_RMC\_NTNV




Band4\_RMC\_MCH\_1732.6MHz\_12.2kbps\_RMC\_NTNV




Band4\_RMC\_MCH\_1732.6MHz\_12.2kbps\_RMC\_NTNV




Band4\_RMC\_MCH\_1732.6MHz\_12.2kbps\_RMC\_NTNV




Band4\_RMC\_MCH\_1732.6MHz\_12.2kbps\_RMC\_NTNV




Band4\_RMC\_HCH\_1752.6MHz\_12.2kbps\_RMC\_NTNV




Band4\_RMC\_HCH\_1752.6MHz\_12.2kbps\_RMC\_NTNV




Band4\_RMC\_HCH\_1752.6MHz\_12.2kbps\_RMC\_NTNV



Band4\_RMC\_HCH\_1752.6MHz\_12.2kbps\_RMC\_NTNV




Band4\_RMC\_HCH\_1752.6MHz\_12.2kbps\_RMC\_NTNV







Band4\_RMC\_HCH\_1752.6MHz\_12.2kbps\_RMC\_NTNV




Band4\_HSDPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV



Band4\_HSDPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV







Band4\_HSDPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV




Band4\_HSDPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_LCH\_1712.4MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_MCH\_1732.6MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV



Band4\_HSUPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV




Band4\_HSUPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV







Band4\_HSUPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV



Band4\_HSUPA\_HCH\_1752.6MHz\_Subtest 1\_NTNV



Band4 HSUPA HCH 1752.6MHz\_Subtest 1\_NTNV



## 7. Form731

### 7.1 Form731\_Power

#### 7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
4	3.84	1712.4	1752.6	0.0612	0.0070	ppm	4M19F9W	27L	17.87

### 7.2 Form731\_EIRP

#### 7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
4	3.84	1712.4	1752.6	0.0750	0.0070	ppm	4M19F9W	27L	18.75