

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

LTE-B2-1.4-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-08-21_12.03.34

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-73.88	-10.98	-13.0	-60.88	157.20	Horizontal	Vertical	Pass
233.892	-58.43	-5.96	-13.0	-45.43	63.20	Horizontal	Vertical	Pass
852.112	-67.32	4.55	-13.0	-54.32	357.30	Horizontal	Vertical	Pass
1849.788	-49.49	-7.96	-13.0	-36.49	29.00	Horizontal	Vertical	Pass
1930.767	-38.47	-8.28	-13.0	-25.47	192.60	Horizontal	Vertical	Pass
6592.102	-47.70	7.91	-13.0	-34.70	35.20	Horizontal	Vertical	Pass


Test result

Project Number: Certification

Test Time: 2020-08-21_14.58.54

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 24.0
 Hum.: 58

Test Engineer: XCJ
 Test Standard: FCC
 Work Addition: normal
 Load: full load
 Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-65.10	10.08	-13.0	-52.10	145.90	Horizontal	Vertical	Pass
9325.919	-58.99	13.99	-13.0	-45.99	104.90	Horizontal	Vertical	Pass
11016.746	-56.15	16.66	-13.0	-43.15	180.80	Horizontal	Vertical	Pass
13180.455	-56.23	15.65	-13.0	-43.23	191.20	Horizontal	Vertical	Pass
14535.866	-47.05	24.24	-13.0	-34.05	148.20	Horizontal	Vertical	Pass
17678.330	-38.89	34.11	-13.0	-25.89	78.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_11.58.42

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-72.94	-10.98	-13.0	-59.94	138.10	Horizontal	Vertical	Pass
102.974	-76.16	-12.94	-13.0	-63.16	117.60	Horizontal	Vertical	Pass
233.892	-58.35	-5.96	-13.0	-45.35	69.20	Horizontal	Vertical	Pass
846.293	-67.57	4.25	-13.0	-54.57	22.20	Horizontal	Vertical	Pass
1879.780	-44.63	-8.18	-13.0	-31.63	29.50	Horizontal	Vertical	Pass
1959.760	-40.33	-8.31	-13.0	-27.33	121.40	Horizontal	Vertical	Pass
6602.099	-47.58	7.98	-13.0	-34.58	227.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.01.09

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7932.017	-64.74	9.09	-13.0	-51.74	30.50	Horizontal	Vertical	Pass
9411.147	-59.22	15.08	-13.0	-46.22	306.90	Horizontal	Vertical	Pass
11143.214	-55.64	15.51	-13.0	-42.64	334.90	Horizontal	Vertical	Pass
13235.441	-56.28	15.86	-13.0	-43.28	179.40	Horizontal	Vertical	Pass
14797.051	-46.92	25.68	-13.0	-33.92	190.60	Horizontal	Vertical	Pass
17562.859	-40.46	31.78	-13.0	-27.46	223.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_11.47.18

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-73.93	-10.98	-13.0	-60.93	1.70	Horizontal	Vertical	Pass
233.892	-57.57	-5.96	-13.0	-44.57	79.50	Horizontal	Vertical	Pass
853.324	-67.95	4.50	-13.0	-54.95	342.40	Horizontal	Vertical	Pass
1908.773	-49.42	-8.32	-13.0	-36.42	164.40	Horizontal	Vertical	Pass
1988.753	-40.89	-7.87	-13.0	-27.89	10.90	Horizontal	Vertical	Pass
6374.156	-49.10	5.67	-13.0	-36.10	305.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_14.56.36

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8094.226	-64.61	10.11	-13.0	-51.61	141.50	Horizontal	Vertical	Pass
9353.412	-59.46	14.65	-13.0	-46.46	266.60	Horizontal	Vertical	Pass
10557.611	-56.85	16.14	-13.0	-43.85	286.10	Horizontal	Vertical	Pass
12099.975	-57.85	14.93	-13.0	-44.85	118.30	Horizontal	Vertical	Pass
14857.536	-46.99	25.44	-13.0	-33.99	238.40	Horizontal	Vertical	Pass
17518.870	-40.49	31.51	-13.0	-27.49	338.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_11.28.20

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.728	-68.90	-10.97	-13.0	-55.90	76.50	Vertical	Vertical	Pass
124.794	-79.83	-15.68	-13.0	-66.83	305.90	Vertical	Vertical	Pass
239.953	-67.62	-3.57	-13.0	-54.62	103.20	Vertical	Vertical	Pass
1009.498	-59.80	-4.48	-13.0	-46.80	220.00	Vertical	Vertical	Pass
1850.287	-48.51	-7.96	-13.0	-35.51	95.90	Vertical	Vertical	Pass
1930.267	-40.64	-8.28	-13.0	-27.64	99.90	Vertical	Vertical	Pass
6584.104	-47.42	7.82	-13.0	-34.42	296.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_14.52.29

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8085.979	-64.65	9.94	-13.0	-51.65	193.50	Vertical	Vertical	Pass
9400.150	-59.27	15.31	-13.0	-46.27	54.80	Vertical	Vertical	Pass
11198.200	-56.37	16.01	-13.0	-43.37	172.00	Vertical	Vertical	Pass
12814.796	-56.77	14.82	-13.0	-43.77	217.30	Vertical	Vertical	Pass
14797.051	-46.87	25.68	-13.0	-33.87	237.10	Vertical	Vertical	Pass
17829.543	-33.16	36.35	-13.0	-20.16	133.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_11.08.47

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.607	-68.92	-11.36	-13.0	-55.92	220.80	Vertical	Vertical	Pass
145.886	-79.85	-16.32	-13.0	-66.85	14.40	Vertical	Vertical	Pass
233.892	-65.47	-5.96	-13.0	-52.47	116.50	Vertical	Vertical	Pass
1000.500	-60.06	-4.23	-13.0	-47.06	273.90	Vertical	Vertical	Pass
1879.780	-43.03	-8.18	-13.0	-30.03	116.00	Vertical	Vertical	Pass
1959.760	-43.36	-8.31	-13.0	-30.36	109.80	Vertical	Vertical	Pass
6665.084	-47.70	7.63	-13.0	-34.70	32.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_14.54.29

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8008.998	-64.62	9.04	-13.0	-51.62	217.10	Vertical	Vertical	Pass
9394.651	-59.22	15.23	-13.0	-46.22	85.40	Vertical	Vertical	Pass
11115.721	-56.42	15.09	-13.0	-43.42	322.40	Vertical	Vertical	Pass
13224.444	-56.38	15.93	-13.0	-43.38	238.60	Vertical	Vertical	Pass
14813.547	-46.27	25.71	-13.0	-33.27	150.60	Vertical	Vertical	Pass
17518.870	-40.21	31.51	-13.0	-27.21	360.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_11.35.22

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.880	-69.07	-11.20	-13.0	-56.07	291.90	Vertical	Vertical	Pass
232.194	-67.19	-6.63	-13.0	-54.19	120.70	Vertical	Vertical	Pass
1002.000	-59.12	-4.28	-13.0	-46.12	144.90	Vertical	Vertical	Pass
1908.773	-48.25	-8.32	-13.0	-35.25	124.70	Vertical	Vertical	Pass
1989.253	-42.39	-7.86	-13.0	-29.39	106.40	Vertical	Vertical	Pass
6604.099	-47.48	7.97	-13.0	-34.48	318.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_14.50.15

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8105.224	-64.68	10.16	-13.0	-51.68	289.80	Vertical	Vertical	Pass
9400.150	-58.90	15.31	-13.0	-45.90	81.20	Vertical	Vertical	Pass
10502.624	-56.77	16.50	-13.0	-43.77	356.90	Vertical	Vertical	Pass
13955.761	-53.64	19.24	-13.0	-40.64	340.00	Vertical	Vertical	Pass
14794.301	-46.49	25.65	-13.0	-33.49	32.10	Vertical	Vertical	Pass
17840.540	-33.55	36.84	-13.0	-20.55	199.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_13.28.38

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
133.279	-81.20	-16.29	-13.0	-68.20	90.30	Horizontal	Vertical	Pass
233.892	-61.44	-5.96	-13.0	-48.44	83.60	Horizontal	Vertical	Pass
1199.950	-58.44	-3.58	-13.0	-45.44	184.90	Horizontal	Vertical	Pass
1850.287	-49.55	-7.96	-13.0	-36.55	59.40	Horizontal	Vertical	Pass
1930.767	-37.60	-8.28	-13.0	-24.60	127.30	Horizontal	Vertical	Pass
6512.122	-47.00	7.06	-13.0	-34.00	270.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.07.15

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-64.15	10.22	-13.0	-51.15	327.10	Horizontal	Vertical	Pass
9435.891	-59.49	14.58	-13.0	-46.49	296.90	Horizontal	Vertical	Pass
10802.299	-57.15	16.29	-13.0	-44.15	62.30	Horizontal	Vertical	Pass
14626.593	-46.90	24.89	-13.0	-33.90	0.60	Horizontal	Vertical	Pass
16518.120	-46.31	24.40	-13.0	-33.31	346.60	Horizontal	Vertical	Pass
17535.366	-39.49	31.54	-13.0	-26.49	29.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_13.45.13

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
113.642	-82.20	-11.73	-13.0	-69.20	175.00	Horizontal	Vertical	Pass
201.647	-65.58	-9.98	-13.0	-52.58	71.30	Horizontal	Vertical	Pass
233.892	-61.00	-5.96	-13.0	-48.00	86.10	Horizontal	Vertical	Pass
847.748	-66.91	4.40	-13.0	-53.91	270.70	Horizontal	Vertical	Pass
1878.780	-46.91	-8.17	-13.0	-33.91	54.90	Horizontal	Vertical	Pass
1960.260	-38.33	-8.30	-13.0	-25.33	72.00	Horizontal	Vertical	Pass
6553.112	-47.11	7.49	-13.0	-34.11	195.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.09.15

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8008.998	-64.83	9.04	-13.0	-51.83	29.40	Horizontal	Vertical	Pass
9221.445	-59.69	13.61	-13.0	-46.69	3.50	Horizontal	Vertical	Pass
10755.561	-56.97	16.64	-13.0	-43.97	319.90	Horizontal	Vertical	Pass
13218.945	-56.71	15.96	-13.0	-43.71	265.20	Horizontal	Vertical	Pass
14810.797	-47.01	25.72	-13.0	-34.01	76.80	Horizontal	Vertical	Pass
17689.328	-38.11	34.44	-13.0	-25.11	115.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_13.53.46

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.065	-82.12	-12.53	-13.0	-69.12	299.20	Horizontal	Vertical	Pass
201.647	-66.21	-9.98	-13.0	-53.21	233.40	Horizontal	Vertical	Pass
233.892	-60.96	-5.96	-13.0	-47.96	96.20	Horizontal	Vertical	Pass
859.628	-67.04	4.28	-13.0	-54.04	237.60	Horizontal	Vertical	Pass
1907.273	-45.66	-8.32	-13.0	-32.66	165.60	Horizontal	Vertical	Pass
1988.253	-37.81	-7.88	-13.0	-24.81	77.40	Horizontal	Vertical	Pass
6568.108	-47.42	7.65	-13.0	-34.42	217.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.05.17

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7956.761	-64.16	8.74	-13.0	-51.16	162.40	Horizontal	Vertical	Pass
9375.406	-58.93	14.96	-13.0	-45.93	22.70	Horizontal	Vertical	Pass
11189.953	-56.21	15.94	-13.0	-43.21	283.70	Horizontal	Vertical	Pass
14819.045	-46.54	25.71	-13.0	-33.54	232.30	Horizontal	Vertical	Pass
16859.035	-44.57	26.20	-13.0	-31.57	29.40	Horizontal	Vertical	Pass
17714.071	-38.62	34.68	-13.0	-25.62	24.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_14.38.06

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.396	-76.10	-14.29	-13.0	-63.10	141.60	Vertical	Vertical	Pass
124.794	-80.26	-15.68	-13.0	-67.26	347.30	Vertical	Vertical	Pass
241.407	-69.49	-3.92	-13.0	-56.49	25.00	Vertical	Vertical	Pass
1161.960	-58.22	-5.38	-13.0	-45.22	332.40	Vertical	Vertical	Pass
1850.287	-49.92	-7.96	-13.0	-36.92	117.00	Vertical	Vertical	Pass
1931.767	-39.89	-8.29	-13.0	-26.89	119.20	Vertical	Vertical	Pass
6641.090	-46.98	7.76	-13.0	-33.98	161.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_14.41.16

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8113.472	-64.22	10.04	-13.0	-51.22	302.30	Vertical	Vertical	Pass
9369.908	-59.68	14.89	-13.0	-46.68	182.70	Vertical	Vertical	Pass
10777.556	-56.91	16.45	-13.0	-43.91	0.00	Vertical	Vertical	Pass
11605.099	-56.97	16.41	-13.0	-43.97	296.10	Vertical	Vertical	Pass
14511.122	-46.99	24.24	-13.0	-33.99	1.10	Vertical	Vertical	Pass
17697.576	-37.87	34.68	-13.0	-24.87	96.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_14.06.49

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-79.47	-15.68	-13.0	-66.47	360.00	Vertical	Vertical	Pass
233.892	-70.35	-5.96	-13.0	-57.35	145.90	Vertical	Vertical	Pass
852.354	-67.26	4.54	-13.0	-54.26	269.20	Vertical	Vertical	Pass
1879.280	-43.76	-8.18	-13.0	-30.76	113.00	Vertical	Vertical	Pass
1960.260	-39.47	-8.30	-13.0	-26.47	123.40	Vertical	Vertical	Pass
6611.097	-47.44	7.93	-13.0	-34.44	13.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_14.46.48

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-64.45	10.17	-13.0	-51.45	32.80	Vertical	Vertical	Pass
9218.695	-59.66	13.63	-13.0	-46.66	110.60	Vertical	Vertical	Pass
10532.867	-56.19	16.27	-13.0	-43.19	277.60	Vertical	Vertical	Pass
12996.251	-57.68	15.32	-13.0	-44.68	205.70	Vertical	Vertical	Pass
14821.795	-47.02	25.71	-13.0	-34.02	316.60	Vertical	Vertical	Pass
17870.782	-32.21	38.30	-13.0	-19.21	271.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_14.00.21

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-79.20	-15.68	-13.0	-66.20	359.40	Vertical	Vertical	Pass
233.892	-70.59	-5.96	-13.0	-57.59	49.10	Vertical	Vertical	Pass
1003.499	-59.37	-4.32	-13.0	-46.37	321.60	Vertical	Vertical	Pass
1907.273	-42.06	-8.32	-13.0	-29.06	127.60	Vertical	Vertical	Pass
1988.753	-40.33	-7.87	-13.0	-27.33	125.20	Vertical	Vertical	Pass
6541.115	-47.52	7.37	-13.0	-34.52	41.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_14.44.38

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7937.516	-64.62	8.97	-13.0	-51.62	321.30	Vertical	Vertical	Pass
9391.902	-58.97	15.20	-13.0	-45.97	267.70	Vertical	Vertical	Pass
11187.203	-56.59	15.92	-13.0	-43.59	166.60	Vertical	Vertical	Pass
13782.554	-52.77	17.74	-13.0	-39.77	358.20	Vertical	Vertical	Pass
14849.288	-47.03	25.70	-13.0	-34.03	85.80	Vertical	Vertical	Pass
17524.369	-39.87	31.52	-13.0	-26.87	261.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.34.55

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.364	-71.88	-11.30	-13.0	-58.88	320.60	Horizontal	Vertical	Pass
192.434	-65.20	-14.98	-13.0	-52.20	210.90	Horizontal	Vertical	Pass
232.194	-57.40	-6.63	-13.0	-44.40	73.20	Horizontal	Vertical	Pass
1842.789	-48.42	-7.90	-13.0	-35.42	99.60	Horizontal	Vertical	Pass
1932.267	-39.25	-8.29	-13.0	-26.25	150.50	Horizontal	Vertical	Pass
5892.277	-51.88	3.25	-13.0	-38.88	70.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.57.18

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7962.259	-64.66	8.78	-13.0	-51.66	18.80	Horizontal	Vertical	Pass
9204.949	-59.99	13.75	-13.0	-46.99	3.80	Horizontal	Vertical	Pass
10524.619	-56.68	16.34	-13.0	-43.68	207.30	Horizontal	Vertical	Pass
11209.198	-56.05	15.93	-13.0	-43.05	12.10	Horizontal	Vertical	Pass
14788.803	-47.04	25.58	-13.0	-34.04	272.00	Horizontal	Vertical	Pass
17582.104	-38.83	32.11	-13.0	-25.83	86.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.14.40

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.004	-79.38	-13.97	-13.0	-66.38	358.70	Horizontal	Vertical	Pass
241.407	-61.05	-3.92	-13.0	-48.05	79.70	Horizontal	Vertical	Pass
320.927	-68.18	-9.96	-13.0	-55.18	49.80	Horizontal	Vertical	Pass
1200.950	-58.83	-3.63	-13.0	-45.83	133.30	Horizontal	Vertical	Pass
1878.280	-44.34	-8.17	-13.0	-31.34	107.60	Horizontal	Vertical	Pass
1959.260	-39.13	-8.31	-13.0	-26.13	111.80	Horizontal	Vertical	Pass
6566.108	-47.62	7.63	-13.0	-34.62	223.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_16.00.26

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-63.25	10.22	-13.0	-50.25	358.60	Horizontal	Vertical	Pass
9367.158	-59.19	14.85	-13.0	-46.19	319.90	Horizontal	Vertical	Pass
10521.870	-57.12	16.36	-13.0	-44.12	304.50	Horizontal	Vertical	Pass
13782.554	-53.80	17.74	-13.0	-40.80	138.00	Horizontal	Vertical	Pass
14849.288	-47.20	25.70	-13.0	-34.20	187.90	Horizontal	Vertical	Pass
17466.633	-41.33	30.98	-13.0	-28.33	0.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.39.28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
87.701	-80.89	-17.11	-13.0	-67.89	150.10	Horizontal	Vertical	Pass
232.194	-56.94	-6.63	-13.0	-43.94	77.00	Horizontal	Vertical	Pass
854.051	-67.27	4.48	-13.0	-54.27	30.00	Horizontal	Vertical	Pass
1905.774	-42.03	-8.32	-13.0	-29.03	126.20	Horizontal	Vertical	Pass
1985.754	-39.16	-7.95	-13.0	-26.16	89.60	Horizontal	Vertical	Pass
5221.445	-52.83	2.46	-13.0	-39.83	263.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.55.20

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7956.761	-64.81	8.74	-13.0	-51.81	67.70	Horizontal	Vertical	Pass
8784.304	-62.17	10.87	-13.0	-49.17	167.30	Horizontal	Vertical	Pass
10532.867	-56.37	16.27	-13.0	-43.37	270.60	Horizontal	Vertical	Pass
13185.954	-56.26	15.77	-13.0	-43.26	209.50	Horizontal	Vertical	Pass
14802.549	-46.62	25.72	-13.0	-33.62	263.90	Horizontal	Vertical	Pass
17395.151	-41.51	29.22	-13.0	-28.51	167.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.29.35

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.153	-75.84	-14.20	-13.0	-62.84	257.40	Vertical	Vertical	Pass
201.647	-69.27	-9.98	-13.0	-56.27	359.50	Vertical	Vertical	Pass
244.316	-66.94	-4.69	-13.0	-53.94	151.40	Vertical	Vertical	Pass
854.051	-67.90	4.48	-13.0	-54.90	215.20	Vertical	Vertical	Pass
1842.789	-47.95	-7.90	-13.0	-34.95	126.70	Vertical	Vertical	Pass
1931.767	-37.62	-8.29	-13.0	-24.62	177.30	Vertical	Vertical	Pass
6300.175	-49.49	5.11	-13.0	-36.49	329.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.50.19

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8105.224	-64.83	10.16	-13.0	-51.83	327.30	Vertical	Vertical	Pass
9243.439	-59.41	13.43	-13.0	-46.41	236.00	Vertical	Vertical	Pass
10538.365	-56.85	16.23	-13.0	-43.85	74.70	Vertical	Vertical	Pass
12647.088	-57.78	14.56	-13.0	-44.78	107.80	Vertical	Vertical	Pass
14802.549	-46.60	25.72	-13.0	-33.60	0.70	Vertical	Vertical	Pass
16493.377	-46.00	24.75	-13.0	-33.00	31.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.24.50

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.123	-73.92	-14.56	-13.0	-60.92	184.30	Vertical	Vertical	Pass
233.892	-69.68	-5.96	-13.0	-56.68	43.50	Vertical	Vertical	Pass
872.719	-68.11	2.99	-13.0	-55.11	24.20	Vertical	Vertical	Pass
1878.280	-44.14	-8.17	-13.0	-31.14	106.60	Vertical	Vertical	Pass
1958.760	-37.76	-8.31	-13.0	-24.76	121.60	Vertical	Vertical	Pass
6576.106	-47.48	7.74	-13.0	-34.48	358.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15:52:30

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7921.020	-64.67	9.33	-13.0	-51.67	150.90	Vertical	Vertical	Pass
8850.287	-62.70	11.59	-13.0	-49.70	221.30	Vertical	Vertical	Pass
10510.872	-56.77	16.44	-13.0	-43.77	284.80	Vertical	Vertical	Pass
13188.703	-55.98	15.83	-13.0	-42.98	155.10	Vertical	Vertical	Pass
14544.114	-47.14	24.24	-13.0	-34.14	104.70	Vertical	Vertical	Pass
17100.975	-45.06	25.24	-13.0	-32.06	352.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.44.12

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.365	-75.69	-14.65	-13.0	-62.69	205.30	Vertical	Vertical	Pass
124.794	-79.45	-15.68	-13.0	-66.45	92.60	Vertical	Vertical	Pass
241.407	-66.82	-3.92	-13.0	-53.82	139.30	Vertical	Vertical	Pass
1905.274	-41.90	-8.32	-13.0	-28.90	129.80	Vertical	Vertical	Pass
1987.753	-41.52	-7.89	-13.0	-28.52	131.80	Vertical	Vertical	Pass
6084.229	-50.95	4.11	-13.0	-37.95	130.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_15.47.34

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7973.257	-64.09	8.84	-13.0	-51.09	230.60	Vertical	Vertical	Pass
9383.654	-59.59	15.08	-13.0	-46.59	198.30	Vertical	Vertical	Pass
10832.542	-56.00	16.72	-13.0	-43.00	230.60	Vertical	Vertical	Pass
12377.656	-58.56	12.52	-13.0	-45.56	58.90	Vertical	Vertical	Pass
14489.128	-47.59	23.90	-13.0	-34.59	100.60	Vertical	Vertical	Pass
17711.322	-37.50	34.70	-13.0	-24.50	265.00	Vertical	Vertical	Pass


Test result

Project Number: Certification

Test Time: 2020-08-21_16.31.52

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 24.0
 Hum.: 58

Test Engineer: XCJ
 Test Standard: FCC
 Work Addition: normal
 Load: full load
 Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.364	-71.43	-11.30	-13.0	-58.43	223.00	Horizontal	Vertical	Pass
186.373	-66.60	-16.85	-13.0	-53.60	66.80	Horizontal	Vertical	Pass
232.194	-57.73	-6.63	-13.0	-44.73	73.40	Horizontal	Vertical	Pass
1397.401	-58.25	-5.88	-13.0	-45.25	228.70	Horizontal	Vertical	Pass
1835.291	-51.70	-8.29	-13.0	-38.70	122.00	Horizontal	Vertical	Pass
1935.766	-37.73	-8.32	-13.0	-24.73	188.20	Horizontal	Vertical	Pass
5038.490	-53.30	2.83	-13.0	-40.30	348.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_16.24.01

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.022	-63.92	9.56	-13.0	-50.92	45.20	Horizontal	Vertical	Pass
9262.684	-59.35	13.36	-13.0	-46.35	176.60	Horizontal	Vertical	Pass
10752.812	-56.73	16.66	-13.0	-43.73	4.00	Horizontal	Vertical	Pass
13251.937	-56.63	15.78	-13.0	-43.63	198.60	Horizontal	Vertical	Pass
14758.560	-47.15	25.21	-13.0	-34.15	242.10	Horizontal	Vertical	Pass
17502.374	-40.92	31.48	-13.0	-27.92	92.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_16.06.40

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.880	-72.46	-11.20	-13.0	-59.46	231.50	Horizontal	Vertical	Pass
201.647	-59.92	-9.98	-13.0	-46.92	79.30	Horizontal	Vertical	Pass
232.194	-55.67	-6.63	-13.0	-42.67	70.90	Horizontal	Vertical	Pass
1840.290	-40.07	-7.89	-13.0	-27.07	66.10	Horizontal	Vertical	Pass
1956.761	-38.13	-8.31	-13.0	-25.13	164.70	Horizontal	Vertical	Pass
4772.557	-53.94	1.85	-13.0	-40.94	339.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_16.08.50

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8088.728	-64.67	10.00	-13.0	-51.67	212.00	Horizontal	Vertical	Pass
9367.158	-59.76	14.85	-13.0	-46.76	123.80	Horizontal	Vertical	Pass
10849.038	-56.96	16.95	-13.0	-43.96	58.30	Horizontal	Vertical	Pass
13804.549	-54.27	17.67	-13.0	-41.27	251.50	Horizontal	Vertical	Pass
14486.378	-46.68	23.81	-13.0	-33.68	38.30	Horizontal	Vertical	Pass
17527.118	-40.48	31.52	-13.0	-27.48	210.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_16.36.30

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.728	-65.93	-10.97	-13.0	-52.93	113.60	Horizontal	Vertical	Pass
232.194	-57.36	-6.63	-13.0	-44.36	90.60	Horizontal	Vertical	Pass
657.191	-71.67	-0.14	-13.0	-58.67	3.30	Horizontal	Vertical	Pass
1900.775	-51.65	-8.33	-13.0	-38.65	130.10	Horizontal	Vertical	Pass
1988.253	-40.42	-7.88	-13.0	-27.42	130.10	Horizontal	Vertical	Pass
5230.442	-53.35	2.24	-13.0	-40.35	117.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_16.38.42

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8044.739	-64.49	9.17	-13.0	-51.49	248.10	Horizontal	Vertical	Pass
9218.695	-59.69	13.63	-13.0	-46.69	263.40	Horizontal	Vertical	Pass
10549.363	-56.70	16.15	-13.0	-43.70	271.80	Horizontal	Vertical	Pass
13161.210	-56.23	15.23	-13.0	-43.23	295.10	Horizontal	Vertical	Pass
14802.549	-47.01	25.72	-13.0	-34.01	354.90	Horizontal	Vertical	Pass
16498.875	-45.86	24.97	-13.0	-32.86	166.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_16.19.42

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.395	-69.49	-11.09	-13.0	-56.49	215.50	Vertical	Vertical	Pass
133.279	-78.77	-16.29	-13.0	-65.77	309.70	Vertical	Vertical	Pass
241.407	-67.16	-3.92	-13.0	-54.16	136.70	Vertical	Vertical	Pass
1191.452	-58.35	-3.95	-13.0	-45.35	152.80	Vertical	Vertical	Pass
1835.291	-50.08	-8.29	-13.0	-37.08	92.80	Vertical	Vertical	Pass
1937.766	-37.96	-8.33	-13.0	-24.96	165.70	Vertical	Vertical	Pass
5406.398	-52.03	2.48	-13.0	-39.03	286.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_16.22.07

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8080.480	-64.82	9.82	-13.0	-51.82	12.30	Vertical	Vertical	Pass
9402.899	-59.41	15.25	-13.0	-46.41	317.10	Vertical	Vertical	Pass
11148.713	-56.59	15.60	-13.0	-43.59	156.40	Vertical	Vertical	Pass
13224.444	-55.50	15.93	-13.0	-42.50	92.30	Vertical	Vertical	Pass
14489.128	-47.52	23.90	-13.0	-34.52	70.30	Vertical	Vertical	Pass
17502.374	-40.27	31.48	-13.0	-27.27	286.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_16.15.11

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
87.701	-80.30	-17.11	-13.0	-67.30	0.00	Vertical	Vertical	Pass
185.161	-73.01	-17.09	-13.0	-60.01	289.40	Vertical	Vertical	Pass
241.407	-66.19	-3.92	-13.0	-53.19	150.80	Vertical	Vertical	Pass
1008.498	-59.26	-4.45	-13.0	-46.26	355.90	Vertical	Vertical	Pass
1840.790	-43.44	-7.89	-13.0	-30.44	108.10	Vertical	Vertical	Pass
1960.260	-38.69	-8.30	-13.0	-25.69	147.30	Vertical	Vertical	Pass
4986.503	-52.62	2.79	-13.0	-39.62	352.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_16.10.59

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8107.973	-64.68	10.12	-13.0	-51.68	165.10	Vertical	Vertical	Pass
9380.905	-59.18	15.04	-13.0	-46.18	0.00	Vertical	Vertical	Pass
10488.878	-56.62	16.47	-13.0	-43.62	119.90	Vertical	Vertical	Pass
12713.072	-57.91	14.55	-13.0	-44.91	27.10	Vertical	Vertical	Pass
14788.803	-47.28	25.58	-13.0	-34.28	167.10	Vertical	Vertical	Pass
17705.824	-37.57	34.72	-13.0	-24.57	274.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_16.45.38

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-69.00	-11.57	-13.0	-56.00	258.60	Vertical	Vertical	Pass
133.279	-80.30	-16.29	-13.0	-67.30	301.50	Vertical	Vertical	Pass
241.407	-66.77	-3.92	-13.0	-53.77	34.80	Vertical	Vertical	Pass
1002.000	-59.47	-4.28	-13.0	-46.47	61.90	Vertical	Vertical	Pass
1900.775	-52.14	-8.33	-13.0	-39.14	120.00	Vertical	Vertical	Pass
1983.754	-38.31	-8.00	-13.0	-25.31	180.30	Vertical	Vertical	Pass
5183.454	-53.18	2.91	-13.0	-40.18	14.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_16.41.15

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7948.513	-64.64	8.73	-13.0	-51.64	235.00	Vertical	Vertical	Pass
9309.423	-59.85	13.56	-13.0	-46.85	0.00	Vertical	Vertical	Pass
10538.365	-56.21	16.23	-13.0	-43.21	110.60	Vertical	Vertical	Pass
12649.838	-57.32	14.59	-13.0	-44.32	239.40	Vertical	Vertical	Pass
14786.053	-47.39	25.55	-13.0	-34.39	68.80	Vertical	Vertical	Pass
16914.021	-45.21	26.30	-13.0	-32.21	131.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_17.57.06

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
93.034	-79.09	-14.45	-13.0	-66.09	231.90	Horizontal	Vertical	Pass
201.647	-55.26	-9.98	-13.0	-42.26	259.10	Horizontal	Vertical	Pass
843.869	-67.31	4.01	-13.0	-54.31	221.00	Horizontal	Vertical	Pass
1851.787	-55.00	-7.97	-13.0	-42.00	300.40	Horizontal	Vertical	Pass
1936.766	-38.81	-8.32	-13.0	-25.81	274.90	Horizontal	Vertical	Pass
5955.261	-51.85	2.93	-13.0	-38.85	307.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_17.53.10

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7962.259	-64.23	8.78	-13.0	-51.23	89.60	Horizontal	Vertical	Pass
9380.905	-59.57	15.04	-13.0	-46.57	243.80	Horizontal	Vertical	Pass
11200.950	-56.15	16.01	-13.0	-43.15	159.50	Horizontal	Vertical	Pass
13163.959	-56.55	15.29	-13.0	-43.55	292.00	Horizontal	Vertical	Pass
14791.552	-46.58	25.62	-13.0	-33.58	298.60	Horizontal	Vertical	Pass
17637.091	-39.83	33.05	-13.0	-26.83	202.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_17.35.55

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.550	-71.36	-12.60	-13.0	-58.36	202.80	Horizontal	Vertical	Pass
233.892	-58.89	-5.96	-13.0	-45.89	273.20	Horizontal	Vertical	Pass
869.568	-67.67	3.41	-13.0	-54.67	5.10	Horizontal	Vertical	Pass
1873.282	-47.43	-8.13	-13.0	-34.43	302.40	Horizontal	Vertical	Pass
1953.762	-38.87	-8.31	-13.0	-25.87	274.40	Horizontal	Vertical	Pass
5156.461	-53.41	2.81	-13.0	-40.41	111.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_17.39.00

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-64.31	10.22	-13.0	-51.31	346.20	Horizontal	Vertical	Pass
9356.161	-59.60	14.69	-13.0	-46.60	99.80	Horizontal	Vertical	Pass
10601.600	-56.74	16.12	-13.0	-43.74	143.80	Horizontal	Vertical	Pass
13238.190	-56.41	15.85	-13.0	-43.41	238.20	Horizontal	Vertical	Pass
14500.125	-47.39	24.24	-13.0	-34.39	139.40	Horizontal	Vertical	Pass
16864.534	-44.71	26.20	-13.0	-31.71	73.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_18.03.12

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.152	-72.00	-11.03	-13.0	-59.00	2.20	Horizontal	Vertical	Pass
103.944	-78.83	-13.08	-13.0	-65.83	9.80	Horizontal	Vertical	Pass
232.194	-53.43	-6.63	-13.0	-40.43	285.80	Horizontal	Vertical	Pass
320.927	-61.53	-9.96	-13.0	-48.53	42.00	Horizontal	Vertical	Pass
1895.776	-39.49	-8.30	-13.0	-26.49	254.10	Horizontal	Vertical	Pass
1986.253	-39.67	-7.93	-13.0	-26.67	185.90	Horizontal	Vertical	Pass
5144.464	-53.34	2.76	-13.0	-40.34	112.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_07:58.18

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-64.97	10.22	-13.0	-51.97	199.30	Horizontal	Vertical	Pass
9287.428	-60.00	13.33	-13.0	-47.00	342.90	Horizontal	Vertical	Pass
10505.374	-56.31	16.48	-13.0	-43.31	2.30	Horizontal	Vertical	Pass
13196.951	-56.60	16.01	-13.0	-43.60	193.60	Horizontal	Vertical	Pass
14700.825	-46.88	25.25	-13.0	-33.88	163.70	Horizontal	Vertical	Pass
17703.074	-38.61	34.74	-13.0	-25.61	37.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_17.48.45

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-70.72	-11.57	-13.0	-57.72	313.00	Vertical	Vertical	Pass
124.794	-83.21	-15.68	-13.0	-70.21	151.70	Vertical	Vertical	Pass
235.346	-65.01	-5.39	-13.0	-52.01	330.60	Vertical	Vertical	Pass
861.810	-66.95	4.11	-13.0	-53.95	227.60	Vertical	Vertical	Pass
1938.765	-58.68	-8.33	-13.0	-45.68	1.00	Vertical	Vertical	Pass
5012.497	-53.02	2.94	-13.0	-40.02	92.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_17.50.51

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7973.257	-64.63	8.84	-13.0	-51.63	216.10	Vertical	Vertical	Pass
9400.150	-59.47	15.31	-13.0	-46.47	18.70	Vertical	Vertical	Pass
11621.595	-56.23	15.98	-13.0	-43.23	120.30	Vertical	Vertical	Pass
13196.951	-56.47	16.01	-13.0	-43.47	5.40	Vertical	Vertical	Pass
14857.536	-46.73	25.44	-13.0	-33.73	224.50	Vertical	Vertical	Pass
17771.807	-37.68	34.74	-13.0	-24.68	50.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_17.45.09

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-70.50	-11.57	-13.0	-57.50	293.10	Vertical	Vertical	Pass
124.794	-82.51	-15.68	-13.0	-69.51	159.40	Vertical	Vertical	Pass
233.892	-69.28	-5.96	-13.0	-56.28	307.70	Vertical	Vertical	Pass
844.839	-67.97	4.11	-13.0	-54.97	140.40	Vertical	Vertical	Pass
1873.282	-46.10	-8.13	-13.0	-33.10	307.20	Vertical	Vertical	Pass
1961.260	-37.87	-8.27	-13.0	-24.87	273.10	Vertical	Vertical	Pass
5424.394	-53.19	2.39	-13.0	-40.19	32.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_17.41.18

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8006.248	-64.56	9.03	-13.0	-51.56	300.50	Vertical	Vertical	Pass
9391.902	-59.35	15.20	-13.0	-46.35	82.60	Vertical	Vertical	Pass
10499.875	-56.65	16.52	-13.0	-43.65	339.10	Vertical	Vertical	Pass
13227.193	-56.49	15.91	-13.0	-43.49	125.60	Vertical	Vertical	Pass
14799.800	-46.63	25.72	-13.0	-33.63	326.00	Vertical	Vertical	Pass
17703.074	-38.32	34.74	-13.0	-25.32	54.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-21_18.11.59

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.334	-70.17	-11.52	-13.0	-57.17	352.10	Vertical	Vertical	Pass
94.004	-77.09	-13.97	-13.0	-64.09	163.10	Vertical	Vertical	Pass
216.921	-64.30	-12.54	-13.0	-51.30	165.10	Vertical	Vertical	Pass
1895.776	-39.81	-8.30	-13.0	-26.81	253.40	Vertical	Vertical	Pass
1983.254	-37.49	-8.01	-13.0	-24.49	289.70	Vertical	Vertical	Pass
5058.485	-52.93	2.75	-13.0	-39.93	322.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_07:55:51

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8063.984	-64.55	9.48	-13.0	-51.55	171.30	Vertical	Vertical	Pass
8850.287	-61.74	11.59	-13.0	-48.74	152.50	Vertical	Vertical	Pass
9391.902	-59.02	15.20	-13.0	-46.02	152.50	Vertical	Vertical	Pass
11178.955	-56.65	15.85	-13.0	-43.65	0.00	Vertical	Vertical	Pass
14497.376	-47.43	24.16	-13.0	-34.43	255.50	Vertical	Vertical	Pass
17730.567	-36.93	34.61	-13.0	-23.93	130.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_08.29.37

EUT Name:	N.A	Test Engineer:	XCJ
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	normal
Temp.(oC):	24.0	Load:	full load
Hum.:	58	Remark:	DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.155	-82.12	-19.84	-13.0	-69.12	205.80	Horizontal	Vertical	Pass
94.246	-74.03	-13.85	-13.0	-61.03	205.80	Horizontal	Vertical	Pass
233.892	-58.25	-5.96	-13.0	-45.25	260.20	Horizontal	Vertical	Pass
320.685	-61.59	-9.98	-13.0	-48.59	45.60	Horizontal	Vertical	Pass
1840.290	-42.33	-7.89	-13.0	-29.33	233.80	Horizontal	Vertical	Pass
1937.266	-38.33	-8.32	-13.0	-25.33	278.00	Horizontal	Vertical	Pass
5525.369	-52.65	2.19	-13.0	-39.65	120.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_08.31.28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8036.491	-64.91	9.14	-13.0	-51.91	213.80	Horizontal	Vertical	Pass
9389.153	-59.18	15.16	-13.0	-46.18	272.10	Horizontal	Vertical	Pass
11165.209	-56.38	15.74	-13.0	-43.38	305.00	Horizontal	Vertical	Pass
13210.697	-56.13	16.01	-13.0	-43.13	272.10	Horizontal	Vertical	Pass
14722.819	-47.20	25.18	-13.0	-34.20	251.10	Horizontal	Vertical	Pass
17793.802	-36.20	34.96	-13.0	-23.20	221.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_08.09.29

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.398	-81.14	-13.01	-13.0	-68.14	220.60	Horizontal	Vertical	Pass
198.253	-64.15	-10.71	-13.0	-51.15	300.10	Horizontal	Vertical	Pass
233.892	-58.23	-5.96	-13.0	-45.23	257.40	Horizontal	Vertical	Pass
1841.290	-48.32	-7.89	-13.0	-35.32	115.00	Horizontal	Vertical	Pass
1960.260	-38.14	-8.30	-13.0	-25.14	275.90	Horizontal	Vertical	Pass
6424.144	-48.65	6.13	-13.0	-35.65	218.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_08.00.22

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8105.224	-64.10	10.16	-13.0	-51.10	0.00	Horizontal	Vertical	Pass
9383.654	-60.12	15.08	-13.0	-47.12	279.00	Horizontal	Vertical	Pass
11154.211	-55.27	15.65	-13.0	-42.27	0.90	Horizontal	Vertical	Pass
13199.700	-56.46	16.07	-13.0	-43.46	132.70	Horizontal	Vertical	Pass
14827.293	-45.53	25.71	-13.0	-32.53	23.70	Horizontal	Vertical	Pass
16859.035	-45.19	26.20	-13.0	-32.19	206.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_08.37.55

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
66.366	-84.67	-16.87	-13.0	-71.67	212.80	Horizontal	Vertical	Pass
233.892	-57.44	-5.96	-13.0	-44.44	255.30	Horizontal	Vertical	Pass
321.412	-62.28	-9.93	-13.0	-49.28	48.60	Horizontal	Vertical	Pass
1840.790	-52.90	-7.89	-13.0	-39.90	222.60	Horizontal	Vertical	Pass
1894.776	-47.97	-8.29	-13.0	-34.97	226.30	Horizontal	Vertical	Pass
1975.256	-37.65	-8.05	-13.0	-24.65	284.30	Horizontal	Vertical	Pass
5577.356	-52.57	2.54	-13.0	-39.57	98.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_08.33.28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8127.218	-64.36	9.85	-13.0	-51.36	94.10	Horizontal	Vertical	Pass
9372.657	-58.40	14.92	-13.0	-45.40	281.30	Horizontal	Vertical	Pass
10565.859	-55.84	16.14	-13.0	-42.84	315.20	Horizontal	Vertical	Pass
13191.452	-56.50	15.89	-13.0	-43.50	179.80	Horizontal	Vertical	Pass
14772.307	-46.52	25.38	-13.0	-33.52	322.60	Horizontal	Vertical	Pass
17670.082	-39.37	33.87	-13.0	-26.37	21.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_08.25.17

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.396	-76.11	-14.29	-13.0	-63.11	232.30	Vertical	Vertical	Pass
231.952	-66.97	-6.73	-13.0	-53.97	307.60	Vertical	Vertical	Pass
668.585	-70.80	-0.55	-13.0	-57.80	177.90	Vertical	Vertical	Pass
1841.290	-42.24	-7.89	-13.0	-29.24	111.30	Vertical	Vertical	Pass
1939.765	-38.57	-8.34	-13.0	-25.57	269.00	Vertical	Vertical	Pass
5859.285	-52.50	2.93	-13.0	-39.50	209.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_08.20.42

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8855.786	-62.21	11.45	-13.0	-49.21	315.50	Vertical	Vertical	Pass
9405.649	-59.01	15.20	-13.0	-46.01	359.10	Vertical	Vertical	Pass
10552.112	-56.60	16.14	-13.0	-43.60	250.60	Vertical	Vertical	Pass
13235.441	-56.78	15.86	-13.0	-43.78	12.10	Vertical	Vertical	Pass
14854.786	-47.15	25.53	-13.0	-34.15	195.90	Vertical	Vertical	Pass
17488.628	-40.45	31.31	-13.0	-27.45	289.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_08.14.50

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
56.426	-75.37	-13.93	-13.0	-62.37	301.50	Vertical	Vertical	Pass
124.794	-82.14	-15.68	-13.0	-69.14	73.50	Vertical	Vertical	Pass
182.009	-80.37	-17.09	-13.0	-67.37	156.00	Vertical	Vertical	Pass
233.892	-67.27	-5.96	-13.0	-54.27	308.40	Vertical	Vertical	Pass
1839.790	-48.69	-7.90	-13.0	-35.69	117.90	Vertical	Vertical	Pass
1953.762	-39.70	-8.31	-13.0	-26.70	274.30	Vertical	Vertical	Pass
4735.566	-54.36	1.69	-13.0	-41.36	240.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_08.17.58

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7921.020	-64.17	9.33	-13.0	-51.17	101.70	Vertical	Vertical	Pass
8850.287	-61.62	11.59	-13.0	-48.62	240.70	Vertical	Vertical	Pass
11002.999	-56.30	16.85	-13.0	-43.30	200.90	Vertical	Vertical	Pass
13749.563	-53.96	17.85	-13.0	-40.96	24.20	Vertical	Vertical	Pass
14816.296	-47.03	25.71	-13.0	-34.03	246.30	Vertical	Vertical	Pass
17499.625	-40.77	31.47	-13.0	-27.77	184.10	Vertical	Vertical	Pass


Test result

Project Number: Certification

Test Time: 2020-08-22_08.45.29

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 24.0
 Hum.: 58

Test Engineer: XCJ
 Test Standard: FCC
 Work Addition: normal
 Load: full load
 Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-69.38	-11.57	-13.0	-56.38	287.20	Vertical	Vertical	Pass
124.794	-80.78	-15.68	-13.0	-67.78	118.60	Vertical	Vertical	Pass
233.892	-67.34	-5.96	-13.0	-54.34	301.80	Vertical	Vertical	Pass
659.858	-71.31	0.00	-13.0	-58.31	243.20	Vertical	Vertical	Pass
1895.276	-47.72	-8.30	-13.0	-34.72	219.00	Vertical	Vertical	Pass
1972.257	-38.19	-8.01	-13.0	-25.19	284.20	Vertical	Vertical	Pass
6078.230	-51.16	4.00	-13.0	-38.16	65.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_08.40.50

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7943.014	-64.48	8.85	-13.0	-51.48	150.40	Vertical	Vertical	Pass
9397.401	-59.85	15.27	-13.0	-46.85	114.60	Vertical	Vertical	Pass
11170.707	-56.24	15.78	-13.0	-43.24	205.00	Vertical	Vertical	Pass
13441.640	-56.49	17.53	-13.0	-43.49	199.80	Vertical	Vertical	Pass
14758.560	-46.71	25.21	-13.0	-33.71	48.80	Vertical	Vertical	Pass
17502.374	-40.10	31.48	-13.0	-27.10	238.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_11.15.11

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
65.881	-79.71	-14.64	-13.0	-66.71	202.60	Horizontal	Vertical	Pass
233.892	-54.69	-5.32	-13.0	-41.69	261.90	Horizontal	Vertical	Pass
853.809	-66.60	5.02	-13.0	-53.60	133.40	Horizontal	Vertical	Pass
1702.912	-57.84	-9.81	-13.0	-44.84	157.60	Horizontal	Vertical	Pass
2110.111	-39.85	-5.55	-13.0	-26.85	312.00	Horizontal	Vertical	Pass
5449.194	-40.74	2.27	-13.0	-27.74	151.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_11.11.25

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8088.728	-64.86	10.00	-13.0	-51.86	104.80	Horizontal	Vertical	Pass
9199.450	-59.71	13.78	-13.0	-46.71	350.50	Horizontal	Vertical	Pass
10813.297	-56.38	16.45	-13.0	-43.38	16.90	Horizontal	Vertical	Pass
13084.229	-57.45	14.68	-13.0	-44.45	137.00	Horizontal	Vertical	Pass
14508.373	-47.42	24.24	-13.0	-34.42	11.20	Horizontal	Vertical	Pass
17568.358	-39.98	31.88	-13.0	-26.98	89.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.54.44

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.364	-74.25	-11.80	-13.0	-61.25	359.20	Horizontal	Vertical	Pass
120.187	-77.18	-11.18	-13.0	-64.18	229.40	Horizontal	Vertical	Pass
240.922	-55.01	-1.96	-13.0	-42.01	255.60	Horizontal	Vertical	Pass
1200.975	-58.17	-3.73	-13.0	-45.17	9.20	Horizontal	Vertical	Pass
2132.108	-39.82	-5.12	-13.0	-26.82	312.60	Horizontal	Vertical	Pass
5743.157	-40.44	2.50	-13.0	-27.44	359.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.56.51

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8105.224	-64.91	10.16	-13.0	-51.91	273.50	Horizontal	Vertical	Pass
9369.908	-59.73	14.89	-13.0	-46.73	325.90	Horizontal	Vertical	Pass
11156.961	-56.10	15.67	-13.0	-43.10	305.40	Horizontal	Vertical	Pass
13210.697	-55.70	16.01	-13.0	-42.70	30.60	Horizontal	Vertical	Pass
14799.800	-46.49	25.72	-13.0	-33.49	173.20	Horizontal	Vertical	Pass
17472.132	-40.91	31.06	-13.0	-27.91	280.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_11.19.24

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.364	-74.43	-11.80	-13.0	-61.43	232.50	Horizontal	Vertical	Pass
124.794	-76.92	-14.48	-13.0	-63.92	88.40	Horizontal	Vertical	Pass
233.892	-55.21	-5.32	-13.0	-42.21	261.20	Horizontal	Vertical	Pass
1402.950	-59.75	-6.03	-13.0	-46.75	137.00	Horizontal	Vertical	Pass
2154.606	-37.77	-4.91	-13.0	-24.77	320.80	Horizontal	Vertical	Pass
6124.109	-40.30	4.04	-13.0	-27.30	123.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_11.21.45

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7976.006	-64.43	8.86	-13.0	-51.43	266.10	Horizontal	Vertical	Pass
9405.649	-59.15	15.20	-13.0	-46.15	37.30	Horizontal	Vertical	Pass
10568.608	-55.61	16.14	-13.0	-42.61	18.50	Horizontal	Vertical	Pass
13760.560	-53.14	17.82	-13.0	-40.14	339.20	Horizontal	Vertical	Pass
14802.549	-47.00	25.72	-13.0	-34.00	292.30	Horizontal	Vertical	Pass
17703.074	-38.92	34.74	-13.0	-25.92	105.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_11.07.22

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
85.276	-76.15	-15.49	-13.0	-63.15	355.10	Vertical	Vertical	Pass
124.794	-77.52	-14.48	-13.0	-64.52	127.80	Vertical	Vertical	Pass
240.922	-65.45	-1.96	-13.0	-52.45	308.60	Vertical	Vertical	Pass
1710.161	-57.66	-9.71	-13.0	-44.66	154.30	Vertical	Vertical	Pass
2110.361	-39.57	-5.55	-13.0	-26.57	324.00	Vertical	Vertical	Pass
5417.198	-41.20	2.43	-13.0	-28.20	340.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_11.09.20

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8094.226	-63.98	10.11	-13.0	-50.98	273.80	Vertical	Vertical	Pass
9386.403	-59.30	15.12	-13.0	-46.30	150.90	Vertical	Vertical	Pass
10557.611	-56.14	16.14	-13.0	-43.14	127.90	Vertical	Vertical	Pass
13238.190	-56.09	15.85	-13.0	-43.09	354.80	Vertical	Vertical	Pass
14808.048	-46.59	25.72	-13.0	-33.59	73.60	Vertical	Vertical	Pass
17491.377	-40.63	31.35	-13.0	-27.63	284.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_12.06.20

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.365	-74.16	-13.15	-13.0	-61.16	152.90	Vertical	Vertical	Pass
124.794	-78.90	-14.48	-13.0	-65.90	124.50	Vertical	Vertical	Pass
233.892	-67.45	-5.32	-13.0	-54.45	303.50	Vertical	Vertical	Pass
1699.913	-61.17	-9.86	-13.0	-48.17	53.00	Vertical	Vertical	Pass
2132.108	-39.82	-5.12	-13.0	-26.82	322.60	Vertical	Vertical	Pass
5474.191	-42.02	2.15	-13.0	-29.02	230.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10:58:51

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8069.483	-64.54	9.60	-13.0	-51.54	127.50	Vertical	Vertical	Pass
9215.946	-59.41	13.66	-13.0	-46.41	180.20	Vertical	Vertical	Pass
11173.457	-55.81	15.80	-13.0	-42.81	238.50	Vertical	Vertical	Pass
13191.452	-56.70	15.89	-13.0	-43.70	27.20	Vertical	Vertical	Pass
14802.549	-46.70	25.72	-13.0	-33.70	129.30	Vertical	Vertical	Pass
17785.554	-36.81	34.87	-13.0	-23.81	319.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_11.27.47

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 24.0
 Hum.: 58

Test Engineer: XCJ
 Test Standard: FCC
 Work Addition: normal
 Load: full load
 Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-67.91	-11.51	-13.0	-54.91	221.60	Vertical	Vertical	Pass
116.308	-74.47	-10.43	-13.0	-61.47	121.50	Vertical	Vertical	Pass
240.922	-65.38	-1.96	-13.0	-52.38	307.30	Vertical	Vertical	Pass
1208.724	-58.63	-4.10	-13.0	-45.63	75.00	Vertical	Vertical	Pass
2154.356	-37.73	-4.91	-13.0	-24.73	321.60	Vertical	Vertical	Pass
5404.699	-41.04	2.49	-13.0	-28.04	301.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_11.23.52

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8066.733	-64.83	9.54	-13.0	-51.83	165.30	Vertical	Vertical	Pass
9394.651	-59.17	15.23	-13.0	-46.17	7.20	Vertical	Vertical	Pass
11192.702	-56.29	15.96	-13.0	-43.29	156.00	Vertical	Vertical	Pass
13334.416	-56.25	16.55	-13.0	-43.25	306.70	Vertical	Vertical	Pass
14835.541	-45.68	25.71	-13.0	-32.68	136.40	Vertical	Vertical	Pass
17681.080	-39.59	34.19	-13.0	-26.59	68.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.18.57

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.122	-70.75	-11.86	-13.0	-57.75	337.50	Horizontal	Vertical	Pass
102.004	-76.75	-11.86	-13.0	-63.75	57.80	Horizontal	Vertical	Pass
240.922	-53.75	-1.96	-13.0	-40.75	255.70	Horizontal	Vertical	Pass
1702.162	-43.07	-9.82	-13.0	-30.07	135.20	Horizontal	Vertical	Pass
2112.111	-37.18	-5.52	-13.0	-24.18	320.30	Horizontal	Vertical	Pass
5401.200	-40.95	2.50	-13.0	-27.95	125.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.21.19

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8041.990	-64.24	9.16	-13.0	-51.24	306.40	Horizontal	Vertical	Pass
9265.434	-59.70	13.36	-13.0	-46.70	7.10	Horizontal	Vertical	Pass
10538.365	-56.92	16.23	-13.0	-43.92	178.90	Horizontal	Vertical	Pass
12110.972	-58.49	14.88	-13.0	-45.49	268.80	Horizontal	Vertical	Pass
14863.034	-46.95	25.25	-13.0	-33.95	2.30	Horizontal	Vertical	Pass
17491.377	-40.81	31.35	-13.0	-27.81	184.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.14.04

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.489	-77.50	-12.29	-13.0	-64.50	199.20	Horizontal	Vertical	Pass
240.922	-53.48	-1.96	-13.0	-40.48	256.30	Horizontal	Vertical	Pass
318.018	-63.45	-8.83	-13.0	-50.45	48.70	Horizontal	Vertical	Pass
1003.000	-58.55	-4.33	-13.0	-45.55	154.80	Horizontal	Vertical	Pass
2131.609	-37.54	-5.12	-13.0	-24.54	295.40	Horizontal	Vertical	Pass
5424.197	-41.31	2.39	-13.0	-28.31	138.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.10.22

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8025.494	-64.12	9.10	-13.0	-51.12	83.40	Horizontal	Vertical	Pass
9375.406	-59.91	14.96	-13.0	-46.91	63.90	Horizontal	Vertical	Pass
10502.624	-56.11	16.50	-13.0	-43.11	142.00	Horizontal	Vertical	Pass
13741.315	-54.19	17.81	-13.0	-41.19	219.60	Horizontal	Vertical	Pass
14502.874	-47.03	24.24	-13.0	-34.03	356.20	Horizontal	Vertical	Pass
17502.374	-40.68	31.48	-13.0	-27.68	288.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.46.35

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
65.639	-79.85	-14.55	-13.0	-66.85	219.30	Horizontal	Vertical	Pass
240.922	-53.81	-1.96	-13.0	-40.81	236.80	Horizontal	Vertical	Pass
647.251	-69.54	1.28	-13.0	-56.54	80.60	Horizontal	Vertical	Pass
1752.656	-62.17	-9.11	-13.0	-49.17	104.60	Horizontal	Vertical	Pass
2153.606	-35.49	-4.91	-13.0	-22.49	297.80	Horizontal	Vertical	Pass
5409.699	-41.23	2.46	-13.0	-28.23	163.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.41.19

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8030.992	-64.86	9.12	-13.0	-51.86	120.80	Horizontal	Vertical	Pass
9394.651	-59.64	15.23	-13.0	-46.64	207.50	Horizontal	Vertical	Pass
11178.955	-56.14	15.85	-13.0	-43.14	304.40	Horizontal	Vertical	Pass
13694.576	-54.30	17.64	-13.0	-41.30	198.40	Horizontal	Vertical	Pass
14786.053	-46.98	25.55	-13.0	-33.98	103.50	Horizontal	Vertical	Pass
16848.038	-43.72	26.16	-13.0	-30.72	130.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.30.48

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
85.276	-74.46	-15.49	-13.0	-61.46	344.80	Vertical	Vertical	Pass
124.794	-75.41	-14.48	-13.0	-62.41	123.30	Vertical	Vertical	Pass
240.922	-63.60	-1.96	-13.0	-50.60	310.90	Vertical	Vertical	Pass
1702.662	-44.04	-9.81	-13.0	-31.04	150.50	Vertical	Vertical	Pass
2111.111	-37.00	-5.53	-13.0	-24.00	317.30	Vertical	Vertical	Pass
5416.698	-41.35	2.43	-13.0	-28.35	64.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.23.38

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8061.235	-64.62	9.42	-13.0	-51.62	29.40	Vertical	Vertical	Pass
9391.902	-59.41	15.20	-13.0	-46.41	313.30	Vertical	Vertical	Pass
11217.446	-56.15	15.85	-13.0	-43.15	200.40	Vertical	Vertical	Pass
13741.315	-54.38	17.81	-13.0	-41.38	240.00	Vertical	Vertical	Pass
14794.301	-46.79	25.65	-13.0	-33.79	46.00	Vertical	Vertical	Pass
17639.840	-39.01	33.10	-13.0	-26.01	320.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.06.22

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.0

Hum.: 58

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
87.701	-70.28	-15.00	-13.0	-57.28	94.00	Vertical	Vertical	Pass
240.922	-63.99	-1.96	-13.0	-50.99	317.70	Vertical	Vertical	Pass
645.554	-69.89	1.21	-13.0	-56.89	23.30	Vertical	Vertical	Pass
1397.700	-60.50	-6.01	-13.0	-47.50	81.40	Vertical	Vertical	Pass
2131.859	-37.42	-5.12	-13.0	-24.42	320.80	Vertical	Vertical	Pass
4792.776	-42.41	1.94	-13.0	-29.41	97.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.08.31

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8088.728	-64.67	10.00	-13.0	-51.67	56.50	Vertical	Vertical	Pass
9334.166	-58.63	14.20	-13.0	-45.63	211.70	Vertical	Vertical	Pass
10788.553	-57.24	16.36	-13.0	-44.24	343.10	Vertical	Vertical	Pass
13779.805	-54.37	17.75	-13.0	-41.37	297.90	Vertical	Vertical	Pass
14816.296	-46.18	25.71	-13.0	-33.18	344.90	Vertical	Vertical	Pass
16892.027	-44.29	26.19	-13.0	-31.29	206.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.35.30

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
130.855	-66.45	-14.27	-13.0	-53.45	173.70	Vertical	Vertical	Pass
240.922	-63.64	-1.96	-13.0	-50.64	303.70	Vertical	Vertical	Pass
644.099	-70.27	1.16	-13.0	-57.27	1.50	Vertical	Vertical	Pass
1752.656	-61.26	-9.11	-13.0	-48.26	149.50	Vertical	Vertical	Pass
2153.356	-36.16	-4.91	-13.0	-23.16	291.50	Vertical	Vertical	Pass
5454.193	-40.87	2.24	-13.0	-27.87	358.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_10.37.22

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-64.45	10.08	-13.0	-51.45	240.70	Vertical	Vertical	Pass
9331.417	-59.37	14.13	-13.0	-46.37	9.00	Vertical	Vertical	Pass
10527.368	-56.10	16.31	-13.0	-43.10	238.80	Vertical	Vertical	Pass
12097.226	-58.41	14.89	-13.0	-45.41	18.10	Vertical	Vertical	Pass
14819.045	-46.75	25.71	-13.0	-33.75	238.80	Vertical	Vertical	Pass
17711.322	-37.62	34.70	-13.0	-24.62	27.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_09.28.12

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.849	-70.13	-11.68	-13.0	-57.13	241.50	Horizontal	Vertical	Pass
241.165	-53.67	-2.10	-13.0	-40.67	252.10	Horizontal	Vertical	Pass
318.018	-63.47	-8.83	-13.0	-50.47	51.20	Horizontal	Vertical	Pass
1702.912	-40.68	-9.81	-13.0	-27.68	97.00	Horizontal	Vertical	Pass
2111.611	-38.13	-5.53	-13.0	-25.13	304.60	Horizontal	Vertical	Pass
5427.197	-41.43	2.38	-13.0	-28.43	284.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_09.23.32

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8107.973	-64.43	10.12	-13.0	-51.43	328.00	Horizontal	Vertical	Pass
9397.401	-59.77	15.27	-13.0	-46.77	179.90	Horizontal	Vertical	Pass
10532.867	-55.90	16.27	-13.0	-42.90	288.50	Horizontal	Vertical	Pass
12185.204	-58.20	14.10	-13.0	-45.20	51.10	Horizontal	Vertical	Pass
14739.315	-47.32	25.13	-13.0	-34.32	299.80	Horizontal	Vertical	Pass
16867.283	-44.72	26.20	-13.0	-31.72	90.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.58.16

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.364	-72.14	-11.80	-13.0	-59.14	360.00	Horizontal	Vertical	Pass
94.004	-78.04	-12.53	-13.0	-65.04	230.80	Horizontal	Vertical	Pass
241.165	-48.67	-2.10	-13.0	-35.67	270.80	Horizontal	Vertical	Pass
854.779	-67.91	4.92	-13.0	-54.91	265.60	Horizontal	Vertical	Pass
2133.608	-36.26	-5.10	-13.0	-23.26	305.30	Horizontal	Vertical	Pass
6113.611	-38.96	4.19	-13.0	-25.96	30.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_11.00.51

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8080.480	-64.16	9.82	-13.0	-51.16	62.50	Horizontal	Vertical	Pass
9364.409	-59.73	14.81	-13.0	-46.73	179.60	Horizontal	Vertical	Pass
11239.440	-56.40	15.64	-13.0	-43.40	205.80	Horizontal	Vertical	Pass
13191.452	-56.52	15.89	-13.0	-43.52	138.40	Horizontal	Vertical	Pass
14797.051	-47.35	25.68	-13.0	-34.35	98.10	Horizontal	Vertical	Pass
17760.810	-36.90	34.62	-13.0	-23.90	136.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_09.32.38

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.246	-70.42	-12.41	-13.0	-57.42	227.50	Horizontal	Vertical	Pass
240.922	-53.87	-1.96	-13.0	-40.87	248.50	Horizontal	Vertical	Pass
316.563	-63.50	-9.08	-13.0	-50.50	26.80	Horizontal	Vertical	Pass
1701.662	-55.82	-9.83	-13.0	-42.82	135.50	Horizontal	Vertical	Pass
2153.606	-35.28	-4.91	-13.0	-22.28	297.50	Horizontal	Vertical	Pass
4989.751	-41.64	2.84	-13.0	-28.64	84.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_09.35.02

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8094.226	-64.90	10.11	-13.0	-51.90	360.00	Horizontal	Vertical	Pass
8828.293	-62.50	11.34	-13.0	-49.50	181.60	Horizontal	Vertical	Pass
10794.051	-56.64	16.31	-13.0	-43.64	249.80	Horizontal	Vertical	Pass
14802.549	-47.19	25.72	-13.0	-34.19	133.40	Horizontal	Vertical	Pass
16848.038	-44.84	26.16	-13.0	-31.84	194.70	Horizontal	Vertical	Pass
17796.551	-35.39	34.99	-13.0	-22.39	40.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_09.18.47

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.246	-64.24	-12.41	-13.0	-51.24	355.10	Vertical	Vertical	Pass
225.891	-63.72	-8.02	-13.0	-50.72	273.20	Vertical	Vertical	Pass
1189.726	-58.44	-4.17	-13.0	-45.44	24.00	Vertical	Vertical	Pass
1702.162	-40.44	-9.82	-13.0	-27.44	108.60	Vertical	Vertical	Pass
2112.861	-37.24	-5.50	-13.0	-24.24	299.10	Vertical	Vertical	Pass
5826.147	-40.56	2.61	-13.0	-27.56	343.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_09.21.05

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-64.27	9.74	-13.0	-51.27	205.60	Vertical	Vertical	Pass
9380.905	-59.63	15.04	-13.0	-46.63	0.00	Vertical	Vertical	Pass
11159.710	-56.11	15.69	-13.0	-43.11	188.80	Vertical	Vertical	Pass
13210.697	-56.73	16.01	-13.0	-43.73	282.60	Vertical	Vertical	Pass
14832.792	-46.99	25.71	-13.0	-33.99	42.00	Vertical	Vertical	Pass
16834.291	-44.95	25.86	-13.0	-31.95	10.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_11.03.35

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-64.28	9.74	-13.0	-51.28	84.00	Vertical	Vertical	Pass
9397.401	-59.42	15.27	-13.0	-46.42	360.70	Vertical	Vertical	Pass
11159.710	-56.25	15.69	-13.0	-43.25	184.60	Vertical	Vertical	Pass
13570.857	-55.46	18.10	-13.0	-42.46	25.40	Vertical	Vertical	Pass
14780.555	-47.11	25.48	-13.0	-34.11	324.60	Vertical	Vertical	Pass
17494.126	-40.38	31.39	-13.0	-27.38	352.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_09.48.12

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
83.822	-74.80	-15.75	-13.0	-61.80	285.50	Vertical	Vertical	Pass
124.794	-76.53	-14.48	-13.0	-63.53	116.10	Vertical	Vertical	Pass
240.922	-63.59	-1.96	-13.0	-50.59	294.40	Vertical	Vertical	Pass
1753.156	-62.45	-9.11	-13.0	-49.45	101.10	Vertical	Vertical	Pass
2150.856	-34.81	-4.91	-13.0	-21.81	298.60	Vertical	Vertical	Pass
5388.201	-41.21	2.28	-13.0	-28.21	115.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-24_09.37.57

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.474	-64.50	10.20	-13.0	-51.50	192.00	Vertical	Vertical	Pass
9358.910	-59.83	14.73	-13.0	-46.83	89.20	Vertical	Vertical	Pass
11195.451	-56.11	15.98	-13.0	-43.11	291.30	Vertical	Vertical	Pass
13216.196	-56.15	15.98	-13.0	-43.15	55.10	Vertical	Vertical	Pass
14830.042	-47.14	25.71	-13.0	-34.14	182.60	Vertical	Vertical	Pass
17609.598	-40.07	32.58	-13.0	-27.07	15.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.33.37

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.364	-72.44	-11.80	-13.0	-59.44	48.30	Horizontal	Vertical	Pass
95.701	-79.40	-11.90	-13.0	-66.40	217.60	Horizontal	Vertical	Pass
241.165	-48.07	-2.10	-13.0	-35.07	242.10	Horizontal	Vertical	Pass
855.021	-66.84	4.90	-13.0	-53.84	359.30	Horizontal	Vertical	Pass
1701.412	-34.02	-9.83	-13.0	-21.02	109.30	Horizontal	Vertical	Pass
2118.360	-36.59	-5.40	-13.0	-23.59	294.90	Horizontal	Vertical	Pass
5418.198	-40.57	2.42	-13.0	-27.57	178.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.35.26

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7976.006	-64.33	8.86	-13.0	-51.33	127.90	Horizontal	Vertical	Pass
9369.908	-59.88	14.89	-13.0	-46.88	165.20	Horizontal	Vertical	Pass
10475.131	-56.56	16.42	-13.0	-43.56	243.00	Horizontal	Vertical	Pass
13177.706	-56.32	15.59	-13.0	-43.32	358.80	Horizontal	Vertical	Pass
14846.538	-47.31	25.70	-13.0	-34.31	148.60	Horizontal	Vertical	Pass
16911.272	-44.51	26.28	-13.0	-31.51	96.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.29.49

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.364	-72.39	-11.80	-13.0	-59.39	182.30	Horizontal	Vertical	Pass
94.246	-77.74	-12.41	-13.0	-64.74	239.20	Horizontal	Vertical	Pass
241.165	-47.81	-2.10	-13.0	-34.81	288.30	Horizontal	Vertical	Pass
1702.912	-50.78	-9.81	-13.0	-37.78	98.20	Horizontal	Vertical	Pass
2135.608	-36.87	-5.07	-13.0	-23.87	305.30	Horizontal	Vertical	Pass
5376.203	-41.34	2.04	-13.0	-28.34	163.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.26.10

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-64.61	9.74	-13.0	-51.61	240.60	Horizontal	Vertical	Pass
9331.417	-59.87	14.13	-13.0	-46.87	360.00	Horizontal	Vertical	Pass
10532.867	-56.81	16.27	-13.0	-43.81	24.70	Horizontal	Vertical	Pass
12132.967	-57.82	14.77	-13.0	-44.82	76.10	Horizontal	Vertical	Pass
14505.624	-46.91	24.24	-13.0	-33.91	305.10	Horizontal	Vertical	Pass
16949.763	-44.88	26.59	-13.0	-31.88	49.10	Horizontal	Vertical	Pass

LTE-B4-10-HCH-H-TX

Document number : EXHIBIT A of SHE20080008-02AE

Test result

Project Number: Certification

Test Time: 2020-08-22_10.54.19

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.364	-70.82	-11.80	-13.0	-57.82	346.20	Horizontal	Vertical	Pass
94.974	-76.71	-12.05	-13.0	-63.71	231.60	Horizontal	Vertical	Pass
240.922	-47.97	-1.96	-13.0	-34.97	251.60	Horizontal	Vertical	Pass
852.839	-67.11	5.12	-13.0	-54.11	9.60	Horizontal	Vertical	Pass
1702.912	-51.77	-9.81	-13.0	-38.77	157.80	Horizontal	Vertical	Pass
2150.856	-35.59	-4.91	-13.0	-22.59	268.50	Horizontal	Vertical	Pass
5459.193	-40.58	2.22	-13.0	-27.58	146.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.50.41

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8080.480	-64.32	9.82	-13.0	-51.32	241.60	Horizontal	Vertical	Pass
9372.657	-59.24	14.92	-13.0	-46.24	199.50	Horizontal	Vertical	Pass
10794.051	-56.74	16.31	-13.0	-43.74	340.90	Horizontal	Vertical	Pass
13202.449	-56.33	16.07	-13.0	-43.33	24.60	Horizontal	Vertical	Pass
14854.786	-47.18	25.53	-13.0	-34.18	251.20	Horizontal	Vertical	Pass
17714.071	-38.61	34.68	-13.0	-25.61	309.30	Horizontal	Vertical	Pass


Test result

Project Number: Certification

Test Time: 2020-08-22_10.42.57

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 24.0
 Hum.: 58

Test Engineer: XCJ
 Test Standard: FCC
 Work Addition: normal
 Load: full load
 Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-68.39	-11.51	-13.0	-55.39	187.30	Vertical	Vertical	Pass
124.794	-76.88	-14.48	-13.0	-63.88	134.20	Vertical	Vertical	Pass
240.922	-57.80	-1.96	-13.0	-44.80	321.50	Vertical	Vertical	Pass
1000.750	-59.36	-4.27	-13.0	-46.36	242.30	Vertical	Vertical	Pass
1701.912	-32.94	-9.82	-13.0	-19.94	98.50	Vertical	Vertical	Pass
2117.610	-38.57	-5.41	-13.0	-25.57	327.80	Vertical	Vertical	Pass
5405.199	-40.91	2.48	-13.0	-27.91	71.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.37.43

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7863.284	-64.41	9.04	-13.0	-51.41	23.40	Vertical	Vertical	Pass
9386.403	-58.74	15.12	-13.0	-45.74	117.50	Vertical	Vertical	Pass
11167.958	-56.21	15.76	-13.0	-43.21	166.00	Vertical	Vertical	Pass
13359.160	-56.72	16.94	-13.0	-43.72	146.20	Vertical	Vertical	Pass
14816.296	-46.33	25.71	-13.0	-33.33	328.90	Vertical	Vertical	Pass
17579.355	-40.90	32.06	-13.0	-27.90	98.30	Vertical	Vertical	Pass


Test result

Project Number: Certification

Test Time: 2020-08-22_10.22.10

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 24.0
 Hum.: 58

Test Engineer: XCJ
 Test Standard: FCC
 Work Addition: normal
 Load: full load
 Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-67.94	-11.45	-13.0	-54.94	218.30	Vertical	Vertical	Pass
94.246	-72.09	-12.41	-13.0	-59.09	312.00	Vertical	Vertical	Pass
241.165	-59.48	-2.10	-13.0	-46.48	317.40	Vertical	Vertical	Pass
1701.912	-52.94	-9.82	-13.0	-39.94	162.90	Vertical	Vertical	Pass
2130.359	-37.14	-5.14	-13.0	-24.14	299.60	Vertical	Vertical	Pass
5205.724	-42.43	2.84	-13.0	-29.43	46.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.24.20

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7945.764	-64.48	8.79	-13.0	-51.48	191.50	Vertical	Vertical	Pass
9408.398	-58.80	15.14	-13.0	-45.80	116.30	Vertical	Vertical	Pass
11200.950	-55.69	16.01	-13.0	-42.69	345.10	Vertical	Vertical	Pass
13235.441	-56.43	15.86	-13.0	-43.43	302.10	Vertical	Vertical	Pass
14794.301	-46.30	25.65	-13.0	-33.30	352.80	Vertical	Vertical	Pass
17708.573	-38.23	34.71	-13.0	-25.23	25.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.47.08

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.152	-67.62	-11.50	-13.0	-54.62	194.40	Vertical	Vertical	Pass
124.794	-76.80	-14.48	-13.0	-63.80	118.70	Vertical	Vertical	Pass
241.165	-59.54	-2.10	-13.0	-46.54	319.60	Vertical	Vertical	Pass
852.354	-67.02	5.16	-13.0	-54.02	360.30	Vertical	Vertical	Pass
2149.106	-36.51	-4.91	-13.0	-23.51	263.00	Vertical	Vertical	Pass
4754.781	-42.61	1.77	-13.0	-29.61	279.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.49.02

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8044.739	-64.78	9.17	-13.0	-51.78	360.00	Vertical	Vertical	Pass
9248.938	-58.91	13.38	-13.0	-45.91	82.20	Vertical	Vertical	Pass
11187.203	-56.04	15.92	-13.0	-43.04	56.80	Vertical	Vertical	Pass
13213.447	-56.04	16.00	-13.0	-43.04	319.70	Vertical	Vertical	Pass
14799.800	-46.95	25.72	-13.0	-33.95	319.70	Vertical	Vertical	Pass
17598.600	-38.96	32.40	-13.0	-25.96	241.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.03.49

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.607	-71.33	-11.74	-13.0	-58.33	228.60	Horizontal	Vertical	Pass
117.521	-79.36	-10.63	-13.0	-66.36	228.60	Horizontal	Vertical	Pass
241.165	-47.24	-2.10	-13.0	-34.24	265.70	Horizontal	Vertical	Pass
858.415	-67.34	4.58	-13.0	-54.34	216.00	Horizontal	Vertical	Pass
1701.412	-33.54	-9.83	-13.0	-20.54	98.60	Horizontal	Vertical	Pass
2122.860	-38.03	-5.31	-13.0	-25.03	301.70	Horizontal	Vertical	Pass
4796.275	-41.73	1.95	-13.0	-28.73	154.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_09.59.10

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8094.226	-65.11	10.11	-13.0	-52.11	229.60	Horizontal	Vertical	Pass
9356.161	-59.69	14.69	-13.0	-46.69	299.60	Horizontal	Vertical	Pass
10541.115	-56.94	16.21	-13.0	-43.94	360.40	Horizontal	Vertical	Pass
12825.794	-57.59	14.78	-13.0	-44.59	235.30	Horizontal	Vertical	Pass
14797.051	-47.35	25.68	-13.0	-34.35	145.10	Horizontal	Vertical	Pass
17788.303	-36.41	34.90	-13.0	-23.41	0.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_09.36.20

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
65.154	-80.37	-14.39	-13.0	-67.37	222.00	Horizontal	Vertical	Pass
241.165	-48.79	-2.10	-13.0	-35.79	268.00	Horizontal	Vertical	Pass
851.142	-67.59	5.04	-13.0	-54.59	218.60	Horizontal	Vertical	Pass
1701.912	-47.98	-9.82	-13.0	-34.98	100.50	Horizontal	Vertical	Pass
2131.859	-36.02	-5.12	-13.0	-23.02	308.50	Horizontal	Vertical	Pass
5415.198	-41.17	2.44	-13.0	-28.17	73.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_09.40.05

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7945.764	-64.63	8.79	-13.0	-51.63	10.80	Horizontal	Vertical	Pass
9207.698	-60.03	13.73	-13.0	-47.03	213.50	Horizontal	Vertical	Pass
11195.451	-55.86	15.98	-13.0	-42.86	95.10	Horizontal	Vertical	Pass
13188.703	-55.87	15.83	-13.0	-42.87	226.80	Horizontal	Vertical	Pass
14827.293	-46.62	25.71	-13.0	-33.62	162.80	Horizontal	Vertical	Pass
17510.622	-40.58	31.50	-13.0	-27.58	150.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.08.14

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.607	-70.72	-11.74	-13.0	-57.72	247.50	Horizontal	Vertical	Pass
95.701	-77.86	-11.90	-13.0	-64.86	244.00	Horizontal	Vertical	Pass
241.165	-48.96	-2.10	-13.0	-35.96	269.00	Horizontal	Vertical	Pass
1702.662	-51.65	-9.81	-13.0	-38.65	153.80	Horizontal	Vertical	Pass
2148.856	-35.62	-4.92	-13.0	-22.62	267.90	Horizontal	Vertical	Pass
5401.200	-40.97	2.50	-13.0	-27.97	81.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.10.27

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8088.728	-64.80	10.00	-13.0	-51.80	183.90	Horizontal	Vertical	Pass
9364.409	-59.18	14.81	-13.0	-46.18	257.00	Horizontal	Vertical	Pass
11165.209	-56.52	15.74	-13.0	-43.52	61.10	Horizontal	Vertical	Pass
13191.452	-56.21	15.89	-13.0	-43.21	241.90	Horizontal	Vertical	Pass
14728.318	-46.90	25.17	-13.0	-33.90	215.80	Horizontal	Vertical	Pass
17439.140	-40.47	30.40	-13.0	-27.47	273.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_09.54.55

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.608	-73.74	-13.19	-13.0	-60.74	357.60	Vertical	Vertical	Pass
124.794	-77.99	-14.48	-13.0	-64.99	91.80	Vertical	Vertical	Pass
241.165	-58.57	-2.10	-13.0	-45.57	305.50	Vertical	Vertical	Pass
669.555	-69.84	0.37	-13.0	-56.84	280.50	Vertical	Vertical	Pass
1700.662	-35.23	-9.84	-13.0	-22.23	165.60	Vertical	Vertical	Pass
2115.361	-37.75	-5.46	-13.0	-24.75	297.30	Vertical	Vertical	Pass
5417.198	-40.66	2.43	-13.0	-27.66	304.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_09:57:03

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8146.463	-64.50	9.58	-13.0	-51.50	3.10	Vertical	Vertical	Pass
9391.902	-59.89	15.20	-13.0	-46.89	165.30	Vertical	Vertical	Pass
11198.200	-56.28	16.01	-13.0	-43.28	353.30	Vertical	Vertical	Pass
13196.951	-56.08	16.01	-13.0	-43.08	170.70	Vertical	Vertical	Pass
14824.544	-47.20	25.71	-13.0	-34.20	76.30	Vertical	Vertical	Pass
16889.278	-44.83	26.19	-13.0	-31.83	206.70	Vertical	Vertical	Pass

LTE-B4-15-MCH-V-TX

Document number : EXHIBIT A of SHE20080008-02AE

Test result

Project Number: Certification

Test Time: 2020-08-22_09.47.04

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-68.62	-11.45	-13.0	-55.62	223.60	Vertical	Vertical	Pass
124.794	-78.38	-14.48	-13.0	-65.38	129.20	Vertical	Vertical	Pass
241.165	-58.71	-2.10	-13.0	-45.71	306.60	Vertical	Vertical	Pass
1699.663	-50.02	-9.87	-13.0	-37.02	164.40	Vertical	Vertical	Pass
2133.608	-36.26	-5.10	-13.0	-23.26	306.20	Vertical	Vertical	Pass
5404.199	-41.02	2.49	-13.0	-28.02	0.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_09.42.35

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8047.488	-64.84	9.18	-13.0	-51.84	69.10	Vertical	Vertical	Pass
9391.902	-59.78	15.20	-13.0	-46.78	113.90	Vertical	Vertical	Pass
10519.120	-56.72	16.38	-13.0	-43.72	9.30	Vertical	Vertical	Pass
12872.532	-57.50	14.91	-13.0	-44.50	299.40	Vertical	Vertical	Pass
14777.806	-47.25	25.44	-13.0	-34.25	170.50	Vertical	Vertical	Pass
16872.782	-45.21	26.20	-13.0	-32.21	186.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.16.49

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-67.70	-11.45	-13.0	-54.70	337.80	Vertical	Vertical	Pass
124.794	-76.88	-14.48	-13.0	-63.88	140.40	Vertical	Vertical	Pass
241.165	-59.10	-2.10	-13.0	-46.10	303.50	Vertical	Vertical	Pass
1702.912	-51.44	-9.81	-13.0	-38.44	149.10	Vertical	Vertical	Pass
2149.606	-36.89	-4.91	-13.0	-23.89	323.10	Vertical	Vertical	Pass
5236.720	-32.50	2.08	-13.0	-19.50	152.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_10.12.54

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7932.017	-64.97	9.09	-13.0	-51.97	86.60	Vertical	Vertical	Pass
9284.679	-59.56	13.34	-13.0	-46.56	281.30	Vertical	Vertical	Pass
10648.338	-56.62	15.96	-13.0	-43.62	161.40	Vertical	Vertical	Pass
12746.063	-57.48	14.73	-13.0	-44.48	103.90	Vertical	Vertical	Pass
14516.621	-46.06	24.24	-13.0	-33.06	152.10	Vertical	Vertical	Pass
17656.336	-39.03	33.46	-13.0	-26.03	253.20	Vertical	Vertical	Pass

LTE-B4-20-LCH-H-TX

Document number : EXHIBIT A of SHE20080008-02AE

Test result

Project Number: Certification

Test Time: 2020-08-22_09.05.43

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-73.40	-11.51	-13.0	-60.40	360.60	Horizontal	Vertical	Pass
119.703	-80.00	-11.00	-13.0	-67.00	213.80	Horizontal	Vertical	Pass
233.892	-56.28	-5.32	-13.0	-43.28	252.90	Horizontal	Vertical	Pass
850.172	-67.26	4.87	-13.0	-54.26	256.40	Horizontal	Vertical	Pass
1701.412	-35.20	-9.83	-13.0	-22.20	157.30	Horizontal	Vertical	Pass
2127.109	-36.91	-5.21	-13.0	-23.91	302.40	Horizontal	Vertical	Pass
5460.692	-41.03	2.21	-13.0	-28.03	210.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_09.07.31

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7992.502	-64.68	8.96	-13.0	-51.68	104.30	Horizontal	Vertical	Pass
9361.660	-59.32	14.77	-13.0	-46.32	359.30	Horizontal	Vertical	Pass
11170.707	-56.89	15.78	-13.0	-43.89	38.00	Horizontal	Vertical	Pass
13779.805	-54.50	17.75	-13.0	-41.50	351.30	Horizontal	Vertical	Pass
14513.872	-47.12	24.24	-13.0	-34.12	83.80	Horizontal	Vertical	Pass
17692.077	-38.06	34.52	-13.0	-25.06	296.70	Horizontal	Vertical	Pass

LTE-B4-20-MCH-H-TX

Document number : EXHIBIT A of SHE20080008-02AE

Test result

Project Number: Certification

Test Time: 2020-08-22_09.01.18

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.246	-73.80	-12.41	-13.0	-60.80	94.60	Horizontal	Vertical	Pass
233.892	-56.83	-5.32	-13.0	-43.83	251.50	Horizontal	Vertical	Pass
859.870	-66.80	4.52	-13.0	-53.80	16.80	Horizontal	Vertical	Pass
1701.912	-41.70	-9.82	-13.0	-28.70	148.90	Horizontal	Vertical	Pass
2139.108	-37.14	-5.02	-13.0	-24.14	253.90	Horizontal	Vertical	Pass
6272.591	-39.24	4.52	-13.0	-26.24	215.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_08.56.43

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-64.89	10.08	-13.0	-51.89	348.40	Horizontal	Vertical	Pass
9364.409	-59.52	14.81	-13.0	-46.52	181.10	Horizontal	Vertical	Pass
10527.368	-56.91	16.31	-13.0	-43.91	222.80	Horizontal	Vertical	Pass
13210.697	-56.57	16.01	-13.0	-43.57	81.00	Horizontal	Vertical	Pass
14816.296	-46.34	25.71	-13.0	-33.34	271.00	Horizontal	Vertical	Pass
17502.374	-39.52	31.48	-13.0	-26.52	338.80	Horizontal	Vertical	Pass

LTE-B4-20-HCH-H-TX

Document number : EXHIBIT A of SHE20080008-02AE

Test result

Project Number: Certification

Test Time: 2020-08-22_09.27.19

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
93.277	-80.16	-12.90	-13.0	-67.16	205.30	Horizontal	Vertical	Pass
241.165	-48.66	-2.10	-13.0	-35.66	258.20	Horizontal	Vertical	Pass
643.129	-70.21	1.13	-13.0	-57.21	72.10	Horizontal	Vertical	Pass
1700.662	-46.04	-9.84	-13.0	-33.04	154.60	Horizontal	Vertical	Pass
2141.357	-36.41	-5.00	-13.0	-23.41	263.00	Horizontal	Vertical	Pass
5636.670	-41.07	2.66	-13.0	-28.07	0.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_09.23.38

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7937.516	-64.72	8.97	-13.0	-51.72	282.00	Horizontal	Vertical	Pass
9389.153	-59.64	15.16	-13.0	-46.64	83.50	Horizontal	Vertical	Pass
10794.051	-56.06	16.31	-13.0	-43.06	252.10	Horizontal	Vertical	Pass
12781.805	-57.34	14.83	-13.0	-44.34	187.10	Horizontal	Vertical	Pass
14868.533	-47.23	25.06	-13.0	-34.23	130.50	Horizontal	Vertical	Pass
17664.584	-38.99	33.71	-13.0	-25.99	276.30	Horizontal	Vertical	Pass

LTE-B4-20-LCH-V-TX

Document number : EXHIBIT A of SHE20080008-02AE

Test result

Project Number: Certification

Test Time: 2020-08-22_09.14.27

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.246	-73.37	-12.41	-13.0	-60.37	101.00	Vertical	Vertical	Pass
233.892	-65.60	-5.32	-13.0	-52.60	297.50	Vertical	Vertical	Pass
859.628	-67.44	4.53	-13.0	-54.44	1.00	Vertical	Vertical	Pass
1702.162	-34.25	-9.82	-13.0	-21.25	100.70	Vertical	Vertical	Pass
2118.860	-38.17	-5.39	-13.0	-25.17	262.80	Vertical	Vertical	Pass
5942.132	-39.89	3.03	-13.0	-26.89	324.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-22_09.10.22

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7929.268	-64.74	9.15	-13.0	-51.74	293.20	Vertical	Vertical	Pass
8850.287	-62.00	11.59	-13.0	-49.00	326.80	Vertical	Vertical	Pass
10087.478	-59.77	13.55	-13.0	-46.77	336.40	Vertical	Vertical	Pass
11145.964	-55.60	15.55	-13.0	-42.60	253.90	Vertical	Vertical	Pass
14502.874	-46.93	24.24	-13.0	-33.93	0.90	Vertical	Vertical	Pass
17689.328	-38.15	34.44	-13.0	-25.15	68.10	Vertical	Vertical	Pass

LTE-B4-20-MCH-V-TX

Document number : EXHIBIT A of SHE20080008-02AE