

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →
 LTE-B17-5-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-08-28_13.11.54

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.246	-76.51	-13.62	-13.0	-63.51	357.50	Horizontal	Vertical	Pass
240.922	-53.18	-3.56	-13.0	-40.18	264.80	Horizontal	Vertical	Pass
706.891	-3.88	-1.78	-13.0	9.12	80.70	Horizontal	Vertical	N.A
1415.896	-32.00	-6.55	-13.0	-19.00	18.90	Horizontal	Vertical	Pass
2123.719	-46.59	-5.09	-13.0	-33.59	13.70	Horizontal	Vertical	Pass
5813.297	-43.91	2.48	-13.0	-30.91	294.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_11.48.32

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-77.78	-11.31	-13.0	-64.78	110.60	Horizontal	Vertical	Pass
241.165	-50.62	-3.62	-13.0	-37.62	258.10	Horizontal	Vertical	Pass
408.448	-65.36	-8.95	-13.0	-52.36	238.30	Horizontal	Vertical	Pass
711.982	-4.50	-1.65	-13.0	8.50	144.20	Horizontal	Vertical	N.A
1417.396	-30.01	-6.62	-13.0	-17.01	17.10	Horizontal	Vertical	Pass
2125.719	-44.98	-5.07	-13.0	-31.98	24.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_13.19.38

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
120.187	-66.70	-13.17	-13.0	-53.70	275.10	Horizontal	Vertical	Pass
240.922	-53.02	-3.56	-13.0	-40.02	255.80	Horizontal	Vertical	Pass
712.709	-4.70	-1.64	-13.0	8.30	359.00	Horizontal	Vertical	N.A
835.384	-25.13	4.15	-13.0	-12.13	326.40	Horizontal	Vertical	Pass
1429.393	-32.69	-7.18	-13.0	-19.69	17.20	Horizontal	Vertical	Pass
2145.714	-46.81	-4.96	-13.0	-33.81	18.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_12.04.01

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.637	-71.40	-10.88	-13.0	-58.40	107.60	Vertical	Vertical	Pass
240.922	-62.34	-3.56	-13.0	-49.34	190.40	Vertical	Vertical	Pass
705.194	-5.01	-1.84	-13.0	7.99	335.70	Vertical	Vertical	N.A
1416.396	-31.86	-6.57	-13.0	-18.86	16.10	Vertical	Vertical	Pass
2124.719	-46.30	-5.08	-13.0	-33.30	19.60	Vertical	Vertical	Pass
4803.549	-53.42	1.95	-13.0	-40.42	176.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_11.56.43

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
85.276	-76.26	-18.04	-13.0	-63.26	21.40	Vertical	Vertical	Pass
201.405	-71.19	-9.58	-13.0	-58.19	44.90	Vertical	Vertical	Pass
240.922	-63.45	-3.56	-13.0	-50.45	206.70	Vertical	Vertical	Pass
711.982	-4.37	-1.65	-13.0	8.63	359.90	Vertical	Vertical	N.A
1417.896	-30.25	-6.64	-13.0	-17.25	14.10	Vertical	Vertical	Pass
2125.719	-44.19	-5.07	-13.0	-31.19	15.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_13.24.00

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
52.547	-74.34	-12.47	-13.0	-61.34	14.90	Vertical	Vertical	Pass
98.368	-79.66	-12.68	-13.0	-66.66	171.50	Vertical	Vertical	Pass
240.922	-64.49	-3.56	-13.0	-51.49	85.80	Vertical	Vertical	Pass
714.164	-5.43	-1.61	-13.0	7.57	281.70	Vertical	Vertical	N.A
1428.893	-33.00	-7.16	-13.0	-20.00	18.90	Vertical	Vertical	Pass
2138.715	-44.70	-4.95	-13.0	-31.70	17.10	Vertical	Vertical	Pass
4991.502	-52.05	2.87	-13.0	-39.05	135.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_15.30.08

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
145.644	-72.50	-16.16	-13.0	-59.50	89.00	Horizontal	Vertical	Pass
233.892	-56.95	-5.56	-13.0	-43.95	133.60	Horizontal	Vertical	Pass
706.891	-5.90	-1.78	-13.0	7.10	200.80	Horizontal	Vertical	N.A
1417.396	-29.52	-6.62	-13.0	-16.52	32.20	Horizontal	Vertical	Pass
2126.718	-39.91	-5.06	-13.0	-26.91	36.40	Horizontal	Vertical	Pass
2835.541	-52.65	-2.42	-13.0	-39.65	13.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_15.21.12

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
120.187	-69.77	-13.17	-13.0	-56.77	0.40	Horizontal	Vertical	Pass
233.892	-58.12	-5.56	-13.0	-45.12	269.90	Horizontal	Vertical	Pass
712.709	-7.13	-1.64	-13.0	5.87	282.50	Horizontal	Vertical	N.A
1415.396	-29.38	-6.52	-13.0	-16.38	19.50	Horizontal	Vertical	Pass
2122.219	-36.46	-5.11	-13.0	-23.46	34.50	Horizontal	Vertical	Pass
2830.542	-49.72	-2.35	-13.0	-36.72	34.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_15.50.02

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.246	-67.24	-13.62	-13.0	-54.24	84.90	Horizontal	Vertical	Pass
241.165	-50.89	-3.62	-13.0	-37.89	120.00	Horizontal	Vertical	Pass
708.345	-6.65	-1.73	-13.0	6.35	201.60	Horizontal	Vertical	N.A
1417.396	-29.26	-6.62	-13.0	-16.26	33.40	Horizontal	Vertical	Pass
2125.719	-39.19	-5.07	-13.0	-26.19	37.40	Horizontal	Vertical	Pass
2832.542	-53.39	-2.38	-13.0	-40.39	8.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_15.41.06

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-75.22	-19.99	-13.0	-62.22	338.40	Vertical	Vertical	Pass
233.892	-67.04	-5.56	-13.0	-54.04	212.40	Vertical	Vertical	Pass
706.891	-6.33	-1.78	-13.0	6.67	221.10	Vertical	Vertical	N.A
1417.896	-29.00	-6.64	-13.0	-16.00	38.20	Vertical	Vertical	Pass
2126.718	-41.78	-5.06	-13.0	-28.78	38.20	Vertical	Vertical	Pass
2836.041	-53.77	-2.42	-13.0	-40.77	5.10	Vertical	Vertical	Pass

Test result

Project Number: 1744444

Test Time: 2020-08-28_15.15.19

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.488	-73.27	-19.97	-13.0	-60.27	51.00	Vertical	Vertical	Pass
241.407	-67.22	-3.68	-13.0	-54.22	187.90	Vertical	Vertical	Pass
709.315	-7.15	-1.70	-13.0	5.85	116.50	Vertical	Vertical	N.A
1416.896	-30.60	-6.60	-13.0	-17.60	40.90	Vertical	Vertical	Pass
2126.218	-43.99	-5.06	-13.0	-30.99	40.90	Vertical	Vertical	Pass
2479.630	-51.80	-3.93	-13.0	-38.80	161.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_15.45.39

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.912	-73.34	-19.68	-13.0	-60.34	68.80	Vertical	Vertical	Pass
241.165	-61.00	-3.62	-13.0	-48.00	182.90	Vertical	Vertical	Pass
710.527	-7.18	-1.67	-13.0	5.82	101.10	Vertical	Vertical	N.A
1417.396	-29.19	-6.62	-13.0	-16.19	13.70	Vertical	Vertical	Pass
2125.719	-39.27	-5.07	-13.0	-26.27	40.40	Vertical	Vertical	Pass
2840.040	-53.76	-2.47	-13.0	-40.76	38.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.23.22

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-78.71	-20.25	-13.0	-65.71	268.40	Horizontal	Vertical	Pass
143.462	-69.52	-16.26	-13.0	-56.52	281.30	Horizontal	Vertical	Pass
241.165	-49.34	-3.86	-13.0	-36.34	268.40	Horizontal	Vertical	Pass
850.172	-68.00	4.61	-13.0	-55.00	216.00	Horizontal	Vertical	Pass
1930.267	-42.64	-8.28	-13.0	-29.64	151.60	Horizontal	Vertical	Pass
5387.403	-41.05	2.26	-13.0	-28.05	9.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.13.43

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7907.273	-64.60	9.62	-13.0	-51.60	2.90	Horizontal	Vertical	Pass
9372.657	-59.26	14.92	-13.0	-46.26	338.90	Horizontal	Vertical	Pass
10695.076	-56.54	15.94	-13.0	-43.54	268.70	Horizontal	Vertical	Pass
13194.201	-56.62	15.95	-13.0	-43.62	294.20	Horizontal	Vertical	Pass
14808.048	-47.48	25.72	-13.0	-34.48	243.80	Horizontal	Vertical	Pass
17499.625	-41.18	31.47	-13.0	-28.18	40.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_15.57.16

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-78.79	-20.25	-13.0	-65.79	265.20	Horizontal	Vertical	Pass
241.165	-47.88	-3.86	-13.0	-34.88	252.30	Horizontal	Vertical	Pass
656.706	-71.43	-0.16	-13.0	-58.43	107.40	Horizontal	Vertical	Pass
1199.450	-57.40	-3.60	-13.0	-44.40	359.20	Horizontal	Vertical	Pass
1962.259	-42.67	-8.24	-13.0	-29.67	151.00	Horizontal	Vertical	Pass
5069.483	-42.17	2.71	-13.0	-29.17	135.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.12.01

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7967.758	-64.90	8.81	-13.0	-51.90	340.50	Horizontal	Vertical	Pass
9196.701	-59.69	13.71	-13.0	-46.69	183.10	Horizontal	Vertical	Pass
11189.953	-56.62	15.94	-13.0	-43.62	353.10	Horizontal	Vertical	Pass
13205.199	-56.73	16.05	-13.0	-43.73	338.30	Horizontal	Vertical	Pass
14491.877	-47.08	23.98	-13.0	-34.08	108.70	Horizontal	Vertical	Pass
16872.782	-45.29	26.20	-13.0	-32.29	273.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.27.14

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-80.73	-20.25	-13.0	-67.73	298.90	Horizontal	Vertical	Pass
143.462	-70.76	-16.26	-13.0	-57.76	313.70	Horizontal	Vertical	Pass
241.165	-50.54	-3.86	-13.0	-37.54	258.80	Horizontal	Vertical	Pass
857.446	-66.58	4.36	-13.0	-53.58	155.20	Horizontal	Vertical	Pass
1993.752	-39.44	-7.74	-13.0	-26.44	120.40	Horizontal	Vertical	Pass
5431.392	-41.43	2.36	-13.0	-28.43	275.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.32.12

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8022.744	-64.30	9.09	-13.0	-51.30	149.40	Horizontal	Vertical	Pass
9375.406	-59.23	14.96	-13.0	-46.23	88.30	Horizontal	Vertical	Pass
11148.713	-56.49	15.60	-13.0	-43.49	335.90	Horizontal	Vertical	Pass
13191.452	-56.49	15.89	-13.0	-43.49	34.20	Horizontal	Vertical	Pass
14753.062	-47.30	25.14	-13.0	-34.30	196.10	Horizontal	Vertical	Pass
17502.374	-40.75	31.48	-13.0	-27.75	306.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.19.27

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.488	-73.85	-20.23	-13.0	-60.85	282.80	Vertical	Vertical	Pass
241.165	-58.71	-3.86	-13.0	-45.71	197.50	Vertical	Vertical	Pass
659.615	-71.12	-0.01	-13.0	-58.12	306.30	Vertical	Vertical	Pass
1209.948	-58.51	-4.14	-13.0	-45.51	349.50	Vertical	Vertical	Pass
1930.267	-42.95	-8.28	-13.0	-29.95	157.00	Vertical	Vertical	Pass
4734.566	-43.12	1.68	-13.0	-30.12	93.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.15.19

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7893.527	-64.06	9.65	-13.0	-51.06	278.40	Vertical	Vertical	Pass
9353.412	-59.46	14.65	-13.0	-46.46	48.40	Vertical	Vertical	Pass
11148.713	-56.31	15.60	-13.0	-43.31	301.60	Vertical	Vertical	Pass
13216.196	-56.09	15.98	-13.0	-43.09	342.20	Vertical	Vertical	Pass
15027.993	-48.55	22.50	-13.0	-35.55	278.40	Vertical	Vertical	Pass
16856.286	-44.84	26.20	-13.0	-31.84	360.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.07.55

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.395	-72.78	-11.09	-13.0	-59.78	261.00	Vertical	Vertical	Pass
78.488	-74.65	-20.23	-13.0	-61.65	105.40	Vertical	Vertical	Pass
241.165	-59.64	-3.86	-13.0	-46.64	360.00	Vertical	Vertical	Pass
454.996	-66.11	-3.62	-13.0	-53.11	129.80	Vertical	Vertical	Pass
1962.759	-42.05	-8.22	-13.0	-29.05	154.40	Vertical	Vertical	Pass
5432.392	-40.74	2.35	-13.0	-27.74	197.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.10.09

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7945.764	-64.46	8.79	-13.0	-51.46	177.20	Vertical	Vertical	Pass
9424.894	-59.21	14.80	-13.0	-46.21	177.20	Vertical	Vertical	Pass
11209.198	-55.91	15.93	-13.0	-42.91	66.00	Vertical	Vertical	Pass
13540.615	-55.11	17.79	-13.0	-42.11	80.90	Vertical	Vertical	Pass
14546.863	-46.94	24.24	-13.0	-33.94	302.10	Vertical	Vertical	Pass
16925.019	-44.00	26.39	-13.0	-31.00	61.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.42.15

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-76.66	-20.25	-13.0	-63.66	359.20	Vertical	Vertical	Pass
126.733	-73.77	-16.00	-13.0	-60.77	301.60	Vertical	Vertical	Pass
240.922	-60.88	-3.79	-13.0	-47.88	202.20	Vertical	Vertical	Pass
650.402	-72.16	-0.50	-13.0	-59.16	299.30	Vertical	Vertical	Pass
1993.752	-40.28	-7.74	-13.0	-27.28	190.30	Vertical	Vertical	Pass
5023.494	-41.25	2.89	-13.0	-28.25	112.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.34.16

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8011.747	-64.61	9.05	-13.0	-51.61	265.00	Vertical	Vertical	Pass
9422.144	-59.46	14.86	-13.0	-46.46	313.70	Vertical	Vertical	Pass
11167.958	-56.35	15.76	-13.0	-43.35	2.90	Vertical	Vertical	Pass
13227.193	-55.80	15.91	-13.0	-42.80	189.40	Vertical	Vertical	Pass
14530.367	-47.21	24.24	-13.0	-34.21	286.10	Vertical	Vertical	Pass
16886.528	-44.87	26.19	-13.0	-31.87	44.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.11.11

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-76.15	-11.57	-13.0	-63.15	160.00	Horizontal	Vertical	Pass
115.824	-73.46	-11.86	-13.0	-60.46	260.80	Horizontal	Vertical	Pass
241.165	-48.83	-3.86	-13.0	-35.83	256.40	Horizontal	Vertical	Pass
654.039	-67.26	-0.31	-13.0	-54.26	256.40	Horizontal	Vertical	Pass
1931.267	-38.24	-8.29	-13.0	-25.24	192.50	Horizontal	Vertical	Pass
5392.402	-40.92	2.36	-13.0	-27.92	301.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.05.57

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8121.720	-64.98	9.93	-13.0	-51.98	35.80	Horizontal	Vertical	Pass
9389.153	-59.54	15.16	-13.0	-46.54	360.00	Horizontal	Vertical	Pass
11187.203	-55.71	15.92	-13.0	-42.71	347.30	Horizontal	Vertical	Pass
13218.945	-56.44	15.96	-13.0	-43.44	108.00	Horizontal	Vertical	Pass
14830.042	-47.02	25.71	-13.0	-34.02	59.10	Horizontal	Vertical	Pass
16861.785	-45.57	26.20	-13.0	-32.57	299.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.05.57

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8121.720	-64.98	9.93	-13.0	-51.98	35.80	Horizontal	Vertical	Pass
9389.153	-59.54	15.16	-13.0	-46.54	360.00	Horizontal	Vertical	Pass
11187.203	-55.71	15.92	-13.0	-42.71	347.30	Horizontal	Vertical	Pass
13218.945	-56.44	15.96	-13.0	-43.44	108.00	Horizontal	Vertical	Pass
14830.042	-47.02	25.71	-13.0	-34.02	59.10	Horizontal	Vertical	Pass
16861.785	-45.57	26.20	-13.0	-32.57	299.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.05.57

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8121.720	-64.98	9.93	-13.0	-51.98	35.80	Horizontal	Vertical	Pass
9389.153	-59.54	15.16	-13.0	-46.54	360.00	Horizontal	Vertical	Pass
11187.203	-55.71	15.92	-13.0	-42.71	347.30	Horizontal	Vertical	Pass
13218.945	-56.44	15.96	-13.0	-43.44	108.00	Horizontal	Vertical	Pass
14830.042	-47.02	25.71	-13.0	-34.02	59.10	Horizontal	Vertical	Pass
16861.785	-45.57	26.20	-13.0	-32.57	299.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.05.57

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8121.720	-64.98	9.93	-13.0	-51.98	35.80	Horizontal	Vertical	Pass
9389.153	-59.54	15.16	-13.0	-46.54	360.00	Horizontal	Vertical	Pass
11187.203	-55.71	15.92	-13.0	-42.71	347.30	Horizontal	Vertical	Pass
13218.945	-56.44	15.96	-13.0	-43.44	108.00	Horizontal	Vertical	Pass
14830.042	-47.02	25.71	-13.0	-34.02	59.10	Horizontal	Vertical	Pass
16861.785	-45.57	26.20	-13.0	-32.57	299.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.53.42

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-74.65	-11.62	-13.0	-61.65	2.00	Horizontal	Vertical	Pass
114.369	-71.49	-11.64	-13.0	-58.49	117.80	Horizontal	Vertical	Pass
241.165	-49.68	-3.86	-13.0	-36.68	138.80	Horizontal	Vertical	Pass
851.385	-68.07	4.57	-13.0	-55.07	172.20	Horizontal	Vertical	Pass
1962.759	-40.13	-8.22	-13.0	-27.13	187.40	Horizontal	Vertical	Pass
5429.393	-41.18	2.37	-13.0	-28.18	264.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.59.26

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7360.160	-67.76	7.07	-13.0	-54.76	0.00	Horizontal	Vertical	Pass
8866.783	-62.75	11.17	-13.0	-49.75	287.70	Horizontal	Vertical	Pass
10480.630	-56.40	16.44	-13.0	-43.40	188.00	Horizontal	Vertical	Pass
13452.637	-56.47	17.58	-13.0	-43.47	194.40	Horizontal	Vertical	Pass
14546.863	-47.37	24.24	-13.0	-34.37	346.80	Horizontal	Vertical	Pass
16674.831	-46.46	25.39	-13.0	-33.46	156.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.59.26

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7360.160	-67.76	7.07	-13.0	-54.76	0.00	Horizontal	Vertical	Pass
8866.783	-62.75	11.17	-13.0	-49.75	287.70	Horizontal	Vertical	Pass
10480.630	-56.40	16.44	-13.0	-43.40	188.00	Horizontal	Vertical	Pass
13452.637	-56.47	17.58	-13.0	-43.47	194.40	Horizontal	Vertical	Pass
14546.863	-47.37	24.24	-13.0	-34.37	346.80	Horizontal	Vertical	Pass
16674.831	-46.46	25.39	-13.0	-33.46	156.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.28.13

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-76.72	-11.62	-13.0	-63.72	204.50	Horizontal	Vertical	Pass
100.550	-66.06	-12.60	-13.0	-53.06	248.80	Horizontal	Vertical	Pass
240.922	-50.12	-3.79	-13.0	-37.12	261.40	Horizontal	Vertical	Pass
850.415	-68.00	4.61	-13.0	-55.00	358.30	Horizontal	Vertical	Pass
1993.252	-38.17	-7.76	-13.0	-25.17	190.60	Horizontal	Vertical	Pass
5205.449	-42.03	2.85	-13.0	-29.03	135.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.29.49

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-64.29	9.74	-13.0	-51.29	74.10	Horizontal	Vertical	Pass
9391.902	-59.57	15.20	-13.0	-46.57	231.20	Horizontal	Vertical	Pass
11151.462	-56.08	15.63	-13.0	-43.08	97.80	Horizontal	Vertical	Pass
13218.945	-55.86	15.96	-13.0	-42.86	110.40	Horizontal	Vertical	Pass
14846.538	-47.30	25.70	-13.0	-34.30	282.10	Horizontal	Vertical	Pass
16845.289	-45.07	26.10	-13.0	-32.07	55.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.29.49

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-64.29	9.74	-13.0	-51.29	74.10	Horizontal	Vertical	Pass
9391.902	-59.57	15.20	-13.0	-46.57	231.20	Horizontal	Vertical	Pass
11151.462	-56.08	15.63	-13.0	-43.08	97.80	Horizontal	Vertical	Pass
13218.945	-55.86	15.96	-13.0	-42.86	110.40	Horizontal	Vertical	Pass
14846.538	-47.30	25.70	-13.0	-34.30	282.10	Horizontal	Vertical	Pass
16845.289	-45.07	26.10	-13.0	-32.07	55.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.15.47

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.912	-73.41	-19.93	-13.0	-60.41	67.20	Vertical	Vertical	Pass
137.158	-75.94	-16.14	-13.0	-62.94	10.60	Vertical	Vertical	Pass
241.165	-57.93	-3.86	-13.0	-44.93	201.40	Vertical	Vertical	Pass
662.039	-71.63	-0.12	-13.0	-58.63	33.60	Vertical	Vertical	Pass
1931.267	-40.46	-8.29	-13.0	-27.46	204.00	Vertical	Vertical	Pass
4996.501	-42.39	2.94	-13.0	-29.39	186.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.04.18

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7332.667	-69.73	6.58	-13.0	-56.73	187.00	Vertical	Vertical	Pass
8847.538	-62.59	11.57	-13.0	-49.59	245.60	Vertical	Vertical	Pass
9369.908	-59.38	14.89	-13.0	-46.38	304.10	Vertical	Vertical	Pass
10486.128	-57.20	16.46	-13.0	-44.20	275.00	Vertical	Vertical	Pass
11602.349	-56.36	16.48	-13.0	-43.36	326.40	Vertical	Vertical	Pass
14794.301	-46.65	25.65	-13.0	-33.65	80.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.04.18

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7332.667	-69.73	6.58	-13.0	-56.73	187.00	Vertical	Vertical	Pass
8847.538	-62.59	11.57	-13.0	-49.59	245.60	Vertical	Vertical	Pass
9369.908	-59.38	14.89	-13.0	-46.38	304.10	Vertical	Vertical	Pass
10486.128	-57.20	16.46	-13.0	-44.20	275.00	Vertical	Vertical	Pass
11602.349	-56.36	16.48	-13.0	-43.36	326.40	Vertical	Vertical	Pass
14794.301	-46.65	25.65	-13.0	-33.65	80.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_16.49.59

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.940	-66.52	-10.79	-13.0	-53.52	18.50	Vertical	Vertical	Pass
79.215	-72.66	-20.25	-13.0	-59.66	299.70	Vertical	Vertical	Pass
240.922	-59.04	-3.79	-13.0	-46.04	212.00	Vertical	Vertical	Pass
857.446	-68.17	4.36	-13.0	-55.17	214.00	Vertical	Vertical	Pass
1961.260	-39.90	-8.27	-13.0	-26.90	147.60	Vertical	Vertical	Pass
4793.552	-42.31	1.94	-13.0	-29.31	308.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.02.14

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7978.755	-64.43	8.88	-13.0	-51.43	305.60	Vertical	Vertical	Pass
9397.401	-58.29	15.27	-13.0	-45.29	241.60	Vertical	Vertical	Pass
10626.343	-56.08	16.04	-13.0	-43.08	332.50	Vertical	Vertical	Pass
13216.196	-55.90	15.98	-13.0	-42.90	122.30	Vertical	Vertical	Pass
14824.544	-46.85	25.71	-13.0	-33.85	360.00	Vertical	Vertical	Pass
16861.785	-45.12	26.20	-13.0	-32.12	0.60	Vertical	Vertical	Pass

LTE-B25-3-HCH-V-TX

Document number : EXHIBIT A of SHE20080008-02AE

Test result

Project Number: Certification

Test Time: 2020-08-28_17.24.24

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.761	-76.21	-20.22	-13.0	-63.21	115.60	Vertical	Vertical	Pass
240.922	-60.33	-3.79	-13.0	-47.33	188.20	Vertical	Vertical	Pass
664.706	-71.85	-0.30	-13.0	-58.85	16.80	Vertical	Vertical	Pass
1196.951	-58.46	-3.71	-13.0	-45.46	316.20	Vertical	Vertical	Pass
1992.752	-38.50	-7.77	-13.0	-25.50	186.00	Vertical	Vertical	Pass
5406.398	-41.09	2.48	-13.0	-28.09	12.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.31.31

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7948.513	-65.06	8.73	-13.0	-52.06	147.50	Vertical	Vertical	Pass
9378.155	-59.83	15.00	-13.0	-46.83	244.80	Vertical	Vertical	Pass
11170.707	-56.53	15.78	-13.0	-43.53	166.60	Vertical	Vertical	Pass
13603.849	-54.20	18.34	-13.0	-41.20	3.50	Vertical	Vertical	Pass
14505.624	-46.31	24.24	-13.0	-33.31	32.80	Vertical	Vertical	Pass
16507.123	-45.89	24.77	-13.0	-32.89	295.70	Vertical	Vertical	Pass

LTE-B25-5-LCH-H-TX

Document number : EXHIBIT A of SHE20080008-02AE

Test result

Project Number: Certification

Test Time: 2020-08-28_17.50.45

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-75.28	-11.57	-13.0	-62.28	137.90	Horizontal	Vertical	Pass
120.187	-69.37	-13.48	-13.0	-56.37	2.20	Horizontal	Vertical	Pass
241.165	-48.54	-3.86	-13.0	-35.54	241.40	Horizontal	Vertical	Pass
851.627	-67.49	4.56	-13.0	-54.49	119.60	Horizontal	Vertical	Pass
1931.267	-40.18	-8.29	-13.0	-27.18	189.30	Horizontal	Vertical	Pass
5003.499	-42.14	2.98	-13.0	-29.14	84.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.47.04

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7882.529	-63.96	9.43	-13.0	-50.96	91.60	Horizontal	Vertical	Pass
9383.654	-59.41	15.08	-13.0	-46.41	260.90	Horizontal	Vertical	Pass
11184.454	-56.14	15.89	-13.0	-43.14	292.30	Horizontal	Vertical	Pass
13194.201	-56.87	15.95	-13.0	-43.87	68.40	Horizontal	Vertical	Pass
14824.544	-47.20	25.71	-13.0	-34.20	330.60	Horizontal	Vertical	Pass
16903.024	-44.59	26.21	-13.0	-31.59	125.50	Horizontal	Vertical	Pass

LTE-B25-5-MCH-H-TX

Document number : EXHIBIT A of SHE20080008-02AE

Test result

Project Number: Certification

Test Time: 2020-08-28_17.40.23

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-77.63	-20.25	-13.0	-64.63	124.00	Horizontal	Vertical	Pass
121.885	-70.27	-14.29	-13.0	-57.27	111.40	Horizontal	Vertical	Pass
241.165	-49.24	-3.86	-13.0	-36.24	142.80	Horizontal	Vertical	Pass
851.870	-67.76	4.55	-13.0	-54.76	170.20	Horizontal	Vertical	Pass
1962.759	-39.42	-8.22	-13.0	-26.42	188.90	Horizontal	Vertical	Pass
5574.356	-40.85	2.52	-13.0	-27.85	225.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.41.55

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8055.736	-64.77	9.31	-13.0	-51.77	80.80	Horizontal	Vertical	Pass
9364.409	-58.93	14.81	-13.0	-45.93	39.10	Horizontal	Vertical	Pass
11189.953	-56.53	15.94	-13.0	-43.53	139.60	Horizontal	Vertical	Pass
13224.444	-56.34	15.93	-13.0	-43.34	234.70	Horizontal	Vertical	Pass
14830.042	-46.86	25.71	-13.0	-33.86	63.50	Horizontal	Vertical	Pass
17474.881	-40.66	31.10	-13.0	-27.66	70.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_18.11.05

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-79.48	-20.25	-13.0	-66.48	101.50	Horizontal	Vertical	Pass
152.674	-67.73	-16.09	-13.0	-54.73	300.50	Horizontal	Vertical	Pass
241.165	-49.16	-3.86	-13.0	-36.16	259.50	Horizontal	Vertical	Pass
658.888	-71.11	-0.05	-13.0	-58.11	316.80	Horizontal	Vertical	Pass
1993.252	-37.33	-7.76	-13.0	-24.33	187.60	Horizontal	Vertical	Pass
4860.535	-42.58	1.71	-13.0	-29.58	152.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_18.07.01

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8080.480	-64.89	9.82	-13.0	-51.89	1.30	Horizontal	Vertical	Pass
9444.139	-59.38	14.41	-13.0	-46.38	241.80	Horizontal	Vertical	Pass
11189.953	-56.70	15.94	-13.0	-43.70	349.60	Horizontal	Vertical	Pass
13183.204	-56.30	15.71	-13.0	-43.30	239.90	Horizontal	Vertical	Pass
14830.042	-46.72	25.71	-13.0	-33.72	70.40	Horizontal	Vertical	Pass
16872.782	-44.50	26.20	-13.0	-31.50	123.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.54.34

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.155	-64.08	-19.84	-13.0	-51.08	150.20	Vertical	Vertical	Pass
137.158	-75.72	-16.14	-13.0	-62.72	18.00	Vertical	Vertical	Pass
241.165	-57.90	-3.86	-13.0	-44.90	209.90	Vertical	Vertical	Pass
658.403	-71.45	-0.07	-13.0	-58.45	173.40	Vertical	Vertical	Pass
1933.267	-41.42	-8.30	-13.0	-28.42	200.40	Vertical	Vertical	Pass
4098.725	-44.12	1.00	-13.0	-31.12	214.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.45.29

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-63.97	9.74	-13.0	-50.97	73.00	Vertical	Vertical	Pass
9424.894	-59.69	14.80	-13.0	-46.69	351.40	Vertical	Vertical	Pass
10574.106	-56.90	16.14	-13.0	-43.90	351.40	Vertical	Vertical	Pass
13372.907	-55.98	17.04	-13.0	-42.98	81.40	Vertical	Vertical	Pass
14544.114	-46.68	24.24	-13.0	-33.68	56.20	Vertical	Vertical	Pass
16883.779	-44.45	26.19	-13.0	-31.45	277.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.36.36

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-73.42	-20.25	-13.0	-60.42	126.60	Vertical	Vertical	Pass
137.401	-76.52	-16.13	-13.0	-63.52	21.90	Vertical	Vertical	Pass
241.165	-58.96	-3.86	-13.0	-45.96	177.50	Vertical	Vertical	Pass
431.237	-72.87	-6.21	-13.0	-59.87	143.70	Vertical	Vertical	Pass
1962.259	-39.95	-8.24	-13.0	-26.95	189.60	Vertical	Vertical	Pass
5066.483	-41.33	2.72	-13.0	-28.33	217.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17.43.31

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8094.226	-64.87	10.11	-13.0	-51.87	117.60	Vertical	Vertical	Pass
9408.398	-58.41	15.14	-13.0	-45.41	313.80	Vertical	Vertical	Pass
11195.451	-56.51	15.98	-13.0	-43.51	275.70	Vertical	Vertical	Pass
13559.860	-53.78	17.99	-13.0	-40.78	132.40	Vertical	Vertical	Pass
14513.872	-46.26	24.24	-13.0	-33.26	191.00	Vertical	Vertical	Pass
16933.267	-44.63	26.46	-13.0	-31.63	79.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_17:58.10

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.667	-67.93	-10.93	-13.0	-54.93	278.00	Vertical	Vertical	Pass
81.155	-65.49	-19.84	-13.0	-52.49	241.90	Vertical	Vertical	Pass
241.165	-60.00	-3.86	-13.0	-47.00	186.30	Vertical	Vertical	Pass
850.900	-67.36	4.59	-13.0	-54.36	64.30	Vertical	Vertical	Pass
1991.752	-36.79	-7.79	-13.0	-23.79	184.60	Vertical	Vertical	Pass
5388.403	-41.14	2.28	-13.0	-28.14	58.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_18.04.34

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8127.218	-64.52	9.85	-13.0	-51.52	284.90	Vertical	Vertical	Pass
9383.654	-58.99	15.08	-13.0	-45.99	45.50	Vertical	Vertical	Pass
10832.542	-56.79	16.72	-13.0	-43.79	239.00	Vertical	Vertical	Pass
13590.102	-55.27	18.28	-13.0	-42.27	79.40	Vertical	Vertical	Pass
14761.310	-47.29	25.24	-13.0	-34.29	316.80	Vertical	Vertical	Pass
16487.878	-45.62	24.54	-13.0	-32.62	85.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19.15.40

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.246	-66.80	-13.85	-13.0	-53.80	101.80	Horizontal	Vertical	Pass
241.165	-49.77	-3.86	-13.0	-36.77	130.40	Horizontal	Vertical	Pass
462.027	-72.15	-4.17	-13.0	-59.15	134.60	Horizontal	Vertical	Pass
1185.954	-58.66	-4.22	-13.0	-45.66	267.00	Horizontal	Vertical	Pass
1840.790	-41.19	-7.89	-13.0	-28.19	72.00	Horizontal	Vertical	Pass
1931.267	-40.25	-8.29	-13.0	-27.25	204.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_18.26.57

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7904.524	-64.46	9.68	-13.0	-51.46	280.20	Horizontal	Vertical	Pass
9364.409	-58.91	14.81	-13.0	-45.91	267.40	Horizontal	Vertical	Pass
11195.451	-56.01	15.98	-13.0	-43.01	180.60	Horizontal	Vertical	Pass
13339.915	-56.92	16.66	-13.0	-43.92	337.30	Horizontal	Vertical	Pass
14780.555	-46.89	25.48	-13.0	-33.89	229.10	Horizontal	Vertical	Pass
17491.377	-40.38	31.35	-13.0	-27.38	9.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_18.16.09

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
82.367	-76.64	-19.40	-13.0	-63.64	107.30	Horizontal	Vertical	Pass
140.310	-71.92	-16.05	-13.0	-58.92	103.10	Horizontal	Vertical	Pass
241.165	-48.40	-3.86	-13.0	-35.40	248.20	Horizontal	Vertical	Pass
855.021	-67.28	4.44	-13.0	-54.28	1.50	Horizontal	Vertical	Pass
1963.259	-40.13	-8.20	-13.0	-27.13	185.20	Horizontal	Vertical	Pass
4692.577	-42.29	1.43	-13.0	-29.29	117.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_18.24.37

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8127.218	-63.60	9.85	-13.0	-50.60	227.40	Horizontal	Vertical	Pass
9353.412	-59.64	14.65	-13.0	-46.64	31.20	Horizontal	Vertical	Pass
11225.694	-56.45	15.77	-13.0	-43.45	71.50	Horizontal	Vertical	Pass
12704.824	-56.91	14.51	-13.0	-43.91	52.50	Horizontal	Vertical	Pass
14533.117	-46.83	24.24	-13.0	-33.83	168.40	Horizontal	Vertical	Pass
16886.528	-45.15	26.19	-13.0	-32.15	33.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19.19.31

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-76.40	-11.57	-13.0	-63.40	302.80	Horizontal	Vertical	Pass
201.405	-58.56	-9.84	-13.0	-45.56	298.60	Horizontal	Vertical	Pass
241.165	-50.72	-3.86	-13.0	-37.72	262.80	Horizontal	Vertical	Pass
1198.450	-58.07	-3.65	-13.0	-45.07	159.70	Horizontal	Vertical	Pass
1920.770	-41.71	-8.30	-13.0	-28.71	72.20	Horizontal	Vertical	Pass
1986.753	-36.53	-7.92	-13.0	-23.53	189.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19:30:57

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7918.270	-64.46	9.39	-13.0	-51.46	2.20	Horizontal	Vertical	Pass
9213.197	-58.71	13.68	-13.0	-45.71	272.40	Horizontal	Vertical	Pass
11195.451	-55.59	15.98	-13.0	-42.59	19.20	Horizontal	Vertical	Pass
14106.973	-52.15	19.92	-13.0	-39.15	234.80	Horizontal	Vertical	Pass
14736.566	-47.08	25.14	-13.0	-34.08	352.70	Horizontal	Vertical	Pass
16696.826	-46.21	25.75	-13.0	-33.21	31.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_18.35.54

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-75.10	-11.62	-13.0	-62.10	357.70	Vertical	Vertical	Pass
79.215	-74.16	-20.25	-13.0	-61.16	255.00	Vertical	Vertical	Pass
127.946	-66.05	-16.15	-13.0	-53.05	225.10	Vertical	Vertical	Pass
241.165	-60.62	-3.86	-13.0	-47.62	210.30	Vertical	Vertical	Pass
1840.790	-41.74	-7.89	-13.0	-28.74	130.80	Vertical	Vertical	Pass
1937.766	-41.21	-8.33	-13.0	-28.21	204.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_18.28.41

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8085.979	-65.04	9.94	-13.0	-52.04	337.30	Vertical	Vertical	Pass
9408.398	-59.45	15.14	-13.0	-46.45	284.40	Vertical	Vertical	Pass
11225.694	-55.69	15.77	-13.0	-42.69	271.80	Vertical	Vertical	Pass
12801.050	-57.01	14.87	-13.0	-44.01	174.50	Vertical	Vertical	Pass
14846.538	-47.27	25.70	-13.0	-34.27	113.00	Vertical	Vertical	Pass
16875.531	-44.86	26.20	-13.0	-31.86	206.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_18.20.44

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-72.74	-20.25	-13.0	-59.74	279.80	Vertical	Vertical	Pass
140.310	-76.84	-16.05	-13.0	-63.84	16.80	Vertical	Vertical	Pass
241.165	-58.11	-3.86	-13.0	-45.11	188.60	Vertical	Vertical	Pass
655.251	-71.81	-0.24	-13.0	-58.81	63.00	Vertical	Vertical	Pass
1963.259	-38.38	-8.20	-13.0	-25.38	190.80	Vertical	Vertical	Pass
4277.681	-44.74	0.32	-13.0	-31.74	7.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_18.22.45

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-64.65	9.76	-13.0	-51.65	106.90	Vertical	Vertical	Pass
9416.646	-58.56	14.97	-13.0	-45.56	172.20	Vertical	Vertical	Pass
11184.454	-56.16	15.89	-13.0	-43.16	278.20	Vertical	Vertical	Pass
13268.433	-56.77	15.80	-13.0	-43.77	282.10	Vertical	Vertical	Pass
14813.547	-46.81	25.71	-13.0	-33.81	222.80	Vertical	Vertical	Pass
16834.291	-45.22	25.86	-13.0	-32.22	39.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19.25.15

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-73.77	-11.57	-13.0	-60.77	3.70	Vertical	Vertical	Pass
79.215	-76.62	-20.25	-13.0	-63.62	47.90	Vertical	Vertical	Pass
240.922	-60.63	-3.79	-13.0	-47.63	192.20	Vertical	Vertical	Pass
1194.451	-58.18	-3.82	-13.0	-45.18	311.20	Vertical	Vertical	Pass
1920.270	-43.27	-8.30	-13.0	-30.27	69.60	Vertical	Vertical	Pass
1992.752	-39.50	-7.77	-13.0	-26.50	204.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19.28.10

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8019.995	-64.89	9.08	-13.0	-51.89	360.00	Vertical	Vertical	Pass
9147.213	-61.79	12.49	-13.0	-48.79	176.50	Vertical	Vertical	Pass
10574.106	-57.40	16.14	-13.0	-44.40	58.10	Vertical	Vertical	Pass
11613.347	-56.42	16.20	-13.0	-43.42	58.10	Vertical	Vertical	Pass
14797.051	-47.50	25.68	-13.0	-34.50	142.60	Vertical	Vertical	Pass
16905.774	-44.79	26.24	-13.0	-31.79	313.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19.50.25

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-76.55	-11.62	-13.0	-63.55	157.40	Horizontal	Vertical	Pass
241.165	-51.02	-3.86	-13.0	-38.02	269.40	Horizontal	Vertical	Pass
659.373	-70.62	-0.02	-13.0	-57.62	65.00	Horizontal	Vertical	Pass
1840.790	-39.75	-7.89	-13.0	-26.75	125.80	Horizontal	Vertical	Pass
1939.265	-39.76	-8.34	-13.0	-26.76	206.40	Horizontal	Vertical	Pass
5407.398	-40.98	2.47	-13.0	-27.98	360.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19.58.36

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8107.973	-64.25	10.12	-13.0	-51.25	149.50	Horizontal	Vertical	Pass
9400.150	-59.23	15.31	-13.0	-46.23	36.80	Horizontal	Vertical	Pass
10510.872	-56.99	16.44	-13.0	-43.99	263.80	Horizontal	Vertical	Pass
12251.187	-58.36	14.18	-13.0	-45.36	76.60	Horizontal	Vertical	Pass
14797.051	-47.08	25.68	-13.0	-34.08	319.20	Horizontal	Vertical	Pass
16507.123	-46.27	24.77	-13.0	-33.27	134.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19.46.37

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.304	-77.03	-11.73	-13.0	-64.03	61.40	Horizontal	Vertical	Pass
115.824	-71.62	-11.86	-13.0	-58.62	103.70	Horizontal	Vertical	Pass
241.165	-49.49	-3.86	-13.0	-36.49	140.70	Horizontal	Vertical	Pass
1197.951	-58.20	-3.67	-13.0	-45.20	137.30	Horizontal	Vertical	Pass
1840.790	-50.54	-7.89	-13.0	-37.54	126.60	Horizontal	Vertical	Pass
1958.260	-41.05	-8.31	-13.0	-28.05	207.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19.34.01

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7857.786	-64.93	8.93	-13.0	-51.93	248.90	Horizontal	Vertical	Pass
8855.786	-62.69	11.45	-13.0	-49.69	253.10	Horizontal	Vertical	Pass
9380.905	-58.61	15.04	-13.0	-45.61	90.00	Horizontal	Vertical	Pass
11206.448	-56.35	15.96	-13.0	-43.35	35.20	Horizontal	Vertical	Pass
14516.621	-47.06	24.24	-13.0	-34.06	20.80	Horizontal	Vertical	Pass
16812.297	-44.38	25.38	-13.0	-31.38	0.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.24.44

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.213	-75.53	-10.90	-13.0	-62.53	31.90	Horizontal	Vertical	Pass
122.127	-71.71	-14.41	-13.0	-58.71	289.00	Horizontal	Vertical	Pass
241.165	-50.01	-3.86	-13.0	-37.01	280.60	Horizontal	Vertical	Pass
1840.790	-46.53	-7.89	-13.0	-33.53	127.30	Horizontal	Vertical	Pass
1967.758	-39.19	-8.06	-13.0	-26.19	187.60	Horizontal	Vertical	Pass
4118.720	-44.76	0.75	-13.0	-31.76	283.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.10.13

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-64.70	10.17	-13.0	-51.70	0.00	Horizontal	Vertical	Pass
8828.293	-62.08	11.34	-13.0	-49.08	349.30	Horizontal	Vertical	Pass
10560.360	-56.23	16.14	-13.0	-43.23	99.30	Horizontal	Vertical	Pass
12108.223	-57.04	14.89	-13.0	-44.04	169.20	Horizontal	Vertical	Pass
14637.591	-47.39	25.02	-13.0	-34.39	25.90	Horizontal	Vertical	Pass
16870.032	-45.25	26.20	-13.0	-32.25	215.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19.54.27

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.488	-76.01	-20.23	-13.0	-63.01	157.20	Vertical	Vertical	Pass
133.037	-73.99	-16.29	-13.0	-60.99	67.00	Vertical	Vertical	Pass
235.104	-60.36	-5.48	-13.0	-47.36	189.80	Vertical	Vertical	Pass
852.354	-67.77	4.54	-13.0	-54.77	205.90	Vertical	Vertical	Pass
1841.290	-41.79	-7.89	-13.0	-28.79	72.80	Vertical	Vertical	Pass
1939.265	-39.42	-8.34	-13.0	-26.42	187.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19:56.23

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7904.524	-64.18	9.68	-13.0	-51.18	185.40	Vertical	Vertical	Pass
8831.042	-62.89	11.37	-13.0	-49.89	36.90	Vertical	Vertical	Pass
10541.115	-56.75	16.21	-13.0	-43.75	41.10	Vertical	Vertical	Pass
11610.597	-57.45	16.27	-13.0	-44.45	191.90	Vertical	Vertical	Pass
14810.797	-46.58	25.72	-13.0	-33.58	57.70	Vertical	Vertical	Pass
16490.627	-46.06	24.65	-13.0	-33.06	212.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19.40.22

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-75.12	-11.57	-13.0	-62.12	343.20	Vertical	Vertical	Pass
139.340	-62.69	-16.06	-13.0	-49.69	127.10	Vertical	Vertical	Pass
241.165	-60.01	-3.86	-13.0	-47.01	358.90	Vertical	Vertical	Pass
1840.290	-50.30	-7.89	-13.0	-37.30	126.90	Vertical	Vertical	Pass
1964.759	-39.14	-8.16	-13.0	-26.14	192.40	Vertical	Vertical	Pass
5399.400	-40.86	2.50	-13.0	-27.86	16.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_19:36:01

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7945.764	-63.99	8.79	-13.0	-50.99	333.60	Vertical	Vertical	Pass
9400.150	-59.61	15.31	-13.0	-46.61	9.80	Vertical	Vertical	Pass
10832.542	-56.53	16.72	-13.0	-43.53	174.20	Vertical	Vertical	Pass
13262.934	-56.59	15.79	-13.0	-43.59	348.70	Vertical	Vertical	Pass
14513.872	-47.35	24.24	-13.0	-34.35	125.50	Vertical	Vertical	Pass
16850.787	-44.68	26.20	-13.0	-31.68	36.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.17.24

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-74.43	-20.25	-13.0	-61.43	285.40	Vertical	Vertical	Pass
142.492	-68.75	-16.19	-13.0	-55.75	75.20	Vertical	Vertical	Pass
231.952	-64.43	-6.73	-13.0	-51.43	199.90	Vertical	Vertical	Pass
1840.790	-48.09	-7.89	-13.0	-35.09	126.30	Vertical	Vertical	Pass
1968.258	-37.28	-8.05	-13.0	-24.28	189.30	Vertical	Vertical	Pass
2438.640	-51.01	-4.75	-13.0	-38.01	351.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.13.42

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7923.769	-64.33	9.27	-13.0	-51.33	41.10	Vertical	Vertical	Pass
8789.803	-62.26	10.92	-13.0	-49.26	87.60	Vertical	Vertical	Pass
10519.120	-56.98	16.38	-13.0	-43.98	47.30	Vertical	Vertical	Pass
13205.199	-56.37	16.05	-13.0	-43.37	32.50	Vertical	Vertical	Pass
14816.296	-47.18	25.71	-13.0	-34.18	342.50	Vertical	Vertical	Pass
16867.283	-44.99	26.20	-13.0	-31.99	123.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.46.37

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-74.75	-11.57	-13.0	-61.75	164.50	Horizontal	Vertical	Pass
201.405	-58.21	-9.84	-13.0	-45.21	288.70	Horizontal	Vertical	Pass
241.165	-48.56	-3.86	-13.0	-35.56	252.60	Horizontal	Vertical	Pass
1199.950	-57.83	-3.58	-13.0	-44.83	23.40	Horizontal	Vertical	Pass
1840.790	-39.86	-7.89	-13.0	-26.86	76.70	Horizontal	Vertical	Pass
1945.764	-39.34	-8.32	-13.0	-26.34	192.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.37.47

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7866.033	-65.69	9.10	-13.0	-52.69	285.70	Horizontal	Vertical	Pass
8847.538	-62.91	11.57	-13.0	-49.91	106.80	Horizontal	Vertical	Pass
9895.026	-60.16	13.91	-13.0	-47.16	321.50	Horizontal	Vertical	Pass
10524.619	-56.11	16.34	-13.0	-43.11	121.60	Horizontal	Vertical	Pass
13205.199	-56.30	16.05	-13.0	-43.30	167.40	Horizontal	Vertical	Pass
14544.114	-46.77	24.24	-13.0	-33.77	360.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.28.43

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-75.29	-11.62	-13.0	-62.29	64.90	Horizontal	Vertical	Pass
87.701	-78.45	-17.11	-13.0	-65.45	177.40	Horizontal	Vertical	Pass
143.462	-71.58	-16.26	-13.0	-58.58	320.50	Horizontal	Vertical	Pass
241.165	-51.52	-3.86	-13.0	-38.52	248.10	Horizontal	Vertical	Pass
1841.790	-48.08	-7.90	-13.0	-35.08	124.90	Horizontal	Vertical	Pass
1955.261	-40.04	-8.31	-13.0	-27.04	203.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.36.06

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7984.254	-64.30	8.91	-13.0	-51.30	137.20	Horizontal	Vertical	Pass
9372.657	-59.67	14.92	-13.0	-46.67	59.20	Horizontal	Vertical	Pass
10513.622	-57.16	16.42	-13.0	-44.16	88.80	Horizontal	Vertical	Pass
12674.581	-57.46	14.54	-13.0	-44.46	109.80	Horizontal	Vertical	Pass
14522.119	-47.26	24.24	-13.0	-34.26	65.60	Horizontal	Vertical	Pass
16504.374	-46.44	24.86	-13.0	-33.44	78.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.51.58

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-75.74	-11.62	-13.0	-62.74	194.30	Horizontal	Vertical	Pass
201.405	-58.37	-9.84	-13.0	-45.37	287.50	Horizontal	Vertical	Pass
241.165	-51.55	-3.86	-13.0	-38.55	263.30	Horizontal	Vertical	Pass
1839.290	-48.67	-7.94	-13.0	-35.67	60.40	Horizontal	Vertical	Pass
1987.253	-39.21	-7.91	-13.0	-26.21	190.90	Horizontal	Vertical	Pass
4081.730	-44.52	0.57	-13.0	-31.52	14.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.58.40

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7956.761	-64.10	8.74	-13.0	-51.10	21.00	Horizontal	Vertical	Pass
8836.541	-62.29	11.44	-13.0	-49.29	59.30	Horizontal	Vertical	Pass
10554.861	-56.97	16.14	-13.0	-43.97	246.30	Horizontal	Vertical	Pass
13210.697	-56.67	16.01	-13.0	-43.67	86.50	Horizontal	Vertical	Pass
14516.621	-47.11	24.24	-13.0	-34.11	42.20	Horizontal	Vertical	Pass
16864.534	-44.49	26.20	-13.0	-31.49	230.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.43.07

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-74.41	-11.57	-13.0	-61.41	360.00	Vertical	Vertical	Pass
120.187	-74.40	-13.48	-13.0	-61.40	184.10	Vertical	Vertical	Pass
241.165	-59.53	-3.86	-13.0	-46.53	223.60	Vertical	Vertical	Pass
1840.290	-42.62	-7.89	-13.0	-29.62	81.70	Vertical	Vertical	Pass
1947.263	-40.35	-8.32	-13.0	-27.35	202.80	Vertical	Vertical	Pass
4095.726	-44.58	0.92	-13.0	-31.58	359.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.39.32

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7934.766	-64.33	9.03	-13.0	-51.33	84.40	Vertical	Vertical	Pass
8850.287	-61.75	11.59	-13.0	-48.75	114.00	Vertical	Vertical	Pass
10516.371	-56.48	16.40	-13.0	-43.48	272.40	Vertical	Vertical	Pass
11335.666	-57.00	15.26	-13.0	-44.00	143.50	Vertical	Vertical	Pass
13194.201	-56.47	15.95	-13.0	-43.47	57.10	Vertical	Vertical	Pass
14549.613	-47.02	24.24	-13.0	-34.02	192.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.32.21

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.940	-75.11	-10.79	-13.0	-62.11	201.80	Vertical	Vertical	Pass
75.821	-71.57	-20.19	-13.0	-58.57	225.10	Vertical	Vertical	Pass
241.165	-59.00	-3.86	-13.0	-46.00	195.40	Vertical	Vertical	Pass
448.208	-69.44	-3.62	-13.0	-56.44	233.50	Vertical	Vertical	Pass
1842.289	-48.01	-7.90	-13.0	-35.01	81.10	Vertical	Vertical	Pass
1969.258	-38.87	-8.01	-13.0	-25.87	188.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.34.05

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-65.02	10.22	-13.0	-52.02	33.10	Vertical	Vertical	Pass
9353.412	-59.51	14.65	-13.0	-46.51	140.60	Vertical	Vertical	Pass
10535.616	-56.52	16.25	-13.0	-43.52	287.40	Vertical	Vertical	Pass
12119.220	-58.33	14.84	-13.0	-45.33	45.70	Vertical	Vertical	Pass
14714.571	-47.18	25.21	-13.0	-34.18	359.50	Vertical	Vertical	Pass
16853.537	-45.33	26.20	-13.0	-32.33	272.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.55.22

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.152	-75.52	-11.03	-13.0	-62.52	357.40	Horizontal	Vertical	Pass
100.550	-76.24	-12.60	-13.0	-63.24	131.40	Horizontal	Vertical	Pass
241.165	-60.82	-3.86	-13.0	-47.82	199.60	Horizontal	Vertical	Pass
1204.449	-58.11	-3.83	-13.0	-45.11	108.10	Horizontal	Vertical	Pass
1920.770	-46.28	-8.30	-13.0	-33.28	74.40	Horizontal	Vertical	Pass
1992.752	-37.51	-7.77	-13.0	-24.51	187.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-28_20.56.58

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: 7165H


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-64.62	10.17	-13.0	-51.62	203.20	Vertical	Vertical	Pass
9367.158	-59.31	14.85	-13.0	-46.31	243.50	Vertical	Vertical	Pass
11187.203	-55.57	15.92	-13.0	-42.57	158.90	Vertical	Vertical	Pass
13766.058	-54.34	17.80	-13.0	-41.34	30.80	Vertical	Vertical	Pass
14519.370	-46.58	24.24	-13.0	-33.58	178.00	Vertical	Vertical	Pass
16897.526	-44.84	26.19	-13.0	-31.84	96.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_11.28.01

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54


Test Engineer: LYT

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
109.035	-85.49	-11.34	-25.0	-60.49	304.80	Horizontal	Vertical	Pass
239.953	-76.08	-2.05	-25.0	-51.08	157.10	Horizontal	Vertical	Pass
443.844	-75.79	-2.44	-25.0	-50.79	271.20	Horizontal	Vertical	Pass
841.445	-66.84	5.87	-25.0	-41.84	283.60	Horizontal	Vertical	Pass
2536.616	-51.69	2.28	-25.0	-26.69	285.30	Horizontal	Vertical	Pass
5029.493	-53.14	2.87	-25.0	-28.14	103.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_11.29.31

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8044.739	-64.47	9.17	-13.0	-51.47	333.40	Horizontal	Vertical	Pass
9413.897	-59.79	15.03	-13.0	-46.79	144.80	Horizontal	Vertical	Pass
10574.106	-56.88	16.14	-13.0	-43.88	256.10	Horizontal	Vertical	Pass
12685.579	-57.82	14.51	-13.0	-44.82	242.70	Horizontal	Vertical	Pass
14791.552	-46.93	25.62	-13.0	-33.93	305.30	Horizontal	Vertical	Pass
16938.765	-44.86	26.50	-13.0	-31.86	233.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_09.18.42

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
116.308	-85.94	-10.77	-25.0	-60.94	157.80	Horizontal	Vertical	Pass
239.225	-76.04	-2.33	-25.0	-51.04	235.60	Horizontal	Vertical	Pass
444.086	-74.87	-2.40	-25.0	-49.87	150.60	Horizontal	Vertical	Pass
1017.996	-59.37	-3.27	-25.0	-34.37	245.40	Horizontal	Vertical	Pass
2507.123	-51.97	2.88	-25.0	-26.97	85.10	Horizontal	Vertical	Pass
5889.278	-52.07	3.22	-25.0	-27.07	22.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_09.20.35

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-64.38	9.76	-13.0	-51.38	29.40	Horizontal	Vertical	Pass
9243.439	-59.75	13.43	-13.0	-46.75	348.40	Horizontal	Vertical	Pass
10626.343	-57.13	16.04	-13.0	-44.13	284.60	Horizontal	Vertical	Pass
12691.077	-57.76	14.50	-13.0	-44.76	148.90	Horizontal	Vertical	Pass
14808.048	-46.83	25.72	-13.0	-33.83	205.80	Horizontal	Vertical	Pass
16496.126	-46.50	24.86	-13.0	-33.50	46.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_11.46.18

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.854	-85.19	-10.35	-25.0	-60.19	200.30	Horizontal	Vertical	Pass
238.983	-76.51	-2.42	-25.0	-51.51	291.50	Horizontal	Vertical	Pass
655.979	-71.00	1.77	-25.0	-46.00	357.20	Horizontal	Vertical	Pass
1184.454	-57.21	-2.51	-25.0	-32.21	0.00	Horizontal	Vertical	Pass
2586.103	-53.00	1.28	-25.0	-28.00	54.90	Horizontal	Vertical	Pass
4761.560	-53.17	1.80	-25.0	-28.17	285.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_11.47.54

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-65.03	10.17	-13.0	-52.03	39.20	Horizontal	Vertical	Pass
9391.902	-58.57	15.20	-13.0	-45.57	122.10	Horizontal	Vertical	Pass
10497.126	-56.42	16.51	-13.0	-43.42	214.40	Horizontal	Vertical	Pass
12119.220	-58.48	14.84	-13.0	-45.48	210.50	Horizontal	Vertical	Pass
14816.296	-46.17	25.71	-13.0	-33.17	297.20	Horizontal	Vertical	Pass
16837.041	-45.04	25.92	-13.0	-32.04	280.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_11.22.58

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.8

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.489	-86.52	-12.56	-25.0	-61.52	114.30	Vertical	Vertical	Pass
241.407	-75.65	-2.37	-25.0	-50.65	59.70	Vertical	Vertical	Pass
458.633	-74.72	-2.13	-25.0	-49.72	256.40	Vertical	Vertical	Pass
1194.951	-57.95	-1.99	-25.0	-32.95	332.50	Vertical	Vertical	Pass
2502.124	-52.15	2.98	-25.0	-27.15	332.50	Vertical	Vertical	Pass
5137.466	-52.60	2.73	-25.0	-27.60	353.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_11.31.26

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7926.518	-64.69	9.21	-13.0	-51.69	208.70	Vertical	Vertical	Pass
9405.649	-59.15	15.20	-13.0	-46.15	201.00	Vertical	Vertical	Pass
11154.211	-55.82	15.65	-13.0	-42.82	30.30	Vertical	Vertical	Pass
13199.700	-55.80	16.07	-13.0	-42.80	274.40	Vertical	Vertical	Pass
14769.558	-46.78	25.34	-13.0	-33.78	34.00	Vertical	Vertical	Pass
17551.862	-39.90	31.59	-13.0	-26.90	36.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_09.14.28

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.702	-86.07	-10.86	-25.0	-61.07	345.90	Vertical	Vertical	Pass
238.498	-76.06	-2.60	-25.0	-51.06	64.00	Vertical	Vertical	Pass
656.948	-70.55	1.82	-25.0	-45.55	134.20	Vertical	Vertical	Pass
1185.454	-57.60	-2.46	-25.0	-32.60	225.70	Vertical	Vertical	Pass
2502.624	-52.17	2.97	-25.0	-27.17	96.50	Vertical	Vertical	Pass
2995.001	-52.76	2.13	-25.0	-27.76	126.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_09.22.23

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7907.273	-64.42	9.62	-13.0	-51.42	172.80	Vertical	Vertical	Pass
9400.150	-59.35	15.31	-13.0	-46.35	94.20	Vertical	Vertical	Pass
11159.710	-56.11	15.69	-13.0	-43.11	103.30	Vertical	Vertical	Pass
13482.879	-55.62	17.41	-13.0	-42.62	219.50	Vertical	Vertical	Pass
14497.376	-46.79	24.16	-13.0	-33.79	144.60	Vertical	Vertical	Pass
16853.537	-45.27	26.20	-13.0	-32.27	193.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_11.41.30

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.369	-85.59	-10.43	-25.0	-60.59	319.50	Vertical	Vertical	Pass
237.043	-76.14	-3.16	-25.0	-51.14	360.00	Vertical	Vertical	Pass
660.827	-70.65	1.91	-25.0	-45.65	211.30	Vertical	Vertical	Pass
1184.954	-57.63	-2.49	-25.0	-32.63	28.30	Vertical	Vertical	Pass
2500.625	-51.87	3.01	-25.0	-26.87	146.70	Vertical	Vertical	Pass
5105.474	-52.56	2.60	-25.0	-27.56	254.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_11.49.40

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7907.273	-64.65	9.62	-13.0	-51.65	0.50	Vertical	Vertical	Pass
9372.657	-59.64	14.92	-13.0	-46.64	116.10	Vertical	Vertical	Pass
10464.134	-56.76	16.37	-13.0	-43.76	341.90	Vertical	Vertical	Pass
13188.703	-56.74	15.83	-13.0	-43.74	13.30	Vertical	Vertical	Pass
14805.299	-46.93	25.72	-13.0	-33.93	274.20	Vertical	Vertical	Pass
16826.043	-44.62	25.68	-13.0	-31.62	261.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_11.57.43

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
113.884	-85.38	-10.51	-25.0	-60.38	233.00	Horizontal	Vertical	Pass
239.225	-76.30	-2.33	-25.0	-51.30	220.40	Horizontal	Vertical	Pass
448.208	-74.43	-1.72	-25.0	-49.43	28.10	Horizontal	Vertical	Pass
1184.454	-57.95	-2.51	-25.0	-32.95	321.10	Horizontal	Vertical	Pass
2502.624	-52.50	2.97	-25.0	-27.50	197.30	Horizontal	Vertical	Pass
5138.465	-53.57	2.73	-25.0	-28.57	7.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_11.54.13

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7932.017	-64.69	9.09	-13.0	-51.69	125.20	Horizontal	Vertical	Pass
9386.403	-59.79	15.12	-13.0	-46.79	76.20	Horizontal	Vertical	Pass
11200.950	-55.64	16.01	-13.0	-42.64	276.90	Horizontal	Vertical	Pass
13199.700	-55.83	16.07	-13.0	-42.83	81.70	Horizontal	Vertical	Pass
14835.541	-47.08	25.71	-13.0	-34.08	262.10	Horizontal	Vertical	Pass
16498.875	-46.55	24.97	-13.0	-33.55	85.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_09.45.18

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
113.157	-85.15	-10.63	-25.0	-60.15	157.50	Horizontal	Vertical	Pass
238.013	-76.85	-2.79	-25.0	-51.85	330.10	Horizontal	Vertical	Pass
663.737	-71.21	1.75	-25.0	-46.21	62.30	Horizontal	Vertical	Pass
1187.953	-57.44	-2.32	-25.0	-32.44	143.50	Horizontal	Vertical	Pass
2507.123	-51.34	2.88	-25.0	-26.34	309.50	Horizontal	Vertical	Pass
2996.001	-53.24	2.11	-25.0	-28.24	89.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_09.47.30

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8118.970	-64.76	9.97	-13.0	-51.76	146.40	Horizontal	Vertical	Pass
9892.277	-58.44	13.86	-13.0	-45.44	326.30	Horizontal	Vertical	Pass
11214.696	-56.54	15.88	-13.0	-43.54	154.10	Horizontal	Vertical	Pass
13224.444	-56.49	15.93	-13.0	-43.49	186.00	Horizontal	Vertical	Pass
14841.040	-47.33	25.70	-13.0	-34.33	270.20	Horizontal	Vertical	Pass
16919.520	-44.91	26.35	-13.0	-31.91	155.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.04.21

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
112.429	-85.54	-10.75	-25.0	-60.54	84.70	Horizontal	Vertical	Pass
240.437	-76.31	-2.14	-25.0	-51.31	195.60	Horizontal	Vertical	Pass
452.814	-75.32	-1.66	-25.0	-50.32	39.20	Horizontal	Vertical	Pass
1182.454	-58.34	-2.62	-25.0	-33.34	154.30	Horizontal	Vertical	Pass
2541.115	-51.32	2.19	-25.0	-26.32	184.60	Horizontal	Vertical	Pass
5417.396	-52.98	2.42	-25.0	-27.98	130.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.05.54

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7932.017	-64.85	9.09	-13.0	-51.85	340.90	Horizontal	Vertical	Pass
9380.905	-59.10	15.04	-13.0	-46.10	127.90	Horizontal	Vertical	Pass
11165.209	-55.98	15.74	-13.0	-42.98	79.00	Horizontal	Vertical	Pass
13221.695	-56.36	15.95	-13.0	-43.36	156.00	Horizontal	Vertical	Pass
14791.552	-46.46	25.62	-13.0	-33.46	272.90	Horizontal	Vertical	Pass
16892.027	-45.07	26.19	-13.0	-32.07	0.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_12.01.31

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.611	-85.46	-10.39	-25.0	-60.46	25.00	Vertical	Vertical	Pass
243.347	-76.67	-2.84	-25.0	-51.67	0.80	Vertical	Vertical	Pass
456.936	-74.19	-1.99	-25.0	-49.19	91.80	Vertical	Vertical	Pass
1187.953	-58.03	-2.32	-25.0	-33.03	216.00	Vertical	Vertical	Pass
2507.623	-51.71	2.87	-25.0	-26.71	228.40	Vertical	Vertical	Pass
2992.502	-53.24	2.21	-25.0	-28.24	308.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_11.52.10

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7995.251	-65.17	8.98	-13.0	-52.17	256.90	Vertical	Vertical	Pass
9394.651	-59.42	15.23	-13.0	-46.42	286.90	Vertical	Vertical	Pass
11209.198	-56.68	15.93	-13.0	-43.68	87.00	Vertical	Vertical	Pass
13185.954	-56.92	15.77	-13.0	-43.92	22.40	Vertical	Vertical	Pass
14821.795	-46.70	25.71	-13.0	-33.70	95.90	Vertical	Vertical	Pass
16933.267	-44.76	26.46	-13.0	-31.76	101.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_09.40.53

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.428	-86.12	-12.08	-25.0	-61.12	51.70	Vertical	Vertical	Pass
241.407	-76.03	-2.37	-25.0	-51.03	275.60	Vertical	Vertical	Pass
448.208	-75.18	-1.72	-25.0	-50.18	23.60	Vertical	Vertical	Pass
851.627	-65.43	6.93	-25.0	-40.43	247.20	Vertical	Vertical	Pass
2506.623	-52.42	2.89	-25.0	-27.42	27.70	Vertical	Vertical	Pass
5003.499	-52.10	2.98	-25.0	-27.10	58.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_09.50.08

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7948.513	-64.92	8.73	-13.0	-51.92	105.70	Vertical	Vertical	Pass
9375.406	-59.92	14.96	-13.0	-46.92	308.10	Vertical	Vertical	Pass
10560.360	-56.90	16.14	-13.0	-43.90	90.70	Vertical	Vertical	Pass
12831.292	-57.74	14.77	-13.0	-44.74	231.20	Vertical	Vertical	Pass
14824.544	-47.14	25.71	-13.0	-34.14	125.00	Vertical	Vertical	Pass
16908.523	-45.48	26.26	-13.0	-32.48	32.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_12.06.15

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54


Test Engineer: LYT

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.581	-85.34	-10.53	-25.0	-60.34	58.80	Vertical	Vertical	Pass
239.710	-75.86	-2.14	-25.0	-50.86	320.40	Vertical	Vertical	Pass
658.888	-70.30	1.90	-25.0	-45.30	203.60	Vertical	Vertical	Pass
1192.952	-58.09	-2.08	-25.0	-33.09	131.40	Vertical	Vertical	Pass
2505.624	-51.29	2.91	-25.0	-26.29	275.90	Vertical	Vertical	Pass
5002.499	-53.39	2.98	-25.0	-28.39	332.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.08.11

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-64.35	10.17	-13.0	-51.35	195.70	Vertical	Vertical	Pass
9400.150	-59.03	15.31	-13.0	-46.03	215.00	Vertical	Vertical	Pass
10521.870	-56.11	16.36	-13.0	-43.11	224.60	Vertical	Vertical	Pass
12820.295	-57.55	14.80	-13.0	-44.55	311.90	Vertical	Vertical	Pass
14863.034	-46.45	25.25	-13.0	-33.45	105.00	Vertical	Vertical	Pass
16842.539	-44.68	26.04	-13.0	-31.68	148.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.18.34

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.369	-84.96	-10.43	-25.0	-59.96	359.00	Horizontal	Vertical	Pass
239.953	-77.18	-2.05	-25.0	-52.18	24.70	Horizontal	Vertical	Pass
449.905	-73.77	-1.45	-25.0	-48.77	78.10	Horizontal	Vertical	Pass
860.112	-65.96	6.39	-25.0	-40.96	255.50	Horizontal	Vertical	Pass
2502.624	-51.73	2.97	-25.0	-26.73	43.30	Horizontal	Vertical	Pass
2991.002	-53.11	2.25	-25.0	-28.11	31.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.21.44

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8058.485	-65.13	9.37	-13.0	-52.13	106.40	Horizontal	Vertical	Pass
9301.175	-59.25	13.35	-13.0	-46.25	176.10	Horizontal	Vertical	Pass
10488.878	-55.99	16.47	-13.0	-42.99	321.90	Horizontal	Vertical	Pass
12242.939	-58.63	14.15	-13.0	-45.63	179.80	Horizontal	Vertical	Pass
14555.111	-47.12	24.27	-13.0	-34.12	253.60	Horizontal	Vertical	Pass
16867.283	-44.94	26.20	-13.0	-31.94	0.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_09.58.58

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
113.884	-84.91	-10.51	-25.0	-59.91	258.70	Horizontal	Vertical	Pass
238.498	-76.71	-2.60	-25.0	-51.71	147.50	Horizontal	Vertical	Pass
452.329	-74.75	-1.62	-25.0	-49.75	184.50	Horizontal	Vertical	Pass
1190.952	-58.33	-2.17	-25.0	-33.33	123.40	Horizontal	Vertical	Pass
2544.114	-52.54	2.13	-25.0	-27.54	41.40	Horizontal	Vertical	Pass
4872.532	-53.69	1.66	-25.0	-28.69	333.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_10.00.46

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7970.507	-64.05	8.83	-13.0	-51.05	188.10	Horizontal	Vertical	Pass
9378.155	-59.69	15.00	-13.0	-46.69	182.40	Horizontal	Vertical	Pass
11154.211	-56.18	15.65	-13.0	-43.18	231.10	Horizontal	Vertical	Pass
13161.210	-56.71	15.23	-13.0	-43.71	351.20	Horizontal	Vertical	Pass
14549.613	-46.81	24.24	-13.0	-33.81	148.30	Horizontal	Vertical	Pass
16493.377	-46.23	24.75	-13.0	-33.23	360.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.31.36

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54


Test Engineer: LYT

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.096	-85.47	-10.36	-25.0	-60.47	359.70	Horizontal	Vertical	Pass
239.953	-76.08	-2.05	-25.0	-51.08	352.40	Horizontal	Vertical	Pass
449.178	-75.13	-1.56	-25.0	-50.13	187.80	Horizontal	Vertical	Pass
1195.951	-57.67	-1.94	-25.0	-32.67	175.60	Horizontal	Vertical	Pass
2504.124	-52.11	2.94	-25.0	-27.11	211.40	Horizontal	Vertical	Pass
4997.501	-53.02	2.95	-25.0	-28.02	301.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.28.02

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8121.720	-64.92	9.93	-13.0	-51.92	360.00	Horizontal	Vertical	Pass
9400.150	-59.03	15.31	-13.0	-46.03	255.00	Horizontal	Vertical	Pass
11192.702	-55.13	15.96	-13.0	-42.13	4.70	Horizontal	Vertical	Pass
13243.689	-54.73	15.81	-13.0	-41.73	340.80	Horizontal	Vertical	Pass
14794.301	-46.92	25.65	-13.0	-33.92	0.10	Horizontal	Vertical	Pass
16908.523	-45.29	26.26	-13.0	-32.29	118.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_14.07.22

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
53.517	-85.81	-12.04	-25.0	-60.81	166.40	Vertical	Vertical	Pass
109.763	-84.58	-11.19	-25.0	-59.58	210.20	Vertical	Vertical	Pass
238.983	-76.65	-2.42	-25.0	-51.65	331.00	Vertical	Vertical	Pass
661.555	-71.28	1.87	-25.0	-46.28	121.20	Vertical	Vertical	Pass
1016.996	-58.72	-3.25	-25.0	-33.72	213.90	Vertical	Vertical	Pass
2505.624	-52.19	2.91	-25.0	-27.19	133.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.23.40

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-64.34	10.17	-13.0	-51.34	65.00	Vertical	Vertical	Pass
9408.398	-59.61	15.14	-13.0	-46.61	87.50	Vertical	Vertical	Pass
11220.195	-56.43	15.83	-13.0	-43.43	319.40	Vertical	Vertical	Pass
13196.951	-56.57	16.01	-13.0	-43.57	259.00	Vertical	Vertical	Pass
14835.541	-46.46	25.71	-13.0	-33.46	51.70	Vertical	Vertical	Pass
16889.278	-45.50	26.19	-13.0	-32.50	223.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_09.54.38

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
116.551	-86.21	-10.85	-25.0	-61.21	103.80	Vertical	Vertical	Pass
241.407	-76.07	-2.37	-25.0	-51.07	357.60	Vertical	Vertical	Pass
447.481	-74.60	-1.84	-25.0	-49.60	185.90	Vertical	Vertical	Pass
1191.452	-57.87	-2.15	-25.0	-32.87	2.50	Vertical	Vertical	Pass
2506.623	-51.68	2.89	-25.0	-26.68	140.70	Vertical	Vertical	Pass
2997.001	-53.34	2.08	-25.0	-28.34	92.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_10.02.31

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8091.477	-64.38	10.05	-13.0	-51.38	78.90	Vertical	Vertical	Pass
9405.649	-58.77	15.20	-13.0	-45.77	120.70	Vertical	Vertical	Pass
11184.454	-56.43	15.89	-13.0	-43.43	269.40	Vertical	Vertical	Pass
13235.441	-56.66	15.86	-13.0	-43.66	169.90	Vertical	Vertical	Pass
14846.538	-46.88	25.70	-13.0	-33.88	239.30	Vertical	Vertical	Pass
16927.768	-44.98	26.41	-13.0	-31.98	198.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.35.46

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.369	-84.51	-10.43	-25.0	-59.51	304.60	Vertical	Vertical	Pass
240.437	-76.03	-2.14	-25.0	-51.03	157.10	Vertical	Vertical	Pass
446.996	-74.93	-1.92	-25.0	-49.93	333.50	Vertical	Vertical	Pass
1188.453	-57.94	-2.30	-25.0	-32.94	299.80	Vertical	Vertical	Pass
2991.502	-53.72	2.24	-25.0	-28.72	222.40	Vertical	Vertical	Pass
5189.453	-53.51	2.94	-25.0	-28.51	355.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.26.16

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8072.232	-64.85	9.65	-13.0	-51.85	35.80	Vertical	Vertical	Pass
9416.646	-59.10	14.97	-13.0	-46.10	108.70	Vertical	Vertical	Pass
11035.991	-57.06	16.39	-13.0	-44.06	335.80	Vertical	Vertical	Pass
13202.449	-56.92	16.07	-13.0	-43.92	215.70	Vertical	Vertical	Pass
15107.723	-48.29	21.47	-13.0	-35.29	253.30	Vertical	Vertical	Pass
16952.512	-44.49	26.51	-13.0	-31.49	236.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.44.52

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-86.11	-11.74	-25.0	-61.11	187.70	Horizontal	Vertical	Pass
238.983	-76.38	-2.42	-25.0	-51.38	285.00	Horizontal	Vertical	Pass
662.039	-70.57	1.84	-25.0	-45.57	0.10	Horizontal	Vertical	Pass
1182.954	-58.06	-2.60	-25.0	-33.06	245.70	Horizontal	Vertical	Pass
2505.624	-51.60	2.91	-25.0	-26.60	161.70	Horizontal	Vertical	Pass
5013.497	-53.45	2.93	-25.0	-28.45	230.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.52.14

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8839.290	-62.07	11.47	-13.0	-49.07	99.30	Horizontal	Vertical	Pass
9897.776	-59.70	13.97	-13.0	-46.70	114.40	Horizontal	Vertical	Pass
11203.699	-56.15	15.98	-13.0	-43.15	52.60	Horizontal	Vertical	Pass
12666.333	-57.76	14.56	-13.0	-44.76	0.00	Horizontal	Vertical	Pass
14838.290	-47.07	25.70	-13.0	-34.07	285.90	Horizontal	Vertical	Pass
16944.264	-44.89	26.54	-13.0	-31.89	77.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_10.51.36

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.824	-85.48	-10.61	-25.0	-60.48	117.30	Horizontal	Vertical	Pass
239.953	-75.35	-2.05	-25.0	-50.35	201.50	Horizontal	Vertical	Pass
448.935	-74.07	-1.60	-25.0	-49.07	169.70	Horizontal	Vertical	Pass
1189.453	-58.36	-2.24	-25.0	-33.36	34.70	Horizontal	Vertical	Pass
2507.123	-52.16	2.88	-25.0	-27.16	356.60	Horizontal	Vertical	Pass
5010.497	-53.16	2.95	-25.0	-28.16	259.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_10.47.47

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-64.91	10.17	-13.0	-51.91	9.10	Horizontal	Vertical	Pass
9350.662	-58.91	14.61	-13.0	-45.91	258.40	Horizontal	Vertical	Pass
11198.200	-55.85	16.01	-13.0	-42.85	342.40	Horizontal	Vertical	Pass
13213.447	-55.65	16.00	-13.0	-42.65	297.60	Horizontal	Vertical	Pass
14843.789	-47.40	25.70	-13.0	-34.40	192.60	Horizontal	Vertical	Pass
16881.030	-44.54	26.20	-13.0	-31.54	0.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_14.03.00

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
48.668	-84.80	-11.02	-25.0	-59.80	26.10	Horizontal	Vertical	Pass
240.680	-76.61	-2.20	-25.0	-51.61	202.40	Horizontal	Vertical	Pass
658.403	-70.78	1.88	-25.0	-45.78	300.30	Horizontal	Vertical	Pass
1193.952	-57.62	-2.03	-25.0	-32.62	339.40	Horizontal	Vertical	Pass
2507.623	-51.93	2.87	-25.0	-26.93	248.20	Horizontal	Vertical	Pass
5101.475	-52.41	2.59	-25.0	-27.41	260.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.54.02

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8074.981	-64.83	9.71	-13.0	-51.83	248.90	Horizontal	Vertical	Pass
9394.651	-59.64	15.23	-13.0	-46.64	80.10	Horizontal	Vertical	Pass
11187.203	-56.10	15.92	-13.0	-43.10	185.10	Horizontal	Vertical	Pass
13240.940	-56.51	15.83	-13.0	-43.51	78.40	Horizontal	Vertical	Pass
14843.789	-47.00	25.70	-13.0	-34.00	254.80	Horizontal	Vertical	Pass
16892.027	-44.46	26.19	-13.0	-31.46	250.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.48.53

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
109.035	-85.78	-11.34	-25.0	-60.78	263.30	Vertical	Vertical	Pass
238.983	-77.01	-2.42	-25.0	-52.01	338.20	Vertical	Vertical	Pass
449.178	-74.99	-1.56	-25.0	-49.99	60.50	Vertical	Vertical	Pass
846.293	-66.95	6.53	-25.0	-41.95	203.50	Vertical	Vertical	Pass
1189.453	-57.36	-2.24	-25.0	-32.36	162.80	Vertical	Vertical	Pass
2508.123	-52.18	2.85	-25.0	-27.18	260.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.50.36

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8044.739	-64.71	9.17	-13.0	-51.71	172.50	Vertical	Vertical	Pass
9364.409	-59.60	14.81	-13.0	-46.60	154.00	Vertical	Vertical	Pass
10508.123	-56.86	16.46	-13.0	-43.86	172.50	Vertical	Vertical	Pass
11596.851	-57.41	16.49	-13.0	-44.41	222.20	Vertical	Vertical	Pass
14772.307	-46.94	25.38	-13.0	-33.94	178.70	Vertical	Vertical	Pass
17461.135	-40.40	30.90	-13.0	-27.40	209.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_10.55.49

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.854	-85.00	-10.35	-25.0	-60.00	0.00	Vertical	Vertical	Pass
242.377	-76.05	-2.61	-25.0	-51.05	239.80	Vertical	Vertical	Pass
450.875	-74.66	-1.50	-25.0	-49.66	234.40	Vertical	Vertical	Pass
1189.453	-57.94	-2.24	-25.0	-32.94	345.20	Vertical	Vertical	Pass
2502.624	-52.00	2.97	-25.0	-27.00	360.00	Vertical	Vertical	Pass
5009.498	-53.50	2.95	-25.0	-28.50	290.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_10.45.38

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8063.984	-64.56	9.48	-13.0	-51.56	221.40	Vertical	Vertical	Pass
9325.919	-59.63	13.99	-13.0	-46.63	324.20	Vertical	Vertical	Pass
10733.567	-56.94	16.44	-13.0	-43.94	35.00	Vertical	Vertical	Pass
12757.061	-56.84	14.77	-13.0	-43.84	144.10	Vertical	Vertical	Pass
14824.544	-46.76	25.71	-13.0	-33.76	147.80	Vertical	Vertical	Pass
17516.121	-41.14	31.51	-13.0	-28.14	344.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.59.18

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.880	-84.18	-10.25	-25.0	-59.18	306.30	Vertical	Vertical	Pass
113.399	-84.69	-10.59	-25.0	-59.69	117.70	Vertical	Vertical	Pass
238.498	-75.94	-2.60	-25.0	-50.94	79.00	Vertical	Vertical	Pass
659.130	-70.37	1.91	-25.0	-45.37	63.40	Vertical	Vertical	Pass
1187.953	-57.72	-2.32	-25.0	-32.72	184.90	Vertical	Vertical	Pass
2505.624	-51.68	2.91	-25.0	-26.68	1.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-08-31_13.55.43

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20080008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-64.87	9.76	-13.0	-51.87	58.50	Vertical	Vertical	Pass
9345.164	-59.70	14.48	-13.0	-46.70	198.40	Vertical	Vertical	Pass
11165.209	-56.63	15.74	-13.0	-43.63	52.80	Vertical	Vertical	Pass
13199.700	-56.53	16.07	-13.0	-43.53	305.40	Vertical	Vertical	Pass
14838.290	-46.07	25.70	-13.0	-33.07	166.50	Vertical	Vertical	Pass
17584.854	-40.08	32.16	-13.0	-27.08	206.10	Vertical	Vertical	Pass