


|                         |   |               |                  |                    |
|-------------------------|---|---------------|------------------|--------------------|
| <b>ASSA ABLOY</b>       | Title<br><b>Modular Approval Letter</b> |               |                  |                    |
|                         | Category<br>Modular Approval Letter     |               | Type             |                    |
| Author<br>Susan Jansson | Document number<br>69 1402 017          | Revision<br>3 | Date<br>20150126 | Page (of)<br>1 (3) |

# ASSA ABLOY

## Modular Approval Letter

|   |  |               |                  |                    |
|---|--|---------------|------------------|--------------------|
|  | Title<br><b>Modular Approval Letter</b>    |               |                  |                    |
|   | Category<br><b>Modular Approval Letter</b> |               | Type             |                    |
| Author<br>Susan Jansson   | Document number<br>69 1402 017             | Revision<br>3 | Date<br>20150126 | Page (of)<br>2 (3) |

20150122

Telecommunication Certification Body  
UL VS Ltd  
Offices 18-26  
Grove House  
Lutyens Close  
Chineham Court  
Basingstoke  
Hampshire  
RG24 8AG  
United Kingdom

Subject: FCC Single-Modular Approval Letter

FCC ID: Y7V-681402004

To whom it may concern

We, **Assa Abloy Hospitality AS**, hereby declare that the product, **FCC ID: Y7V-681402004**, has met the single-modular approval requirements of FCC rule part §15.212(a) (1) and this is shown in the table below.

| Requirement  | Compliance: Yes or No with justification   |
|--|--|
| The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must be on the module assembly | <b>YES:</b> The radio frequency circuitry is shielded. Physical components and tuning capacitor(s) are located external to the shield, and are on the module assembly. |
| The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal   | <b>YES:</b> The module have a buffered GFKS modulation   |
| The module must contain power supply regulation on the module  | <b>YES:</b> The module has a power supply regulation IC2: LDO 3.0V SOT23-5 JST   |

|                         |  |               |                  |                    |
|-------------------------|--|---------------|------------------|--------------------|
| <b>ASSA ABLOY</b>       | Title<br><b>Modular Approval Letter</b>    |               |                  |                    |
|                         | Category<br><b>Modular Approval Letter</b> |               | Type             |                    |
| Author<br>Susan Jansson | Document number<br>69 1402 017             | Revision<br>3 | Date<br>20150126 | Page (of)<br>3 (3) |

|   |  |
|---|--|
| The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per Sections 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b) | <b>YES:</b> The module has an integrated PCB antenna   |
| The module must demonstrate compliance in a stand-alone configuration   | <b>YES:</b> The module has been tested in a stand-alone configuration.   |
| The module must be labelled with its permanently affixed FCC ID label, or use an electronic display (See KDB Publication 784748 about labelling requirements)   | <b>YES:</b> The module is labelled with:<br><b>FCC: Y7V-681402004</b>  |
| The module must comply with all specific rules applicable to the transmitter including all the conditions provided in the integration instructions by the grantee   | <b>YES:</b> The module comply with all specific rules applicable to the transmitter which includes Antenna Efficiency, Operating frequency, and Gain(dB) |
| The module must comply with RF exposure requirements  | <b>YES:</b> The module complies with RF exposure requirements according to the RF Exposure exhibit.  |

Yours faithfully,



**By:**

**Signature**

**Bjørn Kolstad**

**Printed**

**Title:**

**Manager Test Lab**

**On Behalf of:**

**Assa Abloy Hospitality AS**

**Telephone:**

**004769245000**