

7201 PARTS LIST

NO.	P/A	CODE	DESCRIPTION	UNITS	NUM	REF
1	P	H-0502-000JB0-B00	Resistance, 0 ohm, $\pm 5\%$, 1/16W, 0402	PCS	23	R301, R302, R410-R411, C419, R503-R504, R512, R522, R800-R801, R1202, R1247, R1248, R1331, R1321, R1322, R1324, B904, B905, R910, R416
2	P	H-0502-036FE0-D00	Resistance, 0.36 ohm, $\pm 1\%$, 1/4W, 0805	PCS	1	R300
3	p	H-0502-100JB0-B00	Resistance, 10 ohm, $\pm 5\%$, 1/16W, 0402	PCS	2	R303, R1114
5	P	H-0502-330JB0-B00	Resistance, 33 ohm, $\pm 5\%$, 1/16W, 0402	PCS	7	R202-R203, R901-R905
6	P	H-0502-101JB0-B00	Resistance, 100 ohm, $\pm 5\%$, 1/16W, 0402	PCS	2	R600, R604
9	P	H-0502-511JB0-B00	Resistance, 510 ohm, $\pm 5\%$, 1/16W, 0402	PCS	2	R605-R606
10	P	H-0502-102JB0-B00	Resistance, 1K ohm, $\pm 5\%$, 1/16W, 0402	PCS	11	R231, R405-R408, R601, R615, R941, R942, R1004, R1203
11	P	H-0502-152JB0-B00	Resistance, 1.5K ohm, $\pm 5\%$, 1/16W, 0402	PCS	3	R208, R608-R609
12	P	H-0502-202JB0-B00	Resistance, 2K ohm, $\pm 5\%$, 1/16W, 0402	PCS	3	R614, R802-R803
13	P	H-0502-512JB0-B00	Resistance, 5.1K ohm, $\pm 5\%$, 1/16W, 0402	PCS	1	R1245
14	P	H-0502-622FB0-B00	Resistance, 6.2K ohm, $\pm 1\%$, 1/16W, 0402	PCS	1	R201
15	P	H-0502-103JB0-B00	Resistance, 10K ohm, $\pm 5\%$, 1/16W, 0402	PCS	4	R206, R511, R513, R906
16	P	H-0502-153JB0-B00	Resistance, 15K ohm, $\pm 5\%$, 1/16W, 0402	PCS	1	R401
17	P	H-0502-203JB0-B00	Resistance 20K ohm, $\pm 5\%$, 1/16W, 0402	PCS	4	R621, R622, R651, R652
18	P	H-0502-473JB0-B00	Resistance, 47K ohm, $\pm 5\%$, 1/16W, 0402	PCS	4	R623, R653, R1115-R1116
20	P	H-0502-753JB0-B00	Resistance, 75K ohm, $\pm 5\%$, 1/16W, 0402	PCS	2	R624, R654
21	P	H-0502-104JB0-B00	Resistance, 100K ohm, $\pm 5\%$, 1/16W, 0402	PCS	1	R1133
22	P	H-0502-154JB0-B00	Resistance, 150K ohm, $\pm 5\%$, 1/16W, 0402	PCS	1	R209
27	P	H-0504-100555-400	ESD, 压敏Resistance, 0402, SDV1005E5R5C400NPTF Sunlord	PCS	17	VR600-VR605, VR651-VR652, VR702, VR902-VR905, VR907-VR909, VR1000

	A	H-0504-502050-B00	ESD, 压敏Resistance, 0402, AVLC5S02050, AMOTECH	PCS	17	VR600-VR605, VR651-VR652, VR702, VR902-VR905, VR907-VR909, VR1000
28	P	H-0504-AVRC5S-050	EMIX4;100ohm;25pF;2012; AVRC5S05Q050100R; AMOTECH	PCS	5	RCN701-RCN705
29	P	H-0602-15FC8A-B00	Capacitance, 1.5pF, ± 0.25 pF, 50V, COG, 0402	PCS	2	C414-C415
31	P	H-0602-22FC8A-B00	Capacitance, 2.2pF, ± 0.25 pF, 50V, COG, 0402	PCS	2	C404-C405
33	P	H-0602-33FC8A-B00	Capacitance, 3.3pF, ± 0.25 pF, 50V, COG, 0402	PCS	4	C425-C426, C428-C429
34	P	H-0602-39FC8A-B00	Capacitance, 3.9pF, ± 0.25 pF, 50V, COG, 0402	PCS	1	C1215
35	P	H-0602-47FD8A-B00	Capacitance, 4.7pF, ± 0.5 pF, 50V, COG, 0402	PCS	1	C418
36	P	H-0602-100J8A-B00	Capacitance, 10pF, $\pm 5\%$, 50V, COG, 0402	PCS	3	C401, C1204-C1205
38	P	H-0602-220J8A-B00	Capacitance, 22pF, $\pm 5\%$, 50V, COG, 0402	PCS	3	C203-C204, C456
39	P	H-0602-270J8A-B00	Capacitance, 27pF, $\pm 5\%$, 50V, COG, 0402	PCS	3	C431, C1100, C1103
40	P	H-0602-330J8A-B00	Capacitance, 33pF, $\pm 5\%$, 50V, COG, 0402	PCS	2	C410-C411
42	P	H-0602-470J8A-B00	Capacitance, 47pF, $\pm 5\%$, 50V, COG, 0402	PCS	8	C312, C435, C619, C622, C721-C724
43	P	H-0602-560J8A-B00	Capacitance, 56pF, $\pm 5\%$, 50V, COG, 0402	PCS	1	C455
44	P	H-0602-101J8A-B00	Capacitance, 100pF, $\pm 5\%$, 50V, COG, 0402	PCS	11	C406-C407, C409, C413, C601, C605, C607, C609, C656, C1207, C1243
45	P	H-0602-471K8A-B00	Capacitance, 470pF, $\pm 10\%$, 50V, X7R, 0402	PCS	1	C209
46	P	H-0602-681K8D-B00	Capacitance, 680pF, $\pm 10\%$, 50V, COG, 0402	PCS	2	C402-C403
47	P	H-0602-102K8D-B00	Capacitance, 1nF, $\pm 10\%$, 50V, X7R, 0402	PCS	1	C202
48	P	H-0602-103K4D-B00	Capacitance, 10nF, $\pm 10\%$, 16V, X7R, 0402	PCS	3	C201, C300, C436
49	P	H-0602-223K3D-B00	Capacitance, 22nF, $\pm 10\%$, 16V, X7R, 0402	PCS	8	C602-C604, C606, C651, C652, C661, C662
50	P	H-0602-104K3C-B00	Capacitance, 100nF, $\pm 10\%$, 10V, X5R, 0402	PCS	14	C200, C330, C400, C501, C502, C600, C657, C663, C700, C800-C801, C1245, C1248-C1249

51	P	H-0602-105K3C-C00	Capacitance, 1uF, $\pm 10\%$, 10V, X5R, 0603	PCS	3	C205, C301-C302	
52	P	H-0602-105K2C-B00	Capacitance, 1uF, $\pm 10\%$, 6.3V, X5R, 0402	PCS	13	C206-C208, C420-C423, C1134, C1201-C1203, C1210-1211	
53	P	H-0602-225K2C-C00	Capacitance, 2.2uF, $\pm 10\%$, 6.3V, X5R, 0603	PCS	9	C304-C305, C307-C310, C628, C653, C664	
54	P	H-0602-475K2C-C00	Capacitance, 4.7uF, $\pm 10\%$, 6.3V, X5R, 0603	PCS	2	C210, C1206	
55	P	H-0602-106M2C-D00	Capacitance, 10uF, $\pm 20\%$, 6.3V, X5R, 0805	PCS	7	C211, C303, C311, C437, C623-C625	
57	P	H-0701-24FSB1-001	Inductance, 2.4nH, ± 0.3 nH, 0402, SDCL1005C2N4STDF, SUNLORD	PCS	1	L404	
	A	H-0701-24FSB1-000	Inductance, 2.4nH, ± 0.3 nH, 0402, LQG15HS2N4S02D, MURATA	PCS	1	L404	
58	P	H-0701-39FSB1-001	Inductance, 3.9nH, ± 0.3 nH, 0402, SDCL1005C3N9STDF, Sunlord	PCS	1	L1201	
	A	H-0701-39FSB1-000	Inductance, 3.9nH, ± 0.3 nH, 0402, LQG15HS3N9S02, Murata	PCS	1	L1201	
59	P	H-0701-62FSB1-001	Inductance, 6.2nH, ± 0.3 nH, 0402, SDCL1005C6N2STDF, SUNLORD	PCS	2	L405-L406	
	A	H-0701-62FSB1-000	Inductance, 6.2nH, ± 0.3 nH, 0402, LQG15HS6N2J02D, Murata	PCS	2	L405-L406	
60	P	H-0701-100JB1-001	Inductance, 10nH, $\pm 5\%$, 0402, SDCL1005C10NJTDF, Sunlord	PCS	1	L400	
	A	H-0701-100JB0-000	Inductance, 10nH, $\pm 5\%$, 0402, , HK100510NJ-T, Taiyo-yuden	PCS	1	L400	
	A	H-0701-100JB1-000	Inductance, 10nH, $\pm 5\%$, 0402, LQG15HS10NJ02D, Murata	PCS	1	L400	
61	P	H-0701-150JB1-001	Inductance, 15nH, $\pm 5\%$, 0402, SDCL1005C15NJTDF, Sunlord	PCS	1	L403	
	A	H-0701-150JB1-000	Inductance, 15nH, $\pm 5\%$, 0402, LQG15HS15NJ02D, Murata	PCS	1	L403	
	A	H-0701-150JB0-000	Inductance, 15nH, $\pm 5\%$, 0402, , HK100515NJ-T, Taiyo-yuden	PCS	1	L403	
65	P	H-0801-100575-000	Bead, 75 ohm, 0402, SZ1005G750TF, Sunlord	PCS	8	B600-B603, B1-B4	
	A	H-0801-15750S-000	Bead, 75 ohm, 0402, BLM15BB750SN1D, Murata	PCS	8	B600-B603, B1-B4	
66	P	H-0801-100510-200	Bead, 1000 ohm, 250mA, 0402, HZ1005K102TF, Sunlord	PCS	3	B901-B903	
	A	H-0801-15102S-000	Bead, 1000 ohm, 250mA, 0402, BLM15HD102SN1, Murata	PCS	3	B901-B903	
67	P	H-1401-TPCF8B-010	TRANSISTOR-PMOSFET-20V-1.5V-3.2A-1.1W-1206A, TPCF8B01, TOSHIBA	PCS	1	Q301	

	A	H-1401-02005B-000	MOSFET WITH SCHOTTKY, WPM2005B-8/TR, DFN3x2-8L, WILL	PCS	1	Q301	
70	P	H-1401-SI1305-DLT	P-FET;0.28ohm;-0.86A;0.29W;SC-70-3, SI1305DL-T1-E3, VISHAY	PCS	1	Q1101	
	A	H-1401-004101-100	P-FET(-20V, -1.37A), SIS4101PT1G, SOT-323, SIG	PCS	1	Q1101	
71	P	H-1501-HB336G-000	0603 LED(Blue), BL-HB336G-TRB, BRIGHT	PCS	12	D1007-D1018	
	A	H-1501-C193TB-KT5	LED(Blue), LTST-C193TBKT-5A, LITE-ON	PCS	12	D1007-D1018	
	A	H-1501-0603B0-009	0603 LED(Blue), 0.35mmH, AOT-0603BL31A-N0-N-3-M, AOT	PCS	12	D1007-D1018	
	A	H-1501-0603B0-005	0603 LED(Blue), HT-193NB5, HARVATEK	PCS	12	D1007-D1018	
72	P	H-1100-631301-000	SBD, SIG631E30T1G, SOD-523, SIG	PCS	3	D1002-D1003, D1100	
	A	H-1100-521S30-000	SBD, RB521S-30TE61, ROHM	PCS	3	D1002-D1003, D1100	
	A	H-1100-DSF521-000	SBD, DSF521, TOSHIBA	PCS	3	D1002-D1003, D1100	
74	P	H-1401-SSM3K7-002	IC, N-Channel FET, SOT-23, SSM3K7002F, Toshiba	PCS	2	Q901, Q1102	
75	P	H-1100-ESD5Z5-000	TVS DIODE, (5V, 80pf), ESD5Z5.0T1G, SOD523, ONSEMI	PCS	1	TVS301	
	A	T-1100-000057-000	TVS DIODE(7V, 65pf), ESD5Z7.0T1G, SOD23, ONSEMI	PCS	1	TVS301	
76	P	Z-1401-SC6600-H30	SC6600L3 (SC6600H3)	PCS	1	U100	
79	P	H-1401-RF7168-000	Switch+PA; dual-band; 3.1~4.8V, RF7168, RFMD	PCS	1	U402	
80	P	Z-1401-QQS518-000	GSM RF TRANCEIVER, 40PIN	PCS	1	U404	
81	P	H-1800-009418-100	Dual SAW (DCS/EGSM), EFCH9418TDL1, PANASONIC	PCS	1	U405	
	A	H-1800-900180-010	Dual SAW (EGSM/DCS), SAWEN942MCN0F00, MURATA	PCS	1	U405	
	A	H-1800-001894-005	Dual SAW (DCS/EGSM), SFR942PY002, WISOL	PCS	1	U405	
82	P	H-1401-064NB0-000	MCP, PSRAM+NOR FLASH (64Mb+32Mb), S71GL064NBOBFWOZ, SPANSION	PCS	1	U501	
	A	H-1401-005600-02E	IC, MCP, BGA, 6432, V00560002EDGB, Toshiba	PCS	1	U501	
	A	T-1401-056331-009	MCP, PSRAM+NOR FLASH (64Mb+32Mb), FBGA56, K5L6331CAA, SAMSUNG	PCS	1	U501	

83	P	H-1401-BF6521-000	Audio PA, BF6521AC2, WCSP, BYD	PCS	2	U601-U602	
	A	H-1401-SN4990-A00	Audio PA, SN4990AIF09E, SI-EN	PCS	2	U601-U602	
90	P	H-2107-034731-001	Battery connector, 3pins, 5.0mmH, PAN37-03473-1001(1002), LCN	PCS	1	J301	
92	P	H-2108-050040-100	Headset Jack, ST-050SMT-040-100, PULIANG	PCS	1	J901	
93	P	H-2103-01215T-P03	MINI USB Jack, 12PIN, 2.0mmH, MICFS-01215-TP03 (UAF05-12204-1501), LCN	PCS	1	J902	
94	P	H-2112-110819-000	T-FLASH Connect, 1.9mmH, CAH11-08193-SF03, LCN	PCS	1	TF1100	
	A	H-2112-110819-001	T-FLASH Connector, 1.93mmH, WKTFH010-S01, JTCONN	PCS	1	TF1100	
95	P	H-2105-00615T-P31	SIM Connector, 1.80mmH, SIMMS-00615-TP31 (CAF99-06183-1503), LCN	PCS	2	J1100-J1101	
96	P	H-2200-32K768-002	32.768KHz crystal, 12.5pF, \pm 20ppm, Q13MC1462000200 (Q13MC1461000200), EPSON	PCS	1	X200	
	A	H-2200-32K768-001	Crystal, 32.768KHz, \pm 20ppm, 12.5pF, , SII SSP-T7-F	PCS	1	X200	
	A	H-2200-32K768-000	32.768KHzCrystal, 12.5pF, \pm 20ppm, MS3V-T1R, MICRO	PCS	1	X200	
97	P	H-2200-426245-000	Crystal;26MHZ;+/-10ppm;8.0pf; 3225; TN4-26245; EPSON;	PCS	1	X400	
	A	H-2200-26M000-002	Crystal, 26MHz, CX3225SB26000C4FZF06-KYOCERA	PCS	1	X400	
99	P	H-2302-720122-000	PCB主板, 7201-MB-V2.2	PCS	1		
100	P	H-5305-9110RF-000	RF shielding cover, Copper-Nickel-Zinc Alloy, 24.5x13.4x1.75mm, 9110	PCS	1		
101	P	H-5309-720100-000	ATV shielding cover, Copper-Nickel-Zinc Alloy, 22x15.2x1.9mmH, 7201	PCS	1		
102	P	H-5303-720100-000	BB shielding cover, Copper-Nickel-Zinc Alloy, 28.5x17.8x1.9mmH, 7201	PCS	1		