

## **Modular Approval Request Letter**

Date: 2020-04-14

Product Name: DA14531 SmartBond TINY Module

Model Number: DA14531MOD-00F0100

FCC ID: Y82-DA14531MOD

Requirement of Public Notice DA00 - 1407 / part 15.212	
1. The modular transmitter must have its own RF shielding.	Yes
	The module has its RF circuitry shield.
2. The modular transmitter must have buffered modulation/data inputs.	Yes.
	The module has buffered modulation/data inputs
3. The modular transmitter must have its own power supply regulation.	Yes.
	The module has a power conversion and voltage regulator design.
4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204(c).	Yes.

Dialog Semiconductor B.V. Het Zuiderkruis 53 5215 MV 's-Hertogenbosch The Netherlands

5215 MV 's-Hertogenbose The Netherlands Chamber of Commerce #17177191 T: +31 (0) 73 640 88 22 F: +31 (0) 73 640 88 23 info@diasemi.com www.dialogsemiconductor.com Registered Office
Dialog Semiconductor B.V.
VAT: NL814292902B01

Bank Details
HSBC France, Amsterdam Branch
De entree 250, 1101 EE Amsterdam
Swift code: HSBCNL2A
IBAN: NL93HSBC0733646689 USD
Account

Account
IBAN: NL24HSBC0733646670 Euro
Account



	The antenna is a PCB antenna which is permanently attached.
5. The modular transmitter must be tested in a stand - alone configuration, i.e., the module must not be inside another device during testing.	Yes.  This module is always powered by 3.0Vdc. The module is used in the same manner during testing and end product usage.
6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module.	Yes.  This module will be labelled with its FCC ID number and IC number. When the module is installed in our products and it is not visible, an external label will be applied which refer to the modules FCC ID number and IC number inside.

Account IBAN: NL24HSBC0733646670 Euro Account



7. The modular transmitter must comply with any specific rule or	
operating requirements applicable to the transmitter and the	
manufacturer must provide adequate instructions along with the module	
to explain any such requirements. A copy of these instructions must be	
included in the application for equipment authorization.	

Yes.

This module is to be used by OEM following the instructions given the User Manual. The user manual of host provided to provide the instruction to meet the equipment authorization.

8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine Environmental evaluation for RF Exposure to demonstrate compliance. In addition spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4).

Yes.

This module is for OEM market. Due to the inherent low power of the module is compliance with the Rf exposure requirements.

Sincerely,

Jacques Theunissen

Senior Director

Dialog Semiconductor B.V.

iacaues.theunissen@diasemi.com

Mob +31653377422

Het Zuiderkruis 53 5215 MV 's-Hertogenbosch The Netherlands Chamber of Commerce #17177191