Request for Modular Approval

Date: November 9, 2019				
Subject: Manufacturer's Declaration for	☑ - Modular Approval☐ - Limited Modular Approval	☐ - Split Modu ☐ - Limited Sp		
Confidentiality Request for: Y991	<u>DEJ565</u>			
	asic Requirements - FCC Part 15.212(
	Limited Module Description Must be lapproval Requirement	Filled Out on the F		
The modular transmitter must have its ow does not have to rely upon the shielding pall modular transmitter emissions to complete tween the RF circuitry of the module a module is installed. Such coupling may retuning capacitors may be located external	orn RF shielding. This is intended to ensur- provided by the device into which it is insoly with FCC limits. It is also intended to and any wires or circuits in the device into esult in non-compliant operation. The ph	stalled in order for prevent coupling which the ysical crystal and	⊠ - YES	ment Met
Details: The module contains a metal s side of the board. See photo provided wi		and circuitry. The s	hield is locate	ed on the top
2. The modular transmitter must have buffer ensure that the module will comply with or over-modulation. 15.212(a)(1)(ii)			⊠ - YES	□ - NO(*)
Details: Data to the modulation cir filed with this application for full do	cuit is buffered on the module; please re escription.	efer to the operation	nal description	n document
The modular transmitter must have its ow to ensure that the module will comply will supplying circuitry in the device into whi	h FCC requirements regardless of the de	sign of the power	⊠ - YES	□ - NO(*)
Details: The module contains its own po Please refer to the schematics and opera				
4. The modular transmitter must comply win 15.203, 15.204(b), 15.204(c), 15.212(a), attached or employ a "unique" antenna cantenna, including the cable). The "profe applicable to modules but can apply to lin 15.212(a)(1)(iv)	and 2.929(b). The antenna must either be coupler (at all connections between the massional installation' provision of § 15.20	permanently odule and the 03 is not	⊠ - YES	□ - NO(*)
Details: The module connects to its anto connector. The antenna tested was a PI			ector is a non	-standard
5. The modular transmitter must be tested in inside another device during testing. This complying with Part 15 emission limits re Unless the transmitter module will be bat requirements found in Section 15.207. At to the module must not contain ferrites, u 15.27(a)). The length of these lines shall unknown, at least 10 centimeters to insurand supporting equipment. Any accessor module during testing shall be unmodified 15.212(a)(1)(v)	is intended to demonstrate that the module gardless of the device into which it is eventery powered, it must comply with the AC C or DC power lines and data input/output nless they will be marketed with the module length typical of actual use or, if that lee that there is no coupling between the cases, peripherals, or support equipment corrections.	ale is capable of entually installed. If line conducted at lines connected alle (see Section ength is see of the module enected to the	⊠ - YES	□ - NO(*)
D . 11 M . 1				. 11 .

Details: Test data contained in this application is for the device tested as a stand-alone device connected externally to a PC. See test set-up photographs filed with this application.

Modular Approval Requirement		Requirement Met	
6. The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible where the module is installed inside another device, then the outside of the device into which the module installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must include instructions on how to access the electronic display.	hen e is be	□ - NO(*)	
be included in the application for equipment authorization. 15.212(a)(1)(vi) Details: The module is appropriately labeled (refer to the label and label location drawing application). Information to the integrator of this device regarding the labeling requirement contained in the instructions provided with the module.			
7. The modular transmitter must comply with all specific rule or operating requirements applicable the transmitter, including all the conditions provided in the integration instructions by the grantee A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	e.	□ - NO(*)	
Details: The module complies with FCC Part 15C requirements. Instructions to the OEM installer are provided in the installation manual filed with this application.>			
8. The modular transmitter must comply with any applicable RF exposure requirements. For examp FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave deviperform routine environmental evaluation for RF Exposure to demonstrate compliance. In additions spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	ces on, e	□ - NO(*)	
Details: The module meets the requirements for a mobile/portable device that may be used at separ 12mm from the human body. Refer to the RF Exposure test report submitted with this application.	ation distances of	more than	

Limited Module Description – When Applicable
* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA).
This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control
over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the
LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the
end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of
the end product is always ensured should be provided here.

Details: N/A

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement	Requirement Met		
 For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280. 	☑ - Provided in SeparateCover Letter	□ - N/A	
Details: <example a="" adjusted="" application.="" as="" be="" by="" cannot="" cover="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" of="" or="" separate="" the="" this="" user="" with="" –=""></example>			
2. For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.	☐ - Provided in Separate Cover Letter	⊠ - N/A	
Details: N/A			

Split Modular Requirements				
Requirement	Provided in Manual			
 For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained. 	☐ - Provided in Separate Cover Letter	⊠ - N/A		
Details: N/A				

OEM Integration Manual Guidance – KDB 996369 D03 Section 2			
			dures
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.			
Requirement			
		⊠ - No,	
		If No, and LMA applies, the applicant	can ontionally choose to
		not make the following detailed info pu	
Is this module intended for		needs to be basic integration instruction	
sale to third parties?	□ - YES	the information below must still be inc	
sale to time parties.		description. If the applicant wishes to k	
		this will require a separate statement co	
		module is not for sale to third partie	
T4		instructions are internal confidence	ential documents.
		al – See KDB 996369 D03, Section 2 ormation to be in the installation manual	Modular transmittar
		or all these items indicating clearly when	
		dicate "Not Applicable". Also if a modu	
		arties, the user instructions may not need	
following items can be place	ed in the operational descrip	otion, but this should include a cover let	ter as cited above.
List of applicable FCC rules. K		2	
	lated to the transmitter.		
2. Summarize the specific operation			
		oss, reduction of power for point to point	
	ional installation info		
Limited Module Procedures. KI Describe alternate		ses to verify the host meets the necessary	
a. Describe alternate limiting condition		ses to verify the nost meets the necessary	
		ate how control will be maintained such	
	is ensured, such as Class II fo		the left are provided in
4. Trace antenna designs. KDB 99			the Modular Integration Guide (or UM) for Full
		nnectors, isolation requirements, tests for	Modular Approval
		dures for ensuring compliance. If	(MA) or LMA.
		ntial must be identified and information	(
	operational description.		☐ - An LMA applies
5. RF exposure considerations. KI		ow host manufacturers to use the	and is approved ONLY
			for use by the grantee in
module. Two types of instructions are necessary: first to the host manufacturer to define conditions (mobile, portable – xx cm from body) and second additional text their own products, and			
	vided to the end user in the h		not intended for sale to
6. Antennas. KDB 996369 D03, S		•	3 rd parties as provided in
		nd all applicable professional installer	a separate cover letter.
		shall also identify the antenna types	Therefore the
(monopole, PIFA, dipole, etc – note that "omni-directional" is not considered a type) information shown to			
7. Laber and compnance information. KDB 990309 D03, Section 2.8			
a. Advice to nost integrators that they need to provide a physical of e-tabel stating			
	"Contains FCC ID: " with their finished product 8. Information on test modes and additional testing requirements. KDB 996369 D03, Section 2.9		
a. Test modes that should be taken into consideration by host integrators including			
	cessary for stand-alone and si		
	tion on how to configure test		
9. Additional testing, Part 15 Subp			
Sincerely,			
Sincerery,			

By: Jay Moulton, RF Exposure Lab
(Signature/Title¹) (Print name)