## **Request for Modular Approval**

Date: September 7, 2022				
Subject: Manufacturer's Declaration for □ - Modular Approval □ - Subject: Manufacturer's Declaration for □ - Limited Modular Approval □ - Limited Modular Approv	plit Modula nited Split N			
Confidentiality Request for:				
8 Basic Requirements – FCC Part 15.212(a)(1) For Items Marked "NO(*)", the Limited Module Description Must be Filled O	ut on the Fol	lowing Page	es	
Modular Approval Requirement			ment Met	
1. The modular transmitter must have its own RF shielding. This is intended to ensure that the does not have to rely upon the shielding provided by the device into which it is installed in all modular transmitter emissions to comply with FCC limits. It is also intended to prevent between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical cutuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i)	order for coupling the	⊠ - YES	□ - NO(*)	
Details: The module contains a metal shield which covers all RF components and circuside of the board. See photo provided with this application.	Details: The module contains a metal shield which covers all RF components and circuitry. The shield is located on the top side of the board. See photo provided with this application.			
2. The modular transmitter must have buffered modulation/data inputs (if such inputs are pro ensure that the module will comply with FCC requirements under conditions of excessive or over-modulation. 15.212(a)(1)(ii)		⊠ - YES	☐ - NO(*)	
Details: Data to the modulation circuit is buffered on the module; please refer to the filed with this application for full description.	he operationa	l description	ı document	
3. The modular transmitter must have its own power supply regulation on the module. This is to ensure that the module will comply with FCC requirements regardless of the design of t supplying circuitry in the device into which the module is installed. 15.212(a)(1)(iii)		⊠ - YES	□ - NO(*)	
Details: The module contains its own power supply regulation and the rf reference oscillator is contained within the module.  Please refer to the schematics and operational description documents filed with this application for full description.				
4. The modular transmitter must comply with the antenna and transmission system requirement 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be permanattached or employ a "unique" antenna coupler (at all connections between the module are antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph 15.212(15.212(a)(1)(iv)	ently nd the	⊠ - YES	□ - NO(*)	
Details: The module connects to its antenna via using an UFL type connector. This antenna connector is a non-standard connector. The antenna tested was a PIFA type and the data sheet is included in the application.				
5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must inside another device during testing. This is intended to demonstrate that the module is cap complying with Part 15 emission limits regardless of the device into which it is eventually Unless the transmitter module will be battery powered, it must comply with the AC line or requirements found in Section 15.207. AC or DC power lines and data input/output lines or to the module must not contain ferrites, unless they will be marketed with the module (see 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the and supporting equipment. Any accessories, peripherals, or support equipment connected module during testing shall be unmodified or commercially available (see Section 15.31(i) 15.212(a)(1)(v)	pable of installed. onducted connected Section e module to the	⊠ - YES	□ - NO(*)	
Details: Test data contained in this application is for the device tested as a stand-air PC. See test set-up photographs filed with this application.	lone device co	nnected ext	ernally to a	

	Modular Approval Requirement	Require	ment Met
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748).  If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.	⊠ - YES	□ - NO(*)
	If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)		
	Details: The module is appropriately labeled (refer to the label and label location drawings co application). Information to the integrator of this device regarding the labeling requirements contained in the instructions provided with the module.		
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)
	Details: The module complies with FCC Part 15C requirements. Instructions to the OEM installer installation manual filed with this application.>	are provided	in the
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)
Details: The module meets the requirements for a mobile/portable device that may be used at separation distances of more than			

12mm from the human body. Refer to the RF Exposure test report submitted with this application.

Limited Module Description – When Applicable
* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA).
This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control
over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the
LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the
end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of
the end product is always ensured should be provided here.

Details: N/A

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement	Requirement Met		
1. For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.	□ - Provided in Separate     Cover Letter	□ - N/A	
Details: <example a="" adjusted="" application.="" as="" be="" by="" cannot="" cover="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" of="" or="" separate="" the="" this="" user="" with="" –=""></example>			
<ol> <li>For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.</li> </ol>	☐ - Provided in Separate Cover Letter	⊠ - N/A	
Details: N/A			

Split Modular Requirements				
Requirement	Provided in Manual			
<ol> <li>For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained.</li> </ol>	☐ - Provided in Separate Cover Letter	⊠ - N/A		
Details: N/A				

OEM Integration Manual Guidance – KDB 996369 D03 Section 2					
	Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.				
101 till	nu-parties to use and/or in	negrate the module into a nost device.			
Requirement					
		⊠ - No,			
		If No, and LMA applies, the applicant can optionally choose to			
		not make the following detailed info public. However there still			
Is this module intended for	_	needs to be basic integration instruction	ns for a users manual and		
sale to third parties?	☐ - YES	the information below must still be inc			
1		description. If the applicant wishes to k			
		this will require a separate statement co			
		module is not for sale to third partie instructions are internal confide			
Items	required to be in the man	ual – See KDB 996369 D03, Section 2	ential documents.		
		Formation to be in the installation manual	. Modular transmitter		
		or all these items indicating clearly when			
		ndicate "Not Applicable". Also if a modu			
		arties, the user instructions may not need			
following items can be place	ed in the operational descri	iption, but this should include a cover let	ter as cited above.		
1. List of applicable FCC rules. K		2			
	elated to the transmitter.				
2. Summarize the specific operation					
	as limits on antennas, cable ional installation info	loss, reduction of power for point to point			
3. Limited Module Procedures. Kl		1			
		ises to verify the host meets the necessary			
limiting condition		ises to verify the nest incees the necessary	□ - All Items shown to		
		state how control will be maintained such	the left are provided in		
	is ensured, such as Class II f	for new hosts, etc.	the Modular Integration		
4. Trace antenna designs. KDB 99			Guide (or UM) for Full		
		onnectors, isolation requirements, tests for	Modular Approval		
		edures for ensuring compliance. If ential must be identified and information	(MA) or LMA.		
	operational description.	ential must be identified and information			
5. RF exposure considerations. KI			☐ - An LMA applies		
		low host manufacturers to use the	and is approved ONLY		
		sary: first to the host manufacturer to	for use by the grantee in		
		from body) and second additional text	their own products, and not intended for sale to		
	vided to the end user in the	host product manuals.	3 <sup>rd</sup> parties as provided in		
6. Antennas. KDB 996369 D03, S		and all applicable professional installer	a separate cover letter.		
		st shall also identify the antenna types	Therefore the		
		nni-directional" is not considered a type)	information shown to		
7. Label and compliance information			the left is found in the		
		provide a physical or e-label stating	theory of operation.		
	D: " with their finished prod				
	8. Information on test modes and additional testing requirements. KDB 996369 D03, Section 2.9				
	a. Test modes that should be taken into consideration by host integrators including clarifications necessary for stand-alone and simultaneous configurations.				
	cessary for stand-alone and s tion on how to configure tes				
9. Additional testing, Part 15 Subr					
7. Manifold testing, I art 13 Suop	Jane D discinifici. IXDD 770.	507 203, Beetion 2.10			
C:1					

Sincerely,

By: /Vice President (Signature/Title<sup>1</sup>)

\_Jay Moulton, RF Exposure Lab\_\_\_\_\_ (Print name)