



USER MANUAL

TFX-303


Parts & Function




Battery Installation




Insert a CR2032 Battery





Installation




Release the lock and slide to open the cover




Mark 2 holes on the wall using a pencil



Drill 2 holes follow the marking




Fix the mounting plate with screws provided



Slide the transmitter until hear a click sound


Wall socket



Phone

Pairing

1. Make the receiver into the pairing mode follow the receiver manual
2. Press the test button once on the transmitter




Battery low indication

Once the transmitter unit detect battery voltage is low, The battery low information will be sent to the receiver for display

Code Conflict

If the transmitter coding is the same as another transmitter you must change the code. When you have changed the code re-pair the transmitter is needed.

Open the cover, Open the cover. Press and hold the test button, insert the battery whilst holding the button for 5 seconds. The LED will flash 5 times when a new code is generated



This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- * Reorient or relocate the receiving antenna.
- * Increase the separation between the equipment and receiver.
- * Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: Modifications to this product will void the user's authority to operate this equipment.

