

775 Montague Expressway Milpitas, CA 95035 Tel: 408-526-1188 Fax: 408-526-1088 Email: TCB@siemic.com

## Modular Approval Declaration Letter

Reason for Amendment (current / obsolete)	Revision History		
	From	То	Approved Date
Initial Release (Obsolete)	1.0	1.0	Dec-04-2006
Added IC Modular Letter (Obsolete)	1.0	2.0	Feb 16 2009
Add LMA and MA option (Obsolete)	2.0	3.0	April 14 2010
Revised per RSS Gen issue 3.0 (Obsolete)	3.0	4.0	Jan 12 2011
Removed Foot(2) (obsolete)	4.0	5.0	July 19 2011
Adding New note per KDB996369 D01 V01R03 (obsolete)	5.0	6.0	August 29 2011
Updated company template & Added text box (current)	6.0	7.0	Jan-31-2012



## **InnoComm Mobile Technology Corporation**

01//25/2019

Wireless consol module, FCC ID: YAI-CIC22101, is seeking FCC Authorization as a Single Modular transmitter / Single Limited Modular Approval (Please check one). The EUT meets the requirements for Single Modular approval / Single Limited Modular Approval (please check one) as detailed in FCC public Notice DA00-1407. Compliance to each of the requirements is described below:				
Questions are: * Please provide a detailed explanation if the answer is "No."				
"The modular transmitter must have its own RF shielding." ⊠ Yes / □ No				
2. "The modular transmitter must have buffered modulation/data inputs." ⊠ Yes / □ No				
3. "The modular transmitter must have its own power supply regulation." ⊠ Yes / □ No				
4. "The modular transmitter must comply with the antenna requirements of section 15.203 and 15.204(c)." 🖂 Yes / 🗌 No				
5. "The modular transmitter must be tested in a stand-alone configuration."   Yes /   No				
6. "The modular transmitter must be labeled with its own FCC ID number." ⊠ Yes / □ No				
7. "The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacture must provide adequate instruction along with the module to explain any such requirements."				
8. "The modular transmitter must comply with any applicable RF exposure requirements."				
Note:  (1) LMA may be granted when one or more of the requirements in the table above cannot be demonstrated.  LMA will also be issued in those instances where applicants can demonstrate that they will retain control over the final installation of the device, such that compliance of the end product is assured. In such cases, an operating condition on the LMA for the module must state that the module is only approved for use when installed in devices produced by a specific manufacturer.  When LMA is sought, the application for equipment certification must specifically state how control of the end product into which the module will be installed, and will be maintained, such that full compliance of the end product is always ensured.  (2) Please provide Clear and specific instructions describing the conditions, limitations and procedures for third-parties to use and/or integrate the module into a host device.  (3) For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description of how such control is implemented to ensure prevention of third party modification must be provided (see KDB 594280).				
Note 1: Compliance of a module in its final configuration is the responsibility of the applicant. A host device will not be considered certified if the instructions regarding antenna configuration provided in the original description, of one or more separately certified modules it contains, were not followed.  Example: A separately certified low-power transceiver module using Bluetooth technology which is housed in a desktop computer, laptop or peripheral does not require the overall system to be recertified, if the desktop computer, laptop or peripheral, as a stand-alone unit, complies with all applicable technical standards.				
Client's signature <u>Leller Lim</u>				
Client's name / title Keller Line / PV Manager				
Contact information / address keller.lin@innocomm.com				



## **InnoComm Mobile Technology Corporation**

01/25/2019

Wireless consol module, IC ID: 20480-CIC22101						
is seeking IC Authorization as a modular transmitter / Limited Modular Transmitter (Please check one).						
	$\Gamma$ meets the requirements for $oxtimes modular appriled in RSS GEN. Compliance to each of the rec$					
as uctai	led in 1000 OEM. Compliance to each of the rec		Delow.			
a.		e a detailed explanation if the itry must be shielded. Physica	answer is "No."  I/discrete and tuning capacitors may be located external to the			
b.	The module shall have buffered modulation/data input(s) out in the applicable RSS standard under conditions of € Yes / □ No		to ensure that the module will comply with the requirements set nodulation.			
C.			re that the module will comply with the requirements set out in the st device which houses the module			
d.	The module shall comply with the provisions for external shall contain a detailed description of the configuration of		as detailed in this standard. The equipment certification submission $\mbox{\it d}$ with the module.			
e.	during testing	icable standard in a stand-alo	ne configuration, i.e. the module must not be inside another device			
f.	☐ Yes / ☐ No The module shall comply with the Category I equipment	labelling requirements.				
g.	<ul><li></li></ul>	sure requirements, which are	based on the intended use/configurations.			
h.	(h) Is the modular device for an Industry Canada license ☐ Yes / ☐ No	ed exempt service?				
Note:						
(1)	that compliance of the end product is assured. In such c approved for use when installed in devices produced by	ants can demonstrate that the cases, an operating condition of a specific manufacturer.  ification must specifically state	y will retain control over the final installation of the device, such on the LMA for the module must state that the module is only how control of the end product into which the module will be			
Note 1: Compliance of a module in its final configuration is the responsibility of the applicant. A host device will not be considered certified if the instructions regarding antenna configuration provided in the original description, of one or more separately certified modules it contains, were not followed.						
	A separately certified low-power transceiver module using Blueto e recertified, if the desktop computer, laptop or peripheral, as a se		n a desktop computer, laptop or peripheral does not require the overall applicable technical standards.			
Client's	signature <u>Keller Lin</u>					
Client's name / title Keller Lin /PV Manager						
Contact information / address keller.lin@innocomm.com						
SCS-F26	Modular Approval Letter	Page 3 of 4	Rev 7.0			