


Report No.: FYCR220400013407

Page: 64 of 81






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



Report No.: FYCR220400013407

Page: 65 of 81







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



Report No.: FYCR220400013407

Page: 66 of 81








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



Report No.: FYCR220400013407

Page: 67 of 81






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



Report No.: FYCR220400013407

Page: 68 of 81






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com



Report No.: FYCR220400013407

Page: 69 of 81





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com



Report No.: FYCR220400013407

Page: 70 of 81

### 6.6 Field strength of spurious radiation

Test Requirement: §2.1051, §22.917, §24.238

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: ≤ -13dBm


#### 6.6.1 E.U.T. Operation


Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode: 30:TX mode\_Keep the EUT in transmitting mode

#### 6.6.2 Test Setup Diagram





EUT

Substiute Antenna+Signal Generator



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at <a href="https://www.ags.com/en/Terms-and-Conditions.agpx">https://www.ags.com/en/Terms-and-Conditions.agpx</a> and, for electronic Documents at <a href="https://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.agpx">https://www.agpx.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-a-Document.agpx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention, To check the guiter first proof of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443



Report No.: FYCR220400013407

Page: 71 of 81

#### 6.6.3 Measurement Procedure and Data

#### **Test Procedure:**

- (1)On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3)The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5)The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6) The transmitter shall than be rotated through 360 in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7)The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11)The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13)If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14)The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15)The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17)The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are readile for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com



Report No.: FYCR220400013407

Page: 72 of 81

	GSM850-Low channel											
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result				
1652.8	-56.22	-13	-45.37	-59.88	3.77	7.43	Horizontal	Pass				
2479.2	-52.51	-13	-41.66	-54.84	4.75	7.08	Horizontal	Pass				
3305.6	-49.09	-13	-38.24	-51.67	5.72	8.3	Horizontal	Pass				
1652.8	-56.1	-13	-45.25	-59.76	3.77	7.43	Vertical	Pass				
2479.2	-51.24	-13	-40.39	-53.57	4.75	7.08	Vertical	Pass				
3305.6	-49.35	-13	-38.5	-51.93	5.72	8.3	Vertical	Pass				

	GSM850-Middle channel											
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result				
1672.8	-57.26	-13	-46.41	-60.92	3.77	7.43	Horizontal	Pass				
2509.2	-53.01	-13	-42.16	-55.48	5.13	7.6	Horizontal	Pass				
3345.6	-48.5	-13	-37.65	-51.08	5.72	8.3	Horizontal	Pass				
1672.8	-55.92	-13	-45.07	-59.58	3.77	7.43	Vertical	Pass				
2509.2	-52.17	-13	-41.32	-54.64	5.13	7.6	Vertical	Pass				
3345.6	-48.16	-13	-37.31	-50.74	5.72	8.3	Vertical	Pass				

	GSM850-High channel											
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result				
1693.2	-55.83	-13	-44.98	-59.49	3.77	7.43	Horizontal	Pass				
2539.8	-51.71	-13	-40.86	-54.18	5.13	7.6	Horizontal	Pass				
3386.4	-48.61	-13	-37.76	-51.19	5.72	8.3	Horizontal	Pass				
1693.2	-56.32	-13	-45.47	-59.98	3.77	7.43	Vertical	Pass				
2539.8	-51.56	-13	-40.71	-54.03	5.13	7.6	Vertical	Pass				
3386.4	-48.44	-13	-37.59	-51.02	5.72	8.3	Vertical	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400013407

Page: 73 of 81

	PCS1900-Low channel											
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result				
3704.8	-49.55	-13	-36.55	-51.77	6.99	9.21	Horizontal	Pass				
5557.2	-46.9	-13	-33.9	-49.22	8.27	10.59	Horizontal	Pass				
7409.6	-44.13	-13	-31.13	-47.67	8.19	11.73	Horizontal	Pass				
3704.8	-49.13	-13	-36.13	-51.35	6.99	9.21	Vertical	Pass				
5557.2	-46.34	-13	-33.34	-48.66	8.27	10.59	Vertical	Pass				
7409.6	-43.84	-13	-30.84	-47.38	8.19	11.73	Vertical	Pass				

	PCS1900-Middle channel										
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result			
3760	-48.72	-13	-35.72	-50.94	6.99	9.21	Horizontal	Pass			
5640	-46.73	-13	-33.73	-49.05	8.27	10.59	Horizontal	Pass			
7520	-41.05	-13	-28.05	-44.88	8.43	12.26	Horizontal	Pass			
3760	-48.94	-13	-35.94	-51.16	6.99	9.21	Vertical	Pass			
5640	-46.93	-13	-33.93	-49.25	8.27	10.59	Vertical	Pass			
7520	-41.72	-13	-28.72	-45.55	8.43	12.26	Vertical	Pass			

	PCS1900-High channel											
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result				
3815.2	-48.64	-13	-35.64	-50.86	6.99	9.21	Horizontal	Pass				
5722.8	-46.57	-13	-33.57	-48.89	8.27	10.59	Horizontal	Pass				
7630.4	-43.64	-13	-30.64	-47.47	8.43	12.26	Horizontal	Pass				
3815.2	-49.22	-13	-36.22	-51.44	6.99	9.21	Vertical	Pass				
5722.8	-46.66	-13	-33.66	-48.98	8.27	10.59	Vertical	Pass				
7630.4	-44.19	-13	-31.19	-48.02	8.43	12.26	Vertical	Pass				

#### Note

All modes have been tested and we found GSM Test mode has the worst test result. Only record the worst test result.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



Report No.: FYCR220400013407

Page: 74 of 81

### 6.7 Frequency stability

Test Requirement: §2.1055, §22.355, §24.235

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit:  $\leq \pm 2.5$ ppm.


#### 6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode: 30:TX mode\_Keep the EUT in transmitting mode

#### 6.7.2 Test Setup Diagram



### **Ground Reference Plane**

#### 6.7.3 Measurement Data



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions of Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not concert parties to a transaction from exercising at their rights and obligations under the stransaction from exercising at their rights and obligations under the sunsaction documents. This document cannot be reproduced except in full of the supplied of the Company. Any unauthorized alteration, forgety or falsification of the content of appearance of this occument is injusted in a definition of the content of appearance of this locument is injusted in the sample (s) lested and euch sample(s) are retained for 30 days only.

Attention, To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443



Report No.: FYCR220400013407

Page: 75 of 81

			Ba	nd: GSM850			
NI a to consul	Frequency	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Magallat
Network	(MHz)	(°C)	(VDČ)	(Hz)	Result	Limit	Verdict
			3.50	-2.551	-0.0031	-2.5 to 2.5	Pass
		20	3.85	3.358	0.0041	-2.5 to 2.5	Pass
			4.40	2.938	0.0036	-2.5 to 2.5	Pass
		-30	3.85	6.134	0.0074	-2.5 to 2.5	Pass
		-20	3.85	2.712	0.0033	-2.5 to 2.5	Pass
	824.2	-10	3.85	0.291	0.0004	-2.5 to 2.5	Pass
		0	3.85	2.712	0.0033	-2.5 to 2.5	Pass
		10	3.85	4.003	0.0049	-2.5 to 2.5	Pass
		30	3.85	3.196	0.0039	-2.5 to 2.5	Pass
		40	3.85	-1.130	-0.0014	-2.5 to 2.5	Pass
		50	3.85	-1.388	-0.0017	-2.5 to 2.5	Pass
			3.50	-5.715	-0.0068	-2.5 to 2.5	Pass
		20	3.85	-7.458	-0.0089	-2.5 to 2.5	Pass
			4.40	-6.909	-0.0083	-2.5 to 2.5	Pass
		-30	3.85	-6.263	-0.0075	-2.5 to 2.5	Pass
		-20	3.85	-4.907	-0.0059	-2.5 to 2.5	Pass
GSM	836.6	-10	3.85	-6.231	-0.0074	-2.5 to 2.5	Pass
		0	3.85	-1.905	-0.0023	-2.5 to 2.5	Pass
		10	3.85	-3.196	-0.0038	-2.5 to 2.5	Pass
		30	3.85	-0.226	-0.0003	-2.5 to 2.5	Pass
		40	3.85	-2.066	-0.0025	-2.5 to 2.5	Pass
		50	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
			3.50	-2.195	-0.0026	-2.5 to 2.5	Pass
		20	3.85	-6.651	-0.0078	-2.5 to 2.5	Pass
			4.40	-1.227	-0.0014	-2.5 to 2.5	Pass
		-30	3.85	-6.457	-0.0076	-2.5 to 2.5	Pass
		-20	3.85	-2.454	-0.0029	-2.5 to 2.5	Pass
	848.8	-10	3.85	-0.775	-0.0009	-2.5 to 2.5	Pass
		0	3.85	-1.743	-0.0021	-2.5 to 2.5	Pass
		10	3.85	-1.550	-0.0018	-2.5 to 2.5	Pass
		30	3.85	0.969	0.0011	-2.5 to 2.5	Pass
		40	3.85	0.646	0.0008	-2.5 to 2.5	Pass
		50	3.85	0.613	0.0007	-2.5 to 2.5	Pass
			3.50	6.974	0.0085	-2.5 to 2.5	Pass
		20	3.85	6.134	0.0074	-2.5 to 2.5	Pass
GPRS	824.2		4.40	9.040	0.0110	-2.5 to 2.5	Pass
		-30	3.85	7.813	0.0095	-2.5 to 2.5	Pass
		-20	3.85	7.716	0.0094	-2.5 to 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400013407

Page: 76 of 81

		10	3.85	7 507	0.0002	25 to 25	Dooo
		-10		7.587	0.0092	-2.5 to 2.5	Pass
		0	3.85	8.330	0.0101	-2.5 to 2.5	Pass
		10	3.85	6.360	0.0077	-2.5 to 2.5	Pass
		30	3.85	7.071	0.0086	-2.5 to 2.5	Pass
		40	3.85	7.942	0.0096	-2.5 to 2.5	Pass
		50	3.85	7.232	0.0088	-2.5 to 2.5	Pass
			3.50	9.718	0.0116	-2.5 to 2.5	Pass
		20	3.85	9.040	0.0108	-2.5 to 2.5	Pass
			4.40	8.749	0.0105	-2.5 to 2.5	Pass
		-30	3.85	7.942	0.0095	-2.5 to 2.5	Pass
		-20	3.85	9.427	0.0113	-2.5 to 2.5	Pass
	836.6	-10	3.85	8.846	0.0106	-2.5 to 2.5	Pass
		0	3.85	9.008	0.0108	-2.5 to 2.5	Pass
		10	3.85	8.330	0.0100	-2.5 to 2.5	Pass
		30	3.85	8.104	0.0097	-2.5 to 2.5	Pass
		40	3.85	9.169	0.0110	-2.5 to 2.5	Pass
		50	3.85	9.201	0.0110	-2.5 to 2.5	Pass
			3.50	9.589	0.0113	-2.5 to 2.5	Pass
		20	3.85	7.878	0.0093	-2.5 to 2.5	Pass
			4.40	9.298	0.0110	-2.5 to 2.5	Pass
		-30	3.85	9.234	0.0109	-2.5 to 2.5	Pass
		-20	3.85	8.362	0.0099	-2.5 to 2.5	Pass
	848.8	-10	3.85	7.490	0.0088	-2.5 to 2.5	Pass
		0	3.85	6.812	0.0080	-2.5 to 2.5	Pass
		10	3.85	5.908	0.0070	-2.5 to 2.5	Pass
		30	3.85	6.489	0.0076	-2.5 to 2.5	Pass
		40	3.85	7.200	0.0085	-2.5 to 2.5	Pass
		50	3.85	8.265	0.0097	-2.5 to 2.5	Pass
			3.50	12.075	0.0147	-2.5 to 2.5	Pass
		20	3.85	13.076	0.0159	-2.5 to 2.5	Pass
			4.40	13.721	0.0166	-2.5 to 2.5	Pass
		-30	3.85	14.625	0.0177	-2.5 to 2.5	Pass
		-20	3.85	16.078	0.0195	-2.5 to 2.5	Pass
	824.2	-10	3.85	13.818	0.0168	-2.5 to 2.5	Pass
		0	3.85	12.688	0.0154	-2.5 to 2.5	Pass
EGPRS		10	3.85	16.111	0.0195	-2.5 to 2.5	Pass
		30	3.85	13.108	0.0159	-2.5 to 2.5	Pass
		40	3.85	13.915	0.0169	-2.5 to 2.5	Pass
		50	3.85	16.789	0.0204	-2.5 to 2.5	Pass
		- 55	3.50	17.725	0.0212	-2.5 to 2.5	Pass
	836.6	20	3.85	15.723	0.0212	-2.5 to 2.5	Pass
	000.0	20					
			4.40	16.111	0.0193	-2.5 to 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400013407

Page: 77 of 81

Г			1				1
		-30	3.85	15.045	0.0180	-2.5 to 2.5	Pass
		-20	3.85	15.077	0.0180	-2.5 to 2.5	Pass
		-10	3.85	15.433	0.0184	-2.5 to 2.5	Pass
		0	3.85	15.465	0.0185	-2.5 to 2.5	Pass
		10	3.85	16.950	0.0203	-2.5 to 2.5	Pass
		30	3.85	14.399	0.0172	-2.5 to 2.5	Pass
		40	3.85	15.982	0.0191	-2.5 to 2.5	Pass
		50	3.85	16.821	0.0201	-2.5 to 2.5	Pass
			3.50	18.403	0.0217	-2.5 to 2.5	Pass
		20	3.85	11.687	0.0138	-2.5 to 2.5	Pass
			4.40	16.466	0.0194	-2.5 to 2.5	Pass
		-30	3.85	17.693	0.0208	-2.5 to 2.5	Pass
		-20	3.85	19.146	0.0226	-2.5 to 2.5	Pass
	848.8	-10	3.85	16.724	0.0197	-2.5 to 2.5	Pass
		0	3.85	17.176	0.0202	-2.5 to 2.5	Pass
		10	3.85	15.885	0.0187	-2.5 to 2.5	Pass
		30	3.85	19.339	0.0228	-2.5 to 2.5	Pass
		40	3.85	16.756	0.0197	-2.5 to 2.5	Pass
		50	3.85	18.597	0.0219	-2.5 to 2.5	Pass

			Bar	nd: PCS1900			
Network	Frequency	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
INCLWOIK	(MHz)	(°C)	(VDC)	(Hz)	Result	Limit	verdict
			3.50	-2.744	-0.0015	-2.5 to 2.5	Pass
		20	3.85	-3.842	-0.0021	-2.5 to 2.5	Pass
			4.40	3.777	0.0020	-2.5 to 2.5	Pass
		-30	3.85	-0.484	-0.0003	-2.5 to 2.5	Pass
		-20	3.85	-1.582	-0.0009	-2.5 to 2.5	Pass
	1850.2	-10	3.85	0.097	0.0001	-2.5 to 2.5	Pass
		0	3.85	-1.162	-0.0006	-2.5 to 2.5	Pass
		10	3.85	-1.776	-0.0010	-2.5 to 2.5	Pass
		30	3.85	0.194	0.0001	-2.5 to 2.5	Pass
GSM		40	3.85	-2.712	-0.0015	-2.5 to 2.5	Pass
		50	3.85	-4.907	-0.0027	-2.5 to 2.5	Pass
			3.50	-4.262	-0.0023	-2.5 to 2.5	Pass
		20	3.85	-0.872	-0.0005	-2.5 to 2.5	Pass
			4.40	-1.421	-0.0008	-2.5 to 2.5	Pass
	1000	-30	3.85	-3.584	-0.0019	-2.5 to 2.5	Pass
	1880	-20	3.85	-1.001	-0.0005	-2.5 to 2.5	Pass
		-10	3.85	-4.649	-0.0025	-2.5 to 2.5	Pass
		0	3.85	-2.615	-0.0014	-2.5 to 2.5	Pass
		10	3.85	-1.582	-0.0008	-2.5 to 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400013407

Page: 78 of 81

							_
		30	3.85	-1.130	-0.0006	-2.5 to 2.5	Pass
		40	3.85	-0.613	-0.0003	-2.5 to 2.5	Pass
		50	3.85	1.227	0.0007	-2.5 to 2.5	Pass
			3.50	-6.522	-0.0034	-2.5 to 2.5	Pass
		20	3.85	-5.553	-0.0029	-2.5 to 2.5	Pass
			4.40	-1.614	-0.0008	-2.5 to 2.5	Pass
		-30	3.85	-0.420	-0.0002	-2.5 to 2.5	Pass
		-20	3.85	2.551	0.0013	-2.5 to 2.5	Pass
	1909.8	-10	3.85	-3.261	-0.0017	-2.5 to 2.5	Pass
		0	3.85	-4.972	-0.0026	-2.5 to 2.5	Pass
		10	3.85	-1.098	-0.0006	-2.5 to 2.5	Pass
		30	3.85	-5.392	-0.0028	-2.5 to 2.5	Pass
		40	3.85	-4.681	-0.0025	-2.5 to 2.5	Pass
		50	3.85	-0.387	-0.0002	-2.5 to 2.5	Pass
			3.50	5.166	0.0028	-2.5 to 2.5	Pass
		20	3.85	3.907	0.0021	-2.5 to 2.5	Pass
			4.40	5.779	0.0031	-2.5 to 2.5	Pass
		-30	3.85	6.877	0.0037	-2.5 to 2.5	Pass
		-20	3.85	3.390	0.0018	-2.5 to 2.5	Pass
	1850.2	-10	3.85	2.809	0.0015	-2.5 to 2.5	Pass
		0	3.85	5.973	0.0032	-2.5 to 2.5	Pass
		10	3.85	3.616	0.0020	-2.5 to 2.5	Pass
		30	3.85	5.682	0.0031	-2.5 to 2.5	Pass
		40	3.85	6.554	0.0035	-2.5 to 2.5	Pass
		50	3.85	3.842	0.0021	-2.5 to 2.5	Pass
			3.50	3.487	0.0019	-2.5 to 2.5	Pass
		20	3.85	8.879	0.0047	-2.5 to 2.5	Pass
			4.40	8.297	0.0044	-2.5 to 2.5	Pass
GPRS		-30	3.85	7.458	0.0040	-2.5 to 2.5	Pass
		-20	3.85	6.974	0.0037	-2.5 to 2.5	Pass
	1880	-10	3.85	6.586	0.0035	-2.5 to 2.5	Pass
		0	3.85	4.940	0.0026	-2.5 to 2.5	Pass
		10	3.85	7.232	0.0038	-2.5 to 2.5	Pass
		30	3.85	8.007	0.0043	-2.5 to 2.5	Pass
		40	3.85	8.814	0.0047	-2.5 to 2.5	Pass
		50	3.85	8.394	0.0045	-2.5 to 2.5	Pass
			3.50	9.040	0.0047	-2.5 to 2.5	Pass
		20	3.85	6.748	0.0035	-2.5 to 2.5	Pass
			4.40	7.781	0.0041	-2.5 to 2.5	Pass
	1909.8	-30	3.85	7.361	0.0039	-2.5 to 2.5	Pass
		-20	3.85	7.071	0.0037	-2.5 to 2.5	Pass
		-10	3.85	6.263	0.0033	-2.5 to 2.5	Pass
	İ	1 10	0.00	0.200	0.0000	2.0 10 2.0	1 433



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400013407

Page: 79 of 81

		0	3.85	5.521	0.0029	-2.5 to 2.5	Pass
		10	3.85	6.619	0.0035	-2.5 to 2.5	Pass
		30	3.85	7.264	0.0038	-2.5 to 2.5	Pass
		40	3.85	7.652	0.0040	-2.5 to 2.5	Pass
		50	3.85	7.264	0.0038	-2.5 to 2.5	Pass
			3.50	12.850	0.0069	-2.5 to 2.5	Pass
		20	3.85	15.497	0.0084	-2.5 to 2.5	Pass
			4.40	15.336	0.0083	-2.5 to 2.5	Pass
		-30	3.85	13.269	0.0072	-2.5 to 2.5	Pass
		-20	3.85	11.849	0.0064	-2.5 to 2.5	Pass
	1850.2	-10	3.85	16.208	0.0088	-2.5 to 2.5	Pass
		0	3.85	16.014	0.0087	-2.5 to 2.5	Pass
		10	3.85	14.077	0.0076	-2.5 to 2.5	Pass
		30	3.85	12.753	0.0069	-2.5 to 2.5	Pass
		40	3.85	13.786	0.0075	-2.5 to 2.5	Pass
		50	3.85	15.013	0.0081	-2.5 to 2.5	Pass
			3.50	11.365	0.0060	-2.5 to 2.5	Pass
		20	3.85	9.524	0.0051	-2.5 to 2.5	Pass
			4.40	9.944	0.0053	-2.5 to 2.5	Pass
		-30	3.85	10.622	0.0056	-2.5 to 2.5	Pass
		-20	3.85	6.360	0.0034	-2.5 to 2.5	Pass
EGPRS	1880	-10	3.85	8.136	0.0043	-2.5 to 2.5	Pass
		0	3.85	9.137	0.0049	-2.5 to 2.5	Pass
		10	3.85	10.041	0.0053	-2.5 to 2.5	Pass
		30	3.85	6.489	0.0035	-2.5 to 2.5	Pass
		40	3.85	7.942	0.0042	-2.5 to 2.5	Pass
		50	3.85	1.259	0.0007	-2.5 to 2.5	Pass
			3.50	11.235	0.0059	-2.5 to 2.5	Pass
		20	3.85	11.913	0.0062	-2.5 to 2.5	Pass
			4.40	10.557	0.0055	-2.5 to 2.5	Pass
		-30	3.85	11.913	0.0062	-2.5 to 2.5	Pass
		-20	3.85	12.333	0.0065	-2.5 to 2.5	Pass
	1909.8	-10	3.85	10.525	0.0055	-2.5 to 2.5	Pass
		0	3.85	11.268	0.0059	-2.5 to 2.5	Pass
		10	3.85	11.623	0.0061	-2.5 to 2.5	Pass
		30	3.85	9.912	0.0052	-2.5 to 2.5	Pass
		40	3.85	9.201	0.0048	-2.5 to 2.5	Pass
		50	3.85	11.623	0.0061	-2.5 to 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400013407

Page: 80 of 81

#### 6.8 Modulation Characteristics

Test Requirement: §2.1047

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: Digital modulation


#### 6.8.1 E.U.T. Operation

Operating Environment:

Temperature: 21.5 °C Humidity: 53.5 % RH Atmospheric Pressure: 1020 mbar

Test mode: 30:TX mode\_Keep the EUT in transmitting mode

#### 6.8.2 Test Setup Diagram



### Ground Reference Plane

#### 6.8.3 Measurement Data

Pass, it's digital modulation device.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one on exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443 or small CPL Descheck@ass.com



Report No.: FYCR220400013407

Page: 81 of 81

### 7 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2204000134AT

### 8 EUT Constructional Details (EUT Photos)

Refer to Appendix - External and Internal Photos for FYCR2204000134AT

-End of Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CADoccheck@ass.com