




n71\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM 64 QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM 64 QAM\_695.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM 256 QAM\_665.5MHz\_Outer\_Full



n71\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM 256 QAM\_680.5MHz\_Outer\_Full



n71\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM 256 QAM\_695.5MHz\_Outer\_Full




## 5.2 15k\_SISO\_10MHz\_NTNV


### 5.2.1 Test Result

| 5G NR n71_SCS=15kHz_SISO_10MHz_NTNV |                 |               |                          |      |     |       |         |
|-------------------------------------|-----------------|---------------|--------------------------|------|-----|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation | Peak-Average Ratio (dBm) |      |     |       | Verdict |
|                                     |                 |               | Ant1                     | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK                | 668             | Outer_Full    | 4.64                     | /    | /   | <=13  | Pass    |
|                                     | 680.5           | Outer_Full    | 4.60                     | /    | /   | <=13  | Pass    |
|                                     | 693             | Outer_Full    | 4.67                     | /    | /   | <=13  | Pass    |
| DFT-s-OFDM QPSK                     | 668             | Outer_Full    | 4.77                     | /    | /   | <=13  | Pass    |
|                                     | 680.5           | Outer_Full    | 4.72                     | /    | /   | <=13  | Pass    |
|                                     | 693             | Outer_Full    | 4.77                     | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 16 QAM                   | 668             | Outer_Full    | 6.16                     | /    | /   | <=13  | Pass    |
|                                     | 680.5           | Outer_Full    | 6.15                     | /    | /   | <=13  | Pass    |
|                                     | 693             | Outer_Full    | 6.15                     | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 64 QAM                   | 668             | Outer_Full    | 6.46                     | /    | /   | <=13  | Pass    |
|                                     | 680.5           | Outer_Full    | 6.45                     | /    | /   | <=13  | Pass    |
|                                     | 693             | Outer_Full    | 6.43                     | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 256 QAM                  | 668             | Outer_Full    | 6.61                     | /    | /   | <=13  | Pass    |
|                                     | 680.5           | Outer_Full    | 6.43                     | /    | /   | <=13  | Pass    |
|                                     | 693             | Outer_Full    | 6.44                     | /    | /   | <=13  | Pass    |
| CP-OFDM QPSK                        | 668             | Outer_Full    | 8.15                     | /    | /   | <=13  | Pass    |
|                                     | 680.5           | Outer_Full    | 8.20                     | /    | /   | <=13  | Pass    |
|                                     | 693             | Outer_Full    | 8.14                     | /    | /   | <=13  | Pass    |
| CP-OFDM 16 QAM                      | 668             | Outer_Full    | 8.37                     | /    | /   | <=13  | Pass    |
|                                     | 680.5           | Outer_Full    | 8.38                     | /    | /   | <=13  | Pass    |
|                                     | 693             | Outer_Full    | 8.36                     | /    | /   | <=13  | Pass    |
| CP-OFDM 64 QAM                      | 668             | Outer_Full    | 7.96                     | /    | /   | <=13  | Pass    |
|                                     | 680.5           | Outer_Full    | 8.09                     | /    | /   | <=13  | Pass    |
|                                     | 693             | Outer_Full    | 8.07                     | /    | /   | <=13  | Pass    |
| CP-OFDM 256 QAM                     | 668             | Outer_Full    | 8.54                     | /    | /   | <=13  | Pass    |
|                                     | 680.5           | Outer_Full    | 8.49                     | /    | /   | <=13  | Pass    |
|                                     | 693             | Outer_Full    | 8.43                     | /    | /   | <=13  | Pass    |


## 5.2.2 Test Graph




n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM PI/2 BPSK\_693MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM QPSK\_668MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM QPSK\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM QPSK\_693MHz\_Outer\_Full



n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM 16 QAM\_668MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM 16 QAM\_680.5MHz\_Outer\_Full







n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM 16 QAM\_693MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM 64 QAM\_668MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM 64 QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM 64 QAM\_693MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM 256 QAM\_668MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM 256 QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM 256 QAM\_693MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM QPSK\_668MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM QPSK\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM QPSK\_693MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 16 QAM 668MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 16 QAM 680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 16 QAM\_693MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 64 QAM\_668MHz\_Outer\_Full



n71\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 64 QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 64 QAM\_693MHz\_Outer\_Full







n71\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 256 QAM\_668MHz\_Outer\_Full



n71\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 256 QAM\_680.5MHz\_Outer\_Full



n71\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_256\_QAM\_693MHz\_Outer\_Full




### 5.3 15k\_SISO\_15MHz\_NTNV

#### 5.3.1 Test Result


| 5G NR n71 SCS=15kHz SISO 15MHz NTN |                 |               |                          |      |     |       |         |
|------------------------------------|-----------------|---------------|--------------------------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | Peak-Average Ratio (dBm) |      |     |       | Verdict |
|                                    |                 |               | Ant1                     | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK               | 670.5           | Outer_Full    | 5.25                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 4.88                     | /    | /   | <=13  | Pass    |
|                                    | 690.5           | Outer_Full    | 5.00                     | /    | /   | <=13  | Pass    |
| DFT-s-OFDM QPSK                    | 670.5           | Outer_Full    | 5.68                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 5.74                     | /    | /   | <=13  | Pass    |
|                                    | 690.5           | Outer_Full    | 5.70                     | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 16 QAM                  | 670.5           | Outer_Full    | 6.73                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 6.78                     | /    | /   | <=13  | Pass    |
|                                    | 690.5           | Outer_Full    | 6.83                     | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 64 QAM                  | 670.5           | Outer_Full    | 6.83                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 6.87                     | /    | /   | <=13  | Pass    |
|                                    | 690.5           | Outer_Full    | 6.86                     | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 256 QAM                 | 670.5           | Outer_Full    | 6.94                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 6.98                     | /    | /   | <=13  | Pass    |
|                                    | 690.5           | Outer_Full    | 6.92                     | /    | /   | <=13  | Pass    |
| CP-OFDM QPSK                       | 670.5           | Outer_Full    | 8.14                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 7.96                     | /    | /   | <=13  | Pass    |
|                                    | 690.5           | Outer_Full    | 8.13                     | /    | /   | <=13  | Pass    |
| CP-OFDM 16 QAM                     | 670.5           | Outer_Full    | 8.42                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 8.36                     | /    | /   | <=13  | Pass    |
|                                    | 690.5           | Outer_Full    | 8.38                     | /    | /   | <=13  | Pass    |
| CP-OFDM 64 QAM                     | 670.5           | Outer_Full    | 8.28                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 8.23                     | /    | /   | <=13  | Pass    |
|                                    | 690.5           | Outer_Full    | 8.22                     | /    | /   | <=13  | Pass    |
| CP-OFDM 256 QAM                    | 670.5           | Outer_Full    | 8.24                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 8.27                     | /    | /   | <=13  | Pass    |
|                                    | 690.5           | Outer_Full    | 8.29                     | /    | /   | <=13  | Pass    |

### 5.3.2 Test Graph


n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM PI/2 BPSK\_670.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM PI/2 BPSK\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM PI/2 BPSK\_690.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM QPSK\_670.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM QPSK\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM QPSK\_690.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM\_16QAM\_670.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM\_16QAM\_680.5MHz\_Outer\_Full



n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM 16 QAM\_690.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM 64 QAM\_670.5MHz\_Outer\_Full







n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM 64 QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM 64 QAM\_690.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM 256 QAM\_670.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM 256 QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM 256 QAM 690.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM QPSK 670.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM QPSK\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM QPSK\_690.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 16 QAM\_670.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 16 QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 16 QAM\_690.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 64 QAM\_670.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 64 QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 64 QAM\_690.5MHz\_Outer\_Full



n71\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 256 QAM\_670.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 256 QAM\_680.5MHz\_Outer\_Full





n71\_15kHz\_SISO\_NTV\_15MHz\_CP-OFDM 256 QAM 690.5MHz\_Outer\_Full




## 5.4 15k\_SISO\_20MHz\_NTNV


### 5.4.1 Test Result

| 5G NR n71 SCS=15kHz SISO 20MHz NTN |                 |               |                          |      |     |       |         |
|------------------------------------|-----------------|---------------|--------------------------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | Peak-Average Ratio (dBm) |      |     |       | Verdict |
|                                    |                 |               | Ant1                     | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK               | 673             | Outer_Full    | 5.80                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 5.83                     | /    | /   | <=13  | Pass    |
|                                    | 688             | Outer_Full    | 5.91                     | /    | /   | <=13  | Pass    |
| DFT-s-OFDM QPSK                    | 673             | Outer_Full    | 6.34                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 6.40                     | /    | /   | <=13  | Pass    |
|                                    | 688             | Outer_Full    | 6.36                     | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 16 QAM                  | 673             | Outer_Full    | 7.06                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 7.01                     | /    | /   | <=13  | Pass    |
|                                    | 688             | Outer_Full    | 7.06                     | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 64 QAM                  | 673             | Outer_Full    | 7.46                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 7.48                     | /    | /   | <=13  | Pass    |
|                                    | 688             | Outer_Full    | 7.46                     | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 256 QAM                 | 673             | Outer_Full    | 7.28                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 7.36                     | /    | /   | <=13  | Pass    |
|                                    | 688             | Outer_Full    | 7.30                     | /    | /   | <=13  | Pass    |
| CP-OFDM QPSK                       | 673             | Outer_Full    | 8.17                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 8.18                     | /    | /   | <=13  | Pass    |
|                                    | 688             | Outer_Full    | 8.13                     | /    | /   | <=13  | Pass    |
| CP-OFDM 16 QAM                     | 673             | Outer_Full    | 8.27                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 8.32                     | /    | /   | <=13  | Pass    |
|                                    | 688             | Outer_Full    | 8.26                     | /    | /   | <=13  | Pass    |
| CP-OFDM 64 QAM                     | 673             | Outer_Full    | 8.64                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 8.56                     | /    | /   | <=13  | Pass    |
|                                    | 688             | Outer_Full    | 8.62                     | /    | /   | <=13  | Pass    |
| CP-OFDM 256 QAM                    | 673             | Outer_Full    | 8.14                     | /    | /   | <=13  | Pass    |
|                                    | 680.5           | Outer_Full    | 8.28                     | /    | /   | <=13  | Pass    |
|                                    | 688             | Outer_Full    | 8.14                     | /    | /   | <=13  | Pass    |


## 5.4.2 Test Graph




n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_688MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_673MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_688MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_673MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM 16 QAM\_688MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM 64 QAM\_673MHz\_Outer\_Full



n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM 64 QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM 64 QAM\_688MHz\_Outer\_Full







n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM 256 QAM\_673MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM 256 QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM 256 QAM\_688MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_673MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_688MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_16QAM\_673MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_16QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM 16 QAM\_688MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM 64 QAM\_673MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM 64 QAM\_680.5MHz\_Outer\_Full




n71\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM 64 QAM\_688MHz\_Outer\_Full



n71\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM 256 QAM\_673MHz\_Outer\_Full



n71\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM 256 QAM\_680.5MHz\_Outer\_Full



n71\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_256\_QAM\_688MHz\_Outer\_Full

