Report No. RZA1202-0164SAR01

Page 1 of 71



# OET 65 TEST REPORT

Product Name	TWO-WAY RADIO
Model	TC-320 U(1)
FCC ID	YAMTC-320U1
Client	Hytera Communications Co.,Ltd.

TA Technology (Shanghai) Co., Ltd.

## **GENERAL SUMMARY**

Product Name	TWO-WAY RADIO	Model	TC-320 U(1)		
FCC ID	YAMTC-320U1	Report No.	RZA1202-0164SAR01		
Client	Hytera Communications Co.,Ltd				
Manufacturer	Hytera Communications Co.,Ltd				
	IEEE Std C95.1, 1999: IEEE Exposure to Radio Frequency I		ty Levels with Respect to Human elds, 3 KHz to 300 GHz.		
	IEEE Std 1528™-2003: IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques.  SUPPLEMENT C Edition 01-01 to OET BULLETIN 65 Edition 97-01 June 2001 including DA 02-1438 June 19, 2002: Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields Additional Information for Evaluation Compliance of Mobile and Portable Devices with FCC Limits for Human Exposure to Radiofrequency Emissions.				
Reference Standard(s)					
	KDB 643646 D01 SAR Test for PTT Radios v01: SAR Test Reduction Considerations for Occupational PTT Radios  KDB 447498 D01 Mobile Portable RF Exposure v04: Mobile and Portable Device RF Exposure Procedures and Equipment Authorization Policies				
	This portable wireless equipment has been measured in all cases requested by the relevant standards. Test results in Chapter 7 of this test report are below limit specified in the relevant standards.				
Conclusion	General Judgment: Pass	(Stamp) <b>Date of</b>	issue: April 12 <sup>th</sup> ,2012		
Comment	The test result only responds to	the measured san	nple. IN 日 マ川早		

Revised by 凌敬多

Performed by

Director

SAR Manager

SAR Engineer

## **TABLE OF CONTENT**

1. General Information	5
1.1. Notes of the Test Report	5
1.2. Testing Laboratory	5
1.3. Applicant Information	6
1.4. Manufacturer Information	6
1.5. Information of EUT	7
1.6. The Maximum SAR <sub>1g</sub> Values	8
1.7. Test Date	8
2. SAR Measurements System Configuration	9
2.1. SAR Measurement Set-up	9
2.2. DASY4 E-field Probe System	10
2.2.1. EX3DV4 Probe Specification	10
2.2.2. E-field Probe Calibration	11
2.3. Other Test Equipment	11
2.3.1. Device Holder for Transmitters	11
2.3.2. Phantom	12
2.4. Scanning Procedure	12
2.5. Data Storage and Evaluation	14
2.5.1. Data Storage	
2.5.2. Data Evaluation by SEMCAD	14
3. Laboratory Environment	
4. Tissue-equivalent Liquid	
4.1. Tissue-equivalent Liquid Ingredients	17
4.2. Tissue-equivalent Liquid Properties	18
5. System Check	19
5.1. Description of System Check	
5.2. System Check Results	
6. Operational Conditions during Test	22
6.1. General Description of Test Procedures	
6.2. Test Positions	22
6.2.1. Face-Held Configuration	
6.2.2. Body-Worn Configuration	
7. Test Results	23
7.1. Conducted Power Results	23
7.2. SAR Test Results	
6. Measurement Uncertainty	
7. Main Test Instruments	
ANNEX A: Test Layout	
ANNEX B: System Check Results	30

Report No. RZA1202-0164SAR01	Page 4 of 71
ANNEX C: Graph Results	32
ANNEX D: Probe Calibration Certificate	
ANNEX E: D450V3 Dipole Calibration Certificate	55
ANNEX F: DAE4 Calibration Certificate	64
ANNEX G: The FUT Appearances and Test Configuration	69

Report No. RZA1202-0164SAR01 Page 5 of 71

## 1. General Information

#### 1.1. Notes of the Test Report

**TA Technology (Shanghai) Co., Ltd.** guarantees the reliability of the data presented in this test report, which is the results of measurements and tests performed for the items under test on the date and under the conditions stated in this test report and is based on the knowledge and technical facilities available at TA Technology (Shanghai) Co., Ltd. at the time of execution of the test.

**TA Technology (Shanghai) Co., Ltd.** is liable to the client for the maintenance by its personnel of the confidentiality of all information related to the items under test and the results of the test. This report only refers to the item that has undergone the test.

This report standalone dose not constitute or imply by its own an approval of the product by the certification Bodies or competent Authorities. This report cannot be used partially or in full for publicity and/or promotional purposes without previous written approval of **TA Technology (Shanghai) Co., Ltd.** and the Accreditation Bodies, if it applies.

If the electrical report is inconsistent with the printed one, it should be subject to the latter.

#### 1.2. Testing Laboratory

Company: TA Technology (Shanghai) Co., Ltd.

Address: No.145, Jintang Rd, Tangzhen Industry Park, Pudong Shanghai, China

City: Shanghai

Post code: 201201

Country: P. R. China

Contact: Yang Weizhong

Telephone: +86-021-50791141/2/3

Fax: +86-021-50791141/2/3-8000 Website: http://www.ta-shanghai.com

E-mail: yangweizhong@ta-shanghai.com

Report No. RZA1202-0164SAR01

Page 6 of 71

## 1.3. Applicant Information

Company: Hytera Communications Co.,Ltd.

Address: HYT Tower, Hi-Tech Industrial Park North, Nanshan District, Shenzhen China

City: Shenzhen

Postal Code: 518057

Country: P. R. China

Telephone: +86-0755-26972999- 1210

Fax: 0755-86137130

## 1.4. Manufacturer Information

Company: Hytera Communications Co.,Ltd.

Address: HYT Tower, Hi-Tech Industrial Park North, Nanshan District, Shenzhen China

City: Shenzhen

Postal Code: 518057

Country: P. R. China

Telephone: +86-0755-26972999- 1210

Fax: 0755-86137130

Report No. RZA1202-0164SAR01 Page 7 of 71

#### 1.5. Information of EUT

#### **General Information**

Device Type:	Portable Device		
Exposure Category:	Controlled Environment /Occupational		
State of Sample:	Prototype Unit		
Product Name:	TWO-WAY RADIO		
SN:	1		
Hardware Version:	41003203000N0		
Software Version:	tc320_V1.01.26.033		
Antenna Type:	External Antenna		
Device Operating Configurations:			
Test Modulation:	FM (Analog)		
Operating Frequency Range(s):	400.5 MHz ~469.5 MHz(UHF)		
Test Frequency:	400.5 MHz – 418MHz – 435.5MHz – 453MHz – 469.5MHz		
Note: 1. The test channels were selected in accordance with the procedures specified in FCC			

## Note: 1. The test channels were selected in accordance with the procedures specified in FCC KDB 447498 D01 Mobile Portable RF Exposure v04 Section 6) c).

## **Auxiliary Equipment Details**

## **AE:Battery**

Model: BL1715

Manufacturer: Hytera Communications Co., Ltd.

S/N: D2BCEA2146

Equipment Under Test (EUT) is a TWO-WAY RADIO. SAR is tested for 400.5 - 469.5 MHz only. The EUT has one external antenna that is used for Tx/Rx.

The sample undergoing test was selected by the Client.

Components list please refer to documents of the manufacturer.

Report No. RZA1202-0164SAR01

Page 8 of 71

## 1.6. The Maximum $SAR_{1g}$ Values

Mode	Frequency (MHz)	Position	SAR <sub>1g</sub> (W/kg) 50% PTT duty cycle
UHF	418	Face-held	1.897
UHF	400.5	Body-Worn	3.048

## 1.7. Test Date

The test performed from March 29, 2012 to March 30, 2012.

## 2. SAR Measurements System Configuration

#### 2.1. SAR Measurement Set-up

The DASY4 system for performing compliance tests consists of the following items:

- A standard high precision 6-axis robot (Stäubli RX family) with controller and software. An arm extension for accommodating the data acquisition electronics (DAE).
- A dosimetric probe, i.e. an isotropic E-field probe optimized and calibrated for usage in tissue simulating liquid. The probe is equipped with an optical surface detector system.
- A data acquisition electronic (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.
- A unit to operate the optical surface detector which is connected to the EOC.
- The Electro-Optical Coupler (EOC) performs the conversion from the optical into a digital electric signal of the DAE. The EOC is connected to the DASY4 measurement server.
- The DASY4 measurement server, which performs all real-time data evaluation for field measurements and surface detection, controls robot movements and handles safety operation. A computer operating Windows 2003
- DASY4 software and SEMCAD data evaluation software.
- Remote control with teach panel and additional circuitry for robot safety such as warning lamps, etc.
- The generic twin phantom enabling the testing of left-hand and right-hand usage.
- The device holder for handheld mobile phones.
- Tissue simulating liquid mixed according to the given recipes.
- System validation dipoles allowing to validate the proper functioning of the system.




Figure 1. SAR Lab Test Measurement Set-up

## 2.2. DASY4 E-field Probe System

The SAR measurements were conducted with the dosimetric probe EX3DV4 (manufactured by SPEAG), designed in the classical triangular configuration and optimized for dosimetric evaluation.

#### 2.2.1. EX3DV4 Probe Specification

Construction Symmetrical design with triangular core

Built-in shielding against static charges PEEK enclosure material (resistant to

organic solvents, e.g., DGBE)

Calibration ISO/IEC 17025 calibration service available

Frequency 10 MHz to > 6 GHz

Linearity: ± 0.2 dB (30 MHz to 6 GHz)

Directivity  $\pm$  0.3 dB in HSL (rotation around probe

axis) ± 0.5 dB in tissue material (rotation

normal to probe axis)

Dynamic Range 10  $\mu$ W/g to > 100 mW/g Linearity:

 $\pm$  0.2dB (noise: typically < 1  $\mu$ W/g)

Dimensions Overall length: 330 mm (Tip: 20 mm)

Tip diameter: 2.5 mm (Body: 12 mm) Typical distance from probe tip to dipole

centers: 1 mm

Application High precision dosimetric

measurements in any exposure

scenario (e.g., very strong gradient

fields).

Only probe which enables compliance testing for frequencies up to 6 GHz

with precision of better 30%.



Figure 2.EX3DV4 E-field Probe



Figure 3. EX3DV4 E-field probe

Report No. RZA1202-0164SAR01

Page 11 of 71

#### 2.2.2. E-field Probe Calibration

Each probe is calibrated according to a dosimetric assessment procedure with accuracy better than  $\pm$  10%. The spherical isotropy was evaluated and found to be better than  $\pm$  0.25dB. The sensitivity parameters (NormX, NormY, NormZ), the diode compression parameter (DCP) and the conversion factor (ConvF) of the probe are tested.

The free space E-field from amplified probe outputs is determined in a test chamber. This is performed in a TEM cell for frequencies bellow 1 GHz, and in a wave guide above 1 GHz for free space. For the free space calibration, the probe is placed in the volumetric center of the cavity and at the proper orientation with the field. The probe is then rotated 360 degrees.

E-field temperature correlation calibration is performed in a flat phantom filled with the appropriate simulated brain tissue. The measured free space E-field in the medium correlates to temperature rise in a dielectric medium. For temperature correlation calibration a RF transparent thermistor-based temperature probe is used in conjunction with the E-field probe.

$$SAR = C \frac{\Delta T}{\Delta t}$$

Where:  $\Delta t = \text{Exposure time (30 seconds)}$ ,

C = Heat capacity of tissue (brain or muscle),

 $\Delta T$  = Temperature increase due to RF exposure.

Or

$$SAR = \frac{|E|^2 \sigma}{\rho}$$

Where:

 $\sigma$  = Simulated tissue conductivity,

 $\rho$  = Tissue density (kg/m3).

## 2.3. Other Test Equipment

#### 2.3.1. Device Holder for Transmitters

The DASY device holder is designed to cope with the die rent positions given in the standard.

It has two scales for device rotation (with respect to the body axis) and device inclination (with

respect to the line between the ear reference points). The rotation centers for both scales is the

ear reference point (ERP). Thus the device needs no repositioning when changing the angles.

The DASY device holder is constructed of low-loss POM material. The amount of dielectric material



Figure 4.Device Holder

has been reduced in the closest vicinity of the device, since measurements have suggested that the inference of the clamp on the test results could thus be lowered.

Report No. RZA1202-0164SAR01

#### Page 12 of 71

#### 2.3.2. Phantom

Phantom for compliance testing of handheld andbody-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI isfully compatible with the IEC 62209-2 standard and all known tissuesimulating liquids. ELI has been optimized regarding its performance and can beintegrated into our standard phantom tables. A cover prevents evaporation ofthe liquid. Reference markings on the phantom allow installation of thecomplete setup, including all predefined phantom positions and measurementgrids, by teaching three points. The phantom is compatible with all SPEAGdosimetric probes and dipoles.

Shell Thickness 2±0.2 mm

Filling Volume Approx. 30 liters

Dimensions 190×600×0 mm (H x L x W)



Figure 5.ELI4 Phantom

## 2.4. Scanning Procedure

The DASY4 installation includes predefined files with recommended procedures for measurements and validation. They are read-only document files and destined as fully defined but unmeasured masks. All test positions (head or body-worn) are tested with the same configuration of test steps differing only in the grid definition for the different test positions.

- The "reference" and "drift" measurements are located at the beginning and end of the batch process. They measure the field drift at one single point in the liquid over the complete procedure.
   The indicated drift is mainly the variation of the DUT's output power and should vary max. ± 5 %.
- The "surface check" measurement tests the optical surface detection system of the DASY4 system by repeatedly detecting the surface with the optical and mechanical surface detector and comparing the results. The output gives the detecting heights of both systems, the difference between the two systems and the standard deviation of the detection repeatability. Air bubbles or refraction in the liquid due to separation of the sugar-water mixture gives poor repeatability (above ± 0.1mm). To prevent wrong results tests are only executed when the liquid is free of air bubbles. The difference between the optical surface detection and the actual surface depends on the probe and is specified with each probe. (It does not depend on the surface reflectivity or the probe angle to the surface within ± 30°.)

Report No. RZA1202-0164SAR01

Page 13 of 71

#### Area Scan

The Area Scan is used as a fast scan in two dimensions to find the area of high field values before running a detailed measurement around the hot spot.Before starting the area scan a grid spacing of 15 mm x 15 mm is set. During the scan the distance of the probe to the phantom remains unchanged.

After finishing area scan, the field maxima within a range of 2 dB will be ascertained.

#### Zoom Scan

Zoom Scans are used to estimate the peak spatial SAR values within a cubic averaging volume containing 1 g and 10 g of simulated tissue. The default Zoom Scan is done by 7x7x7 points within a cube whose base is centered around the maxima found in the preceding area scan.

#### Spatial Peak Detection

The procedure for spatial peak SAR evaluation has been implemented and can determine values of masses of 1g and 10g, as well as for user-specific masses. The DASY4 system allows evaluations that combine measured data and robot positions, such as:

- · maximum search
- extrapolation
- boundary correction
- · peak search for averaged SAR

During a maximum search, global and local maxima searches are automatically performed in 2-D after each Area Scan measurement with at least 6 measurement points. It is based on the evaluation of the local SAR gradient calculated by the Quadratic Shepard s method. The algorithm will find the global maximum and all local maxima within -2 dB of the global maxima for all SAR distributions.

Extrapolation routines are used to obtain SAR values between the lowest measurement points and the inner phantom surface. The extrapolation distance is determined by the surface detection distance and the probe sensor offset. Several measurements at different distances are necessary for the extrapolation. Extrapolation routines require at least 10 measurement points in 3-D space. They are used in the Zoom Scan to obtain SAR values between the lowest measurement points and the inner phantom surface. The routine uses the modified Quadratic Shepard s method for extrapolation. For a grid using 7x7x7 measurement points with 5mm resolution amounting to 343 measurement points, the uncertainty of the extrapolation routines is less than 1% for 1g and 10g cubes.

 A Z-axis scan measures the total SAR value at the x-and y-position of the maximum SAR value found during the cube 7x7x7 scan. The probe is moved away in z-direction from the bottom of the SAM phantom in 5mm steps. Report No. RZA1202-0164SAR01 Page 14 of 71

## 2.5. Data Storage and Evaluation

#### 2.5.1. Data Storage

The DASY4 software stores the acquired data from the data acquisition electronics as raw data (in microvolt readings from the probe sensors), together with all necessary software parameters for the data evaluation (probe calibration data, liquid parameters and device frequency and modulation data) in measurement files with the extension ".DA4". The software evaluates the desired unit and format for output each time the data is visualized or exported. This allows verification of the complete software setup even after the measurement and allows correction of incorrect parameter settings. For example, if a measurement has been performed with a wrong crest factor parameter in the device setup, the parameter can be corrected afterwards and the data can be re-evaluated.

The measured data can be visualized or exported in different units or formats, depending on the selected probe type ([V/m], [A/m], [°C], [mW/g], [mW/cm²], [dBrel], etc.). Some of these units are not available in certain situations or show meaningless results, e.g., a SAR output in a lossless media will always be zero. Raw data can also be exported to perform the evaluation with other software packages.

#### 2.5.2. Data Evaluation by SEMCAD

The SEMCAD software automatically executes the following procedures to calculate the field units from the microvolt readings at the probe connector. The parameters used in the evaluation are stored in the configuration modules of the software:

Probe parameters:	<ul><li>Sensitivity</li><li>Conversion factor</li><li>Diode compression point</li></ul>	Normi, $a_{i0}$ , $a_{i1}$ , $a_{i2}$ ConvF <sub>i</sub> Dcp <sub>i</sub>
Device parameters:	- Frequency - Crest factor	f cf
Media parameters:	- Conductivity - Density	σ ρ

These parameters must be set correctly in the software. They can be found in the component documents or they can be imported into the software from the configuration files issued for the DASY4 components. In the direct measuring mode of the multimeter option, the parameters of the actual system setup are used. In the scan visualization and export modes, the parameters stored in the corresponding document files are used.

The first step of the evaluation is a linearization of the filtered input signal to account for the compression characteristics of the detector diode. The compensation depends on the input signal, the diode type and the DC-transmission factor from the diode to the evaluation electronics.

If the exciting field is pulsed, the crest factor of the signal must be known to correctly compensate for peak power. The formula for each channel can be given as:

$$V_i = U_i + U_i^2 \cdot c f/d c p_i$$

With  $V_i$  = compensated signal of channel i (i = x, y, z)

 $U_i$  = input signal of channel i (i = x, y, z)

**cf** = crest factor of exciting field (DASY parameter)

**dcp**<sub>i</sub> = diode compression point (DASY parameter)

From the compensated input signals the primary field data for each channel can be evaluated:

E-field probes:  $E_i = (V_i / Norm_i \cdot ConvF)^{1/2}$ 

H-field probes:  $H_i = (V_i)^{1/2} \cdot (a_{i0} + a_{i1} f + a_{i2} f^2) / f$ 

With  $V_i$  = compensated signal of channel i (i = x, y, z)

**Norm**<sub>i</sub> = sensor sensitivity of channel i (i = x, y, z)

[mV/(V/m)<sup>2</sup>] for E-field Probes

**ConvF** = sensitivity enhancement in solution

**a**<sub>ij</sub> = sensor sensitivity factors for H-field probes

**f** = carrier frequency [GHz]

 $E_i$  = electric field strength of channel i in V/m

**H**<sub>i</sub> = magnetic field strength of channel i in A/m

The RSS value of the field components gives the total field strength (Hermitian magnitude):

$$E_{tot} = (E_x^2 + E_y^2 + E_z^2)^{1/2}$$

The primary field data are used to calculate the derived field units.

$$SAR = (E_{tot}^2 \cdot \sigma) / (\rho \cdot 1000)$$

Report No. RZA1202-0164SAR01

Page 16 of 71

with **SAR** = local specific absorption rate in mW/g

 $\boldsymbol{E_{tot}}$  = total field strength in V/m

 $\sigma$  = conductivity in [mho/m] or [Siemens/m]

 $\rho$  = equivalent tissue density in g/cm<sup>3</sup>

Note that the density is normally set to 1 (or 1.06), to account for actual brain density rather than the density of the simulation liquid. The power flow density is calculated assuming the excitation field to be a free space field.

$$P_{\text{pwe}} = E_{\text{tot}}^2 / 3770$$
 or  $P_{\text{pwe}} = H_{\text{tot}}^2 \cdot 37.7$ 

with  $P_{pwe}$  = equivalent power density of a plane wave in mW/cm<sup>2</sup>

 $\boldsymbol{E_{tot}}$  = total electric field strength in V/m

**H**<sub>tot</sub> = total magnetic field strength in A/m

## 3. Laboratory Environment

**Table 1: The Requirements of the Ambient Conditions** 

Temperature	Min. = 20°C, Max. = 25 °C		
Relative humidity	Min. = 30%, Max. = 70%		
Ground system resistance	< 0.5 Ω		
Ambient noise is checked and found very low and in compliance with requirement of standards.			
Reflection of surrounding objects is minimized and in compliance with requirement of standards.			

## 4. Tissue-equivalent Liquid

## 4.1. Tissue-equivalent Liquid Ingredients

The liquid is consisted of water, sugar, salt, Preventol and Cellulose. The liquid has previously been proven to be suited for worst-case. The Table 2 and Table 3 show the detail solution. It's satisfying the latest tissue dielectric parameters requirements proposed by the OET 65.

**Table 2: Composition of the Head Tissue Equivalent Matter** 

MIXTURE%	FREQUENCY(Brain) 450MHz
Water	38.56
Sugar	56.32
Salt	3.95
Preventol	0.10
Cellulose	1.07
Dielectric Parameters	f=450MHz ε=43.5 σ=0.87
Target Value	1-4901VIDZ E-43.5 0-0.67

**Table 3: Composition of the Body Tissue Equivalent Matter** 

MIXTURE%	FREQUENCY(Body) 450MHz		
Water	51.16		
Sugar	46.78		
Salt	1.49		
Preventol	0.10		
Cellulose	0.47		
Dielectric Parameters	5-450MH		
Target Value	f=450MHz ε=56.7 σ=0.94		

Report No. RZA1202-0164SAR01 Page 18 of 71

## 4.2. Tissue-equivalent Liquid Properties

**Table 4: Dielectric Performance of Head Tissue Simulating Liquid** 

	0 1			
Eroguenov	Description	Dielectric Parameters		Temp
Frequency	Description	ε <sub>r</sub>	σ(s/m)	${\mathfrak C}$
	Target value	43.50	0.87	22.0
450MHz	±5% window	41.33 — 45.68	0.83 — 0.91	22.0
(head)	Measurement value	44.26	0.86	21.6
	2012-3-30	77.20	0.00	21.0

Table 5: Dielectric Performance of Body Tissue Simulating Liquid

Frequency	Description	Dielectric Parameters		Temp
	Description	ε <sub>r</sub>	σ(s/m)	${\mathfrak C}$
	Target value	56.70	0.94	22.0
450MHz	±5% window	53.87 — 59.54	0.89 — 0.99	22.0
(body)	Measurement value 2012-3-29	55.02	0.92	21.5

## 5. System Check

## 5.1. Description of System Check

The manufacturer calibrates the probes annually. Dielectric parameters of the tissue simulants were measured every day using the dielectric probe kit and the network analyser. A system check measurement was made following the determination of the dielectric parameters of the simulant, using the dipole validation kit. A power level of 398 mW was supplied to the dipole antenna, which was placed under the flat section of the twin SAM phantom. The system check results (dielectric parameters and SAR values) are given in the table 6 and table 7.

System check results have to be equal or near the values determined during dipole calibration with the relevant liquids and test system (±10 %).

System check is performed regularly on all frequency bands where tests are performed with the DASY4 system.




Figure 6. System Check Set-up

Report No. RZA1202-0164SAR01 Page 20 of 71

## **Justification for Extended SAR Dipole Calibrations**

Usage of SAR dipoles calibrated less than 2 years ago but more than 1 year ago were confirmed in maintaining return loss (< - 20 dB, within 20% of prior calibration) and impedance (within 5 ohm from prior calibration) requirements per extended calibrations in KDB Publication 450824:

Dipole D450V3 SN: 1065									
Head Liquid									
Date of Measurement Return Loss(dB) $\Delta$ % Impedance ( $\Omega$ ) $\Delta\Omega$									
11/09/2010	-20.5	3.4%	59.2	1.4Ω					
11/08/2011	-21.2	3.4%	60.6						
Body Liquid									
Date of Measurement	Return Loss(dB)	Δ%	Impedance (Ω)	ΔΩ					
11/09/2010	-20.4	2.9%	56.5	1.6Ω					
11/08/2011	-19.8	2.970	58.1	1.022					

Report No. RZA1202-0164SAR01 Page 21 of 71

## 5.2. System Check Results

Table 6: System Check for Head Tissue Simulating Liquid

Frequency Test Date		Dielectric Parameters		Temp	398mW 1W Measured Normalized SAR <sub>1g</sub> SAR <sub>1g</sub>		1W Target SAR <sub>1g</sub> (±10% Deviation)
		εr	σ(s/m)	(℃)			
450MHz	2012-3-30	44.26	0.86	21.6	2.00	5.03	4.76 (4.28 ~ 5.24)

Note: 1. The graph results see ANNEX B.

2. Target Value used derive from the calibration certificate

Table 7: System Check for Body Tissue Simulating Liquid

Frequency	Test Date	Dielectric Parameters		Temp	398mW 1W Measured Normalized SAR <sub>1g</sub> SAR <sub>1g</sub> (		1W Target SAR <sub>1g</sub> (±10% Deviation)
		εr	σ(s/m)	(℃)	(W/kg)		
450MHz	2012-3-29	55.02	0.92	21.5	1.78	4.47	4.51 (4.06 ~ 4.96)

Note: 1. The graph results see ANNEX B.

2. Target Value used derive from the calibration certificate

Report No. RZA1202-0164SAR01 Page 22 of 71

## 6. Operational Conditions during Test

## 6.1. General Description of Test Procedures

The spatial peak SAR values were assessed for UHF (400.5 MHz, 418 MHz, 435.5MHz, 453MHz and 469.5MHz) systems. Battery and accessories shall be specified by the manufacturer. The EUT battery must be fully charged and checked periodically during the test to ascertain uniform power output.

#### 6.2. Test Positions

#### 6.2.1. Face-Held Configuration

The front of the EUT is towards the phantom.

The front surface of the EUT is positioned at 25mm parallel to the flat phantom.

The surface of the EUT antenna is positioned at 37mm to the flat phantom.

#### 6.2.2. Body-Worn Configuration

The back of the EUT is towards the phantom.

Belt clip directed tightly to touch the bottom of the flat phantom.

The surface of the EUT antenna is positioned at 23mm to the flat phantom.

Report No. RZA1202-0164SAR01

Page 23 of 71

## 7. Test Results

## 7.1. Conducted Power Results

**Table 8: Conducted Power Measurement Results** 

Analog UHF	Conducted Power								
(12.5KHz)	400.5 MHz	418MHz	435.5MHz	453MHz	469.5MHz				
Test Result (dBm)	36.55	36.26	36.52	36.69	36.60				

Report No. RZA1202-0164SAR01 Page 24 of 71

## 7.2. SAR Test Results

## 7.2.1. UHF

Table 9: SAR Values (UHF)

Limits	1 g Averaç		Power Drift (dB) ± 0.21	Graph						
				Results						
Frequency	Duty C		Power Drift							
	100%	50%	(dB)							
The EU	The EUT display towards phantom for 12.5 KHz (Face Held)									
400.5 MHz	2.550	1.275	-0.023	Figure 9						
418 MHz	3.720	1.860	-0.086	Figure 10						
435.5 MHz	1.910	0.955	-0.019	Figure 11						
453MHz	1.100	0.550	0.006	Figure 12						
469.5MHz	1.000	0.500	-0.013	Figure 13						
The EU	T display towards	ground for 12.5 K	(Hz (Body-Worn)							
400.5 MHz	6.010	3.005	-0.061	Figure 14						
418 MHz	4.490	2.245	-0.043	Figure 15						
435.5 MHz	2.520	1.260	-0.020	Figure 16						
453MHz	1.860	0.930	-0.039	Figure 17						
469.5MHz	1.350	0.675	-0.070	Figure 18						

Table 10: SAR Values are scaled for the power drift

Limits	1 g Average (W/kg) 8.0		Power Drift (dB) ± 0.21	+ Power Drift	SAR 1g (W/kg) (include + power drift)						
Fraguency	Duty	Cycle	Power	10^(dB/10)	Duty	Cycle					
Frequency	100%	50%	Drift(dB)		100%	50%					
Т	The EUT display towards phantom for 12.5 KHz (Face Held)										
400.5 MHz	2.550	1.275	0.023	1.005	2.564	1.282					
418 MHz	3.720	1.860	0.086	1.020	3.794	1.897					
435.5 MHz	1.910	0.955	0.019	1.004	1.918	0.959					
453MHz	1.100	0.550	0.006	1.001	1.102	0.551					
469.5MHz	1.000	0.500	0.013	1.003	1.003	0.501					
T	he EUT display	towards ground	for 12.5 KHz	(Body-Worn)	)						
400.5 MHz	6.010	3.005	0.061	1.014	6.095	3.048					
418 MHz	4.490	2.245	0.043	1.010	4.535	2.267					
435.5 MHz	2.520	1.260	0.020	1.005	2.532	1.266					
453MHz	1.860	0.930	0.039	1.009	1.877	0.938					
469.5MHz	1.350	0.675	0.070	1.016	1.372	0.686					

Note: 1. The value with blue color is the maximum SAR Value of each test band.

<sup>2.</sup> The SAR levels reported are based on 50% PTT duty factor including SAR droop.

<sup>3.</sup> The Exposure category about EUT: controlled environment/Occupational, so the SAR limit is 8.0 W/kg averaged over any 1 gram of tissue.

Report No. RZA1202-0164SAR01

Page 26 of 71

## 6. Measurement Uncertainty

No.	source	Туре	Uncertainty Value (%)	Probability Distribution	k	Ci	Standard ncertainty $u_i^{'}(\%)$	Degree of freedom V <sub>eff</sub> or v <sub>i</sub>		
1	System repetivity	Α	0.5	N	1	1	0.5	9		
		Mea	asurement syste	m						
2	-probe calibration	В	6.7	N	1	1	6.7	∞		
3	-axial isotropy of the probe	В	4.7	R	$\sqrt{3}$	$\sqrt{0.5}$	1.9	∞		
4	- Hemispherical isotropy of the probe	В	9.4	R	$\sqrt{3}$	$\sqrt{0.5}$	3.9	∞		
6	-boundary effect	В	1.9	R	$\sqrt{3}$	1	1.1	∞		
7	-probe linearity	В	4.7	R	$\sqrt{3}$	1	2.7	∞		
8	- System detection limits	В	1.0	R	$\sqrt{3}$	1	0.6	∞		
9	-readout Electronics	В	1.0	N	1	1	1.0	8		
10	-response time	В	0	R	$\sqrt{3}$	1	0	∞		
11	-integration time	В	4.32	R	$\sqrt{3}$	1	2.5	∞		
12	-noise	В	0	R	$\sqrt{3}$	1	0	∞		
13	-RF Ambient Conditions	В	3	R	$\sqrt{3}$	1	1.73	∞		
14	-Probe Positioner Mechanical Tolerance	В	0.4	R	$\sqrt{3}$	1	0.2	∞		
15	-Probe Positioning with respect to Phantom Shell	В	2.9	R	$\sqrt{3}$	1	1.7	∞		
16	-Extrapolation, interpolation and Integration Algorithms for Max. SAR Evaluation	В	3.9	R	$\sqrt{3}$	1	2.3	∞		
	Test sample Related									
17	-Test Sample Positioning	Α	2.9	N	1	1	2.9	71		
18	-Device Holder Uncertainty	Α	4.1	N	1	1	4.1	5		
19	-Output Power Variation - SAR drift measurement	В	5.0	R	$\sqrt{3}$	1	2.9	∞		
		Ph	ysical paramete	r		<del>                                     </del>				
20	-phantom	В	4.0	R	$\sqrt{3}$	1	2.3	∞		

Report No. RZA1202-0164SAR01

Page 27 of 71

21	-liquid conductivity (deviation from target)	В	5.0	R	$\sqrt{3}$	0.64	1.8	8
22	-liquid conductivity (measurement uncertainty)	В	2.5	N	1	0.64	1.6	9
23	-liquid permittivity (deviation from target)	В	5.0	R	$\sqrt{3}$	0.6	1.7	8
24	-liquid permittivity (measurement uncertainty )	В	2.5	N	1	0.6	1.5	9
Combined standard uncertainty		$u_{c}' = \sqrt{\sum_{i=1}^{21} c_{i}^{2} u_{i}^{2}}$					12.53	
· ·	Expanded uncertainty (confidence interval of 95 %)		$u_e = 2u_c$	N k=2		23.76		

Report No. RZA1202-0164SAR01 Page 28 of 71

## 7. Main Test Instruments

**Table 11: List of Main Instruments** 

No.	Name	Туре	Serial Number	Calibration Date	Valid Period
01	Network analyzer	Agilent 8753E	US37390326	September 12, 2011	One year
02	Dielectric Probe Kit	Agilent 85070E	US44020115	No Calibration Re	quested
03	Power meter	Agilent E4417A	GB41291714	March 11, 2012	One year
04	Power sensor	Agilent N8481H	MY50350004	September 25, 2011	One year
05	Power sensor	E9327A	US40441622	September 24, 2011	One year
06	Signal Generator	HP 8341B	2730A00804	September 12, 2011	One year
07	Amplifier	IXA-020	0401	No Calibration Requested	
08	E-field Probe	EX3DV4	3816	October 3, 2011	One year
09	DAE	DAE4	871	November 22, 2011	One year
10	Validation Kit 450MHz	D450V3	1065	November 9, 2010	Two years
11	Dual directional coupler	778D-012	5051P	August 21, 2011	One year
12	Temperature Probe	JM222	AA1009129	March 15, 2012	One year
13	Hygrothermograph	HTC-1	TASH121602	June 21, 2011	One year

\*\*\*\*\*END OF REPORT \*\*\*\*\*

## **ANNEX A: Test Layout**



Picture 1: Specific Absorption Rate Test Layout



Picture 2: Liquid depth in the Flat Phantom (450 MHz, 15.4cm depth)

## **ANNEX B: System Check Results**

## System Performance Check at 450 MHz Head TSL

DUT: Dipole450 MHz; Type: D450V3; Serial: 1065

Date/Time: 3/30/2012 7:35:21 PM

Communication System: CW; Frequency: 450 MHz; Duty Cycle: 1:1

Medium parameters used: f = 450 MHz;  $\sigma = 0.86 \text{ mho/m}$ ;  $\epsilon_r = 44.26$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 22.3 °C Liquid Temperature: 21.6 °C

DASY4 Configuration:

Probe: EX3DV4 - SN3816; ConvF(9.97, 9.97, 9.97) Calibrated: 10/3/2011

Electronics: DAE4 Sn871; Calibrated: 11/22/2011 Phantom: SAM 12; Type: SAM V4.0; Serial: TP-1246

Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

d=15mm, Pin=398mW/Area Scan (41x131x1): Measurement grid: dx=15mm, dy=15mm


Maximum value of SAR (interpolated) = 2.15 mW/g

**d=15mm, Pin=398mW/Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 52.2 V/m; Power Drift = -0.033 dB

Peak SAR (extrapolated) = 3.29 W/kg

**SAR(1 g) = 2.00 mW/g; SAR(10 g) = 1.31 mW/g** Maximum value of SAR (measured) = 2.15 mW/g



0 dB = 2.15 mW/g

Figure 7 System Performance Check 450MHz 398mW

## System Performance Check at 450 MHz Body TSL

DUT: Dipole450 MHz; Type: D450V3; Serial: 1065

Date/Time: 3/29/2012 8:44:21 AM

Communication System: CW; Frequency: 450 MHz; Duty Cycle: 1:1

Medium parameters used: f = 450 MHz;  $\sigma$  = 0.92mho/m;  $\varepsilon_r$  = 55.02;  $\rho$  = 1000 kg/m<sup>3</sup>

Ambient Temperature: 22.3 ℃ Liquid Temperature: 21.5 ℃

**DASY4** Configuration:

Probe: EX3DV4 - SN3816; ConvF(10.83, 10.83, 10.83) Calibrated: 10/3/2011

Electronics: DAE4 Sn871; Calibrated: 11/22/2011 Phantom: SAM 12; Type: SAM V4.0; Serial: TP-1246

Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

d=15mm, Pin=398mW/Area Scan (61x221x1): Measurement grid: dx=15mm, dy=15mm


Maximum value of SAR (interpolated) = 1.9 mW/g

**d=15mm, Pin=398mW/Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 44.7 V/m; Power Drift = -0.014 dB

Peak SAR (extrapolated) = 2.64 W/kg

**SAR(1 g) = 1.78 mW/g; SAR(10 g) = 1.17 mW/g** Maximum value of SAR (measured) = 1.89 mW/g



0 dB = 1.89 mW/g

Figure 8 System Performance Check 450MHz 398mW

Report No. RZA1202-0164SAR01 Page 32 of 71

## **ANNEX C: Graph Results**

## Face Held, Front towards Phantom 400.5 MHz (12.5 KHz Channel Spacing)

Date/Time: 3/30/2012 9:18:52 PM

Communication System: PTT 400-470; Frequency: 400.5 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): f = 400.5 MHz;  $\sigma = 0.83 \text{ mho/m}$ ;  $\epsilon_r = 45.6$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 22.3 ℃ Liquid Temperature: 21.5 ℃

Phantom section: Flat Section

DASY4 Configuration:

Probe: EX3DV4 - SN3816; ConvF(9.97, 9.97, 9.97) Calibrated: 10/3/2011

Electronics: DAE4 Sn871; Calibrated: 11/22/2011 Phantom: SAM 12; Type: SAM V4.0; Serial: TP-1246

Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Towards Phantom 400.5 MHz/Area Scan (51x111x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 2.76 mW/g

**Towards Phantom 400.5 MHz/Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

uZ-311111

Reference Value = 56.6 V/m; Power Drift = -0.023 dB

Peak SAR (extrapolated) = 3.55 W/kg

SAR(1 g) = 2.55 mW/g; SAR(10 g) = 1.86 mW/g Maximum value of SAR (measured) = 2.68 mW/g




Figure 9 Face Held for 12.5 KHz, Front towards Phantom 400.5 MHz

## Face Held, Front towards Phantom 418 MHz(12.5 KHz Channel Spacing)

Date/Time: 3/30/2012 9:05:35 PM

Communication System: PTT 400-470; Frequency: 418 MHz;Duty Cycle: 1:1 Medium parameters used: f = 418 MHz;  $\sigma = 0.839$  mho/m;  $\epsilon_r = 45$ ;  $\rho = 1000$  kg/m<sup>3</sup>

Ambient Temperature: 22.3 ℃ Liquid Temperature: 21.5 ℃

Phantom section: Flat Section

DASY4 Configuration:

Probe: EX3DV4 - SN3816; ConvF(9.97, 9.97, 9.97) Calibrated: 10/3/2011

Electronics: DAE4 Sn871; Calibrated: 11/22/2011 Phantom: SAM 12; Type: SAM V4.0; Serial: TP-1246

Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Towards Phantom 418 MHz/Area Scan (51x111x1): Measurement grid: dx=15mm, dy=15mm


Maximum value of SAR (interpolated) = 4.07 mW/g

**Towards Phantom 418 MHz/Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 69.2 V/m; Power Drift = -0.086 dB

Peak SAR (extrapolated) = 5.20 W/kg

**SAR(1 g) = 3.72 mW/g; SAR(10 g) = 2.71 mW/g** Maximum value of SAR (measured) = 3.91 mW/g






Figure 10 Face Held for 12.5 KHz, Front towards Phantom 418 MHz

## Face Held, Front towards Phantom 435.5 MHz(12.5 KHz Channel Spacing)

Date/Time: 3/30/2012 10:13:41 PM

Communication System: PTT 400-470; Frequency: 435.5 MHz;Duty Cycle: 1:1 Medium parameters used: f = 436 MHz;  $\sigma = 0.851$  mho/m;  $\epsilon_r = 44.6$ ;  $\rho = 1000$  kg/m<sup>3</sup>

Ambient Temperature: 22.3 °C Liquid Temperature: 21.5 °C

Phantom section: Flat Section

DASY4 Configuration:

Probe: EX3DV4 - SN3816; ConvF(9.97, 9.97, 9.97) Calibrated: 10/3/2011

Electronics: DAE4 Sn871; Calibrated: 11/22/2011 Phantom: SAM 12; Type: SAM V4.0; Serial: TP-1246

Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Towards Phantom 435.5 MHz/Area Scan (51x111x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 2.12 mW/g

**Towards Phantom 435.5 MHz/Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 48.8 V/m; Power Drift = -0.019 dB

Peak SAR (extrapolated) = 2.65 W/kg

**SAR(1 g) = 1.91 mW/g; SAR(10 g) = 1.39 mW/g** Maximum value of SAR (measured) = 2.00 mW/g




Figure 11 Face Held for 12.5 KHz, Front towards Phantom 435.5 MHz

## Face Held, Front towards Phantom 453 MHz(12.5 KHz Channel Spacing)

Date/Time: 3/30/2012 10:28:55 PM

Communication System: PTT 400-470; Frequency: 453 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): f = 453 MHz;  $\sigma = 0.862 \text{ mho/m}$ ;  $\epsilon_r = 44.2$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 22.3 ℃ Liquid Temperature: 21.5 ℃

Phantom section: Flat Section

DASY4 Configuration:

Probe: EX3DV4 - SN3816; ConvF(9.97, 9.97, 9.97) Calibrated: 10/3/2011

Electronics: DAE4 Sn871; Calibrated: 11/22/2011 Phantom: SAM 12; Type: SAM V4.0; Serial: TP-1246

Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Towards Phantom 453 MHz/Area Scan (51x111x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 1.23 mW/g

Towards Phantom 453 MHz/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,

dz=5mm

Reference Value = 35.1 V/m; Power Drift = 0.006 dB

Peak SAR (extrapolated) = 1.53 W/kg

**SAR(1 g) = 1.1 mW/g; SAR(10 g) = 0.797 mW/g** Maximum value of SAR (measured) = 1.15 mW/g




Figure 12 Face Held for 12.5 KHz, Front towards Phantom 453 MHz

#### Face Held, Front towards Phantom 469.5 MHz (12.5 KHz Channel Spacing)

Date/Time: 3/30/2012 11:31:18 PM

Communication System: PTT 400-470; Frequency: 469.5 MHz;Duty Cycle: 1:1 Medium parameters used: f = 470 MHz;  $\sigma = 0.876$  mho/m;  $\epsilon_r = 43.9$ ;  $\rho = 1000$  kg/m<sup>3</sup>

Ambient Temperature: 22.3 °C Liquid Temperature: 21.5 °C

Phantom section: Flat Section

DASY4 Configuration:

Probe: EX3DV4 - SN3816; ConvF(9.97, 9.97, 9.97) Calibrated: 10/3/2011

Electronics: DAE4 Sn871; Calibrated: 11/22/2011 Phantom: SAM 12; Type: SAM V4.0; Serial: TP-1246

Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Towards Phantom 469.5 MHz/Area Scan (51x111x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 1.09 mW/g

Towards Phantom 469.5 MHz/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,

dz=5mm

Reference Value = 35.0 V/m; Power Drift = -0.013 dB

Peak SAR (extrapolated) = 2.47 W/kg

SAR(1 g) = 1 mW/g; SAR(10 g) = 0.697 mW/g

Maximum value of SAR (measured) = 1.00 mW/g




Figure 13 Face Held for 12.5 KHz, Front towards Phantom 469.5 MHz

#### **Body-Worn, Front towards Ground 400.5 MHz(12.5 KHz Channel Spacing)**

Date/Time: 3/29/2012 5:09:51 PM

Communication System: PTT 400-470; Frequency: 400.5 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): f = 400.5 MHz;  $\sigma = 0.895 \text{ mho/m}$ ;  $\epsilon_r = 56.1$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 22.3 ℃ Liquid Temperature: 21.5 ℃

Phantom section: Flat Section

DASY4 Configuration:

Probe: EX3DV4 - SN3816; ConvF(10.83, 10.83, 10.83) Calibrated: 10/3/2011

Electronics: DAE4 Sn871; Calibrated: 11/22/2011 Phantom: SAM 12; Type: SAM V4.0; Serial: TP-1246

Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Towards Ground 400.5 MHz/Area Scan (51x111x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 6.50 mW/g

**Towards Ground 400.5 MHz/Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 82.0 V/m; Power Drift = -0.061 dB

Peak SAR (extrapolated) = 8.61 W/kg

SAR(1 g) = 6.01 mW/g; SAR(10 g) = 4.31 mW/g Maximum value of SAR (measured) = 6.32 mW/g

6.32 5.24 4.16 3.08 2.00




Figure 14 Body-Worn for 12.5 KHz, Front towards Ground 400.5 MHz

#### Body-Worn, Front towards Ground 418 MHz(12.5 KHz Channel Spacing)

Date/Time: 3/29/2012 6:30:54 PM

Communication System: PTT 400-470; Frequency: 418 MHz; Duty Cycle: 1:1

Medium parameters used: f = 418 MHz;  $\sigma$  = 0.902 mho/m;  $\varepsilon_r$  = 55.6;  $\rho$  = 1000 kg/m<sup>3</sup>

Ambient Temperature: 22.3 ℃ Liquid Temperature: 21.5 ℃

Phantom section: Flat Section

DASY4 Configuration:

Probe: EX3DV4 - SN3816; ConvF(10.83, 10.83, 10.83) Calibrated: 10/3/2011

Electronics: DAE4 Sn871; Calibrated: 11/22/2011 Phantom: SAM 12; Type: SAM V4.0; Serial: TP-1246

Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Towards Ground 418 MHz/Area Scan (51x111x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 5.10 mW/g

Towards Ground 418 MHz/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,

dz=5mm

Reference Value = 76.4 V/m; Power Drift = -0.043 dB

Peak SAR (extrapolated) = 6.49 W/kg

**SAR(1 g) = 4.49 mW/g; SAR(10 g) = 3.21 mW/g**Maximum value of SAR (measured) = 4.71 mW/g




Figure 15 Body-Worn for 12.5 KHz, Front towards Ground 418 MHz

#### Body-Worn, Front towards Ground 435.5 MHz(12.5 KHz Channel Spacing)

Date/Time: 3/29/2012 8:57:26 PM

Communication System: PTT 400-470; Frequency: 435.5 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): f = 435.5 MHz;  $\sigma = 0.915 \text{ mho/m}$ ;  $\epsilon_r = 55.3$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 22.3 °C Liquid Temperature: 21.5 °C

Phantom section: Flat Section

DASY4 Configuration:

Probe: EX3DV4 - SN3816; ConvF(10.83, 10.83, 10.83) Calibrated: 10/3/2011

Electronics: DAE4 Sn871; Calibrated: 11/22/2011 Phantom: SAM 12; Type: SAM V4.0; Serial: TP-1246

Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Towards Ground 435.5 MHz/Area Scan (51x111x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 2.92 mW/g

Towards Ground 435.5 MHz/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,

dz=5mm

Reference Value = 56.5 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 3.64 W/kg

SAR(1 g) = 2.52 mW/g; SAR(10 g) = 1.8 mW/g Maximum value of SAR (measured) = 2.65 mW/g




Figure 16 Body-Worn for 12.5 KHz, Front towards Ground 435.5 MHz

#### Body-Worn, Front towards Ground 453 MHz(12.5 KHz Channel Spacing)

Date/Time: 3/29/2012 11:21:41 PM

Communication System: PTT 400-470; Frequency: 453 MHz;Duty Cycle: 1:1 Medium parameters used: f = 453 MHz;  $\sigma = 0.923$  mho/m;  $\epsilon_r = 55$ ;  $\rho = 1000$  kg/m<sup>3</sup>

Ambient Temperature: 22.3 ℃ Liquid Temperature: 21.5 ℃

Phantom section: Flat Section

DASY4 Configuration:

Probe: EX3DV4 - SN3816; ConvF(10.83, 10.83, 10.83) Calibrated: 10/3/2011

Electronics: DAE4 Sn871; Calibrated: 11/22/2011 Phantom: SAM 12; Type: SAM V4.0; Serial: TP-1246

Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Towards Ground 453 MHz/Area Scan (51x111x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 2.13 mW/g

Towards Ground 453 MHz/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,

dz=5mm

Reference Value = 44.8 V/m; Power Drift = -0.039 dB

Peak SAR (extrapolated) = 2.72 W/kg

**SAR(1 g) = 1.86 mW/g; SAR(10 g) = 1.31 mW/g** Maximum value of SAR (measured) = 1.96 mW/g




Figure 17 Body-Worn for 12.5 KHz, Front towards Ground for 12.5 KHz 453 MHz

#### Body-Worn, Front towards Ground 469.5 MHz (12.5 KHz Channel Spacing)

Date/Time: 3/29/2012 10:14:37 AM

Communication System: PTT 400-470; Frequency: 469.5 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): f = 469.5 MHz;  $\sigma = 0.935 \text{ mho/m}$ ;  $\epsilon_r = 54.8$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 22.3 ℃ Liquid Temperature: 21.5 ℃

Phantom section: Flat Section

DASY4 Configuration:

Probe: EX3DV4 - SN3816; ConvF(10.83, 10.83, 10.83) Calibrated: 10/3/2011

Electronics: DAE4 Sn871; Calibrated: 11/22/2011 Phantom: SAM 12; Type: SAM V4.0; Serial: TP-1246

Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Towards Ground 469.5 MHz /Area Scan (51x111x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 1.54 mW/g

Towards Ground 469.5 MHz /Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,

dz=5mm

Reference Value = 37.5 V/m; Power Drift = -0.070 dB

Peak SAR (extrapolated) = 1.99 W/kg

SAR(1 g) = 1.35 mW/g; SAR(10 g) = 0.953 mW/g Maximum value of SAR (measured) = 1.43 mW/g

1.43
1.18
0.929
0.678
0.428

Figure 18 Body-Worn for 12.5 KHz, Front towards Ground 469.5 MHz

#### **ANNEX D: Probe Calibration Certificate**

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst s Service suisse d'étalonnage C Servizio svizzero di taratura Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Client

TMC Shanghai (Auden)

Certificate No: EX3-3816\_Oct11

Accreditation No.: SCS 108

#### CALIBRATION CERTIFICATE

Object

EX3DV4 - SN:3816

Calibration procedure(s)

QA CAL-01.v8, QA CAL-12.v7, QA CAL-23.v4, QA CAL-25.v4

Calibration procedure for dosimetric E-field probes

October 3, 2011

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID	Cal Date (Certificate No.)	Scheduled Calibration
Power meter E4419B	GB41293874	31-Mar-11 (No. 217-01372)	Apr-12
Power sensor E4412A	MY41498087	31-Mar-11 (No. 217-01372)	Apr-12
Reference 3 dB Attenuator	SN: S5054 (3c)	29-Mar-11 (No. 217-01369)	Apr-12
Reference 20 dB Attenuator	SN: S5086 (20b)	29-Mar-11 (No. 217-01367)	Apr-12
Reference 30 dB Attenuator	SN: S5129 (30b)	29-Mar-11 (No. 217-01370)	Apr-12
Reference Probe ES3DV2	SN: 3013	29-Dec-10 (No. ES3-3013_Dec10)	Dec-11
DAE4	SN: 654	3-May-11 (No. DAE4-654_May11)	May-12
Secondary Standards	ID	Check Date (in house)	Scheduled Check
RF generator HP 8648C	US3642U01700 *	4-Aug-99 (in house check Oct-09)	In house check: Oct-11
Network Analyzer HP 8753E	US37390585	18-Oct-01 (in house check Oct-10)	In house check: Oct-11

Name Function Calibrated by: Jeton Kastrati Laboratory Technician Approved by: Katja Pokovic Technical Manager Issued: October 3, 2011

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

#### Calibration Laboratory of

Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

#### Glossary:

TSL NORMx,y,z ConvF

DCP

tissue simulating liquid sensitivity in free space sensitivity in TSL / NORMx,y,z diode compression point

CF A, B, C Polarization φ crest factor (1/duty\_cycle) of the RF signal modulation dependent linearization parameters

φ rotation around probe axis

Polarization 3

9 rotation around an axis that is in the plane normal to probe axis (at measurement center),

i.e., 9 = 0 is normal to probe axis

#### Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2003, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", December 2003
- Techniques", December 2003

  b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005

#### Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization 9 = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide).
   NORMx,y,z are only intermediate values, i.e., the uncertainties of NORMx,y,z does not affect the E²-field uncertainty inside TSL (see below ConvF).
- NORM(f)x,y,z = NORMx,y,z \* frequency\_response (see Frequency Response Chart). This linearization is
  implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included
  in the stated uncertainty of ConvF.
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- Ax,y,z; Bx,y,z; Cx,y,z, VRx,y,z: A, B, C are numerical linearization parameters assessed based on the data of
  power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the
  maximum calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Paramèters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f ≤ 800 MHz) and inside waveguide using analytical field distributions based on power measurements for f > 800 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx,y,z \* ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy): in a field of low gradients realized using a flat phantom
  exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.

October 3, 2011

# Probe EX3DV4

SN:3816

Manufactured: Calibrated: September 2, 2011 October 3, 2011

Calibrated for DASY/EASY Systems

(Note: non-compatible with DASY2 system!)

October 3, 2011

### DASY/EASY - Parameters of Probe: EX3DV4 - SN:3816

#### **Basic Calibration Parameters**

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm (μV/(V/m) <sup>2</sup> ) <sup>A</sup>	0.48	0.56	0.61	± 10.1 %
DCP (mV) <sup>B</sup>	99.8	102.2	102.1	

#### Modulation Calibration Parameters

UID	Communication System Name	PAR		A dB	B dB	C dB	VR mV	Unc <sup>E</sup> (k=2)
10000	CW	0.00	X	0.00	0.00	1.00	111.3	±2.7 %
			Y	0.00	0.00	1.00	127.3	
			Z	0.00	0.00	1.00	127.7	-

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

The uncertainties of NormX,Y,Z do not affect the E<sup>2</sup>-field uncertainty inside TSL (see Pages 5 and 6).
 Numerical linearization parameter: uncertainty not required.
 Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

October 3, 2011

#### DASY/EASY - Parameters of Probe: EX3DV4 - SN:3816

#### Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) <sup>C</sup>	Relative Permittivity <sup>F</sup>	Conductivity (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha	Depth (mm)	Unct. (k=2)
450	43.5	0.87	9.97	9.97	9.97	0.11	1.00	± 13.4 %
750	41.9	0.89	9.47	9.47	9.47	0.62	0.78	± 12.0 %
835	41.5	0.90	9.22	9.22	9.22	0.76	0.66	± 12.0 %
1450	40.5	1.20	8.58	8.58	8.58	0.65	0.77	± 12.0 %
1750	40.1	1.37	8.23	8.23	8.23	0.80	0.58	± 12.0 %
1900	40.0	1.40	7.90	7.90	7.90	0.80	0.57	± 12.0 %
2450	39.2	1.80	7.17	7.17	7.17	0.66	0.64	± 12.0 %
2600	39.0	1.96	7.06	7.06	7.06	0.64	0.67	± 12.0 %

<sup>&</sup>lt;sup>C</sup> Frequency validity of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band.

<sup>®</sup> At frequencies below 3 GHz, the validity of tissue parameters (ε and σ) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ε and σ) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

October 3, 2011

#### DASY/EASY - Parameters of Probe: EX3DV4 - SN:3816

#### Calibration Parameter Determined in Body Tissue Simulating Media


f (MHz) <sup>C</sup>	Relative Permittivity <sup>F</sup>	Conductivity (S/m) <sup>F</sup>	ConvF X	ConvF Y	ConvF Z	Alpha	Depth (mm)	Unct. (k=2)
450	56.7	0.94	10.83	10.83	10.83	0.02	1.00	± 13.4 %
750	55.5	0.96	9.50	9.50	9.50	0.80	0.70	± 12.0 %
835	55.2	0.97	9.38	9.38	9.38	0.68	0.69	± 12.0 %
1750	53.4	1.49	7.80	7.80	7.80	0.80	0.65	± 12.0 %
1900	53.3	1.52	7.51	7.51	7.51	0.80	0.65	± 12.0 %
2450	52.7	1.95	7.19	7.19	7.19	0.80	0.60	± 12.0 %
2600	52.5	2.16	7.14	7.14	7.14	0.80	0.59	± 12.0 %

<sup>&</sup>lt;sup>C</sup> Frequency validity of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band.


At frequencies below 3 GHz, the validity of tissue parameters (ε and σ) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ε and σ) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

October 3, 2011

## Frequency Response of E-Field (TEM-Cell:ifi110 EXX, Waveguide: R22)





Uncertainty of Frequency Response of E-field: ± 6.3% (k=2)




October 3, 2011

#### Dynamic Range f(SAR<sub>head</sub>) (TEM cell , f = 900 MHz)





Uncertainty of Linearity Assessment: ± 0.6% (k=2)



October 3, 2011

#### DASY/EASY - Parameters of Probe: EX3DV4 - SN:3816

#### Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (°)	Not applicable
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	2 mm

## **ANNEX E: D450V3 Dipole Calibration Certificate**

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates Accreditation No.: SCS 108

CALIBRATION (	CERTIFICATE	<b>数据表现的数据表示</b>	
Object	D450V3 - SN: 10	065	
Calibration procedure(s)	QA CAL-15.v5 Calibration Proce	edure for dipole validation kits belo	w 800 MHz
Calibration date:	November 09, 20	010	
The measurements and the unc	ertainties with confidence p	robability are given on the following pages and	are part of the certificate.
Il calibrations have been condu	cted in the closed laborator	robability are given on the following pages and ry facility: environment temperature $(22 \pm 3)^{\circ}$ C	
Il calibrations have been condu	cted in the closed laborator	ry facility: environment temperature (22 ± 3)°C	and humidity < 70%.
Il calibrations have been condu alibration Equipment used (M& rimary Standards	cted in the closed laborator		
Il calibrations have been condu alibration Equipment used (M& rimary Standards ower meter E4419B	TE critical for calibration)	ry facility: environment temperature (22 ± 3)°C  Cal Date (Calibrated by, Certificate No.)	and humidity < 70%. Scheduled Calibration
I calibrations have been condu alibration Equipment used (M& imary Standards ower meter E4419B ower sensor E4412A	TE critical for calibration)  ID #  GB41293874	ry facility: environment temperature (22 ± 3)°C  Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030)	and humidity < 70%.  Scheduled Calibration  Apr-11
Il calibrations have been condu alibration Equipment used (M& rimary Standards ower meter E4419B ower sensor E4412A ower sensor E4412A	TE critical for calibration)  ID #  GB41293874  MY41495277	ry facility: environment temperature (22 ± 3)°C  Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)	Scheduled Calibration Apr-11 Apr-11
Il calibrations have been condu alibration Equipment used (M& rimary Standards ower meter E4419B ower sensor E4412A ower sensor E4412A eference 3 dB Attenuator	TE critical for calibration)  ID #  GB41293874  MY41496277  MY41498087	ry facility: environment temperature (22 ± 3)°C  Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)	Scheduled Calibration Apr-11 Apr-11 Apr-11
Calibrations have been conducted in Calibration Equipment used (M&Primary Standards Cower meter E4419B Cower sensor E4412A Cower sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator	TE critical for calibration)  ID #  GB41293874  MY41495277  MY41498087  SN: S5054 (3c)	Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  31-Mar-10 (No. 217-01026)	Scheduled Calibration Apr-11 Apr-11 Apr-11 Apr-11 Mar-11
all calibrations have been conductable and calibration Equipment used (M& rimary Standards) fower meter E4419B fower sensor E4412A fower sensor E4412A feerence 3 dB Attenuator feerence 20 dB Attenuator feerence 20 dB Attenuator	TE critical for calibration)  ID #  GB41293874  MY41495277  MY41498087  SN: S5054 (3c)  SN: S5086 (20b)	Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030) 1-Apr-10 (No. 217-01030) 1-Apr-10 (No. 217-01030) 31-Mar-10 (No. 217-01026) 31-Mar-10 (No. 217-01028)	Scheduled Calibration Apr-11 Apr-11 Apr-11 Mar-11 Mar-11
all calibrations have been conductable calibration Equipment used (M& trimary Standards)  Tower meter E4419B  Tower sensor E4412A  Towe	TE critical for calibration)  ID #  GB41293874  MY41495277  MY41498087  SN: S5054 (3c)  SN: S5086 (20b)  SN: 5047.2 / 06327	Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  31-Mar-10 (No. 217-01026)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01029)	Scheduled Calibration Apr-11 Apr-11 Apr-11 Mar-11 Mar-11 Mar-11
all calibrations have been conductalibration Equipment used (M& rimary Standards) ower meter E4419B ower sensor E4412A ower sensor E4412A deference 3 dB Attenuator deference 20 dB Attenuator deference Probe ET3DV6 (LF) AE4	TE critical for calibration)  ID #  GB41293874  MY41495277  MY41498087  SN: S5054 (3c)  SN: S5086 (20b)  SN: 5047.2 / 06327  SN: 1507  SN: 654	Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  31-Mar-10 (No. 217-01026)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01029)  03-Jul-10 (No. ET3-1507_Jul10)  04-May-10 (No. DAE4-654_May10)	Scheduled Calibration  Apr-11  Apr-11  Apr-11  Mar-11  Mar-11  Jul-11  May-11
Calibrations have been conductable calibration Equipment used (M& Primary Standards Power meter E4419B Power sensor E4412A Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference Probe ET3DV6 (LF) RAE4	TE critical for calibration)  ID #  GB41293874  MY41495277  MY41498087  SN: S5054 (3c)  SN: S5086 (20b)  SN: 5047.2 / 06327  SN: 1507  SN: 654	Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  31-Mar-10 (No. 217-01026)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01029)  03-Jul-10 (No. ET3-1507_Jul10)  04-May-10 (No. DAE4-654_May10)  Check Date (in house)	Scheduled Calibration  Apr-11  Apr-11  Apr-11  Mar-11  Mar-11  Jul-11  May-11  Scheduled Check
alibrations have been condu- talibration Equipment used (M& rimary Standards ower meter E4419B ower sensor E4412A ower sensor E4412A deference 3 dB Attenuator deference 20 dB Attenuator deference Probe ET3DV6 (LF) AE4 econdary Standards F generator HP 8648C	TE critical for calibration)  ID #  GB41293874  MY41495277  MY41498087  SN: S5054 (3c)  SN: S5086 (20b)  SN: 5047.2 / 06327  SN: 1507  SN: 654	Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  31-Mar-10 (No. 217-01026)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01029)  03-Jul-10 (No. ET3-1507_Jul10)  04-May-10 (No. DAE4-654_May10)	Scheduled Calibration  Apr-11  Apr-11  Apr-11  Mar-11  Mar-11  Jul-11  May-11
all calibrations have been conductalibration Equipment used (M& trimary Standards) frower meter E4419B frower sensor E4412A frower sens	TE critical for calibration)  ID #  GB41293874  MY41495277  MY41498087  SN: S5054 (3c)  SN: S5096 (20b)  SN: 5047.2 / 06327  SN: 1507  SN: 654  ID #  US3642U01700  US37390585 S4206	Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  31-Mar-10 (No. 217-01026)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01029)  03-Jul-10 (No. ET3-1507_Jul10)  04-May-10 (No. DAE4-654_May10)  Check Date (in house)  04-Aug-99 (in house check Oct-10)  18-Oct-01 (in house check Oct-10)	Scheduled Calibration  Apr-11  Apr-11  Apr-11  Mar-11  Mar-11  Jul-11  May-11  Scheduled Check  In house check: Oct-11  In house check: Oct-11
alibrations have been condu- alibration Equipment used (M& rimary Standards ower meter E4419B ower sensor E4412A ower sensor E4412A eference 3 dB Attenuator eference 20 dB Attenuator ype-N mismatch combination eference Probe ET3DV6 (LF) AE4 econdary Standards F generator HP 8648C etwork Analyzer HP 8753E	TE critical for calibration)  ID #  GB41293874  MY41495277  MY41498087  SN: S5054 (3c)  SN: S5096 (20b)  SN: 5047.2 / 06327  SN: 1507  SN: 654  ID #  US3642U01700  US37390585 S4206  Name	Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  31-Mar-10 (No. 217-01026)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01029)  03-Jul-10 (No. ET3-1507_Jul10)  04-May-10 (No. DAE4-654_May10)  Check Date (in house)  04-Aug-99 (in house check Oct-10)  18-Oct-01 (in house check Oct-10)	Scheduled Calibration  Apr-11  Apr-11  Apr-11  Mar-11  Mar-11  Jul-11  May-11  Scheduled Check  In house check: Oct-11
Calibrations have been conductalibration Equipment used (M& Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference Probe ET3DV6 (LF) RAE4 Recondary Standards REF generator HP 8648C Retwork Analyzer HP 8753E	TE critical for calibration)  ID #  GB41293874  MY41495277  MY41498087  SN: S5054 (3c)  SN: S5096 (20b)  SN: 5047.2 / 06327  SN: 1507  SN: 654  ID #  US3642U01700  US37390585 S4206	Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  31-Mar-10 (No. 217-01026)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01029)  03-Jul-10 (No. ET3-1507_Jul10)  04-May-10 (No. DAE4-654_May10)  Check Date (in house)  04-Aug-99 (in house check Oct-10)  18-Oct-01 (in house check Oct-10)	and humidity < 70%.  Scheduled Calibration  Apr-11  Apr-11  Apr-11  Mar-11  Mar-11  Jul-11  May-11  Scheduled Check  In house check: Oct-11  In house check: Oct-11
	TE critical for calibration)  ID #  GB41293874  MY41495277  MY41498087  SN: S5054 (3c)  SN: S5096 (20b)  SN: 5047.2 / 06327  SN: 1507  SN: 654  ID #  US3642U01700  US37390585 S4206  Name	Cal Date (Calibrated by, Certificate No.)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  1-Apr-10 (No. 217-01030)  31-Mar-10 (No. 217-01026)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01028)  31-Mar-10 (No. 217-01029)  03-Jul-10 (No. ET3-1507_Jul10)  04-May-10 (No. DAE4-654_May10)  Check Date (in house)  04-Aug-99 (in house check Oct-10)  18-Oct-01 (in house check Oct-10)	and humidity < 70%.  Scheduled Calibration  Apr-11  Apr-11  Apr-11  Mar-11  Mar-11  Jul-11  May-11  Scheduled Check  In house check: Oct-11  In house check: Oct-11

Certificate No: D450V3-1065\_Nov10

Page 1 of 9

Report No. RZA1202-0164SAR01

Page 56 of 71

#### Calibration Laboratory of

Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kallbrierdienst Service suisse d'étalonnage

C Service suisse d etaionnage
Service suisse d etaionnage
Service suisse d etaionnage
Service suisse d etaionnage

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

#### Glossary:

TSL tissue simulating liquid

ConF sensitivity in TSL / NORM x,y,z N/A not applicable or not measured

#### Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2003, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", December 2003
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- c) Federal Communications Commission Office of Engineering & Technology (FCC OET), "Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields; Additional Information for Evaluating Compliance of Mobile and Portable Devices with FCC Limits for Human Exposure to Radiofrequency Emissions", Supplement C (Edition 01-01) to Bulletin 65

#### Additional Documentation:

d) DASY4 System Handbook

#### Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end
  of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed
  point exactly below the center marking of the flat phantom section, with the arms oriented
  parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole
  positioned under the liquid filled phantom. The impedance stated is transformed from the
  measurement at the SMA connector to the feed point. The Return Loss ensures low
  reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point.
   No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

Report No. RZA1202-0164SAR01

Page 57 of 71

#### **Measurement Conditions**

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V5.2
Extrapolation	Advanced Extrapolation	
Phantom	ELI4 Flat Phantom	Shell thickness: 2 ± 0.2 mm
Distance Dipole Center - TSL	15 mm	with Spacer
Area Scan Resolution	dx, dy = 15 mm	
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	450 MHz ± 1 MHz	

## Head TSL parameters The following parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	43.5	-0.87 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	44.2 ± 6 %	0.86 mho/m ± 6 %
Head TSL temperature during test	(22.0 ± 0.2) °C		

#### SAR result with Head TSL

SAR averaged over 1 cm <sup>3</sup> (1 g) of Head TSL	condition	
SAR measured	398 mW input power	1.87 mW / g
SAR normalized	normalized to 1W	4.70 mW / g
SAR for nominal Head TSL parameters	normalized to 1W	4.76 mW / g ± 18.1 % (k=2)

SAR averaged over 10 cm <sup>3</sup> (10 g) of Head TSL	condition	
SAR measured	398 mW input power	1.25 mW / g
SAR normalized	normalized to 1W	3.14 mW / g
SAR for nominal Head TSL parameters	normalized to 1W	3.17 mW / g ± 17.6 % (k=2)

Report No. RZA1202-0164SAR01

Page 58 of 71

#### **Body TSL parameters**

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	56.7	0.94 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	54.1 ± 6 %	0.90 mho/m ± 6 %
Body TSL temperature during test	(22.0 ± 0.2) °C		

#### SAR result with Body TSL

SAR averaged over 1 cm <sup>3</sup> (1 g) of Body TSL	condition		
SAR measured	398 mW input power	1.77 mW / g	
SAR normalized	normalized to 1W	4.37 mW / g	
SAR for nominal Body TSL parameters	normalized to 1W	4.51 mW / g ± 18.1 % (k=2)	

SAR averaged over 10 cm <sup>3</sup> (10 g) of Body TSL	condition	
SAR measured	398 mW input power	1.18 mW / g
SAR normalized	normalized to 1W	2.94 mW / g
SAR for nominal Body TSL parameters	normalized to 1W	3.03 mW / g ± 17.6 % (k=2)

Report No. RZA1202-0164SAR01

Page 59 of 71

#### Appendix

#### Antenna Parameters with Head TSL

Impedance, transformed to feed point	59.2 Ω - 4.9 jΩ	
Return Loss	- 20.5 dB	

#### Antenna Parameters with Body TSL

Impedance, transformed to feed point	56.5 Ω - 7.9 jΩ	
Return Loss	- 20.4 dB	

#### General Antenna Parameters and Design

Electrical Delay (one direction)	1.354 ns

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

#### Additional EUT Data

Manufactured by	SPEAG
Manufactured on	July 16, 2010

#### **DASY5 Validation Report for Head TSL**

Date/Time: 09.11.2010 10:36:58

Test Laboratory: The name of your organization

#### DUT: Dipole 450 MHz; Type: D450V3; Serial: D450V3 - SN:1065

Communication System: CW; Frequency: 450 MHz; Duty Cycle: 1:1

Medium: HSL450

Medium parameters used: f = 450 MHz;  $\sigma = 0.86 \text{ mho/m}$ ;  $\varepsilon_r = 44.2$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

#### DASY5 Configuration:

- Probe: ET3DV6 SN1507 (LF); ConvF(6.66, 6.66, 6.66); Calibrated: 03.07.2010
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn654; Calibrated: 04.05.2010
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1003
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Pin=398mW /d=15mm /Area Scan (41x111x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 1.99 mW/g


Pin=398mW /d=15mm /Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 50.3 V/m; Power Drift = -0.00664 dB

Peak SAR (extrapolated) = 2.81 W/kg


SAR(1 g) = 1.87 mW/g; SAR(10 g) = 1.25 mW/g

Maximum value of SAR (measured) = 2.01 mW/g



0 dB = 2.01 mW/g

#### Impedance Measurement Plot for Head TSL



#### **DASY5 Validation Report for Body TSL**

Date/Time: 09.11.2010 13:52:55

Test Laboratory: The name of your organization

DUT: Dipole 450 MHz; Type: D450V3; Serial: D450V3 - SN:1065

Communication System: CW; Frequency: 450 MHz; Duty Cycle: 1:1

Medium: MSL450

Medium parameters used: f = 450 MHz;  $\sigma = 0.9 \text{ mho/m}$ ;  $\epsilon_r = 54.1$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

#### DASY5 Configuration:

- Probe: ET3DV6 SN1507 (LF); ConvF(7.11, 7.11, 7.11); Calibrated: 03.07.2010
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn654; Calibrated: 04.05.2010
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1003
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Pin=398mW /d=15mm /Area Scan (61x201x1): Measurement grid: dx=10mm, dy=10mm Maximum value of SAR (interpolated) = 1.89 mW/g


Pin=398mW /d=15mm, /Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 47.4 V/m; Power Drift = -0.016 dB

Peak SAR (extrapolated) = 2.7 W/kg


SAR(1 g) = 1.77 mW/g; SAR(10 g) = 1.18 mW/g

Maximum value of SAR (measured) = 1.89 mW/g



0 dB = 1.89 mW/g

#### Impedance Measurement Plot for Body TSL



Report No. RZA1202-0164SAR01

Page 64 of 71

#### **ANNEX F: DAE4 Calibration Certificate**

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerlscher Kalibrierdienst
C Service suisse d'étalonnage
Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Client

TA-SH (Auden)

Certificate No: DAE4-871\_Nov11

Accreditation No.: SCS 108

0					
CAL	BRATION C				
Object		DAE4 - SD 000 D	04 BJ - SN: 871		
Calibration	on procedure(s)	QA CAL-06.v23 Calibration proced	lure for the data ac	quisition electroni	ics (DAE)
Calibration	on date:	November 22, 20			
The mea	pration certificate documer surements and the uncert	ainties with confidence pro	obability are given on the t	following pages and are p	part of the certificate.
All calibra	ations have been conducte	ed in the closed laboratory	facility: environment tem	perature (22 ± 3)°C and	humidity < 70%.
Calibration	on Equipment used (M&TE	critical for calibration)			
	Standards	ID#	Cal Date (Certificate No.	.)	Scheduled Calibration
Keithley	Multimeter Type 2001	SN: 0810278	28-Sep-11 (No:11450)		Sep-12
Seconda	ry Standards	ID#	Check Date (in house)		Scheduled Check
Calibrato	r Box V1.1 ,	SE UMS 006 AB 1004	08-Jun-11 (in house che	ck)	In house check: Jun-12*
Calibrate	d by:	Name Andrea Gundi	Function Technician		Signature
Approved	d by:	Fin Bomholt	R&D Direct	or i v	Muus.
Thin polit	aration audificate chall not	be recording a constitution			Issued: November 22, 2011
mis call	pration certificate shall not	pe reproduced except in t	uli without written approva	al of the laboratory.	

Certificate No: DAE4-871\_Nov11

Page 1 of 5

#### **Calibration Laboratory of**

Schmid & Partner **Engineering AG** Zeughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst Service suisse d'étalonnage С Servizio svizzero di taratura **Swiss Calibration Service** 

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA

#### Multilateral Agreement for the recognition of calibration certificates

DAE

Glossary

data acquisition electronics

Connector angle

information used in DASY system to align probe sensor X to the robot

coordinate system.

#### **Methods Applied and Interpretation of Parameters**

- DC Voltage Measurement: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- Connector angle: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The following parameters as documented in the Appendix contain technical information as a result from the performance test and require no uncertainty.
  - DC Voltage Measurement Linearity: Verification of the Linearity at +10% and -10% of the nominal calibration voltage. Influence of offset voltage is included in this measurement.
  - Common mode sensitivity: Influence of a positive or negative common mode voltage on the differential measurement.
  - Channel separation: Influence of a voltage on the neighbor channels not subject to an input voltage.
  - AD Converter Values with inputs shorted: Values on the internal AD converter corresponding to zero input voltage
  - Input Offset Measurement: Output voltage and statistical results over a large number of zero voltage measurements.
  - Input Offset Current: Typical value for information; Maximum channel input offset current, not considering the input resistance.
  - Input resistance: Typical value for information: DAE input resistance at the connector, during internal auto-zeroing and during measurement.
  - Low Battery Alarm Voltage: Typical value for information. Below this voltage, a battery alarm signal is generated.
  - Power consumption: Typical value for information. Supply currents in various operating modes.

Report No. RZA1202-0164SAR01

Page 66 of 71

#### **DC Voltage Measurement**

A/D - Converter Resolution nominal

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Calibration Factors	x	Y	Z
High Range	404.749 ± 0.1% (k=2)	404.733 ± 0.1% (k=2)	405.174 ± 0.1% (k=2)
Low Range	3.98175 ± 0.7% (k=2)	3.93601 ± 0.7% (k=2)	3.96830 ± 0.7% (k=2)

#### **Connector Angle**

Connector Angle to be used in DASY system	90.0 ° ± 1 °

#### **Appendix**

1. DC Voltage Linearity

High Range		Reading (μV)	Difference (μV)	Error (%)
Channel X	+ Input	199991.9	-0.91	-0.00
Channel X	+ Input	20000.28	0.48	0.00
Channel X	- Input	-19998.51	0.59	-0.00
Channel Y	+ Input	200003.0	1.24	0.00
Channel Y	+ Input	19999.67	0.17	0.00
Channel Y	- Input	-20000.04	-0.34	0.00
Channel Z	+ Input	200010.1	-0.11	-0.00
Channel Z	+ Input	19999.33	-0.07	-0.00
Channel Z	- Input	-20001.45	-0.85	0.00

Low Range		Reading (μV)	Difference (μV)	Error (%)
Channel X	+ Input	2000.0	0.05	0.00
Channel X	+ Input	199.81	-0.09	-0.04
Channel X	- Input	-199.63	0.37	-0.19
Channel Y	+ Input	1999.9	-0.22	-0.01
Channel Y	+ Input	198.81	-1.19	-0.59
Channel Y	- Input	-201.62	-1.72	0.86
Channel Z	+ Input	2000.4	0.48	0.02
Channel Z	+ Input	199.30	-0.70	-0.35
Channel Z	- Input	-200.86	-1.06	0.53

2. Common mode sensitivity

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Common mode Input Voltage (mV)	High Range Average Reading (μV)	Low Range Average Reading (μV)
Channel X	200	14.43	13.13
	- 200 -	-12.22	-13.72
Channel Y	200	-10.07	-9.78
	- 200	9.61	8.66
Channel Z	200	-0.56	-0.83
	- 200	-0.01	0.11

#### 3. Channel separation

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Input Voltage (mV)	Channel X (μV)	Channel Y (μV)	Channel Z (μV)
Channel X	200	-	3.08	0.09
Channel Y	200	3.19	-	4.59
Channel Z	200	0.90	-0.06	-

#### 4. AD-Converter Values with inputs shorted

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	High Range (LSB)	Low Range (LSB)
Channel X	15920	15519
Channel Y	16179	17567
Channel Z	15791	15270

#### 5. Input Offset Measurement

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Input 10MΩ

	Average (μV)	min. Offset (μV)	max. Offset (μV)	Std. Deviation (μV)
Channel X	0.03	-1.16	2.66	0.46
Channel Y	-0.63	-3.22	0.29	0.46
Channel Z	-0.87	-2.03	0.28	0.46

#### 6. Input Offset Current

Nominal Input circuitry offset current on all channels: <25fA

7. Input Resistance (Typical values for information)

	Zeroing (kOhm)	Measuring (MOhm)
Channel X	200	200
Channel Y	200	200
Channel Z	200	200

8. Low Battery Alarm Voltage (Typical values for information)

Typical values	Alarm Level (VDC)	
Supply (+ Vcc)	+7.9	
Supply (- Vcc)	-7.6	

9. Power Consumption (Typical values for information)

Typical values	Switched off (mA)	Stand by (mA)	Transmitting (mA)
Supply (+ Vcc)	+0.01	+6	+14
Supply (- Vcc)	-0.01	-8	-9

## **ANNEX G: The EUT Appearances and Test Configuration**



a: EUT






b: Battery



c: Belt clip
Picture 3: Constituents of the sample



Picture 4: Face-held, The EUT display towards phantom, the distance from EUT Antenna to the bottom of the Phantom is 37mm



Picture 5: Body-worn, The EUT display towards ground, Belt clip directed tightly to touch the bottom of the flat phantom, the distance from EUT Antenna to the bottom of the Phantom is 23mm