


Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17895.0000	26.06	28.82	54.88	80.00	-25.12	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	26483.0000	53.79	0.00	53.79	80.00	-26.21	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2434.4000	68.98	11.33	80.31	54.00	26.31	AVG	No Limit
2	2439.6000	77.49	11.33	88.82	74.00	14.82	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2870.0000	38.59	14.05	52.64	80.00	-27.36	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17850.0000	26.11	28.68	54.79	80.00	-25.21	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	23882.0000	84.12	-33.14	50.98	80.00	-29.02	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2465.0000	82.30	11.34	93.64	74.00	19.64	Peak	No Limit
2 *	2469.6000	73.76	11.34	85.10	54.00	31.10	AVG	No Limit
3	2483.5000	37.59	11.35	48.94	74.00	-25.06	Peak	
4	2483.5000	28.60	11.35	39.95	54.00	-14.05	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3000.0000	37.29	15.00	52.29	80.00	-27.71	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17895.0000	26.97	28.82	55.79	80.00	-24.21	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	26483.0000	53.79	0.00	53.79	80.00	-26.21	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2459.2000	78.74	11.34	90.08	74.00	16.08	Peak	No Limit
2 *	2459.4000	69.29	11.34	80.63	54.00	26.63	AVG	No Limit
3	2483.5000	38.36	11.35	49.71	74.00	-24.29	Peak	
4	2483.5000	28.75	11.35	40.10	54.00	-13.90	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2932.0000	37.95	14.50	52.45	80.00	-27.55	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17985.0000	26.17	29.11	55.28	80.00	-24.72	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	26449.0000	51.82	0.00	51.82	80.00	-28.18	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	36.55	11.32	47.87	74.00	-26.13	Peak	
2	2390.0000	28.16	11.32	39.48	54.00	-14.52	AVG	
3	2415.8000	78.37	11.33	89.70	74.00	15.70	Peak	No Limit
4 *	2427.0000	69.62	11.33	80.95	54.00	26.95	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2978.0000	37.45	14.84	52.29	80.00	-27.71	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17985.0000	25.96	29.11	55.07	80.00	-24.93	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	26483.0000	54.29	0.00	54.29	80.00	-25.71	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	36.25	11.32	47.57	74.00	-26.43	Peak	
2	2390.0000	27.08	11.32	38.40	54.00	-15.60	AVG	
3	2424.6000	73.73	11.33	85.06	74.00	11.06	Peak	No Limit
4 *	2427.8000	65.23	11.33	76.56	54.00	22.56	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2942.0000	37.72	14.58	52.30	80.00	-27.70	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17955.0000	26.71	29.02	55.73	80.00	-24.27	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	24961.5000	84.55	-33.10	51.45	80.00	-28.55	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2432.0000	69.48	11.33	80.81	54.00	26.81	AVG	No Limit
2	2441.4000	78.16	11.33	89.49	74.00	15.49	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2508.0000	41.38	11.41	52.79	80.00	-27.21	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17940.0000	26.09	28.97	55.06	80.00	-24.94	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25471.5000	86.89	-33.10	53.79	80.00	-26.21	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2431.0000	74.09	11.33	85.42	74.00	11.42	Peak	No Limit
2 *	2432.0000	65.44	11.33	76.77	54.00	22.77	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2860.0000	38.78	13.98	52.76	80.00	-27.24	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17985.0000	25.23	29.11	54.34	80.00	-25.66	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	23882.0000	86.12	-33.14	52.98	80.00	-27.02	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2458.0000	69.10	11.34	80.44	54.00	26.44	AVG	No Limit
2	2465.8000	77.85	11.34	89.19	74.00	15.19	Peak	No Limit
3	2483.5000	41.55	11.35	52.90	74.00	-21.10	Peak	
4	2483.5000	31.42	11.35	42.77	54.00	-11.23	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2884.0000	38.98	14.15	53.13	80.00	-26.87	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17085.0000	27.94	27.09	55.03	80.00	-24.97	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	26483.0000	54.29	0.00	54.29	80.00	-25.71	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2446.8000	65.11	11.34	76.45	54.00	22.45	AVG	No Limit
2	2454.6000	74.52	11.34	85.86	74.00	11.86	Peak	No Limit
3	2483.5000	38.60	11.35	49.95	74.00	-24.05	Peak	
4	2483.5000	28.22	11.35	39.57	54.00	-14.43	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2956.0000	37.63	14.68	52.31	80.00	-27.69	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17820.0000	26.22	28.58	54.80	80.00	-25.20	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	23924.5000	85.94	-33.13	52.81	80.00	-27.19	Peak	

APPENDIX D - BANDWIDTH

Test Mode : TX B Mode_CH01/06/11


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	10.10	13.44	500	Complies
2437	10.08	13.32	500	Complies
2462	10.04	13.32	500	Complies

TX CH01




Date: 16.JUL.2018 15:46:37

TX CH06



Date: 16.JUL.2018 15:49:17

TX CH11




Date: 16.JUL.2018 15:51:00

Test Mode: TX G Mode_CH01/06/11


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	16.64	16.52	500	Complies
2437	16.58	16.48	500	Complies
2462	16.62	16.44	500	Complies

TX CH01




Date: 16.JUL.2018 15:53:20

TX CH06



Date: 16.JUL.2018 15:54:51


TX CH11



Date: 16.JUL.2018 15:56:24


Test Mode : TX N-20MHz Mode_CH01/06/11

Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	17.80	17.60	500	Complies
2437	17.80	17.64	500	Complies
2462	17.84	17.64	500	Complies




Date: 16.JUL.2018 15:57:34

TX CH06



Date: 16.JUL.2018 15:59:10

TX CH11




Date: 16.JUL.2018 16:00:33

Test Mode : TX N-40MHz Mode_CH03/06/09


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2422	36.52	36.08	500	Complies
2437	36.47	36.08	500	Complies
2452	36.52	36.08	500	Complies

TX CH03




Date: 16.JUL.2018 16:02:05

TX CH06



Date: 16.JUL.2018 16:04:50

TX CH09



Date: 16.JUL.2018 16:06:29

APPENDIX E - MAXIMUM AVG OUTPUT POWER

Test Mode :TX B Mode_CH01/06/11				
Average Output Power(dBm)				
Frequency (MHz)	2412	2437	2462	
Channel	CH01	CH06	CH11	
Bit Rate of Transmitter	1 Mbps	8.70	8.10	8.90
	2 Mbps	8.80	8.10	8.90
	5.5 Mbps	8.00	7.10	7.90
	11 Mbps	8.10	8.20	8.40
Max Average Power		8.90		
Limits		29.4		
Result		Pass		

Test Mode :TX G Mode_CH01/06/11				
Average Output Power(dBm)				
Frequency (MHz)	2412	2437	2462	
Channel	CH01	CH06	CH11	
Bit Rate of Transmitter	6 Mbps	6.20	5.70	6.60
	9 Mbps	6.30	5.70	6.50
	12 Mbps	6.30	5.80	6.60
	18 Mbps	6.20	5.60	6.50
	24 Mbps	6.30	5.30	6.60
	36 Mbps	6.20	5.20	6.50
	48 Mbps	6.20	5.60	6.50
	54 Mbps	6.20	5.50	6.50
Max Average Power		6.60		
Limits		29.4		
Result		Pass		


Test Mode :TX N20 Mode_CH01/06/11				
Average Output Power(dBm)				
Frequency (MHz)		2412	2437	2462
Channel		CH01	CH06	CH11
Bit Rate of Transmitter	MCS0	6.20	5.70	6.50
	MCS1	6.20	5.50	6.50
	MCS2	6.20	5.40	6.50
	MCS3	6.10	5.30	6.30
	MCS4	6.30	5.30	6.60
	MCS5	6.20	5.30	6.50
	MCS6	6.20	5.30	6.50
	MCS7	6.20	5.70	6.50
Max Average Power		6.50		
Limits		29.4		
Result		Pass		

Test Mode :TX N40 Mode_CH03/06/09				
Average Output Power(dBm)				
Frequency (MHz)		2422	2437	2452
Channel		CH03	CH06	CH09
Bit Rate of Transmitter	MCS0	5.00	4.70	4.90
	MCS1	5.40	5.00	4.90
	MCS2	5.50	4.90	4.90
	MCS3	5.90	5.40	4.80
	MCS4	6.00	5.40	5.20
	MCS5	6.00	5.50	4.90
	MCS6	6.10	5.50	4.80
	MCS7	5.80	5.70	5.20
Max Average Power		6.10		
Limits		29.4		
Result		Pass		

APPENDIX F - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode : TX B Mode

TX B mode CH01




Date: 16.JUL.2018 15:46:47

TX B mode CH11




Date: 16.JUL.2018 15:51:09


TX B mode CH01 (10 Harmonic of the frequency)



Date: 16.JUL.2018 15:47:01




Date: 16.JUL.2018 15:47:11




Date: 16.JUL.2018 15:47:20


TX B mode CH06 (10 Harmonic of the frequency)



Date: 16.JUL.2018 15:49:41




Date: 16.JUL.2018 15:49:51




Date: 16.JUL.2018 15:50:00


TX B mode CH11 (10 Harmonic of the frequency)



Date: 16.JUL.2018 15:51:23




Date: 16.JUL.2018 15:51:32



Date: 16.JUL.2018 15:51:42


Test Mode : TX G Mode

TX G mode CH01




Date: 16.JUL.2018 15:53:29

TX G mode CH11




Date: 16.JUL.2018 15:56:32


TX G mode CH01 (10 Harmonic of the frequency)



Date: 16.JUL.2018 15:53:43




Date: 16.JUL.2018 15:53:52




Date: 16.JUL.2018 15:54:01


TX G mode CH06 (10 Harmonic of the frequency)



Date: 16.JUL.2018 15:55:14




Date: 16.JUL.2018 15:55:23




Date: 16.JUL.2018 15:55:33


TX G mode CH11 (10 Harmonic of the frequency)



Date: 16.JUL.2018 15:56:47




Date: 16.JUL.2018 15:56:56



Date: 16.JUL.2018 15:57:05


Test Mode : TX N-20M Mode

TX HT20 mode CH01




Date: 16.JUL.2018 15:57:42

TX HT20 mode CH11




Date: 16.JUL.2018 16:00:41


TX HT20 mode CH01 (10 Harmonic of the frequency)



Date: 16.JUL.2018 15:57:57




Date: 16.JUL.2018 15:58:06




Date: 16.JUL.2018 15:58:15


TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 16.JUL.2018 15:59:34




Date: 16.JUL.2018 15:59:43




Date: 16.JUL.2018 15:59:52


TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 16.JUL.2018 16:00:56




Date: 16.JUL.2018 16:01:05



Date: 16.JUL.2018 16:01:14


Test Mode : TX N-40M Mode

TX HT40 mode CH03




Date: 16.JUL.2018 16:02:14

TX HT40 mode CH09




Date: 16.JUL.2018 16:06:37


TX HT40 mode CH03 (10 Harmonic of the frequency)



Date: 16.JUL.2018 16:02:28




Date: 16.JUL.2018 16:02:37




Date: 16.JUL.2018 16:02:46


TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 16.JUL.2018 16:05:14




Date: 16.JUL.2018 16:05:23




Date: 16.JUL.2018 16:05:32


TX HT40 mode CH09 (10 Harmonic of the frequency)



Date: 16.JUL.2018 16:06:52



Date: 16.JUL.2018 16:07:01




Date: 16.JUL.2018 16:07:10

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode :TX B Mode_CH01/06/11


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-13.48	0.0449	7.40	Complies
2437	-14.18	0.0382	7.40	Complies
2462	-15.26	0.0298	7.40	Complies

TX CH01




Date: 16.JUL.2018 15:47:30

TX CH06



Date: 16.JUL.2018 15:50:10

TX CH11




Date: 16.JUL.2018 15:51:52

Test Mode :TX G Mode_CH01/06/11


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-20.74	0.0084	7.40	Complies
2437	-21.01	0.0079	7.40	Complies
2462	-21.63	0.0069	7.40	Complies

TX CH01




Date: 16.JUL.2018 15:54:11

TX CH06



Date: 16.JUL.2018 15:55:43


TX CH11



Date: 16.JUL.2018 15:57:15


Test Mode : TX N-20M Mode_CH01/06/11

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-20.43	0.0091	7.40	Complies
2437	-19.55	0.0111	7.40	Complies
2462	-22.01	0.0063	7.40	Complies

TX CH01



Date: 16.JUL.2018 15:58:25

TX CH06



Date: 16.JUL.2018 16:00:02


TX CH11



Date: 16.JUL.2018 16:01:24


Test Mode : TX N-40M Mode_CH03/06/09

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-23.61	0.0044	7.40	Complies
2437	-23.27	0.0047	7.40	Complies
2452	-24.43	0.0036	7.40	Complies




Date: 16.JUL.2018 16:02:59

TX CH06



Date: 16.JUL.2018 16:05:45

TX CH09



Date: 16.JUL.2018 16:07:23