



Federal Communications Commission
 Equipment Authorization Branch
 7435 Oakland Mills Road
 Columbia, MD 21046

Robert Bosch
 Car Multimedia GmbH
 Postfach
 31132 Hildesheim
 Visitors:
 Robert-Bosch-Straße 200
 31139 Hildesheim
 Tel +49 5121 49-0
 www.bosch.com

Thomas Dargel, CM/QMM2
 Tel +49(5121)49-5599
 Thomas.Dargel@de.bosch.com

25 July 2018

EMC and Radio test data explanation summary according KDB 484596 D01

Ladies and gentlemen,

FCC-ID: YBN-AIVIL12F0
IC: 9595A-AIVIL12F0

Introduction

FCC-ID: YBN-AIVIL12F0 is referencing to FCC ID YBN-AIVIL42P0 with following equipment classes, rule parts and frequency bands:

Equipment Class	Rule Part	Frequency band
DSS	15.247	2.400GHz – 2.480GHz
DTS	15.247	2.412GHz to 2.462GHz
NII	15.407	5.150GHz to 5.850GHz

We, Robert Bosch Car Multimedia, take full responsibility that the test data referenced under chapter “Reference Section” within this explanation represents compliance for the new FCC-ID: YBN-AIVIL12F0.

Explanation of differences

- Positioning of the BT/WLAN 2.4 GHz and WLAN 5 GHz antennas
- Front plastic cover



Spot Check Verification Data Section:

Please refer to the following reports containing spot-check data

Equipment Class	Rule Part	Frequency band	Test Report Reference
DSS	15.247	2.400GHz – 2.480GHz	- CETECOM_TR18-1-0048401T03a
		Test Cases for spot check	Comments
		<ul style="list-style-type: none"> - Transmitter Peak Output power conducted - Transmitter Peak Output power radiated - General field strength emissions + restricted bands 	<ul style="list-style-type: none"> - only tested for worst case data rate of reference
DTS	15.247	2.412GHz - 2.462GHz	- CETECOM_TR18-1-0048401T02a
		Test Cases for spot check	Comments
		<ul style="list-style-type: none"> - Transmitter Peak Output power conducted - Out-Of-Band RF-Emission, Band Edge Compliance - General field strength emissions + restricted bands 	<ul style="list-style-type: none"> - only tested for worst case modulation of reference
NII	15.407	5.150GHz - 5.850GHz	- CETECOM_TR18-1-0048401T01a
		Test Cases for spot check	Comments
		<ul style="list-style-type: none"> - Output power conducted - Maximum EIRP power - General field strength emissions within restricted bands + Band-Edge compliance 	<ul style="list-style-type: none"> - only tested for worst case modulation of reference



25 July 2018

Page 3 of 3

Reference Section

Please refer to following data for cross-referencing

Rule Part	Frequency band	FCC ID	Test Report Cross Reference
15.247	2.400GHz – 2.480GHz	YBN-AIVIL42P0	- BTL-FCCP-1-1807C078_BT
15.247	2.412GHz - 2.462GHz	YBN-AIVIL42P0	- BTL-FCCP-2-1807C078_2.4G
15.407	5.150GHz - 5.850GHz	YBN-AIVIL42P0	- BTL-FCCP-3-1807C078_5G - BTL-FCCP-4-1807C078_Slave DFS

 Dr. Sven Ost
 Executive Vice President

 Jürgen Althoff
 Proxy of Listed Point of Contact
 (please refer to: PoA_30-May_up_to_18-August_2018)

 Author:
 CM/QMM2-Dargel