


IEEE 802.11ac40 / Channel 159 / 5795MHz



IEEE 802.11ac80 / Channel 155 / 5775MHz

C.5 Undesirable Emissions Measurement
Antenna 0

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11A	149	5650.0	-46.57	2.00	-44.57	Peak	-27.0	Pass
		5650.0	-58.03	2.00	-56.03	Average	-27.0	Pass
		5700.0	-45.11	2.00	-43.11	Peak	10	Pass
		5700.0	-56.88	2.00	-54.88	Average	10	Pass
		5720.0	-44.82	2.00	-42.82	Peak	15.6	Pass
		5720.0	-56.68	2.00	-54.68	Average	15.6	Pass
		5725.0	-41.25	2.00	-39.25	Peak	27.0	Pass
	5725.0	-55.03	2.00	-53.03	Average	27.0	Pass	
	165	5850.0	-45.84	2.00	-43.84	Peak	27.0	Pass
		5850.0	-57.55	2.00	-55.55	Average	27.0	Pass
		5855.0	-46.18	2.00	-44.18	Peak	15.6	Pass
		5855.0	-57.77	2.00	-55.77	Average	15.6	Pass
		5875.0	-46.47	2.00	-44.47	Peak	10	Pass
		5875.0	-58.36	2.00	-56.36	Average	10	Pass
5925.0		-47.15	2.00	-45.15	Peak	-27.0	Pass	
5925.0	-59.35	2.00	-57.35	Average	-27.0	Pass		
11N20 SISO	149	5650.0	-45.19	2.00	-43.19	Peak	-27.0	Pass
		5650.0	-58.13	2.00	-56.13	Average	-27.0	Pass
		5700.0	-44.74	2.00	-44.74	Peak	10	Pass
		5700.0	-56.69	2.00	-54.69	Average	10	Pass
		5720.0	-45.07	2.00	-43.07	Peak	15.6	Pass
		5720.0	-56.99	2.00	-54.99	Average	15.6	Pass
		5725.0	-37.78	2.00	-35.78	Peak	27.0	Pass
	5725.0	-54.63	2.00	-52.63	Average	27.0	Pass	
	165	5850.0	-45.36	2.00	-43.36	Peak	27.0	Pass
		5850.0	-57.54	2.00	-55.54	Average	27.0	Pass
		5855.0	-46.69	2.00	-44.69	Peak	15.6	Pass
		5855.0	-57.83	2.00	-55.83	Average	15.6	Pass
		5875.0	-47.12	2.00	-45.12	Peak	10	Pass
		5875.0	-58.42	2.00	-56.42	Average	10	Pass
5925.0		-48.15	2.00	-46.15	Peak	-27.0	Pass	
5925.0	-59.44	2.00	-57.44	Average	-27.0	Pass		

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11N40 SISO	151	5650.0	-47.73	2.00	-45.73	Peak	-27.0	Pass
		5650.0	-58.60	2.00	-56.60	Average	-27.0	Pass
		5700.0	-44.95	2.00	-44.95	Peak	10	Pass
		5700.0	-57.58	2.00	-55.58	Average	10	Pass
		5720.0	-39.44	2.00	-37.44	Peak	15.6	Pass
		5720.0	-53.16	2.00	-51.16	Average	15.6	Pass
		5725.0	-37.93	2.00	-35.93	Peak	27.0	Pass
	5725.0	-51.91	2.00	-49.91	Average	27.0	Pass	
	159	5850.0	-46.41	2.00	-44.41	Peak	27.0	Pass
		5850.0	-57.35	2.00	-55.35	Average	27.0	Pass
		5855.0	-45.69	2.00	-43.69	Peak	15.6	Pass
		5855.0	-57.50	2.00	-55.5	Average	15.6	Pass
		5875.0	-45.60	2.00	-43.6	Peak	10	Pass
		5875.0	-58.11	2.00	-56.11	Average	10	Pass
5925.0		-47.03	2.00	-45.03	Peak	-27.0	Pass	
5925.0	-59.20	2.00	-57.2	Average	-27.0	Pass		
11AC2 0 SISO	149	5650.0	-45.64	2.00	-43.64	Peak	-27.0	Pass
		5650.0	-58.31	2.00	-56.31	Average	-27.0	Pass
		5700.0	-44.36	2.00	-42.36	Peak	10	Pass
		5700.0	-56.91	2.00	-54.91	Average	10	Pass
		5720.0	-45.75	2.00	-43.75	Peak	15.6	Pass
		5720.0	-57.35	2.00	-55.35	Average	15.6	Pass
		5725.0	-39.00	2.00	-37	Peak	27.0	Pass
	5725.0	-55.18	2.00	-53.18	Average	27.0	Pass	
	165	5850.0	-45.21	2.00	-43.21	Peak	27.0	Pass
		5850.0	-57.61	2.00	-55.61	Average	27.0	Pass
		5855.0	-46.21	2.00	-44.21	Peak	15.6	Pass
		5855.0	-57.89	2.00	-55.89	Average	15.6	Pass
		5875.0	-47.11	2.00	-45.11	Peak	10	Pass
		5875.0	-58.48	2.00	-56.48	Average	10	Pass
5925.0		-47.10	2.00	-45.1	Peak	-27.0	Pass	
5925.0	-59.50	2.00	-57.5	Average	-27.0	Pass		
11AC4 0 SISO	151	5650.0	-46.16	2.00	-44.16	Peak	-27.0	Pass
		5650.0	-58.61	2.00	-56.61	Average	-27.0	Pass
		5700.0	-45.66	2.00	-43.66	Peak	10	Pass
		5700.0	-57.62	2.00	-55.62	Average	10	Pass
		5720.0	-38.93	2.00	-36.93	Peak	15.6	Pass
		5720.0	-53.25	2.00	-51.25	Average	15.6	Pass
		5725.0	-38.17	2.00	-36.17	Peak	27.0	Pass
	5725.0	-52.00	2.00	-50	Average	27.0	Pass	
	159	5850.0	-47.20	2.00	-45.2	Peak	27.0	Pass
		5850.0	-58.15	2.00	-56.15	Average	27.0	Pass
		5855.0	-46.19	2.00	-44.19	Peak	15.6	Pass
		5855.0	-58.25	2.00	-56.25	Average	15.6	Pass
		5875.0	-47.25	2.00	-45.25	Peak	10	Pass
		5875.0	-58.67	2.00	-56.67	Average	10	Pass
5925.0		-48.65	2.00	-46.65	Peak	-27.0	Pass	
5925.0	-59.53	2.00	-57.53	Average	-27.0	Pass		
11AC8 0 SISO	155	5725.0	-36.23	2.00	-34.23	Peak	27.0	Pass
		5720.0	-36.56	2.00	-34.56	Peak	15.6	Pass
		5700.0	-46.10	2.00	-44.1	Peak	10	Pass
		5650.0	-48.13	2.00	-46.13	Peak	-27.0	Pass
		5725.0	-51.25	2.00	-49.25	Average	27.0	Pass
		5720.0	-51.70	2.00	-49.7	Average	15.6	Pass
		5700.0	-57.61	2.00	-55.61	Average	10	Pass
		5650.0	-59.36	2.00	-57.36	Average	-27.0	Pass
		5850.0	-36.23	2.00	-34.23	Peak	27.0	Pass
5855.0	-36.56	2.00	-34.56	Peak	15.6	Pass		

		5875.0	-46.10	2.00	-44.1	Peak	10	Pass
		5925.0	-48.13	2.00	-46.13	Peak	-27.0	Pass
		5850.0	-51.25	2.00	-49.25	Average	27.0	Pass
		5855.0	-51.70	2.00	-49.7	Average	15.6	Pass
		5875.0	-57.61	2.00	-55.61	Average	10	Pass
		5925.0	-59.36	2.00	-57.36	Average	-27.0	Pass

Antenna 1

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11A	149	5650.0	-45.49	2.00	-43.49	Peak	-27.0	Pass
		5650.0	-57.72	2.00	-55.72	Average	-27.0	Pass
		5700.0	-45.12	2.00	-43.12	Peak	10	Pass
		5700.0	-56.76	2.00	-54.76	Average	10	Pass
		5720.0	-43.87	2.00	-41.87	Peak	15.6	Pass
		5720.0	-56.60	2.00	-54.6	Average	15.6	Pass
		5725.0	-40.54	2.00	-38.54	Peak	27.0	Pass
	5725.0	-54.94	2.00	-52.94	Average	27.0	Pass	
	165	5850.0	-45.29	2.00	-43.29	Peak	27.0	Pass
		5850.0	-57.35	2.00	-55.35	Average	27.0	Pass
		5855.0	-45.04	2.00	-43.04	Peak	15.6	Pass
		5855.0	-57.58	2.00	-55.58	Average	15.6	Pass
		5875.0	-47.56	2.00	-45.56	Peak	10	Pass
		5875.0	-58.21	2.00	-56.21	Average	10	Pass
5925.0		-46.54	2.00	-44.54	Peak	-27.0	Pass	
5925.0	-59.29	2.00	-57.29	Average	-27.0	Pass		
11N20 SISO	149	5650.0	-45.42	2.00	-43.42	Peak	-27.0	Pass
		5650.0	-57.92	2.00	-55.92	Average	-27.0	Pass
		5700.0	-44.75	2.00	-42.75	Peak	10	Pass
		5700.0	-56.70	2.00	-54.7	Average	10	Pass
		5720.0	-45.75	2.00	-43.75	Peak	15.6	Pass
		5720.0	-57.01	2.00	-55.01	Average	15.6	Pass
		5725.0	-38.35	2.00	-36.35	Peak	27.0	Pass
	5725.0	-54.79	2.00	-52.79	Average	27.0	Pass	
	165	5850.0	-45.23	2.00	-43.23	Peak	27.0	Pass
		5850.0	-57.12	2.00	-55.12	Average	27.0	Pass
		5855.0	-43.29	2.00	-41.29	Peak	15.6	Pass
		5855.0	-57.39	2.00	-55.39	Average	15.6	Pass
		5875.0	-45.14	2.00	-43.14	Peak	10	Pass
		5875.0	-58.10	2.00	-56.1	Average	10	Pass
5925.0		-47.31	2.00	-45.31	Peak	-27.0	Pass	
5925.0	-59.17	2.00	-57.17	Average	-27.0	Pass		

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11N40 SISO	151	5650.0	-45.53	2.00	-43.53	Peak	-27.0	Pass
		5650.0	-58.28	2.00	-56.28	Average	-27.0	Pass
		5700.0	-43.77	2.00	-41.77	Peak	10	Pass
		5700.0	-57.34	2.00	-55.34	Average	10	Pass
		5720.0	-39.58	2.00	-37.58	Peak	15.6	Pass
		5720.0	-53.03	2.00	-51.03	Average	15.6	Pass
		5725.0	-36.28	2.00	-34.28	Peak	27.0	Pass
	5725.0	-51.77	2.00	-49.77	Average	27.0	Pass	
	159	5850.0	-45.03	2.00	-43.03	Peak	27.0	Pass
		5850.0	-57.76	2.00	-55.76	Average	27.0	Pass
		5855.0	-46.38	2.00	-44.38	Peak	15.6	Pass
		5855.0	-57.91	2.00	-55.91	Average	15.6	Pass
		5875.0	-46.84	2.00	-44.84	Peak	10	Pass
		5875.0	-58.36	2.00	-56.36	Average	10	Pass
5925.0		-47.37	2.00	-45.37	Peak	-27.0	Pass	
5925.0	-59.30	2.00	-57.3	Average	-27.0	Pass		
11AC20 SISO	149	5650.0	-45.91	2.00	-43.91	Peak	-27.0	Pass
		5650.0	-58.45	2.00	-56.45	Average	-27.0	Pass
		5700.0	-45.18	2.00	-43.18	Peak	10	Pass
		5700.0	-57.12	2.00	-55.12	Average	10	Pass
		5720.0	-45.14	2.00	-43.14	Peak	15.6	Pass
		5720.0	-57.52	2.00	-55.52	Average	15.6	Pass
		5725.0	-40.61	2.00	-38.61	Peak	27.0	Pass
	5725.0	-55.57	2.00	-53.57	Average	27.0	Pass	
	165	5850.0	-45.79	2.00	-43.79	Peak	27.0	Pass
		5850.0	-57.87	2.00	-55.87	Average	27.0	Pass
		5855.0	-46.10	2.00	-44.1	Peak	15.6	Pass
		5855.0	-58.06	2.00	-56.06	Average	15.6	Pass
		5875.0	-45.91	2.00	-43.91	Peak	10	Pass
		5875.0	-58.71	2.00	-56.71	Average	10	Pass
5925.0		-48.40	2.00	-46.4	Peak	-27.0	Pass	
5925.0	-59.78	2.00	-57.78	Average	-27.0	Pass		
11AC40 SISO	151	5650.0	-47.20	2.00	-45.2	Peak	-27.0	Pass
		5650.0	-59.13	2.00	-57.13	Average	-27.0	Pass
		5700.0	-46.09	2.00	-44.09	Peak	10	Pass
		5700.0	-58.23	2.00	-56.23	Average	10	Pass
		5720.0	-42.67	2.00	-40.67	Peak	15.6	Pass
		5720.0	-55.81	2.00	-53.81	Average	15.6	Pass
		5725.0	-40.92	2.00	-38.92	Peak	27.0	Pass
	5725.0	-54.95	2.00	-52.95	Average	27.0	Pass	
	159	5850.0	-47.98	2.00	-45.98	Peak	27.0	Pass
		5850.0	-58.47	2.00	-56.47	Average	27.0	Pass
		5855.0	-47.13	2.00	-45.13	Peak	15.6	Pass
		5855.0	-58.63	2.00	-56.63	Average	15.6	Pass
		5875.0	-47.76	2.00	-45.76	Peak	10	Pass
		5875.0	-59.05	2.00	-57.05	Average	10	Pass
5925.0		-48.77	2.00	-46.77	Peak	-27.0	Pass	
5925.0	-59.92	2.00	-57.92	Average	-27.0	Pass		
11AC80 SISO	155	5725.0	-46.02	2.00	-44.02	Peak	27.0	Pass
		5720.0	-45.46	2.00	-43.46	Peak	15.6	Pass
		5700.0	-46.99	2.00	-44.99	Peak	10	Pass
		5650.0	-48.25	2.00	-46.25	Peak	-27.0	Pass
		5725.0	-57.11	2.00	-55.11	Average	27.0	Pass
		5720.0	-57.26	2.00	-55.26	Average	15.6	Pass
		5700.0	-58.89	2.00	-56.89	Average	10	Pass
		5650.0	-59.69	2.00	-57.69	Average	-27.0	Pass
		5850.0	-46.02	2.00	-44.02	Peak	27.0	Pass
5855.0	-45.46	2.00	-43.46	Peak	15.6	Pass		


	5875.0	-46.99	2.00	-44.99	Peak	10	Pass
	5925.0	-48.25	2.00	-46.25	Peak	-27.0	Pass
	5850.0	-57.11	2.00	-55.11	Average	27.0	Pass
	5855.0	-57.26	2.00	-55.26	Average	15.6	Pass
	5875.0	-58.89	2.00	-56.89	Average	10	Pass
	5925.0	-59.69	2.00	-57.69	Average	-27.0	Pass

ANT0+ANT1:


Test Mode	Channel	Frequency (MHz)	Covert Radiated E Level At 3m (dBuV/m)			Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
			Ant0	Ant1	Sum					
11N20 MIMO	149	5650.0	-45.19	-45.42	-42.29	5.01	-37.28	Peak	-27.0	Pass
		5650.0	-58.13	-57.92	-55.01	5.01	-50	Average	-27.0	Pass
		5700.0	-44.74	-44.75	-41.73	5.01	-36.72	Peak	10	Pass
		5700.0	-56.69	-56.70	-53.68	5.01	-48.67	Average	10	Pass
		5720.0	-45.07	-45.75	-42.39	5.01	-37.38	Peak	15.6	Pass
		5720.0	-56.99	-57.01	-53.99	5.01	-48.98	Average	15.6	Pass
		5725.0	-37.78	-38.35	-35.05	5.01	-30.04	Peak	27.0	Pass
	165	5725.0	-54.63	-54.79	-51.70	5.01	-46.69	Average	27.0	Pass
		5850.0	-45.36	-45.23	-42.28	5.01	-37.27	Peak	27.0	Pass
		5850.0	-57.54	-57.12	-54.31	5.01	-49.3	Average	27.0	Pass
		5855.0	-46.69	-43.29	-41.66	5.01	-36.65	Peak	15.6	Pass
		5855.0	-57.83	-57.39	-54.59	5.01	-49.58	Average	15.6	Pass
		5875.0	-47.12	-45.14	-43.01	5.01	-38	Peak	10	Pass
		5875.0	-58.42	-58.10	-55.25	5.01	-50.24	Average	10	Pass
11N40 MIMO	151	5925.0	-48.15	-47.31	-44.70	5.01	-39.69	Peak	-27.0	Pass
		5925.0	-59.44	-59.17	-56.29	5.01	-51.28	Average	-27.0	Pass
		5650.0	-47.73	-45.53	-43.48	5.01	-38.47	Peak	-27.0	Pass
		5650.0	-58.60	-58.28	-55.43	5.01	-50.42	Average	-27.0	Pass
		5700.0	-44.95	-43.77	-41.31	5.01	-36.3	Peak	10	Pass
		5700.0	-57.58	-57.34	-54.45	5.01	-49.44	Average	10	Pass
		5720.0	-39.44	-39.58	-36.50	5.01	-31.49	Peak	15.6	Pass
	159	5720.0	-53.16	-53.03	-50.08	5.01	-45.07	Average	15.6	Pass
		5725.0	-37.93	-36.28	-34.02	5.01	-29.01	Peak	27.0	Pass
		5725.0	-51.91	-51.77	-48.83	5.01	-43.82	Average	27.0	Pass
		5850.0	-46.41	-45.03	-42.66	5.01	-37.65	Peak	27.0	Pass
		5850.0	-57.35	-57.76	-54.54	5.01	-49.53	Average	27.0	Pass
		5855.0	-45.69	-46.38	-43.01	5.01	-38	Peak	15.6	Pass
		5855.0	-57.50	-57.91	-54.69	5.01	-49.68	Average	15.6	Pass
11AC20 MIMO	149	5875.0	-45.60	-46.84	-43.17	5.01	-38.16	Peak	10	Pass
		5875.0	-58.11	-58.36	-55.22	5.01	-50.21	Average	10	Pass
		5925.0	-47.03	-47.37	-44.19	5.01	-39.18	Peak	-27.0	Pass
		5925.0	-59.20	-59.30	-56.24	5.01	-51.23	Average	-27.0	Pass
		5650.0	-45.64	-45.91	-42.76	5.01	-37.75	Peak	-27.0	Pass
		5650.0	-58.31	-58.45	-55.37	5.01	-50.36	Average	-27.0	Pass
		5700.0	-44.36	-45.18	-41.74	5.01	-36.73	Peak	10	Pass
	165	5700.0	-56.91	-57.12	-54.00	5.01	-48.99	Average	10	Pass
		5720.0	-45.75	-45.14	-42.42	5.01	-37.41	Peak	15.6	Pass
		5720.0	-57.35	-57.52	-54.42	5.01	-49.41	Average	15.6	Pass
		5725.0	-39.00	-40.61	-36.72	5.01	-31.71	Peak	27.0	Pass
		5725.0	-55.18	-55.57	-52.36	5.01	-47.35	Average	27.0	Pass
		5850.0	-45.21	-45.79	-42.48	5.01	-37.47	Peak	27.0	Pass
		5850.0	-57.61	-57.87	-54.73	5.01	-49.72	Average	27.0	Pass
11AC40 MIMO	151	5855.0	-46.21	-46.10	-43.14	5.01	-38.13	Peak	15.6	Pass
		5855.0	-57.89	-58.06	-54.96	5.01	-49.95	Average	15.6	Pass
		5875.0	-47.11	-45.91	-43.46	5.01	-38.45	Peak	10	Pass
		5875.0	-58.48	-58.71	-55.58	5.01	-50.57	Average	10	Pass
		5925.0	-47.10	-48.40	-44.69	5.01	-39.68	Peak	-27.0	Pass
		5925.0	-59.50	-59.78	-56.63	5.01	-51.62	Average	-27.0	Pass
		5700.0	-45.66	-46.09	-42.86	5.01	-37.85	Peak	10	Pass
11AC40 MIMO	151	5700.0	-57.62	-58.23	-54.90	5.01	-49.89	Average	10	Pass
		5720.0	-38.93	-42.67	-37.40	5.01	-32.39	Peak	15.6	Pass
		5650.0	-46.16	-47.20	-43.64	5.01	-38.63	Peak	-27.0	Pass
		5650.0	-58.61	-59.13	-55.85	5.01	-50.84	Average	-27.0	Pass

11AC80 MIMO	159	5720.0	-53.25	-55.81	-51.33	5.01	-46.32	Average	15.6	Pass	
		5725.0	-38.17	-40.92	-36.32	5.01	-31.31	Peak	27.0	Pass	
		5725.0	-52.00	-54.95	-50.22	5.01	-45.21	Average	27.0	Pass	
	155	5850.0	-47.20	-47.98	-44.56	5.01	-39.55	Peak	27.0	Pass	
		5850.0	-58.15	-58.47	-55.30	5.01	-50.29	Average	27.0	Pass	
		5855.0	-46.19	-47.13	-43.62	5.01	-38.61	Peak	15.6	Pass	
		5855.0	-58.25	-58.63	-55.43	5.01	-50.42	Average	15.6	Pass	
		5875.0	-47.25	-47.76	-44.49	5.01	-39.48	Peak	10	Pass	
		5875.0	-58.67	-59.05	-55.85	5.01	-50.84	Average	10	Pass	
		5925.0	-48.65	-48.77	-45.70	5.01	-40.69	Peak	-27.0	Pass	
		5925.0	-59.53	-59.92	-56.71	5.01	-51.7	Average	-27.0	Pass	
		155	5725.0	-36.23	-46.02	-35.80	5.01	-30.79	Peak	27.0	Pass
			5720.0	-36.56	-45.46	-36.03	5.01	-31.02	Peak	15.6	Pass
			5700.0	-46.10	-46.99	-43.51	5.01	-38.5	Peak	10	Pass
			5650.0	-48.13	-48.25	-45.18	5.01	-40.17	Peak	-27.0	Pass
			5725.0	-51.25	-57.11	-50.25	5.01	-45.24	Average	27.0	Pass
			5720.0	-51.70	-57.26	-50.63	5.01	-45.62	Average	15.6	Pass
			5700.0	-57.61	-58.89	-55.19	5.01	-50.18	Average	10	Pass
			5650.0	-59.36	-59.69	-56.51	5.01	-51.5	Average	-27.0	Pass
5850.0	-36.23		-46.02	-35.80	5.01	-30.79	Peak	27.0	Pass		
5855.0	-36.56		-45.46	-36.03	5.01	-31.02	Peak	15.6	Pass		
5875.0	-46.10		-46.99	-43.51	5.01	-38.5	Peak	10	Pass		
5925.0	-48.13		-48.25	-45.18	5.01	-40.17	Peak	-27.0	Pass		
5850.0	-51.25		-57.11	-50.25	5.01	-45.24	Average	27.0	Pass		
5855.0	-51.70		-57.26	-50.63	5.01	-45.62	Average	15.6	Pass		
5875.0	-57.61		-58.89	-55.19	5.01	-50.18	Average	10	Pass		
5925.0	-59.36		-59.69	-56.51	5.01	-51.5	Average	-27.0	Pass		

Undesirable Emissions Measurement (Antenna 0)




IEEE 802.11a / Channel 149 / 5745MHz / Peak




IEEE 802.11a / Channel 148 / 5745MHz / Average

Undesirable Emissions Measurement Undesirable Emissions Measurement (Antenna 0)




IEEE 802.11a / Channel 165 / 5825MHz / Peak




IEEE 802.11a / Channel 165 / 5825MHz / Average

Undesirable Emissions Measurement Undesirable Emissions Measurement (Antenna 0)




IEEE 802.11n20 / Channel 149 / 5745MHz / Peak




IEEE 802.11n20 / Channel 149 / 5745MHz / Average

Undesirable Emissions Measurement Undesirable Emissions Measurement (Antenna 0)




IEEE 802.11n20 / Channel 165 / 5825MHz / Peak




IEEE 802.11n20 / Channel 165 / 5825MHz / Average

Undesirable Emissions Measurement Undesirable Emissions Measurement (Antenna 0)




IEEE 802.11n40 / Channel 151 / 5755MHz / Peak




IEEE 802.11n40 / Channel 151 / 5755MHz / Average


Undesirable Emissions Measurement Undesirable Emissions Measurement (Antenna 0)



IEEE 802.11n40 / Channel 159 / 5795MHz / Peak




IEEE 802.11n40 / Channel 159 / 5795MHz / Average




Frequency	Auto Tune
Center Freq	5.705000000 GHz
Start Freq	5.650000000 GHz
Stop Freq	5.760000000 GHz
CF Step	11.000000 MHz
Auto	Man
Freq Offset	0 Hz

IEEE 802.11ac20 / Channel 149 / 5745MHz / Peak




Frequency	Auto Tune
Center Freq	5.705000000 GHz
Start Freq	5.650000000 GHz
Stop Freq	5.760000000 GHz
CF Step	11.000000 MHz
Auto	Man
Freq Offset	0 Hz

IEEE 802.11ac20 / Channel 149 / 5745MHz / Average




Frequency	
Auto Tune	
Center Freq	5.867500000 GHz
Start Freq	5.810000000 GHz
Stop Freq	5.925000000 GHz
CF Step	11.500000 MHz
Auto	Man
Freq Offset	0 Hz

IEEE 802.11ac20 / Channel 165 / 5825MHz / Peak




Frequency	
Auto Tune	
Center Freq	5.867500000 GHz
Start Freq	5.810000000 GHz
Stop Freq	5.925000000 GHz
CF Step	11.500000 MHz
Auto	Man
Freq Offset	0 Hz

IEEE 802.11ac20 / Channel 165 / 5825MHz / Average




Frequency
Auto Tune
Center Freq
5.715000000 GHz
Start Freq
5.650000000 GHz
Stop Freq
5.780000000 GHz
CF Step
13.000000 MHz
Auto
Man
Freq Offset
0 Hz

IEEE 802.11ac40 / Channel 151 / 5755MHz / Peak




Frequency
Auto Tune
Center Freq
5.715000000 GHz
Start Freq
5.650000000 GHz
Stop Freq
5.780000000 GHz
CF Step
13.000000 MHz
Auto
Man
Freq Offset
0 Hz


IEEE 802.11ac40 / Channel 151 / 5755MHz / Average




IEEE 802.11ac40 / Channel 159 / 5795MHz / Peak




IEEE 802.11ac40 / Channel 159 / 5795MHz / Average




IEEE 802.11ac80 / Channel 155 / 5775MHz / Peak



IEEE 802.11ac80 / Channel 155 / 5775MHz / Average



IEEE 802.11ac80 / Channel 155 / 5775MHz / Peak



IEEE 802.11ac80 / Channel 155 / 5775MHz / Average