




Report No.: DRTFCC2203-0057 IC: 23402-BV7

Highest Channel & Modulation: GFSK **Conducted Spurious Emissions**









Report No.: DRTFCC2203-0057

Conducted Spurious Emissions Highest Channel & Modulation: GFSK



TRF-RF-237(07)210316 Pages: 82 / 130








Low Band-edge

Lowest Channel & Modulation : π/4DQPSK



Low Band-edge

Hopping mode & Modulation : π/4DQPSK





TRF-RF-237(07)210316 Pages: 83 / 130





Conducted Spurious Emissions <u>Lowest Channel & Modulation : π/4DQPSK</u>









Conducted Spurious Emissions <u>Lowest Channel & Modulation : π/4DQPSK</u>










Reference for limit

Middle Channel & Modulation : π/4DQPSK



Conducted Spurious Emissions <u>Middle Channel & Modulation : π/4DQPSK</u>







Conducted Spurious Emissions <u>Middle Channel & Modulation</u>: π/4DQPSK









Report No.: DRTFCC2203-0057

High Band-edge <u>Highest Channel & Modulation : π/4DQPSK</u>



High Band-edge


Hopping mode & Modulation : π/4DQPSK








Conducted Spurious Emissions <u>Highest Channel & Modulation : π/4DQPSK</u>









Conducted Spurious Emissions <u>Highest Channel & Modulation : π/4DQPSK</u>



TRF-RF-237(07)210316 Pages: 90 / 130











Low Band-edge


Hopping mode & Modulation: 8DPSK







Conducted Spurious Emissions <u>Lowest Channel & Modulation : 8DPSK</u>









Conducted Spurious Emissions <u>Lowest Channel & Modulation : 8DPSK</u>



TRF-RF-237(07)210316 Pages: 93 / 130




Reference for limit

Middle Channel & Modulation: 8DPSK




Conducted Spurious Emissions <u>Middle Channel & Modulation : 8DPSK</u>





Conducted Spurious Emissions <u>Middle Channel & Modulation : 8DPSK</u>









Report No.: DRTFCC2203-0057





High Band-edge


Hopping mode & Modulation: 8DPSK








Conducted Spurious Emissions <u>Highest Channel & Modulation : 8DPSK</u>









Conducted Spurious Emissions

Highest Channel & Modulation: 8DPSK



TRF-RF-237(07)210316






Report No.: DRTFCC2203-0057

Power Supply: 12 V Low Band-edge

Lowest Channel & Modulation : GFSK



Low Band-edge

Hopping mode & Modulation : GFSK








Report No.: DRTFCC2203-0057

Conducted Spurious Emissions <u>Lowest Channel & Modulation : GFSK</u>









Report No.: DRTFCC2203-0057

Conducted Spurious Emissions <u>Lowest Channel & Modulation : GFSK</u>








Report No.: DRTFCC2203-0057

Reference for limit

Middle Channel & Modulation : GFSK



Conducted Spurious Emissions <u>Middle Channel & Modulation : GFSK</u>








Report No.: DRTFCC2203-0057

Conducted Spurious Emissions <u>Middle Channel & Modulation : GFSK</u>










High Band-edge Highest Channel & Modulation : GFSK




High Band-edge <u>Hopping mode & Modulation : GFSK</u>








Conducted Spurious Emissions Highest Channel & Modulation : GFSK











Conducted Spurious Emissions <u>Highest Channel & Modulation : GFSK</u>









Low Band-edge <u>Lowest Channel & Modulation : π/4DQPSK</u>



Low Band-edge


Hopping mode & Modulation : π/4DQPSK







Conducted Spurious Emissions <u>Lowest Channel & Modulation : π/4DQPSK</u>











Conducted Spurious Emissions <u>Lowest Channel & Modulation : π/4DQPSK</u>










Reference for limit

Middle Channel & Modulation : π/4DQPSK




Conducted Spurious Emissions <u>Middle Channel & Modulation : π/4DQPSK</u>







Conducted Spurious Emissions <u>Middle Channel & Modulation</u> : π/4DQPSK







Report No.: **DRTFCC2203-0057** IC: **23402-BV7**


High Band-edge

Highest Channel & Modulation : π/4DQPSK



High Band-edge


Hopping mode & Modulation : π/4DQPSK








Conducted Spurious Emissions <u>Highest Channel & Modulation : π/4DQPSK</u>










Report No.: DRTFCC2203-0057 IC: 23402-BV7



This test report is prohibited to copy or reissue in whole or in part without the approval of DT&C Co., Ltd. TRF-RF-237(07)210316





Report No.: DRTFCC2203-0057





Low Band-edge


Hopping mode & Modulation: 8DPSK







Conducted Spurious Emissions <u>Lowest Channel & Modulation : 8DPSK</u>











Conducted Spurious Emissions <u>Lowest Channel & Modulation : 8DPSK</u>








Report No.: DRTFCC2203-0057

Reference for limit

Middle Channel & Modulation: 8DPSK



Conducted Spurious Emissions <u>Middle Channel & Modulation : 8DPSK</u>







Report No.: DRTFCC2203-0057

Conducted Spurious Emissions <u>Middle Channel & Modulation : 8DPSK</u>











Report No.: DRTFCC2203-0057


High Band-edge

Highest Channel & Modulation: 8DPSK



High Band-edge

Hopping mode & Modulation: 8DPSK








Report No.: DRTFCC2203-0057

Conducted Spurious Emissions <u>Highest Channel & Modulation : 8DPSK</u>











Conducted Spurious Emissions <u>Highest Channel & Modulation : 8DPSK</u>





FCC ID: YCK-BV7

IC: **23402-BV7**

10. AC Power-Line Conducted Emissions

10.1. Test Setup

- NA

10.2. Limit

According to §15.207(a) for an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies, within the band 150 kHz to 30 MHz, shall not exceed the limits in the following table, as measured using a 50 uH/50 ohm line impedance stabilization network (LISN).

Compliance with the provision of this paragraph shall on the measurement of the radio frequency voltage between each power line and ground at the power terminal. The lower applies at the boundary between the frequency ranges.

Frequency Range (MHz)	Conducted Limit (dBuV)		
	Quasi-Peak	Average	
0.15 ~ 0.50	66 to 56 *	56 to 46 *	
0.5 ~ 5.0	56 46		
5 ~ 30	60	50	

^{*} Decreases with the logarithm of the frequency

10.3. Test Procedure

Conducted emissions from the EUT were measured according to the ANSI C63.10.

- 1. The test procedure is performed in a 6.5 m × 3.5 m × 3.5 m (L × W × H) shielded room. The EUT along with its peripherals were placed on a 1.0 m (W) × 1.5 m (L) and 0.8 m in height wooden table and the EUT was adjusted to maintain a 0.4 meter space from a vertical reference plane.
- 2. The EUT was connected to power mains through a line impedance stabilization network (LISN) which provides 50 ohm coupling impedance for measuring instrument and the chassis ground was bounded to the horizontal ground plane of shielded room.
- 3. All peripherals were connected to the second LISN and the chassis ground also bounded to the horizontal ground plane of shielded room.
- 4. The excess power cable between the EUT and the LISN was bundled. The power cables of peripherals were unbundled. All connecting cables of EUT and peripherals were moved to find the maximum emission.

10.4 Test Results


- NA



APPENDIX I


Test set up diagrams

Radiated Measurement



Report No.: DRTFCC2203-0057

Conducted Measurement



Path loss information

Frequency (GHz)	Path Loss (dB)	Frequency (GHz)	Path Loss (dB)
0.03	6.50	15	11.09
1	7.17	20	11.72
2.402 & 2.441 & 2.480	7.88	25	13.24
5	8.56	-	-
10	9.46	-	-

Note 1: The path loss from EUT to Spectrum analyzer was measured and used for test. Path loss (S/A's correction factor) = Cable A + Power Splitter

Detector Mode: PK

Detector Mode: PK






APPENDIX II


Unwanted Emissions (Radiated) Test Plot

- Power Supply: 24 V

GFSK & Lowest & X & Hor




GFSK & Highest & X & Hor






$\pi/4DQPSK$ & Lowest & X & Hor

Detector Mode: PK




π/4DQPSK & Highest & X & Hor






8DPSK & Lowest & X & Hor

Detector Mode : PK



8DPSK & Highest & X & Hor











GFSK & Middle & X & Hor



#VBW 3.0 MHz


$\pi/4DQPSK$ & Middle & X & Hor







8DPSK & Highest & X & Hor





Detector Mode: PK

Detector Mode: PK


IC: 23402-BV7





- Power Supply: 12 V

8DPSK & Highest & X & Hor



8DPSK & Highest & X & Hor

