




Download  
User Manual



Download  
Bryton Active App

A large green speech bubble graphic containing a white bicycle icon in a smaller speech bubble at the top left.

**Rider S800**


**Quick Start Guide**

[www.brytonsport.com](http://www.brytonsport.com)

**Bryton**



## Key Functions



### A. POWER/LOCK ( ⏻ / 🔒 ):

- Long Press to turn the device ON.
- Long Press to turn the device OFF.
- Long press to lock or unlock the screen.

### B. LAP ( ⏪ ) : When recording, press to mark the lap.

### C. RECORD ( ● || ) :

- In Cycling mode, press to start recording.
- When recording, press to pause recording and enter the Menu.

### D. PAGE ( ≡ ) :

In Cycling mode, press to switch meter screen pages.

## Reboot Rider

Press ( ⏻ / ⏪ / ● || / ≡ ) at the same time to reboot the device.


## Getting Started

Please charge your device for at least 4 hours.

1. Press ⏻ to turn on the device.
2. Select the display language.
3. Select the units of measurement.
4. The device will automatically search for satellite signals. Swipe down for Quick Settings to view the GPS status.
5. After GPS signal is fixed \*, ( 📶 / 📶 → 📶 ) just ride on and enjoy your workout in free cycling mode.
6. To record, press ● || to start recording.

\*Always update the firmware of your device to the latest version. You can check and update it via Bryton Active app.

\*To acquire GPS, allow the device access to an open sky, outdoor environment.

































## Data Sync

### Sync Data to / from Bryton Active App



With the bluetooth connection, your Rider computer can upload recorded tracks, and check for available firmware updates by Bryton Active app. It is required to add your device to your Bryton Active account before syncing data for the first time.

To add: **1.** Sign up / log in to your Bryton Active App account. **2.** In the App, go to “Settings”> “Device Manager” > “+”. **3.** Select your device and tap “Yes” to add your device to your Bryton Active account. **4.** Your device is now successfully paired with the Bryton Active App. Or **5.** Enable “Auto Sync Track” to upload the activity automatically.


## Icon Description

	Profile		Dual Sensor		Smart Bike Trainer
	Result		Di2		Trainer Passive Mode
	Settings		Electronic Shifting		History
	GPS Off/ No Signal(not fixed)		Power Meter		Favorite
	Weak Signal (fixed)/ Strong Signal (fixed)		Radar Active		Zoom in/Zoom out
	Power Status		Heart Rate Sensor		Locate Current Position
	Recording Paused		Cadence Sensor		Search
	Recording Stopped		Speed Sensor		Move the Map
	Voice Search		Electric Bike (LEV)		Climb Mode
	Route		Electric Bike (SHIMANO)		End Workout

### Note:


- For Video Instructions, please go to [www.brytonsport.com](http://www.brytonsport.com) >  (Menu) > Support > Tutorial.
- For User Manual, please go to [www.brytonsport.com](http://www.brytonsport.com) >  (Menu) > Support > Download > Manual > User Manuals.

# Rider S800 Specifications


Item	Description
Display	'3.4 Color TFT MIP, 272 x 451 capacitive touch screen
Physical Size	105 x 58.5 14.2 mm
Weight	106 g
Operating Temperature	-10°C ~ 50°C
Battery Charging Temperature	0°C ~ 40°C
Battery	Li polymer rechargeable battery
Battery Life	30 hours with open sky
ANT+™	Featuring certified wireless ANT+™ connectivity. Visit <a href="http://www.thisisant.com/directory">www.thisisant.com/directory</a> for compatible products. 
GNSS	Integrated high-sensitivity GNSS receiver with embedded antenna
BLE Smart	Bluetooth smart wireless technology with embedded antenna; 2.4GHz band 0dBm
Water Resistant	Water resistant to a depth of 1 meter for up to 30 minutes.
Barometer	Equipped with barometer

# Install Rider S800


1




2



3



4



## **Federal Communication Commission Interference Statement**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- . Reorient or relocate the receiving antenna.
- . Increase the separation between the equipment and receiver.
- . Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- . Consult the dealer or an experienced radio/TV technician for help.

***FCC Caution:*** To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example - use only shielded interface cables when connecting to computer or peripheral devices).

## ***FCC Radiation Exposure Statement***

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 0.5 centimeters between the radiator and your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The antennas used for this transmitter must be installed to provide a separation distance of at least 0.5 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.