


Test Mode: 16; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark	
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1135.617	41.95	24.45	2.25	38.43	30.22	74.00	-43.78	HORIZONTAL Peak
2	1663.137	42.05	25.65	2.80	37.91	32.59	74.00	-41.41	HORIZONTAL Peak
3	3465.510	43.18	28.88	4.22	36.95	39.33	68.20	-28.87	HORIZONTAL Peak
4	4443.453	42.88	30.73	4.83	36.81	41.63	68.20	-26.57	HORIZONTAL Peak
5	10520.000	37.57	39.50	7.42	37.35	47.14	68.20	-21.06	HORIZONTAL Peak
6	15780.000	36.17	38.70	9.86	35.39	49.34	74.00	-24.66	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dB				
1	1300.858	41.00	25.20	2.60	38.31	30.49	74.00	-43.51	VERTICAL	Peak
2	1692.231	41.51	25.70	2.80	37.89	32.12	74.00	-41.88	VERTICAL	Peak
3	3337.710	42.88	28.79	4.08	37.01	38.74	74.00	-35.26	VERTICAL	Peak
4	4469.214	42.82	30.77	4.93	36.81	41.71	68.20	-26.49	VERTICAL	Peak
5	10520.000	36.66	39.50	7.42	37.35	46.23	68.20	-21.97	VERTICAL	Peak
6	15780.000	36.52	38.70	9.86	35.39	49.69	74.00	-24.31	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1203.199	41.83	24.70	2.34	38.39	30.48	74.00	-43.52	HORIZONTAL	Peak
2	1556.169	41.93	25.54	2.80	38.03	32.24	74.00	-41.76	HORIZONTAL	Peak
3	3435.590	43.23	28.87	4.16	36.97	39.29	68.20	-28.91	HORIZONTAL	Peak
4	4430.628	42.73	30.72	4.78	36.81	41.42	68.20	-26.78	HORIZONTAL	Peak
5	10600.000	37.76	39.59	7.46	37.34	47.47	68.20	-20.73	HORIZONTAL	Peak
6	15900.000	36.52	38.44	9.86	35.40	49.42	74.00	-24.58	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read Freq	Antenna Level	Cable Factor	Preamp Loss	Preamp Factor	Limit Level	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1300.858	41.27	25.20	2.60	38.31	30.76	74.00	-43.24	VERTICAL Peak
2	1644.019	41.71	25.63	2.80	37.93	32.21	68.20	-35.99	VERTICAL Peak
3	3435.590	43.34	28.87	4.16	36.97	39.40	68.20	-28.80	VERTICAL Peak
4	4367.058	42.50	30.62	4.68	36.81	40.99	74.00	-33.01	VERTICAL Peak
5	10600.000	37.80	39.59	7.46	37.34	47.51	68.20	-20.69	VERTICAL Peak
6	15900.000	35.28	38.44	9.86	35.40	48.18	74.00	-25.82	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation:802.11 n; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read Freq	Antenna Level	Cable Factor	Preamp Loss	Preamp Factor	Level	Limit	Over	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1297.103	41.16	25.19	2.58	38.31	30.62	68.20	-37.58	HORIZONTAL	Peak
2	1667.951	41.50	25.66	2.80	37.91	32.05	74.00	-41.95	HORIZONTAL	Peak
3	3445.535	43.23	28.87	4.18	36.96	39.32	68.20	-28.88	HORIZONTAL	Peak
4	4329.354	42.91	30.54	4.67	36.81	41.31	74.00	-32.69	HORIZONTAL	Peak
5	10640.000	37.70	39.63	7.48	37.33	47.48	74.00	-26.52	HORIZONTAL	Peak
6	15960.000	35.59	38.37	9.85	35.40	48.41	74.00	-25.59	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	41.68	24.85	2.31	38.37	30.47	74.00	-43.53	VERTICAL	Peak
2	1653.550	41.82	25.64	2.80	37.93	32.33	68.20	-35.87	VERTICAL	Peak
3	3485.601	42.48	28.89	4.27	36.95	38.69	68.20	-29.51	VERTICAL	Peak
4	4367.058	42.73	30.62	4.68	36.81	41.22	74.00	-32.78	VERTICAL	Peak
5	10640.000	37.93	39.63	7.48	37.33	47.71	74.00	-26.29	VERTICAL	Peak
6	15960.000	36.02	38.37	9.85	35.40	48.84	74.00	-25.16	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1278.492	41.20	25.14	2.50	38.33	30.51	68.20	-37.69	HORIZONTAL	Peak
2	1663.137	41.64	25.65	2.80	37.91	32.18	74.00	-41.82	HORIZONTAL	Peak
3	3465.510	42.74	28.88	4.22	36.95	38.89	68.20	-29.31	HORIZONTAL	Peak
4	4495.125	42.85	30.80	5.05	36.82	41.88	68.20	-26.32	HORIZONTAL	Peak
5	10540.000	37.19	39.53	7.43	37.35	46.80	68.20	-21.40	HORIZONTAL	Peak
6	15810.000	36.44	38.61	9.86	35.39	49.52	74.00	-24.48	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1145.507	42.20	24.48	2.32	38.42	30.58	74.00	-43.42	VERTICAL	Peak
2	1687.347	41.51	25.69	2.80	37.91	32.09	74.00	-41.91	VERTICAL	Peak
3	3445.535	43.13	28.87	4.18	36.96	39.22	68.20	-28.98	VERTICAL	Peak
4	4316.859	43.72	30.51	4.66	36.81	42.08	74.00	-31.92	VERTICAL	Peak
5	10540.000	37.14	39.53	7.43	37.35	46.75	68.20	-21.45	VERTICAL	Peak
6	15810.000	36.35	38.61	9.86	35.39	49.43	74.00	-24.57	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1297.103	40.59	25.19	2.58	38.31	30.05	68.20	-38.15	HORIZONTAL	Peak
2	1692.231	41.95	25.70	2.80	37.89	32.56	74.00	-41.44	HORIZONTAL	Peak
3	3485.601	42.57	28.89	4.27	36.95	38.78	68.20	-29.42	HORIZONTAL	Peak
4	4254.921	43.10	30.34	4.62	36.81	41.25	74.00	-32.75	HORIZONTAL	Peak
5	10620.000	37.90	39.59	7.46	37.34	47.61	74.00	-26.39	HORIZONTAL	Peak
6	15930.000	35.92	38.37	9.85	35.40	48.74	74.00	-25.26	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1234.909	42.17	24.93	2.30	38.37	31.03	74.00	-42.97	VERTICAL	Peak
2	1578.822	42.06	25.56	2.80	38.00	32.42	74.00	-41.58	VERTICAL	Peak
3	3425.675	43.02	28.86	4.15	36.97	39.06	68.20	-29.14	VERTICAL	Peak
4	4443.453	43.41	30.73	4.83	36.81	42.16	68.20	-26.04	VERTICAL	Peak
5	10620.000	38.30	39.59	7.46	37.34	48.01	74.00	-25.99	VERTICAL	Peak
6	15930.000	36.17	38.37	9.85	35.40	48.99	74.00	-25.01	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over		
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1138.904	42.04	24.46	2.27	38.42	30.35	74.00	-43.65 HORIZONTAL Peak
2	1672.779	41.92	25.67	2.80	37.91	32.48	74.00	-41.52 HORIZONTAL Peak
3	3475.541	43.27	28.89	4.25	36.95	39.46	68.20	-28.74 HORIZONTAL Peak
4	4469.214	42.62	30.77	4.93	36.81	41.51	68.20	-26.69 HORIZONTAL Peak
5	10520.000	37.29	39.50	7.42	37.35	46.86	68.20	-21.34 HORIZONTAL Peak
6	15780.000	36.17	38.70	9.86	35.39	49.34	74.00	-24.66 HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1129.072	42.36	24.43	2.20	38.43	30.56	74.00	-43.44	VERTICAL	Peak
2	1658.337	41.87	25.65	2.80	37.93	32.39	68.20	-35.81	VERTICAL	Peak
3	3445.535	43.02	28.87	4.18	36.96	39.11	68.20	-29.09	VERTICAL	Peak
4	4456.315	43.28	30.75	4.88	36.81	42.10	68.20	-26.10	VERTICAL	Peak
5	10520.000	37.24	39.50	7.42	37.35	46.81	68.20	-21.39	VERTICAL	Peak
6	15780.000	35.58	38.70	9.86	35.39	48.75	74.00	-25.25	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read Freq	Antenna Level	Cable Factor	Preamp Loss	Preamp Factor	Level	Limit	Over	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1256.512	41.55	25.05	2.38	38.35	30.63	68.20	-37.57	HORIZONTAL	Peak
2	1653.550	42.40	25.64	2.80	37.93	32.91	68.20	-35.29	HORIZONTAL	Peak
3	3485.601	42.82	28.89	4.27	36.95	39.03	68.20	-29.17	HORIZONTAL	Peak
4	4456.315	42.68	30.75	4.88	36.81	41.50	68.20	-26.70	HORIZONTAL	Peak
5	10600.000	37.58	39.59	7.46	37.34	47.29	68.20	-20.91	HORIZONTAL	Peak
6	15900.000	35.35	38.44	9.86	35.40	48.25	74.00	-25.75	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dB				
1	1300.858	41.57	25.20	2.60	38.31	31.06	74.00	-42.94	VERTICAL	Peak
2	1658.337	41.56	25.65	2.80	37.93	32.08	68.20	-36.12	VERTICAL	Peak
3	3289.821	43.05	28.74	4.05	37.03	38.81	68.20	-29.39	VERTICAL	Peak
4	4379.699	43.25	30.64	4.69	36.81	41.77	74.00	-32.23	VERTICAL	Peak
5	10600.000	37.93	39.59	7.46	37.34	47.64	68.20	-20.56	VERTICAL	Peak
6	15900.000	35.80	38.44	9.86	35.40	48.70	74.00	-25.30	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	41.27	24.85	2.31	38.37	30.06	74.00	-43.94	HORIZONTAL	Peak
2	1565.191	41.98	25.55	2.80	38.00	32.33	74.00	-41.67	HORIZONTAL	Peak
3	3455.508	43.69	28.88	4.20	36.96	39.81	68.20	-28.39	HORIZONTAL	Peak
4	4430.628	42.66	30.72	4.78	36.81	41.35	68.20	-26.85	HORIZONTAL	Peak
5	10640.000	38.61	39.63	7.48	37.33	48.39	74.00	-25.61	HORIZONTAL	Peak
6	15960.000	35.59	38.37	9.85	35.40	48.41	74.00	-25.59	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1129.072	42.07	24.43	2.20	38.43	30.27	74.00	-43.73	VERTICAL	Peak
2	1658.337	42.22	25.65	2.80	37.93	32.74	68.20	-35.46	VERTICAL	Peak
3	3445.535	42.79	28.87	4.18	36.96	38.88	68.20	-29.32	VERTICAL	Peak
4	4267.237	43.30	30.38	4.63	36.81	41.50	74.00	-32.50	VERTICAL	Peak
5	10640.000	38.28	39.63	7.48	37.33	48.06	74.00	-25.94	VERTICAL	Peak
6	15960.000	36.34	38.37	9.85	35.40	49.16	74.00	-24.84	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1274.802	41.69	25.12	2.48	38.33	30.96	68.20	-37.24	HORIZONTAL	Peak
2	1682.477	41.17	25.68	2.80	37.91	31.74	74.00	-42.26	HORIZONTAL	Peak
3	3445.535	42.86	28.87	4.18	36.96	38.95	68.20	-29.25	HORIZONTAL	Peak
4	4443.453	42.59	30.73	4.83	36.81	41.34	68.20	-26.86	HORIZONTAL	Peak
5	10540.000	37.17	39.53	7.43	37.35	46.78	68.20	-21.42	HORIZONTAL	Peak
6	15810.000	36.29	38.61	9.86	35.39	49.37	74.00	-24.63	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dB				
1	1297.103	40.87	25.19	2.58	38.31	30.33	68.20	-37.87	VERTICAL	Peak
2	1677.621	41.58	25.68	2.80	37.91	32.15	74.00	-41.85	VERTICAL	Peak
3	3475.541	42.75	28.89	4.25	36.95	38.94	68.20	-29.26	VERTICAL	Peak
4	4430.628	42.57	30.72	4.78	36.81	41.26	68.20	-26.94	VERTICAL	Peak
5	10540.000	37.50	39.53	7.43	37.35	47.11	68.20	-21.09	VERTICAL	Peak
6	15810.000	35.74	38.61	9.86	35.39	48.82	74.00	-25.18	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	41.11	24.85	2.31	38.37	29.90	74.00	-44.10	HORIZONTAL	Peak
2	1692.231	41.40	25.70	2.80	37.89	32.01	74.00	-41.99	HORIZONTAL	Peak
3	3435.590	42.82	28.87	4.16	36.97	38.88	68.20	-29.32	HORIZONTAL	Peak
4	4354.454	42.90	30.59	4.68	36.81	41.36	74.00	-32.64	HORIZONTAL	Peak
5	10620.000	37.91	39.59	7.46	37.34	47.62	74.00	-26.38	HORIZONTAL	Peak
6	15930.000	36.21	38.37	9.85	35.40	49.03	74.00	-24.97	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1220.714	41.81	24.82	2.32	38.37	30.58	74.00	-43.42	VERTICAL	Peak
2	1692.231	41.70	25.70	2.80	37.89	32.31	74.00	-41.69	VERTICAL	Peak
3	3280.326	43.30	28.73	4.04	37.04	39.03	68.20	-29.17	VERTICAL	Peak
4	4443.453	43.16	30.73	4.83	36.81	41.91	68.20	-26.29	VERTICAL	Peak
5	10620.000	38.14	39.59	7.46	37.34	47.85	74.00	-26.15	VERTICAL	Peak
6	15930.000	35.40	38.37	9.85	35.40	48.22	74.00	-25.78	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1267.454	41.01	25.10	2.44	38.33	30.22	68.20	-37.98	HORIZONTAL	Peak
2	1578.822	41.66	25.56	2.80	38.00	32.02	74.00	-41.98	HORIZONTAL	Peak
3	3415.787	42.83	28.85	4.13	36.97	38.84	68.20	-29.36	HORIZONTAL	Peak
4	4157.664	43.59	30.06	4.60	36.80	41.45	74.00	-32.55	HORIZONTAL	Peak
5	10580.000	38.12	39.56	7.45	37.34	47.79	68.20	-20.41	HORIZONTAL	Peak
6	15870.000	36.18	38.52	9.86	35.40	49.16	74.00	-24.84	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1297.103	41.07	25.19	2.58	38.31	30.53	68.20	-37.67	VERTICAL	Peak
2	1667.951	41.59	25.66	2.80	37.91	32.14	74.00	-41.86	VERTICAL	Peak
3	3357.061	43.15	28.81	4.09	37.01	39.04	74.00	-34.96	VERTICAL	Peak
4	4316.859	43.06	30.51	4.66	36.81	41.42	74.00	-32.58	VERTICAL	Peak
5	10580.000	37.88	39.56	7.45	37.34	47.55	68.20	-20.65	VERTICAL	Peak
6	15870.000	35.83	38.52	9.86	35.40	48.81	74.00	-25.19	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1196.264	41.76	24.67	2.35	38.39	30.39	74.00	-43.61	HORIZONTAL	Peak
2	1677.621	41.52	25.68	2.80	37.91	32.09	74.00	-41.91	HORIZONTAL	Peak
3	3455.508	43.27	28.88	4.20	36.96	39.39	68.20	-28.81	HORIZONTAL	Peak
4	4456.315	42.55	30.75	4.88	36.81	41.37	68.20	-26.83	HORIZONTAL	Peak
5	11000.000	36.46	40.10	7.71	37.25	47.02	74.00	-26.98	HORIZONTAL	Peak
6	16500.000	34.81	39.60	9.44	35.38	48.47	68.20	-19.73	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dB				
1	1206.682	41.69	24.72	2.33	38.39	30.35	74.00	-43.65	VERTICAL	Peak
2	1569.721	41.65	25.55	2.80	38.00	32.00	74.00	-42.00	VERTICAL	Peak
3	3455.508	43.09	28.88	4.20	36.96	39.21	68.20	-28.99	VERTICAL	Peak
4	4443.453	42.72	30.73	4.83	36.81	41.47	68.20	-26.73	VERTICAL	Peak
5	11000.000	36.27	40.10	7.71	37.25	46.83	74.00	-27.17	VERTICAL	Peak
6	16500.000	34.84	39.60	9.44	35.38	48.50	68.20	-19.70	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1112.872	41.91	24.39	2.26	38.43	30.13	74.00	-43.87	HORIZONTAL Peak
2	1697.129	42.53	25.71	2.80	37.89	33.15	74.00	-40.85	HORIZONTAL Peak
3	3435.590	42.39	28.87	4.16	36.97	38.45	68.20	-29.75	HORIZONTAL Peak
4	4495.125	42.86	30.80	5.05	36.82	41.89	68.20	-26.31	HORIZONTAL Peak
5	11160.000	36.14	40.04	7.90	37.21	46.87	74.00	-27.13	HORIZONTAL Peak
6	16740.000	35.53	40.49	9.41	35.37	50.06	68.20	-18.14	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)


	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1245.663	41.76	25.00	2.33	38.35	30.74	68.20	-37.46	VERTICAL	Peak
2	1663.137	42.24	25.65	2.80	37.91	32.78	74.00	-41.22	VERTICAL	Peak
3	3475.541	42.90	28.89	4.25	36.95	39.09	68.20	-29.11	VERTICAL	Peak
4	4329.354	43.30	30.54	4.67	36.81	41.70	74.00	-32.30	VERTICAL	Peak
5	11160.000	36.73	40.04	7.90	37.21	47.46	74.00	-26.54	VERTICAL	Peak
6	16740.000	35.54	40.49	9.41	35.37	50.07	68.20	-18.13	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 18; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read Freq	Antenna Level	Cable Loss	Preamp Factor	Limit Level	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dBuV/m	dBuV/m	dB	
1	1300.858	40.58	25.20	2.60	38.31	30.07	74.00	-43.93 HORIZONTAL Peak
2	1687.347	41.42	25.69	2.80	37.91	32.00	74.00	-42.00 HORIZONTAL Peak
3	3455.508	42.63	28.88	4.20	36.96	38.75	68.20	-29.45 HORIZONTAL Peak
4	4304.400	43.71	30.48	4.65	36.81	42.03	74.00	-31.97 HORIZONTAL Peak
5	11400.000	37.43	39.94	8.28	37.16	48.49	74.00	-25.51 HORIZONTAL Peak
6	17100.000	31.73	42.32	9.63	35.34	48.34	68.20	-19.86 HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1245.663	41.15	25.00	2.33	38.35	30.13	68.20	-38.07	VERTICAL	Peak
2	1574.265	41.91	25.56	2.80	38.00	32.27	74.00	-41.73	VERTICAL	Peak
3	3435.590	42.61	28.87	4.16	36.97	38.67	68.20	-29.53	VERTICAL	Peak
4	4443.453	42.59	30.73	4.83	36.81	41.34	68.20	-26.86	VERTICAL	Peak
5	11400.000	37.93	39.94	8.28	37.16	48.99	74.00	-25.01	VERTICAL	Peak
6	17100.000	32.08	42.32	9.63	35.34	48.69	68.20	-19.51	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1217.190	41.36	24.79	2.32	38.37	30.10	74.00	-43.90	HORIZONTAL	Peak
2	1597.181	41.60	25.58	2.80	37.98	32.00	74.00	-42.00	HORIZONTAL	Peak
3	3357.061	42.60	28.81	4.09	37.01	38.49	74.00	-35.51	HORIZONTAL	Peak
4	4430.628	42.56	30.72	4.78	36.81	41.25	68.20	-26.95	HORIZONTAL	Peak
5	11000.000	36.39	40.10	7.71	37.25	46.95	74.00	-27.05	HORIZONTAL	Peak
6	16500.000	34.91	39.60	9.44	35.38	48.57	68.20	-19.63	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	41.63	24.85	2.31	38.37	30.42	74.00	-43.58	VERTICAL	Peak
2	1672.779	41.71	25.67	2.80	37.91	32.27	74.00	-41.73	VERTICAL	Peak
3	3386.297	43.41	28.83	4.10	36.99	39.35	68.20	-28.85	VERTICAL	Peak
4	4430.628	43.13	30.72	4.78	36.81	41.82	68.20	-26.38	VERTICAL	Peak
5	11000.000	36.61	40.10	7.71	37.25	47.17	74.00	-26.83	VERTICAL	Peak
6	16500.000	34.70	39.60	9.44	35.38	48.36	68.20	-19.84	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1220.714	41.57	24.82	2.32	38.37	30.34	74.00	-43.66	HORIZONTAL Peak
2	1644.019	41.98	25.63	2.80	37.93	32.48	68.20	-35.72	HORIZONTAL Peak
3	3386.297	42.73	28.83	4.10	36.99	38.67	68.20	-29.53	HORIZONTAL Peak
4	4267.237	43.43	30.38	4.63	36.81	41.63	74.00	-32.37	HORIZONTAL Peak
5	11160.000	35.85	40.04	7.90	37.21	46.58	74.00	-27.42	HORIZONTAL Peak
6	16740.000	35.02	40.49	9.41	35.37	49.55	68.20	-18.65	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	41.80	24.85	2.31	38.37	30.59	74.00	-43.41	VERTICAL	Peak
2	1658.337	41.93	25.65	2.80	37.93	32.45	68.20	-35.75	VERTICAL	Peak
3	3435.590	42.71	28.87	4.16	36.97	38.77	68.20	-29.43	VERTICAL	Peak
4	4443.453	42.43	30.73	4.83	36.81	41.18	68.20	-27.02	VERTICAL	Peak
5	11160.000	35.96	40.04	7.90	37.21	46.69	74.00	-27.31	VERTICAL	Peak
6	16740.000	34.61	40.49	9.41	35.37	49.14	68.20	-19.06	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1129.072	41.97	24.43	2.20	38.43	30.17	74.00	-43.83	HORIZONTAL	Peak
2	1658.337	41.54	25.65	2.80	37.93	32.06	68.20	-36.14	HORIZONTAL	Peak
3	3455.508	42.84	28.88	4.20	36.96	38.96	68.20	-29.24	HORIZONTAL	Peak
4	4354.454	43.01	30.59	4.68	36.81	41.47	74.00	-32.53	HORIZONTAL	Peak
5	11400.000	38.73	39.94	8.28	37.16	49.79	74.00	-24.21	HORIZONTAL	Peak
6	17100.000	31.84	42.32	9.63	35.34	48.45	68.20	-19.75	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Trace: (Discrete)


	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1224.247	41.93	24.85	2.31	38.37	30.72	74.00	-43.28	VERTICAL	Peak
2	1663.137	41.70	25.65	2.80	37.91	32.24	74.00	-41.76	VERTICAL	Peak
3	3495.691	42.08	28.90	4.30	36.94	38.34	68.20	-29.86	VERTICAL	Peak
4	4379.699	42.98	30.64	4.69	36.81	41.50	74.00	-32.50	VERTICAL	Peak
5	11400.000	37.52	39.94	8.28	37.16	48.58	74.00	-25.42	VERTICAL	Peak
6	17100.000	31.87	42.32	9.63	35.34	48.48	68.20	-19.72	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 18; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1155.483	41.56	24.51	2.38	38.42	30.03	74.00	-43.97	HORIZONTAL	Peak
2	1687.347	41.09	25.69	2.80	37.91	31.67	74.00	-42.33	HORIZONTAL	Peak
3	3445.535	42.84	28.87	4.18	36.96	38.93	68.20	-29.27	HORIZONTAL	Peak
4	4329.354	43.56	30.54	4.67	36.81	41.96	74.00	-32.04	HORIZONTAL	Peak
5	11020.000	36.12	40.10	7.71	37.24	46.69	74.00	-27.31	HORIZONTAL	Peak
6	16530.000	34.26	39.76	9.44	35.38	48.08	68.20	-20.12	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1145.507	41.83	24.48	2.32	38.42	30.21	74.00	-43.79	VERTICAL	Peak
2	1663.137	41.40	25.65	2.80	37.91	31.94	74.00	-42.06	VERTICAL	Peak
3	3475.541	43.11	28.89	4.25	36.95	39.30	68.20	-28.90	VERTICAL	Peak
4	4169.698	43.28	30.09	4.60	36.80	41.17	74.00	-32.83	VERTICAL	Peak
5	11020.000	35.77	40.10	7.71	37.24	46.34	74.00	-27.66	VERTICAL	Peak
6	16530.000	34.48	39.76	9.44	35.38	48.30	68.20	-19.90	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1252.885	41.14	25.03	2.36	38.35	30.18	68.20	-38.02	HORIZONTAL	Peak
2	1672.779	41.83	25.67	2.80	37.91	32.39	74.00	-41.61	HORIZONTAL	Peak
3	3357.061	42.97	28.81	4.09	37.01	38.86	74.00	-35.14	HORIZONTAL	Peak
4	4443.453	42.50	30.73	4.83	36.81	41.25	68.20	-26.95	HORIZONTAL	Peak
5	11100.000	36.64	40.07	7.82	37.22	47.31	74.00	-26.69	HORIZONTAL	Peak
6	16650.000	34.18	40.10	9.43	35.38	48.33	68.20	-19.87	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1285.904	40.95	25.16	2.53	38.33	30.31	68.20	-37.89	VERTICAL	Peak
2	1663.137	41.87	25.65	2.80	37.91	32.41	74.00	-41.59	VERTICAL	Peak
3	3465.510	43.12	28.88	4.22	36.95	39.27	68.20	-28.93	VERTICAL	Peak
4	4405.090	42.81	30.68	4.70	36.81	41.38	68.20	-26.82	VERTICAL	Peak
5	11100.000	36.45	40.07	7.82	37.22	47.12	74.00	-26.88	VERTICAL	Peak
6	16650.000	34.74	40.10	9.43	35.38	48.89	68.20	-19.31	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11 n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1129.072	42.12	24.43	2.20	38.43	30.32	74.00	-43.68	HORIZONTAL Peak
2	1569.721	41.75	25.55	2.80	38.00	32.10	74.00	-41.90	HORIZONTAL Peak
3	3445.535	42.38	28.87	4.18	36.96	38.47	68.20	-29.73	HORIZONTAL Peak
4	4181.768	43.98	30.12	4.60	36.80	41.90	74.00	-32.10	HORIZONTAL Peak
5	11340.000	36.76	39.97	8.18	37.17	47.74	74.00	-26.26	HORIZONTAL Peak
6	17010.000	32.91	41.75	9.39	35.35	48.70	68.20	-19.50	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1165.546	41.90	24.54	2.39	38.40	30.43	74.00	-43.57	VERTICAL	Peak
2	1663.137	41.82	25.65	2.80	37.91	32.36	74.00	-41.64	VERTICAL	Peak
3	3396.098	42.85	28.84	4.10	36.98	38.81	68.20	-29.39	VERTICAL	Peak
4	4430.628	42.47	30.72	4.78	36.81	41.16	68.20	-27.04	VERTICAL	Peak
5	11340.000	37.06	39.97	8.18	37.17	48.04	74.00	-25.96	VERTICAL	Peak
6	17010.000	32.64	41.75	9.39	35.35	48.43	68.20	-19.77	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	40.92	25.20	2.60	38.31	30.41	74.00	-43.59	HORIZONTAL	Peak
2	1692.231	41.37	25.70	2.80	37.89	31.98	74.00	-42.02	HORIZONTAL	Peak
3	3445.535	43.03	28.87	4.18	36.96	39.12	68.20	-29.08	HORIZONTAL	Peak
4	4443.453	42.98	30.73	4.83	36.81	41.73	68.20	-26.47	HORIZONTAL	Peak
5	11000.000	37.21	40.10	7.71	37.25	47.77	74.00	-26.23	HORIZONTAL	Peak
6	16500.000	34.09	39.60	9.44	35.38	47.75	68.20	-20.45	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read Freq	Antenna Level	Cable Factor	Preamp Loss	Preamp Factor	Level	Limit	Over	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1282.193	41.13	25.15	2.52	38.33	30.47	68.20	-37.73	VERTICAL	Peak
2	1702.042	41.75	25.72	2.80	37.89	32.38	74.00	-41.62	VERTICAL	Peak
3	3435.590	42.90	28.87	4.16	36.97	38.96	68.20	-29.24	VERTICAL	Peak
4	4443.453	42.34	30.73	4.83	36.81	41.09	68.20	-27.11	VERTICAL	Peak
5	11000.000	36.23	40.10	7.71	37.25	46.79	74.00	-27.21	VERTICAL	Peak
6	16500.000	34.70	39.60	9.44	35.38	48.36	68.20	-19.84	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1297.103	41.13	25.19	2.58	38.31	30.59	68.20	-37.61	HORIZONTAL	Peak
2	1677.621	42.28	25.68	2.80	37.91	32.85	74.00	-41.15	HORIZONTAL	Peak
3	3445.535	42.78	28.87	4.18	36.96	38.87	68.20	-29.33	HORIZONTAL	Peak
4	4316.859	43.18	30.51	4.66	36.81	41.54	74.00	-32.46	HORIZONTAL	Peak
5	11160.000	36.39	40.04	7.90	37.21	47.12	74.00	-26.88	HORIZONTAL	Peak
6	16740.000	35.22	40.49	9.41	35.37	49.75	68.20	-18.45	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	42.33	24.85	2.31	38.37	31.12	74.00	-42.88	VERTICAL	Peak
2	1687.347	41.71	25.69	2.80	37.91	32.29	74.00	-41.71	VERTICAL	Peak
3	3465.510	42.88	28.88	4.22	36.95	39.03	68.20	-29.17	VERTICAL	Peak
4	4254.921	43.06	30.34	4.62	36.81	41.21	74.00	-32.79	VERTICAL	Peak
5	11160.000	36.30	40.04	7.90	37.21	47.03	74.00	-26.97	VERTICAL	Peak
6	16740.000	35.24	40.49	9.41	35.37	49.77	68.20	-18.43	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read Freq	Antenna Level	Cable Factor	Preamp Loss	Preamp Factor	Limit Level	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1285.904	40.83	25.16	2.53	38.33	30.19	68.20	-38.01	HORIZONTAL Peak
2	1663.137	41.98	25.65	2.80	37.91	32.52	74.00	-41.48	HORIZONTAL Peak
3	3475.541	42.80	28.89	4.25	36.95	38.99	68.20	-29.21	HORIZONTAL Peak
4	4316.859	43.40	30.51	4.66	36.81	41.76	74.00	-32.24	HORIZONTAL Peak
5	11400.000	37.27	39.94	8.28	37.16	48.33	74.00	-25.67	HORIZONTAL Peak
6	17100.000	31.94	42.32	9.63	35.34	48.55	68.20	-19.65	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read Freq	Antenna Level	Cable Loss	Preamp Factor	Level	Limit	Over	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dBuV/m	dBuV/m	dB		
1	1217.190	41.67	24.79	2.32	38.37	74.00	-43.59	VERTICAL	Peak
2	1663.137	41.77	25.65	2.80	37.91	74.00	-41.69	VERTICAL	Peak
3	3445.535	42.82	28.87	4.18	36.96	68.20	-29.29	VERTICAL	Peak
4	4392.376	42.86	30.66	4.70	36.81	74.00	-32.59	VERTICAL	Peak
5	11400.000	37.57	39.94	8.28	37.16	74.00	-25.37	VERTICAL	Peak
6	17100.000	32.11	42.32	9.63	35.34	68.20	-19.48	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1297.103	40.67	25.19	2.58	38.31	30.13	68.20	-38.07	HORIZONTAL Peak
2	1574.265	41.50	25.56	2.80	38.00	31.86	74.00	-42.14	HORIZONTAL Peak
3	3396.098	42.73	28.84	4.10	36.98	38.69	68.20	-29.51	HORIZONTAL Peak
4	4329.354	43.18	30.54	4.67	36.81	41.58	74.00	-32.42	HORIZONTAL Peak
5	11020.000	36.09	40.10	7.71	37.24	46.66	74.00	-27.34	HORIZONTAL Peak
6	16530.000	35.18	39.76	9.44	35.38	49.00	68.20	-19.20	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read Freq	Antenna Level	Cable Factor	Preamp Loss	Preamp Factor	Limit Level	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1206.682	41.59	24.72	2.33	38.39	30.25	74.00	-43.75	VERTICAL Peak
2	1663.137	42.12	25.65	2.80	37.91	32.66	74.00	-41.34	VERTICAL Peak
3	3435.590	43.58	28.87	4.16	36.97	39.64	68.20	-28.56	VERTICAL Peak
4	4392.376	43.30	30.66	4.70	36.81	41.85	74.00	-32.15	VERTICAL Peak
5	11020.000	36.09	40.10	7.71	37.24	46.66	74.00	-27.34	VERTICAL Peak
6	16530.000	34.41	39.76	9.44	35.38	48.23	68.20	-19.97	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1245.663	41.64	25.00	2.33	38.35	30.62	68.20	-37.58	HORIZONTAL	Peak
2	1672.779	42.40	25.67	2.80	37.91	32.96	74.00	-41.04	HORIZONTAL	Peak
3	3465.510	42.60	28.88	4.22	36.95	38.75	68.20	-29.45	HORIZONTAL	Peak
4	4417.841	42.64	30.70	4.74	36.81	41.27	68.20	-26.93	HORIZONTAL	Peak
5	11100.000	37.55	40.07	7.82	37.22	48.22	74.00	-25.78	HORIZONTAL	Peak
6	16650.000	34.39	40.10	9.43	35.38	48.54	68.20	-19.66	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1285.904	41.60	25.16	2.53	38.33	30.96	68.20	-37.24	VERTICAL	Peak
2	1592.571	42.13	25.57	2.80	37.98	32.52	74.00	-41.48	VERTICAL	Peak
3	3465.510	43.38	28.88	4.22	36.95	39.53	68.20	-28.67	VERTICAL	Peak
4	4469.214	42.44	30.77	4.93	36.81	41.33	68.20	-26.87	VERTICAL	Peak
5	11100.000	36.88	40.07	7.82	37.22	47.55	74.00	-26.45	VERTICAL	Peak
6	16650.000	34.03	40.10	9.43	35.38	48.18	68.20	-20.02	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark	
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1231.345	41.85	24.91	2.31	38.37	30.70	74.00	-43.30	HORIZONTAL Peak
2	1648.778	41.41	25.63	2.80	37.93	31.91	68.20	-36.29	HORIZONTAL Peak
3	3405.929	43.00	28.85	4.11	36.98	38.98	68.20	-29.22	HORIZONTAL Peak
4	4456.315	42.44	30.75	4.88	36.81	41.26	68.20	-26.94	HORIZONTAL Peak
5	11340.000	37.19	39.97	8.18	37.17	48.17	74.00	-25.83	HORIZONTAL Peak
6	17010.000	33.56	41.75	9.39	35.35	49.35	68.20	-18.85	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1129.072	42.51	24.43	2.20	38.43	30.71	74.00	-43.29	VERTICAL Peak
2	1677.621	41.45	25.68	2.80	37.91	32.02	74.00	-41.98	VERTICAL Peak
3	3465.510	42.56	28.88	4.22	36.95	38.71	68.20	-29.49	VERTICAL Peak
4	4443.453	42.86	30.73	4.83	36.81	41.61	68.20	-26.59	VERTICAL Peak
5	11340.000	37.30	39.97	8.18	37.17	48.28	74.00	-25.72	VERTICAL Peak
6	17010.000	33.65	41.75	9.39	35.35	49.44	68.20	-18.76	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	41.50	24.93	2.30	38.37	30.36	74.00	-43.64	HORIZONTAL	Peak
2	1672.779	41.95	25.67	2.80	37.91	32.51	74.00	-41.49	HORIZONTAL	Peak
3	3485.601	43.40	28.89	4.27	36.95	39.61	68.20	-28.59	HORIZONTAL	Peak
4	4304.400	42.95	30.48	4.65	36.81	41.27	74.00	-32.73	HORIZONTAL	Peak
5	11060.000	36.86	40.09	7.74	37.23	47.46	74.00	-26.54	HORIZONTAL	Peak
6	16590.000	34.83	39.93	9.43	35.38	48.81	68.20	-19.39	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1282.193	41.21	25.15	2.52	38.33	30.55	68.20	-37.65	VERTICAL	Peak
2	1663.137	42.61	25.65	2.80	37.91	33.15	74.00	-40.85	VERTICAL	Peak
3	3455.508	43.28	28.88	4.20	36.96	39.40	68.20	-28.80	VERTICAL	Peak
4	4443.453	42.46	30.73	4.83	36.81	41.21	68.20	-26.99	VERTICAL	Peak
5	11060.000	36.71	40.09	7.74	37.23	47.31	74.00	-26.69	VERTICAL	Peak
6	16590.000	35.79	39.93	9.43	35.38	49.77	68.20	-18.43	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	41.38	24.88	2.31	38.37	30.20	74.00	-43.80	HORIZONTAL	Peak
2	1677.621	41.54	25.68	2.80	37.91	32.11	74.00	-41.89	HORIZONTAL	Peak
3	3435.590	42.84	28.87	4.16	36.97	38.90	68.20	-29.30	HORIZONTAL	Peak
4	4482.150	42.48	30.78	4.99	36.81	41.44	68.20	-26.76	HORIZONTAL	Peak
5	11220.000	36.70	40.03	7.95	37.19	47.49	74.00	-26.51	HORIZONTAL	Peak
6	16830.000	35.04	40.94	9.40	35.37	50.01	68.20	-18.19	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 18; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:High




Trace: (Discrete)

	Read Freq	Antenna Level	Cable Loss	Preamp Factor	Level	Limit	Over	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dBuV/m	dBuV/m	dB		
1	1217.190	41.62	24.79	2.32	38.37	74.00	-43.64	VERTICAL	Peak
2	1672.779	41.73	25.67	2.80	37.91	74.00	-41.71	VERTICAL	Peak
3	3376.523	42.94	28.83	4.09	36.99	68.20	-29.33	VERTICAL	Peak
4	4443.453	42.35	30.73	4.83	36.81	68.20	-27.10	VERTICAL	Peak
5	11220.000	36.38	40.03	7.95	37.19	74.00	-26.83	VERTICAL	Peak
6	16830.000	35.38	40.94	9.40	35.37	68.20	-17.85	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1158.828	42.14	24.52	2.40	38.42	30.64	74.00	-43.36	HORIZONTAL	Peak
2	1667.951	42.29	25.66	2.80	37.91	32.84	74.00	-41.16	HORIZONTAL	Peak
3	3465.510	43.26	28.88	4.22	36.95	39.41	68.20	-28.79	HORIZONTAL	Peak
4	4316.859	43.44	30.51	4.66	36.81	41.80	74.00	-32.20	HORIZONTAL	Peak
5	11490.000	35.35	39.90	8.41	37.15	46.51	74.00	-27.49	HORIZONTAL	Peak
6	17235.000	31.71	43.01	10.08	35.33	49.47	68.20	-18.73	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1135.617	42.43	24.45	2.25	38.43	30.70	74.00	-43.30	VERTICAL	Peak
2	1574.265	42.31	25.56	2.80	38.00	32.67	74.00	-41.33	VERTICAL	Peak
3	3465.510	43.16	28.88	4.22	36.95	39.31	68.20	-28.89	VERTICAL	Peak
4	4456.315	42.65	30.75	4.88	36.81	41.47	68.20	-26.73	VERTICAL	Peak
5	11490.000	35.10	39.90	8.41	37.15	46.26	74.00	-27.74	VERTICAL	Peak
6	17235.000	32.53	43.01	10.08	35.33	50.29	68.20	-17.91	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1148.823	42.23	24.49	2.34	38.42	30.64	74.00	-43.36	HORIZONTAL Peak
2	1574.265	42.09	25.56	2.80	38.00	32.45	74.00	-41.55	HORIZONTAL Peak
3	3455.508	43.73	28.88	4.20	36.96	39.85	68.20	-28.35	HORIZONTAL Peak
4	4430.628	43.38	30.72	4.78	36.81	42.07	68.20	-26.13	HORIZONTAL Peak
5	11570.000	35.67	39.78	8.38	37.14	46.69	74.00	-27.31	HORIZONTAL Peak
6	17355.000	30.75	43.40	10.39	35.32	49.22	68.20	-18.98	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1217.190	42.06	24.79	2.32	38.37	30.80	74.00	-43.20	VERTICAL	Peak
2	1667.951	42.22	25.66	2.80	37.91	32.77	74.00	-41.23	VERTICAL	Peak
3	3357.061	43.26	28.81	4.09	37.01	39.15	74.00	-34.85	VERTICAL	Peak
4	4379.699	43.38	30.64	4.69	36.81	41.90	74.00	-32.10	VERTICAL	Peak
5	11570.000	36.40	39.78	8.38	37.14	47.42	74.00	-26.58	VERTICAL	Peak
6	17355.000	31.47	43.40	10.39	35.32	49.94	68.20	-18.26	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	41.46	24.96	2.30	38.35	30.37	74.00	-43.63	HORIZONTAL	Peak
2	1692.231	42.29	25.70	2.80	37.89	32.90	74.00	-41.10	HORIZONTAL	Peak
3	3495.691	42.96	28.90	4.30	36.94	39.22	68.20	-28.98	HORIZONTAL	Peak
4	4469.214	43.51	30.77	4.93	36.81	42.40	68.20	-25.80	HORIZONTAL	Peak
5	11650.000	35.98	39.65	8.35	37.13	46.85	74.00	-27.15	HORIZONTAL	Peak
6	17475.000	29.91	43.90	10.77	35.32	49.26	68.20	-18.94	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1145.507	42.20	24.48	2.32	38.42	30.58	74.00	-43.42	VERTICAL	Peak
2	1663.137	41.71	25.65	2.80	37.91	32.25	74.00	-41.75	VERTICAL	Peak
3	3445.535	43.24	28.87	4.18	36.96	39.33	68.20	-28.87	VERTICAL	Peak
4	4417.841	42.69	30.70	4.74	36.81	41.32	68.20	-26.88	VERTICAL	Peak
5	11650.000	35.53	39.65	8.35	37.13	46.40	74.00	-27.60	VERTICAL	Peak
6	17475.000	30.13	43.90	10.77	35.32	49.48	68.20	-18.72	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1274.802	41.96	25.12	2.48	38.33	31.23	68.20	-36.97	HORIZONTAL	Peak
2	1687.347	41.99	25.69	2.80	37.91	32.57	74.00	-41.43	HORIZONTAL	Peak
3	3445.535	43.35	28.87	4.18	36.96	39.44	68.20	-28.76	HORIZONTAL	Peak
4	4169.698	44.51	30.09	4.60	36.80	42.40	74.00	-31.60	HORIZONTAL	Peak
5	11490.000	34.66	39.90	8.41	37.15	45.82	74.00	-28.18	HORIZONTAL	Peak
6	17235.000	31.37	43.01	10.08	35.33	49.13	68.20	-19.07	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1192.811	42.02	24.65	2.36	38.39	30.64	74.00	-43.36	VERTICAL Peak
2	1658.337	41.63	25.65	2.80	37.93	32.15	68.20	-36.05	VERTICAL Peak
3	3475.541	43.45	28.89	4.25	36.95	39.64	68.20	-28.56	VERTICAL Peak
4	3981.257	43.92	29.78	4.60	36.81	41.49	74.00	-32.51	VERTICAL Peak
5	11490.000	35.02	39.90	8.41	37.15	46.18	74.00	-27.82	VERTICAL Peak
6	17235.000	31.12	43.01	10.08	35.33	48.88	68.20	-19.32	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	41.72	24.85	2.31	38.37	30.51	74.00	-43.49	HORIZONTAL	Peak
2	1663.137	42.22	25.65	2.80	37.91	32.76	74.00	-41.24	HORIZONTAL	Peak
3	3435.590	43.73	28.87	4.16	36.97	39.79	68.20	-28.41	HORIZONTAL	Peak
4	4181.768	43.40	30.12	4.60	36.80	41.32	74.00	-32.68	HORIZONTAL	Peak
5	11570.000	35.80	39.78	8.38	37.14	46.82	74.00	-27.18	HORIZONTAL	Peak
6	17355.000	30.84	43.40	10.39	35.32	49.31	68.20	-18.89	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read Freq	Antenna Level	Factor	Cable Loss	Preamp Factor	Level	Limit	Over	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1213.677	42.34	24.77	2.32	38.37	31.06	74.00	-42.94	VERTICAL	Peak
2	1663.137	42.11	25.65	2.80	37.91	32.65	74.00	-41.35	VERTICAL	Peak
3	3465.510	43.19	28.88	4.22	36.95	39.34	68.20	-28.86	VERTICAL	Peak
4	4417.841	42.74	30.70	4.74	36.81	41.37	68.20	-26.83	VERTICAL	Peak
5	11570.000	34.88	39.78	8.38	37.14	45.90	74.00	-28.10	VERTICAL	Peak
6	17355.000	31.18	43.40	10.39	35.32	49.65	68.20	-18.55	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11 n; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	42.35	24.85	2.31	38.37	31.14	74.00	-42.86	HORIZONTAL	Peak
2	1634.543	41.62	25.62	2.80	37.95	32.09	68.20	-36.11	HORIZONTAL	Peak
3	3435.590	43.50	28.87	4.16	36.97	39.56	68.20	-28.64	HORIZONTAL	Peak
4	4254.921	43.69	30.34	4.62	36.81	41.84	74.00	-32.16	HORIZONTAL	Peak
5	11650.000	35.57	39.65	8.35	37.13	46.44	74.00	-27.56	HORIZONTAL	Peak
6	17475.000	30.35	43.90	10.77	35.32	49.70	68.20	-18.50	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1274.802	41.31	25.12	2.48	38.33	30.58	68.20	-37.62	VERTICAL	Peak
2	1587.975	41.86	25.57	2.80	37.98	32.25	74.00	-41.75	VERTICAL	Peak
3	3386.297	43.68	28.83	4.10	36.99	39.62	68.20	-28.58	VERTICAL	Peak
4	4145.664	43.96	30.03	4.60	36.80	41.79	74.00	-32.21	VERTICAL	Peak
5	11650.000	35.29	39.65	8.35	37.13	46.16	74.00	-27.84	VERTICAL	Peak
6	17475.000	29.95	43.90	10.77	35.32	49.30	68.20	-18.90	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	42.03	24.93	2.30	38.37	30.89	74.00	-43.11	HORIZONTAL	Peak
2	1677.621	41.99	25.68	2.80	37.91	32.56	74.00	-41.44	HORIZONTAL	Peak
3	3465.510	43.24	28.88	4.22	36.95	39.39	68.20	-28.81	HORIZONTAL	Peak
4	4181.768	43.60	30.12	4.60	36.80	41.52	74.00	-32.48	HORIZONTAL	Peak
5	11510.000	35.44	39.90	8.41	37.15	46.60	74.00	-27.40	HORIZONTAL	Peak
6	17265.000	30.96	43.21	10.24	35.33	49.08	68.20	-19.12	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1300.858	41.63	25.20	2.60	38.31	31.12	74.00	-42.88	VERTICAL	Peak
2	1672.779	41.60	25.67	2.80	37.91	32.16	74.00	-41.84	VERTICAL	Peak
3	3445.535	43.04	28.87	4.18	36.96	39.13	68.20	-29.07	VERTICAL	Peak
4	4417.841	43.30	30.70	4.74	36.81	41.93	68.20	-26.27	VERTICAL	Peak
5	11510.000	34.85	39.90	8.41	37.15	46.01	74.00	-27.99	VERTICAL	Peak
6	17265.000	31.30	43.21	10.24	35.33	49.42	68.20	-18.78	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11 n; Bandwidth:40MHz; Channel:High



Trace: (Discrete)


	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1285.904	41.03	25.16	2.53	38.33	30.39	68.20	-37.81	HORIZONTAL	Peak
2	1687.347	42.61	25.69	2.80	37.91	33.19	74.00	-40.81	HORIZONTAL	Peak
3	3455.508	43.07	28.88	4.20	36.96	39.19	68.20	-29.01	HORIZONTAL	Peak
4	4304.400	43.03	30.48	4.65	36.81	41.35	74.00	-32.65	HORIZONTAL	Peak
5	11590.000	35.05	39.72	8.37	37.14	46.00	74.00	-28.00	HORIZONTAL	Peak
6	17385.000	30.68	43.57	10.53	35.32	49.46	68.20	-18.74	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 20; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1256.512	41.11	25.05	2.38	38.35	30.19	68.20	-38.01	VERTICAL	Peak
2	1592.571	42.42	25.57	2.80	37.98	32.81	74.00	-41.19	VERTICAL	Peak
3	3455.508	42.62	28.88	4.20	36.96	38.74	68.20	-29.46	VERTICAL	Peak
4	4482.150	42.45	30.78	4.99	36.81	41.41	68.20	-26.79	VERTICAL	Peak
5	11590.000	35.80	39.72	8.37	37.14	46.75	74.00	-27.25	VERTICAL	Peak
6	17385.000	31.61	43.57	10.53	35.32	50.39	68.20	-17.81	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1135.617	42.05	24.45	2.25	38.43	30.32	74.00	-43.68	HORIZONTAL Peak
2	1653.550	41.56	25.64	2.80	37.93	32.07	68.20	-36.13	HORIZONTAL Peak
3	3465.510	43.63	28.88	4.22	36.95	39.78	68.20	-28.42	HORIZONTAL Peak
4	4086.182	43.71	29.92	4.60	36.80	41.43	74.00	-32.57	HORIZONTAL Peak
5	11490.000	35.24	39.90	8.41	37.15	46.40	74.00	-27.60	HORIZONTAL Peak
6	17235.000	31.61	43.01	10.08	35.33	49.37	68.20	-18.83	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1224.247	41.80	24.85	2.31	38.37	30.59	74.00	-43.41	VERTICAL	Peak
2	1658.337	41.83	25.65	2.80	37.93	32.35	68.20	-35.85	VERTICAL	Peak
3	3445.535	43.11	28.87	4.18	36.96	39.20	68.20	-29.00	VERTICAL	Peak
4	4430.628	43.47	30.72	4.78	36.81	42.16	68.20	-26.04	VERTICAL	Peak
5	11490.000	34.68	39.90	8.41	37.15	45.84	74.00	-28.16	VERTICAL	Peak
6	17235.000	31.54	43.01	10.08	35.33	49.30	68.20	-18.90	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	42.06	24.85	2.31	38.37	30.85	74.00	-43.15	HORIZONTAL	Peak
2	1663.137	42.11	25.65	2.80	37.91	32.65	74.00	-41.35	HORIZONTAL	Peak
3	3376.523	43.46	28.83	4.09	36.99	39.39	68.20	-28.81	HORIZONTAL	Peak
4	4456.315	43.10	30.75	4.88	36.81	41.92	68.20	-26.28	HORIZONTAL	Peak
5	11570.000	35.47	39.78	8.38	37.14	46.49	74.00	-27.51	HORIZONTAL	Peak
6	17355.000	30.67	43.40	10.39	35.32	49.14	68.20	-19.06	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read Freq	Antenna Level	Cable Factor	Preamp Loss	Preamp Factor	Limit Level	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1213.677	42.69	24.77	2.32	38.37	31.41	74.00	-42.59	VERTICAL Peak
2	1578.822	41.76	25.56	2.80	38.00	32.12	74.00	-41.88	VERTICAL Peak
3	3445.535	43.10	28.87	4.18	36.96	39.19	68.20	-29.01	VERTICAL Peak
4	4430.628	42.81	30.72	4.78	36.81	41.50	68.20	-26.70	VERTICAL Peak
5	11570.000	35.63	39.78	8.38	37.14	46.65	74.00	-27.35	VERTICAL Peak
6	17355.000	30.87	43.40	10.39	35.32	49.34	68.20	-18.86	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	41.55	25.20	2.60	38.31	31.04	74.00	-42.96	HORIZONTAL	Peak
2	1663.137	42.20	25.65	2.80	37.91	32.74	74.00	-41.26	HORIZONTAL	Peak
3	3465.510	43.53	28.88	4.22	36.95	39.68	68.20	-28.52	HORIZONTAL	Peak
4	4443.453	43.03	30.73	4.83	36.81	41.78	68.20	-26.42	HORIZONTAL	Peak
5	11650.000	35.93	39.65	8.35	37.13	46.80	74.00	-27.20	HORIZONTAL	Peak
6	17475.000	30.12	43.90	10.77	35.32	49.47	68.20	-18.73	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1217.190	41.51	24.79	2.32	38.37	30.25	74.00	-43.75	VERTICAL	Peak
2	1692.231	42.20	25.70	2.80	37.89	32.81	74.00	-41.19	VERTICAL	Peak
3	3425.675	44.00	28.86	4.15	36.97	40.04	68.20	-28.16	VERTICAL	Peak
4	4354.454	43.36	30.59	4.68	36.81	41.82	74.00	-32.18	VERTICAL	Peak
5	11650.000	35.38	39.65	8.35	37.13	46.25	74.00	-27.75	VERTICAL	Peak
6	17475.000	30.11	43.90	10.77	35.32	49.46	68.20	-18.74	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	42.10	24.93	2.30	38.37	30.96	74.00	-43.04	HORIZONTAL Peak
2	1667.951	42.11	25.66	2.80	37.91	32.66	74.00	-41.34	HORIZONTAL Peak
3	3347.371	43.31	28.80	4.08	37.01	39.18	74.00	-34.82	HORIZONTAL Peak
4	4443.453	42.79	30.73	4.83	36.81	41.54	68.20	-26.66	HORIZONTAL Peak
5	11510.000	35.80	39.90	8.41	37.15	46.96	74.00	-27.04	HORIZONTAL Peak
6	17265.000	31.27	43.21	10.24	35.33	49.39	68.20	-18.81	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1135.617	42.13	24.45	2.25	38.43	30.40	74.00	-43.60	VERTICAL	Peak
2	1702.042	41.33	25.72	2.80	37.89	31.96	74.00	-42.04	VERTICAL	Peak
3	3445.535	43.14	28.87	4.18	36.96	39.23	68.20	-28.97	VERTICAL	Peak
4	4443.453	42.69	30.73	4.83	36.81	41.44	68.20	-26.76	VERTICAL	Peak
5	11510.000	35.75	39.90	8.41	37.15	46.91	74.00	-27.09	VERTICAL	Peak
6	17265.000	31.50	43.21	10.24	35.33	49.62	68.20	-18.58	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1213.677	41.76	24.77	2.32	38.37	30.48	74.00	-43.52	HORIZONTAL	Peak
2	1677.621	42.25	25.68	2.80	37.91	32.82	74.00	-41.18	HORIZONTAL	Peak
3	3415.787	43.07	28.85	4.13	36.97	39.08	68.20	-29.12	HORIZONTAL	Peak
4	4443.453	42.99	30.73	4.83	36.81	41.74	68.20	-26.46	HORIZONTAL	Peak
5	11590.000	35.79	39.72	8.37	37.14	46.74	74.00	-27.26	HORIZONTAL	Peak
6	17385.000	31.19	43.57	10.53	35.32	49.97	68.20	-18.23	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1213.677	41.93	24.77	2.32	38.37	30.65	74.00	-43.35	VERTICAL	Peak
2	1663.137	42.35	25.65	2.80	37.91	32.89	74.00	-41.11	VERTICAL	Peak
3	3445.535	43.31	28.87	4.18	36.96	39.40	68.20	-28.80	VERTICAL	Peak
4	4417.841	42.80	30.70	4.74	36.81	41.43	68.20	-26.77	VERTICAL	Peak
5	11590.000	35.72	39.72	8.37	37.14	46.67	74.00	-27.33	VERTICAL	Peak
6	17385.000	31.48	43.57	10.53	35.32	50.26	68.20	-17.94	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1196.264	42.27	24.67	2.35	38.39	30.90	74.00	-43.10	HORIZONTAL	Peak
2	1663.137	41.63	25.65	2.80	37.91	32.17	74.00	-41.83	HORIZONTAL	Peak
3	3415.787	42.87	28.85	4.13	36.97	38.88	68.20	-29.32	HORIZONTAL	Peak
4	4417.841	42.76	30.70	4.74	36.81	41.39	68.20	-26.81	HORIZONTAL	Peak
5	11550.000	35.42	39.84	8.40	37.14	46.52	74.00	-27.48	HORIZONTAL	Peak
6	17325.000	30.87	43.40	10.39	35.32	49.34	68.20	-18.86	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1293.359	41.00	25.18	2.57	38.31	30.44	68.20	-37.76	VERTICAL	Peak
2	1677.621	41.37	25.68	2.80	37.91	31.94	74.00	-42.06	VERTICAL	Peak
3	3485.601	43.53	28.89	4.27	36.95	39.74	68.20	-28.46	VERTICAL	Peak
4	4443.453	43.09	30.73	4.83	36.81	41.84	68.20	-26.36	VERTICAL	Peak
5	11550.000	35.55	39.84	8.40	37.14	46.65	74.00	-27.35	VERTICAL	Peak
6	17325.000	31.57	43.40	10.39	35.32	50.04	68.20	-18.16	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for GZCR2201000133AT

9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for GZCR2201000133AT

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com