


Appendix 1

Test Results

Peak Output Power

Modulation: GFSK


Tx frequency: 2410MHz



Date: 30.APR.2013 17:20:16


Modulation: GFSK

Tx frequency: 2440MHz



Date: 30.APR.2013 17:21:16

Modulation: GFSK
Tx frequency: 2472MHz



Date: 30.APR.2013 17:22:07

Spurious Radiated Emission (Worst Case)




E-FIELD

17.Apr 13 17:34

Job / Record No. TUV170413A97.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHZ SLOT CAR (HAND THROTTLE)/ 30160/ 00130315080-001
Ant. Pol./h/Range SIDE / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition MID CH.

Sweep Settings Screen A

Center Frequency	23.000000 MHz	Ref Level	87.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	14.000000 MHz	Ref Position	100.000 %
Start Frequency	16.000000 MHz	Level Range	100.000 dB
Stop Frequency	30.000000 MHz	RF Att	0.000 dB
RBW	10.000000 kHz	X-Axis	LIN
VBW	30.000000 kHz	Y-Axis	LOG
Sweep Time	140.00 ms		





E-FIELD


17.Apr 13 14:17

Job / Record No. TUV170413A24.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHZ SLOT CAR (HAND THROTTLE)/ 30160/ 00130315060-001
Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition MID CH.

Time Domain Scan (1 Range)

Scan Start: 30 MHz
Scan Stop: 200 MHz
Detector: Trace 1: MAX PEAK
Transducer: E-Field

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp Input
30.000000 MHz	200.000000 MHz	30.00 kHz	120.00 kHz	100 μ s	Auto	20 dB INPUT1





E-FIELD


17.Apr 13 14:14

Job / Record No. TUV170413A23.PK
 Equipment under Test STADLBAUER (HK) LTD/ 2.4GHz SLOT CAR (HAND THROTTLE)/ 30160/
 00130315060-001
 Ant. Pol./h/Range HORI. / HEIGHT=3.0m / RANGE=3m
 Test Spec./ Std FCC P15
 Operator TING
 Operation Condition
 MID CH.

Time Domain Scan (1 Range)

Scan Start: 30 MHz
 Scan Stop: 200 MHz
 Detector: Trace 1: MAX PEAK
 Transducer: E-Field

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp Input
30.000000 MHz	200.000000 MHz	30.00 kHz	120.00 kHz	100 µs	Auto	20 dB INPUT1





E-FIELD

17.Apr 13 14:27


Job / Record No. TUV170413A30.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHZ SLOT CAR (HAND THROTTLE)/ 30180/ 00130315060-001
Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition MID CH.

Time Domain Scan (1 Range)

Scan Start: 200 MHz
 Scan Stop: 1 GHz
 Detector: Trace 1: MAX PEAK
 Transducer: E-Field

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	100 μ s	Auto	20 dB INPUT1

RBW 120 kHz
 TD SCAN MT 100 μ s
 Att 0 dB AUTO PREAMP ON



Freq. 496.001
 dB 27.6



E-FIELD

17.Apr 13 14:26


Job / Record No. TUV170413A29.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHz SLOT CAR (HAND THROTTLE)/ 30160/ 00130315060-001
Ant. Pol./h/Range HORI. / HEIGHT=3.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition MID CH.

Time Domain Scan (1 Range)

Scan Start: 200 MHz
 Scan Stop: 1 GHz
 Detector: Trace 1: MAX PEAK
 Transducer: E-Field

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	100 µs	Auto	20 dB INPUT1

RBW 120 kHz
 TD SCAN MT 100 µs
 Att 0 dB AUTO PREAMP ON






E-FIELD

12.Apr 13 12:00

Job / Record No. TUV120413A10.PK
Equipment under Test STADLBAUER/ 2.4GHz SLOT CAR HAND THROTTLE/ 30160/ 00130315060-001
Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition
2440MHz

Sweep Settings Screen A

Center Frequency	6.875000 GHz	Ref Level	107.000 dBuV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	11.750000 GHz	Ref Position	100.000 %
Start Frequency	1.000000 GHz	Level Range	100.000 dB
Stop Frequency	12.750000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	1.000000 MHz	Y-Axis	LOG
Sweep Time	70.00 ms		






E-FIELD

12.Apr 13 12:04

Job / Record No. TUV120413A10-1.PK
Equipment under Test STADLBAUER/ 2.4GHz SLOT CAR HAND THROTTLE/ 30160/ 00130315060-001
Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition
 2440MHz

Sweep Settings Screen A

Center Frequency	4.880000 GHz	Ref Level	107.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	10.000000 MHz	Ref Position	100.000 %
Start Frequency	4.875000 GHz	Level Range	100.000 dB
Stop Frequency	4.885000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	1.000000 MHz	Y-Axis	LOG
Sweep Time	20.00 ms		






E-FIELD

12.Apr 13 12:04

Job / Record No. TUV120413A10-2.PK
Equipment under Test STADLBAUER/ 2.4GHz SLOT CAR HAND THROTTLE/ 30160/ 00130315080-001
Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition
 2440MHz

Sweep Settings Screen A

Center Frequency	4.880000 GHz	Ref Level	107.000 dBuV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	10.000000 MHz	Ref Position	100.000 %
Start Frequency	4.875000 GHz	Level Range	100.000 dB
Stop Frequency	4.885000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz		
VBW	10.000000 Hz	X-Axis	LIN
Sweep Time	2.50 s	Y-Axis	LOG






E-FIELD

12.Apr 13 12:06

Job / Record No. TUV120413A10-3.PK
 Equipment under Test STADLBAUER/ 2.4GHz SLOT CAR HAND THROTTLE/ 30160/ 00130315060-001
 Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
 Test Spec./ Std FCC P15
 Operator TING
 Operation Condition
 2440MHz

Sweep Settings Screen A

Center Frequency	7.320000 GHz	Ref Level	107.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	10.000000 MHz	Ref Position	100.000 %
Start Frequency	7.315000 GHz	Level Range	100.000 dB
Stop Frequency	7.325000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	1.000000 MHz	Y-Axis	LOG
Sweep Time	20.00 ms		






E-FIELD

12.Apr 13 12:07

Job / Record No. TUV120413A10-4.PK
 Equipment under Test STADLBAUER/ 2.4GHz SLOT CAR HAND THROTTLE/ 30160/ 00130315060-001
 Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
 Test Spec./ Std FCC P15
 Operator TING
 Operation Condition
 2440MHz

Sweep Settings Screen A

Center Frequency	7.320000 GHz	Ref Level	107.000 dBμV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	10.000000 MHz	Ref Position	100.000 %
Start Frequency	7.315000 GHz	Level Range	100.000 dB
Stop Frequency	7.325000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz		
VBW	10.000000 Hz	X-Axis	LIN
Sweep Time	2.50 s	Y-Axis	LOG






E-FIELD

15.Apr 13 09:58

Job / Record No. TUV120413A09-1.PK
Equipment under Test STADLBAUER/ 2.4GHz SLOT CAR HAND THROTTLE/ 30160/ 00130315060-001
Ant. Pol./h/Range HORI. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition
 2440MHz

Sweep Settings Screen A

Center Frequency	4.880000 GHz	Ref Level	107.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	10.000000 MHz	Ref Position	100.000 %
Start Frequency	4.875000 GHz	Level Range	100.000 dB
Stop Frequency	4.885000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	1.000000 MHz	Y-Axis	LOG
Sweep Time	20.00 ms		






E-FIELD

12.Apr 13 11:56

Job / Record No. TUV120413A09-2.PK
Equipment under Test STADLBAUER/ 2.4GHz SLOT CAR HAND THROTTLE/ 30160/ 00130315060-001
Ant. Pol./h/Range HORI. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition
2440MHz

Sweep Settings Screen A

Center Frequency	4.880000 GHz	Ref Level	107.000 dBμV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	10.000000 MHz	Ref Position	100.000 %
Start Frequency	4.875000 GHz	Level Range	100.000 dB
Stop Frequency	4.885000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	10.000000 Hz	Y-Axis	LOG
Sweep Time	2.50 s		






E-FIELD

12.Apr 13 11:57

Job / Record No. TUV120413A09-3.PK
 Equipment under Test STADLBAUER/ 2.4GHz SLOT CAR HAND THROTTLE/ 30160/ 00130315060-001
 Ant. Pol./h/Range HORI. / HEIGHT=1.0m / RANGE=3m
 Test Spec./ Std FCC P15
 Operator TING
 Operation Condition
 2440MHz

Sweep Settings Screen A

Center Frequency	7.320000 GHz	Ref Level	107.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	10.000000 MHz	Ref Position	100.000 %
Start Frequency	7.315000 GHz	Level Range	100.000 dB
Stop Frequency	7.325000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	1.000000 MHz	Y-Axis	LOG
Sweep Time	20.00 ms		






E-FIELD

12.Apr 13 11:58

Job / Record No. TUV120413A09-4.PK
Equipment under Test STADLBAUER/ 2.4GHz SLOT CAR HAND THROTTLE/ 30160/ 00130315060-001
Ant. Pol./h/Range HORI. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition
 2440MHz

Sweep Settings Screen A

Center Frequency	7.320000 GHz	Ref Level	107.000 dBμV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	10.000000 MHz	Ref Position	100.000 %
Start Frequency	7.315000 GHz	Level Range	100.000 dB
Stop Frequency	7.325000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	10.000000 Hz	Y-Axis	LOG
Sweep Time	2.50 s		






E-FIELD

17.Apr 13 14:58

Job / Record No. TUV170413A38.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHz SLOT CAR (HAND THROTTLE)/ 30160/
00130315060-001
Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition
MID CH.

Sweep Settings Screen A

Center Frequency	15.375000 GHz	Ref Level	107.000 dBμV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	5.250000 GHz	Ref Position	100.000 %
Start Frequency	12.750000 GHz	Level Range	100.000 dB
Stop Frequency	18.000000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz		
VBW	1.000000 MHz	X-Axis	LIN
Sweep Time	60.00 s	Y-Axis	LOG






E-FIELD

17.Apr 13 15:03

Job / Record No. TUV170413A41.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHz SLOT CAR (HAND THROTTLE)/ 30160/ 00130315060-001
Ant. Pol./h/Range HORI. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition MID CH.

Sweep Settings Screen A

Center Frequency	15.375000 GHz	Ref Level	107.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	5.250000 GHz	Ref Position	100.000 %
Start Frequency	12.750000 GHz	Level Range	100.000 dB
Stop Frequency	18.000000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	1.000000 MHz	Y-Axis	LOG
Sweep Time	60.00 s		






E-FIELD

17.Apr 13 15:10

Job / Record No. TUV170413A47.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHz SLOT CAR (HAND THROTTLE)/ 30160/ 00130315060-001
Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition MID CH.

Sweep Settings Screen A

Center Frequency	21.500000 GHz	Ref Level	107.000 dBμV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	7.000000 GHz	Ref Position	100.000 %
Start Frequency	18.000000 GHz	Level Range	100.000 dB
Stop Frequency	25.000000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	1.000000 MHz	Y-Axis	LOG
Sweep Time	60.00 s		






E-FIELD

17.Apr 13 15:07

Job / Record No. TUV170413A44.PK
 Equipment under Test STADLBAUER (HK) LTD/ 2.4GHZ SLOT CAR (HAND THROTTLE)/ 30160/
 00130315060-001
 Ant. Pol./h/Range HORI. / HEIGHT=1.0m / RANGE=3m
 Test Spec./ Std FCC P15
 Operator TING
 Operation Condition
 MID CH.

Sweep Settings Screen A

Center Frequency	21.500000 GHz	Ref Level	107.000 dBμV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	7.000000 GHz	Ref Position	100.000 %
Start Frequency	18.000000 GHz	Level Range	100.000 dB
Stop Frequency	25.000000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	1.000000 MHz	Y-Axis	LOG
Sweep Time	60.00 s		



Band Edge Compliance

Tx frequency: 2410MHz (radiated measurement)




E-FIELD

17.Apr 13 14:55

Job / Record No. TUV170413A36.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHz SLOT CAR (HAND THROTTLE)/ 30160/ 00130315060-001
Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition
 LOW CH.

Sweep Settings Screen A

Center Frequency	2.350000 GHz	Ref Level	107.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	80.000000 MHz	Ref Position	100.000 %
Start Frequency	2.310000 GHz	Level Range	100.000 dB
Stop Frequency	2.390000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	1.000000 MHz	Y-Axis	LOG
Sweep Time	60.00 s		






E-FIELD

17.Apr 13 14:56

Job / Record No. TUV170413A36-1.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHz SLOT CAR (HAND THROTTLE)/ 30160/ 00130315060-001
Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition LOW CH.

Sweep Settings Screen A

Center Frequency	2.350000 GHz	Ref Level	107.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	80.000000 MHz	Ref Position	100.000 %
Start Frequency	2.310000 GHz	Level Range	100.000 dB
Stop Frequency	2.390000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	10.000000 Hz	Y-Axis	LOG
Sweep Time	6.40 s		



Vertical Polarization




E-FIELD

17.Apr 13 14:52

Job / Record No. TUV170413A35.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHZ SLOT CAR (HAND THROTTLE)/ 30160/ 00130315060-001
Ant. Pol./h/Range HORI. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition
 LOW CH.

Sweep Settings Screen A

Center Frequency	2.350000 GHz	Ref Level	107.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	80.000000 MHz	Ref Position	100.000 %
Start Frequency	2.310000 GHz	Level Range	100.000 dB
Stop Frequency	2.390000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	1.000000 MHz	Y-Axis	LOG
Sweep Time	60.00 s		






E-FIELD

17.Apr 13 14:53

Job / Record No. TUV170413A35-1.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHz SLOT CAR (HAND THROTTLE)/ 30160/ 00130315060-001
Ant. Pol./h/Range HORI. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition LOW CH.

Sweep Settings Screen A

Center Frequency	2.350000 GHz	Ref Level	107.000 dB μ V/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	80.000000 MHz	Ref Position	100.000 %
Start Frequency	2.310000 GHz	Level Range	100.000 dB
Stop Frequency	2.390000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	10.000000 Hz	Y-Axis	LOG
Sweep Time	6.40 s		



Horizontal Polarization

Tx frequency: 2472MHz (radiated measurement)



E-FIELD

17.Apr 13 14:47

Job / Record No. TUV170413A33.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHz SLOT CAR (HAND THROTTLE)/ 30160/ 00130315060-001
Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition HIGH CH.

Sweep Settings Screen A

Center Frequency	2.491750 GHz	Ref Level	107.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	16.500000 MHz	Ref Position	100.000 %
Start Frequency	2.483500 GHz	Level Range	100.000 dB
Stop Frequency	2.500000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz		
VBW	1.000000 MHz	X-Axis	LIN
Sweep Time	60.00 s	Y-Axis	LOG






E-FIELD

17.Apr 13 14:53

Job / Record No. TUV170413A33-1.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHZ SLOT CAR (HAND THROTTLE)/ 30180/ 00130315060-001
Ant. Pol./h/Range VERT. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition HIGH CH.

Sweep Settings Screen A

Center Frequency	2.491750 GHz	Ref Level	107.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	16.500000 MHz	Ref Position	100.000 %
Start Frequency	2.483500 GHz	Level Range	100.000 dB
Stop Frequency	2.500000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	10.000000 Hz	Y-Axis	LOG
Sweep Time	4.20 s		



Vertical Polarization




E-FIELD

17.Apr 13 14:49

Job / Record No. TUV170413A34.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHZ SLOT CAR (HAND THROTTLE)/ 30160/ 00130315060-001
Ant. Pol./h/Range HORI. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition HIGH CH.

Sweep Settings Screen A

Center Frequency	2.491750 GHz	Ref Level	107.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	16.500000 MHz	Ref Position	100.000 %
Start Frequency	2.483500 GHz	Level Range	100.000 dB
Stop Frequency	2.500000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	1.000000 MHz	Y-Axis	LOG
Sweep Time	60.00 s		






E-FIELD

17.Apr 13 14:50

Job / Record No. TUV170413A34-1.PK
Equipment under Test STADLBAUER (HK) LTD/ 2.4GHZ SLOT CAR (HAND THROTTLE)/ 30160/ 00130315060-001
Ant. Pol./h/Range HORI. / HEIGHT=1.0m / RANGE=3m
Test Spec./ Std FCC P15
Operator TING
Operation Condition HIGH CH.

Sweep Settings Screen A

Center Frequency	2.491750 GHz	Ref Level	107.000 dBµV/m
Frequency Offset	0.000000 Hz	Ref Level Offset	0.000 dB
Span	16.500000 MHz	Ref Position	100.000 %
Start Frequency	2.483500 GHz	Level Range	100.000 dB
Stop Frequency	2.500000 GHz	RF Att	0.000 dB
RBW	1.000000 MHz	X-Axis	LIN
VBW	10.000000 Hz	Y-Axis	LOG
Sweep Time	4.20 s		



Horizontal Polarization