



Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.11	0.18	-0.93	10.24
CH60	5300	-0.75	0.18	-0.57	10.24
CH64	5320	-7.67	0.18	-7.49	10.24




Date: 5.JUL.2016 14:31:47

CH60



Date: 5.JUL.2016 14:33:14

CH64



Date: 5.JUL.2016 14:35:31


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.14	10.24
CH60	5300	3.15	10.24
CH64	5320	-2.92	10.24

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-7.98	0.39	-7.59	10.24
CH62	5310	-14.11	0.39	-13.72	10.24

CH54



Date: 5.JUL.2016 11:46:05

CH62




Date: 5.JUL.2016 11:47:42

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-5.40	0.39	-5.01	10.24
CH62	5310	-11.40	0.39	-11.01	10.24

CH54



Date: 5.JUL.2016 13:18:48

CH62




Date: 5.JUL.2016 13:20:06

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.16	0.39	-3.77	10.24
CH62	5310	-11.80	0.39	-11.41	10.24

CH54



Date: 5.JUL.2016 14:17:12

CH62



Date: 5.JUL.2016 14:18:46


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.42	10.24
CH62	5310	-7.13	10.24

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-4.25	0.31	-3.94	10.24
CH116	5580	-1.75	0.31	-1.44	10.24
CH140	5700	-2.83	0.31	-2.52	10.24

CH100




Date: 5.JUL.2016 14:41:56

CH116



Date: 5.JUL.2016 14:50:06

CH140




Date: 5.JUL.2016 14:51:31

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-6.03	0.31	-5.72	10.24
CH116	5580	-1.52	0.31	-1.21	10.24
CH140	5700	-1.79	0.31	-1.48	10.24

CH100




Date: 5.JUL.2016 15:25:28

CH116



Date: 5.JUL.2016 15:31:16


CH140



Date: 5.JUL.2016 15:32:43


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-4.07	0.31	-3.76	10.24
CH116	5580	-1.04	0.31	-0.73	10.24
CH140	5700	-5.54	0.31	-5.23	10.24




Date: 5.JUL.2016 16:05:23

CH116



Date: 5.JUL.2016 16:14:36

CH140



Date: 5.JUL.2016 16:15:59


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.19	10.24
CH116	5580	3.44	10.24
CH140	5700	1.77	10.24

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-4.89	0.18	-4.71	10.24
CH116	5580	-2.06	0.18	-1.88	10.24
CH140	5700	-3.69	0.18	-3.51	10.24

CH100




Date: 5.JUL.2016 14:53:42

CH116



Date: 5.JUL.2016 14:55:36

CH140




Date: 5.JUL.2016 14:59:43

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-5.52	0.18	-5.34	10.24
CH116	5580	-1.59	0.18	-1.41	10.24
CH140	5700	-3.39	0.18	-3.21	10.24

CH100




Date: 5.JUL.2016 15:35:41

CH116



Date: 5.JUL.2016 15:36:55

CH140




Date: 5.JUL.2016 15:38:00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-4.07	0.18	-3.89	10.24
CH116	5580	-1.52	0.18	-1.34	10.24
CH140	5700	-5.70	0.18	-5.52	10.24

CH100




Date: 5.JUL.2016 16:19:45

CH116



Date: 5.JUL.2016 16:21:21

CH140




Date: 5.JUL.2016 16:22:32

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.17	10.24
CH116	5580	3.23	10.24
CH140	5700	0.81	10.24


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-10.85	0.39	-10.46	10.24
CH110	5550	-5.71	0.39	-5.32	10.24
CH134	5670	-7.11	0.39	-6.72	10.24




Date: 5.JUL.2016 15:02:21

CH110



Date: 5.JUL.2016 15:04:01


CH134



Date: 5.JUL.2016 15:05:32


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-12.16	0.39	-11.77	10.24
CH110	5550	-6.56	0.39	-6.17	10.24
CH134	5670	-4.17	0.39	-3.78	10.24




Date: 5.JUL.2016 15:39:38

CH110



Date: 5.JUL.2016 15:40:58


CH134



Date: 5.JUL.2016 15:43:10


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-10.49	0.39	-10.10	10.24
CH110	5550	-5.56	0.39	-5.17	10.24
CH134	5670	-7.60	0.39	-7.21	10.24




Date: 5.JUL.2016 16:25:13

CH110



Date: 5.JUL.2016 16:27:04

CH134




Date: 5.JUL.2016 16:28:16

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-5.95	10.24
CH110	5550	-0.76	10.24
CH134	5670	-0.86	10.24


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-4.68	0.53	-4.15	10.24
CH60	5300	-4.07	0.53	-3.54	10.24
CH64	5320	-10.00	0.53	-9.47	10.24




Date: 5.JUL.2016 11:49:03

CH60



Date: 5.JUL.2016 11:51:35


CH64



Date: 5.JUL.2016 11:52:31


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.34	0.53	-0.81	10.24
CH60	5300	-2.10	0.53	-1.57	10.24
CH64	5320	-6.95	0.53	-6.42	10.24




Date: 5.JUL.2016 13:21:18

CH60



Date: 5.JUL.2016 13:22:24


CH64



Date: 5.JUL.2016 13:23:14


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-2.22	0.53	-1.69	10.24
CH60	5300	-2.33	0.53	-1.80	10.24
CH64	5320	-8.71	0.53	-8.18	10.24




Date: 5.JUL.2016 14:20:04

CH60



Date: 5.JUL.2016 14:21:36

CH64



Date: 5.JUL.2016 14:22:44


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.77	10.24
CH60	5300	2.56	10.24
CH64	5320	-3.07	10.24

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-8.27	0.38	-7.89	10.24
CH62	5310	-14.53	0.38	-14.15	10.24

CH54



Date: 5.JUL.2016 11:53:54

CH62




Date: 5.JUL.2016 11:55:14

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-6.03	0.38	-5.65	10.24
CH62	5310	-11.50	0.38	-11.12	10.24

CH54



Date: 5.JUL.2016 13:25:15

CH62




Date: 5.JUL.2016 13:30:02

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.88	0.38	-4.50	10.24
CH62	5310	-12.19	0.38	-11.81	10.24

CH54



Date: 5.JUL.2016 14:24:35

CH62




Date: 5.JUL.2016 14:26:31

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.02	10.24
CH62	5310	-7.41	10.24

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-21.21	0.67	-20.54	10.24



Date: 5.JUL.2016 11:57:03

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-19.05	0.67	-18.38	10.24



Date: 5.JUL.2016 13:37:05

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-19.16	0.67	-18.49	10.24




Date: 5.JUL.2016 14:28:19

Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-14.26	10.24


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-5.17	0.53	-4.64	10.24
CH116	5580	-1.79	0.53	-1.26	10.24
CH140	5700	-4.21	0.53	-3.68	10.24




Date: 5.JUL.2016 15:08:12

CH116



Date: 5.JUL.2016 15:09:36


CH140



Date: 5.JUL.2016 15:10:36


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-6.80	0.53	-6.27	10.24
CH116	5580	-2.08	0.53	-1.55	10.24
CH140	5700	-3.07	0.53	-2.54	10.24




Date: 5.JUL.2016 15:46:13

CH116



Date: 5.JUL.2016 15:47:25


CH140



Date: 5.JUL.2016 15:49:23


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-4.91	0.53	-4.38	10.24
CH116	5580	-1.75	0.53	-1.22	10.24
CH140	5700	-6.87	0.53	-6.34	10.24




Date: 5.JUL.2016 16:31:18

CH116



Date: 5.JUL.2016 16:33:16

CH140




Date: 5.JUL.2016 16:35:29

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.24	10.24
CH116	5580	3.43	10.24
CH140	5700	0.86	10.24


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-10.48	0.38	-10.10	10.24
CH110	5550	-5.57	0.38	-5.19	10.24
CH134	5670	-7.57	0.38	-7.19	10.24




Date: 5.JUL.2016 15:12:18

CH110



Date: 5.JUL.2016 15:13:46


CH134



Date: 5.JUL.2016 15:16:20


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-12.12	0.38	-11.74	10.24
CH110	5550	-6.57	0.38	-6.19	10.24
CH134	5670	-5.13	0.38	-4.75	10.24

CH102



Date: 5.JUL.2016 15:50:34

CH110



Date: 5.JUL.2016 15:52:07


CH134



Date: 5.JUL.2016 15:52:56


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-10.59	0.38	-10.21	10.24
CH110	5550	-5.09	0.38	-4.71	10.24
CH134	5670	-7.94	0.38	-7.56	10.24




Date: 5.JUL.2016 16:36:59

CH110



Date: 5.JUL.2016 16:38:26

CH134



Date: 5.JUL.2016 16:39:49


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-5.85	10.24
CH110	5550	-0.55	10.24
CH134	5670	-1.54	10.24

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-16.07	0.67	-15.40	10.24
CH122	5610	-9.62	0.67	-8.95	10.24

CH106



Date: 5.JUL.2016 15:21:14

CH122




Date: 5.JUL.2016 15:18:48

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-16.58	0.67	-15.91	10.24
CH122	5610	-9.14	0.67	-8.47	10.24

CH106



Date: 5.JUL.2016 15:56:26

CH122




Date: 5.JUL.2016 15:57:55

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-15.91	0.67	-15.24	10.24
CH122	5610	-10.57	0.67	-9.90	10.24

CH106



Date: 5.JUL.2016 16:41:22

CH122



Date: 5.JUL.2016 16:43:24

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-10.74	10.24
CH122	5610	-4.30	10.24

ATTACHMENT H-FREQUENCY STABILITY

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0684
120	5260.0696
108	5260.0704
Max. Deviation (MHz)	0.0704
Max. Deviation (ppm)	13.3840

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5260.0724
5	5260.0732
15	5260.0736
25	5260.0740
35	5260.0744
45	5260.0752
50	5260.0712
Max. Deviation (MHz)	0.0752
Max. Deviation (ppm)	14.2966

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0664
120	5500.0712
108	5500.0752
Max. Deviation (MHz)	0.0752
Max. Deviation (ppm)	13.6727

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0760
5	5500.0780
15	5500.0780
25	5500.0796
35	5500.0800
45	5500.0804
50	5500.0812
Max. Deviation (MHz)	0.0812
Max. Deviation (ppm)	14.7636