


-26dB Bandwidth NVNT ac40 5510MHz Ant1




-26dB Bandwidth NVNT ac40 5550MHz Ant1



-26dB Bandwidth NVNT ac40 5710MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant1







-26dB Bandwidth NVNT ac80 5290MHz Ant1




-26dB Bandwidth NVNT ac80 5530MHz Ant1



-26dB Bandwidth NVNT ac80 5610MHz Ant1




-26dB Bandwidth NVNT ac80 5690MHz Ant1






Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1







-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1




-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1




-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1



-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1



-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant1



**A.4. Peak Power Spectral Density**

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz) (dBm/500kHz @U-NII-3)	Duty Factor (dB)	Total Conducted PSD (dBm/MHz) (dBm/500kHz @ U-NII-3)	Total Conducted PSD (dBm/MHz) (dBm/500kHz @ U-NII-3)	Verdict
NVNT	a	5180	Ant1	6.42	0.09	6.51	11	Pass
NVNT	a	5220	Ant1	6.49	0.12	6.61	11	Pass
NVNT	a	5240	Ant1	6.36	0.12	6.48	11	Pass
NVNT	a	5260	Ant1	6.57	0.12	6.69	11	Pass
NVNT	a	5300	Ant1	6.55	0.12	6.67	11	Pass
NVNT	a	5320	Ant1	6.64	0.12	6.76	11	Pass
NVNT	a	5500	Ant1	7.23	0.09	7.32	11	Pass
NVNT	a	5580	Ant1	6.84	0.09	6.93	11	Pass
NVNT	a	5720	Ant1	6.75	0.12	6.87	11	Pass
NVNT	a	5745	Ant1	4.03	0.09	4.12	30	Pass
NVNT	a	5785	Ant1	3.82	0.12	3.94	30	Pass
NVNT	a	5825	Ant1	4.06	0.12	4.18	30	Pass
NVNT	n20	5180	Ant1	5.46	0.13	5.59	11	Pass
NVNT	n20	5220	Ant1	5.7	0.1	5.8	11	Pass
NVNT	n20	5240	Ant1	5.73	0.1	5.83	11	Pass
NVNT	n20	5260	Ant1	5.53	0.13	5.66	11	Pass
NVNT	n20	5300	Ant1	5.7	0.1	5.8	11	Pass
NVNT	n20	5320	Ant1	5.73	0.1	5.83	11	Pass
NVNT	n20	5500	Ant1	5.95	0.13	6.08	11	Pass
NVNT	n20	5580	Ant1	5.8	0.13	5.93	11	Pass
NVNT	n20	5720	Ant1	5.68	0.13	5.81	11	Pass
NVNT	n20	5745	Ant1	2.93	0.13	3.06	30	Pass
NVNT	n20	5785	Ant1	2.71	0.1	2.81	30	Pass
NVNT	n20	5825	Ant1	2.7	0.13	2.83	30	Pass
NVNT	n40	5190	Ant1	2.69	0.26	2.95	11	Pass
NVNT	n40	5230	Ant1	2.57	0.2	2.77	11	Pass
NVNT	n40	5270	Ant1	2.72	0.26	2.98	11	Pass
NVNT	n40	5310	Ant1	2.91	0.2	3.11	11	Pass
NVNT	n40	5510	Ant1	2.9	0.26	3.16	11	Pass
NVNT	n40	5550	Ant1	2.72	0.2	2.92	11	Pass
NVNT	n40	5710	Ant1	2.85	0.26	3.11	11	Pass



REPORT No.: SZ24060309W04

NVNT	n40	5755	Ant1	0.17	0.26	0.43	30	Pass
NVNT	n40	5795	Ant1	-0.09	0.2	0.11	30	Pass
NVNT	ac20	5180	Ant1	4.58	0.13	4.71	11	Pass
NVNT	ac20	5220	Ant1	5.3	0.1	5.4	11	Pass
NVNT	ac20	5240	Ant1	5.31	0.13	5.44	11	Pass
NVNT	ac20	5260	Ant1	4.61	0.13	4.74	11	Pass
NVNT	ac20	5300	Ant1	4.68	0.13	4.81	11	Pass
NVNT	ac20	5320	Ant1	4.64	0.1	4.73	11	Pass
NVNT	ac20	5500	Ant1	5.01	0.1	5.11	11	Pass
NVNT	ac20	5580	Ant1	4.76	0.13	4.89	11	Pass
NVNT	ac20	5720	Ant1	4.54	0.1	4.64	11	Pass
NVNT	ac20	5745	Ant1	1.77	0.13	1.9	30	Pass
NVNT	ac20	5785	Ant1	1.74	0.1	1.84	30	Pass
NVNT	ac20	5825	Ant1	1.62	0.1	1.72	30	Pass
NVNT	ac40	5190	Ant1	0.76	0.26	1.02	11	Pass
NVNT	ac40	5230	Ant1	0.91	0.26	1.17	11	Pass
NVNT	ac40	5270	Ant1	0.65	0.26	0.91	11	Pass
NVNT	ac40	5310	Ant1	0.86	0.26	1.12	11	Pass
NVNT	ac40	5510	Ant1	1.01	0.19	1.2	11	Pass
NVNT	ac40	5550	Ant1	0.88	0.26	1.14	11	Pass
NVNT	ac40	5710	Ant1	0.68	0.26	0.94	11	Pass
NVNT	ac40	5755	Ant1	-1.99	0.26	-1.73	30	Pass
NVNT	ac40	5795	Ant1	-2	0.2	-1.8	30	Pass
NVNT	ac80	5210	Ant1	-1.43	0.38	-1.05	11	Pass
NVNT	ac80	5290	Ant1	-2.27	0.38	-1.89	11	Pass
NVNT	ac80	5530	Ant1	-2.32	0.51	-1.81	11	Pass
NVNT	ac80	5610	Ant1	-2.15	0.39	-1.76	11	Pass
NVNT	ac80	5690	Ant1	-2.27	0.51	-1.76	11	Pass
NVNT	ac80	5775	Ant1	-5.05	0.38	-4.67	30	Pass

Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5220MHz Ant1



PSD NVNT a 5240MHz Ant1



PSD NVNT a 5260MHz Ant1



PSD NVNT a 5300MHz Ant1




PSD NVNT a 5320MHz Ant1



PSD NVNT a 5500MHz Ant1



PSD NVNT a 5580MHz Ant1



PSD NVNT a 5720MHz Ant1



PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1



PSD NVNT a 5825MHz Ant1



PSD NVNT n20 5180MHz Ant1



PSD NVNT n20 5220MHz Ant1



PSD NVNT n20 5240MHz Ant1



PSD NVNT n20 5260MHz Ant1



PSD NVNT n20 5300MHz Ant1



PSD NVNT n20 5320MHz Ant1





PSD NVNT n20 5500MHz Ant1



PSD NVNT n20 5580MHz Ant1



PSD NVNT n20 5720MHz Ant1



PSD NVNT n20 5745MHz Ant1





PSD NVNT n20 5785MHz Ant1



PSD NVNT n20 5825MHz Ant1



PSD NVNT n40 5190MHz Ant1



PSD NVNT n40 5230MHz Ant1





PSD NVNT n40 5270MHz Ant1



PSD NVNT n40 5310MHz Ant1



PSD NVNT n40 5510MHz Ant1



PSD NVNT n40 5550MHz Ant1



PSD NVNT n40 5710MHz Ant1



PSD NVNT n40 5755MHz Ant1



PSD NVNT n40 5795MHz Ant1



PSD NVNT ac20 5180MHz Ant1



PSD NVNT ac20 5220MHz Ant1



PSD NVNT ac20 5240MHz Ant1



PSD NVNT ac20 5260MHz Ant1



PSD NVNT ac20 5300MHz Ant1



PSD NVNT ac20 5320MHz Ant1



PSD NVNT ac20 5500MHz Ant1



PSD NVNT ac20 5580MHz Ant1



PSD NVNT ac20 5720MHz Ant1



PSD NVNT ac20 5745MHz Ant1



PSD NVNT ac20 5785MHz Ant1



PSD NVNT ac20 5825MHz Ant1



PSD NVNT ac40 5190MHz Ant1



PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac40 5270MHz Ant1



PSD NVNT ac40 5310MHz Ant1



PSD NVNT ac40 5510MHz Ant1



PSD NVNT ac40 5550MHz Ant1



PSD NVNT ac40 5710MHz Ant1



PSD NVNT ac40 5755MHz Ant1



PSD NVNT ac40 5795MHz Ant1



PSD NVNT ac80 5210MHz Ant1



PSD NVNT ac80 5290MHz Ant1



PSD NVNT ac80 5530MHz Ant1



PSD NVNT ac80 5610MHz Ant1



PSD NVNT ac80 5690MHz Ant1



PSD NVNT ac80 5775MHz Ant1



**A.5. Frequency Stability**

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 3.4V	Carrier	5180	Ant1	5180	0	0	25	Pass
20C 3.87V	Carrier	5180	Ant1	5179.999	-1000	-0.19	25	Pass
20C 4.45V	Carrier	5180	Ant1	5180	0	0	25	Pass
-20C 3.87V	Carrier	5180	Ant1	5180	0	0	25	Pass
-10C 3.87V	Carrier	5180	Ant1	5180	0	0	25	Pass
0C 3.87V	Carrier	5180	Ant1	5180	0	0	25	Pass
10C 3.87V	Carrier	5180	Ant1	5179.999	-1000	-0.19	25	Pass
30C 3.87V	Carrier	5180	Ant1	5179.999	-1000	-0.19	25	Pass
40C 3.87V	Carrier	5180	Ant1	5179.999	-1000	-0.19	25	Pass
50C 3.87V	Carrier	5180	Ant1	5179.999	-1000	-0.19	25	Pass
60C 3.87V	Carrier	5180	Ant1	5179.999	-1000	-0.19	25	Pass
20C 3.4V	Carrier	5260	Ant1	5259.999	-1000	-0.19	25	Pass
20C 3.87V	Carrier	5260	Ant1	5259.998	-2000	-0.38	25	Pass
20C 4.45V	Carrier	5260	Ant1	5259.999	-1000	-0.19	25	Pass
-20C 3.87V	Carrier	5260	Ant1	5259.998	-2000	-0.38	25	Pass
-10C 3.87V	Carrier	5260	Ant1	5259.998	-2000	-0.38	25	Pass
0C 3.87V	Carrier	5260	Ant1	5259.998	-2000	-0.38	25	Pass
10C 3.87V	Carrier	5260	Ant1	5259.998	-2000	-0.38	25	Pass
30C 3.87V	Carrier	5260	Ant1	5259.998	-2000	-0.38	25	Pass
40C 3.87V	Carrier	5260	Ant1	5259.998	-2000	-0.38	25	Pass
50C 3.87V	Carrier	5260	Ant1	5259.998	-2000	-0.38	25	Pass
60C 3.87V	Carrier	5260	Ant1	5259.998	-2000	-0.38	25	Pass
20C 3.4V	Carrier	5500	Ant1	5499.998	-2000	-0.36	25	Pass
20C 3.87V	Carrier	5500	Ant1	5499.997	-3000	-0.55	25	Pass
20C 4.45V	Carrier	5500	Ant1	5499.998	-2000	-0.36	25	Pass
-20C 3.87V	Carrier	5500	Ant1	5499.998	-2000	-0.36	25	Pass
-10C 3.87V	Carrier	5500	Ant1	5499.998	-2000	-0.36	25	Pass
0C 3.87V	Carrier	5500	Ant1	5499.997	-3000	-0.55	25	Pass
10C 3.87V	Carrier	5500	Ant1	5499.997	-3000	-0.55	25	Pass
30C 3.87V	Carrier	5500	Ant1	5499.997	-3000	-0.55	25	Pass
40C 3.87V	Carrier	5500	Ant1	5499.997	-3000	-0.55	25	Pass
50C 3.87V	Carrier	5500	Ant1	5499.997	-3000	-0.55	25	Pass
60C 3.87V	Carrier	5500	Ant1	5499.997	-3000	-0.55	25	Pass
20C 3.4V	Carrier	5745	Ant1	5744.995	-5000	-0.87	25	Pass



REPORT No.: SZ24060309W04

20C 3.87V	Carrier	5745	Ant1	5744.994	-6000	-1.04	25	Pass
20C 4.45V	Carrier	5745	Ant1	5744.995	-5000	-0.87	25	Pass
-20C 3.87V	Carrier	5745	Ant1	5744.995	-5000	-0.87	25	Pass
-10C 3.87V	Carrier	5745	Ant1	5744.995	-5000	-0.87	25	Pass
0C 3.87V	Carrier	5745	Ant1	5744.995	-5000	-0.87	25	Pass
10C 3.87V	Carrier	5745	Ant1	5744.995	-5000	-0.87	25	Pass
30C 3.87V	Carrier	5745	Ant1	5744.994	-6000	-1.04	25	Pass
40C 3.87V	Carrier	5745	Ant1	5744.994	-6000	-1.04	25	Pass
50C 3.87V	Carrier	5745	Ant1	5744.994	-6000	-1.04	25	Pass
60C 3.87V	Carrier	5745	Ant1	5744.994	-6000	-1.04	25	Pass



REPORT No.: SZ24060309W04


A.6. Dynamic Frequency Selection

Payload


Mode	Frequency (MHz)	Result	Verdict
ac20	5260	43.79	Pass
ac20	5500	35.09	Pass
ac80	5290	12.71	Pass
ac80	5530	31.41	Pass

Test Graphs


ac20 5260MHz Payload




ac20 5500MHz Payload



ac80 5290MHz Payload



ac80 5530MHz Payload





REPORT No.: SZ24060309W04

Detection Thresholds

Mode	Frequency (MHz)	Type	Result	Verdict
ac20	5260	DFS_FCC_T0	See test Graph	Pass
ac20	5500	DFS_FCC_T0	See test Graph	Pass
ac80	5290	DFS_FCC_T0	See test Graph	Pass
ac80	5530	DFS_FCC_T0	See test Graph	Pass

Spectrum analyzer settings:

Span: Zero


Detector Type: Peak

RBW: 3MHz


VBW: 3MHz

Test Graphs


5260MHz DFS_FCC_T0




5500MHz DFS_FCC_T0



5290MHz DFS_FCC_T0



5530MHz DFS_FCC_T0





Channel Move Time and Channel Closing Transmission Time

Mode	Frequency (MHz)	Channel Move Time (s)	Limit Channel Move Time (s)	Close Transmission Time (s)	Limit Close Transmission Time (s)	Close Transmission Time after 200ms(s)	Limit Close Transmission Time after 200ms (s)	Verdict
ac20	5260	0.916	10	0.104	0.26	0.015	0.06	Pass
ac20	5500	0.796	10	0.053	0.26	0.009	0.06	Pass
ac80	5290	0.128	10	0.062	0.26	0	0.06	Pass
ac80	5530	0.006	10	0.004	0.26	0	0.06	Pass

Spectrum analyzer settings:

Span: Zero

Detector type: Peak


RBW: 3MHz

VBW: 3MHz


Sweep time: 20s

Test Graphs


ac20 5260MHz Shutdown




ac20 5500MHz Shutdown



ac80 5290MHz Shutdown



ac80 5530MHz Shutdown



Note: The signal above the noise floor after the radar signal ends is the signal which leaked from other channels that have been moved following the Master device.



Non-Occupancy Period

Mode	Frequency (MHz)	Result	Verdict
ac20	5260	See test Graph	Pass
ac20	5500	See test Graph	Pass
ac80	5290	See test Graph	Pass
ac80	5530	See test Graph	Pass

Spectrum analyzer settings:

Span: Zero

Detector type: Peak


RBW: 3MHz

VBW: 3MHz


Sweep time: 1850s

Test Graphs


ac20 5260MHz Non-Occupancy




ac20 5500MHz Non-Occupancy



ac80 5290MHz Non-Occupancy



ac80 5530MHz Non-Occupancy





A.7. Conducted Emission

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Set RBW=9kHz, VBW=30kHz. Refer to recorded points and plots below.

Note: Both of the test voltage AC 120V/60Hz and AC 230V/50Hz were considered and tested respectively, only the results of the worst case AC 120V/60Hz were recorded in this report.

A. Test Setup:

Test Mode: EUT + Adapter + Data Line + Earphone + WIFI TX

Test voltage: AC 120V/60Hz


The measurement results are obtained as below:

$$E \text{ [dB}\mu\text{V]} = U_R + L_{\text{Cable loss}} \text{ [dB]} + A_{\text{Factor}}$$

U_R : Receiver Reading


A_{Factor} : Voltage division factor of LISN

B. Test Plot:



(L Phase)

No.	Fre. (MHz)	Emission Level (dBμV)		Limit (dBμV)		Power-line	Verdict
		Quai-peak	Average	Quai-peak	Average		
1	0.1546	42.93	27.73	65.75	55.75	Line	PASS
2	0.1861	38.66	27.97	64.21	54.21		PASS
3	0.2897	33.33	24.77	60.53	50.53		PASS
4	0.6220	37.04	30.09	56.00	46.00		PASS
5	1.0140	32.93	25.10	56.00	46.00		PASS
6	2.1995	33.44	23.19	56.00	46.00		PASS



(N Phase)

No.	Fre. (MHz)	Emission Level (dBμV)		Limit (dBμV)		Power-line	Verdict
		Quai-peak	Average	Quai-peak	Average		
1	0.1588	40.30	28.32	65.52	55.52	Neutral	PASS
2	0.2624	36.64	28.54	61.35	51.35		PASS
3	0.3571	34.80	29.39	58.79	48.79		PASS
4	0.6316	44.81	36.91	56.00	46.00		PASS
5	0.9111	35.60	30.13	56.00	46.00		PASS
6	2.1992	34.31	26.71	56.00	46.00		PASS



A.8. Restricted Frequency Bands

The lowest and highest channels are tested to verify the Restricted Frequency Bands.

The measurement results are obtained as below:

$$E \text{ [dB}\mu\text{V/m]} = U_R + A_T + A_{\text{Factor}} \text{ [dB]}; A_T = L_{\text{Cable loss}} \text{ [dB]} - G_{\text{preamp}} \text{ [dB]}$$

A_T : Total correction Factor except Antenna

U_R : Receiver Reading

G_{preamp} : Preamplifier Gain


A_{Factor} : Antenna Factor at 3m

Note 1: Restricted Frequency Bands were performed when antenna was at vertical and horizontal polarity, and only the worse test condition (vertical) was recorded in this test report.


Note 2 All test modes and bandwidth were considered and evaluated respectively by performing full test, only the worst data were recorded for each bandwidth.

802.11a Mode


Channel	Frequency (MHz)	Detector	Receiver Reading	A _T (dB)	A _{Factor} (dB@3m)	Max. Emission	Limit (dBμV/m)	Verdict
		PK/ AV	U _R (dBμV)			E (dBμV/m)		
36	5147.36	PK	47.53	-21.29	32.20	58.44	74	PASS
36	5150.00	AV	38.62	-21.29	32.20	49.53	54	PASS
64	5350.00	PK	43.10	-20.66	32.20	54.64	74	PASS
64	5350.00	AV	33.96	-20.66	32.20	45.50	54	PASS
100	5470.00	PK	46.85	-20.24	32.20	58.81	68.23	PASS
100	5460.00	AV	33.30	-20.24	32.20	45.26	54	PASS
144	5725.00	PK	53.47	-20.24	32.20	65.43	68.23	PASS
149	5725.00	PK	56.12	-21.11	32.20	67.21	122.23	PASS
165	5850.00	PK	54.33	-21.11	32.20	65.42	122.23	PASS




(PEAK, Channel 36, 802.11a)




(AVERAGE, Channel 36, 802.11a)




(PEAK, Channel 64, 802.11a)




(AVERAGE, Channel 64, 802.11a)




(PEAK, Channel 100, 802.11a)



(AVERAGE, Channel 100, 802.11a)



(PEAK, Channel 144, 802.11a)




(PEAK, Channel 149, 802.11a)




(PEAK, Channel 165, 802.11a)

**802.11n (HT40) Mode**


Channel	Frequency (MHz)	Detector	Receiver Reading U_R (dB μ V)	A_T (dB)	A_{Factor} (dB@3m)	Max. Emission E (dB μ V/m)	Limit (dB μ V/m)	Verdict
		PK/ AV						
38	5146.31	PK	49.87	-21.29	32.20	60.78	74	PASS
38	5150.00	AV	39.83	-21.29	32.20	50.74	54	PASS
62	5351.85	PK	50.14	-20.66	32.20	61.68	74	PASS
62	5350.50	AV	39.66	-20.66	32.20	51.20	54	PASS
102	5467.16	PK	51.58	-20.24	32.20	63.54	68.23	PASS
102	5460.00	AV	35.86	-20.24	32.20	47.82	54	PASS
142	5725.00	PK	49.08	-20.24	32.20	61.04	68.23	PASS
151	5725.00	PK	62.36	-21.11	32.20	73.45	122.23	PASS
159	5850.00	PK	45.41	-21.11	32.20	56.50	122.23	PASS




(PEAK, Channel 38, 802.11n (HT40))




(AVERAGE, Channel 38, 802.11n (HT40))




(PEAK, Channel 62, 802.11n (HT40))



(AVERAGE, Channel 62, 802.11n (HT40))




(PEAK, Channel 102, 802.11n (HT40))



(AVERAGE, Channel 102, 802.11n (HT40))



(PEAK, Channel 142, 802.11n (HT40))



(PEAK, Channel 151, 802.11n (HT40))




(PEAK, Channel 159, 802.11n (HT40))




802.11ac (VHT80) Mode


Channel	Frequency (MHz)	Detector	Receiver Reading U_R (dBμV)	A_T (dB)	A_{Factor} (dB@3m)	Max. Emission E (dBμV/m)	Limit (dBμV/m)	Verdict
		PK/ AV						
42	5148.80	PK	48.92	-21.29	32.2	59.83	74	PASS
42	5143.40	AV	37.13	-21.29	32.2	48.04	54	PASS
58	5357.20	PK	48.79	-20.66	32.2	60.33	74	PASS
58	5356.60	AV	37.75	-20.66	32.2	49.29	54	PASS
106	5464.28	PK	47.66	-20.24	32.2	59.62	68.23	PASS
106	5460.00	AV	36.16	-20.24	32.2	48.12	54	PASS
138	5730.51	PK	40.67	-20.24	32.2	52.63	68.23	PASS
155	5725.00	PK	50.86	-21.11	32.2	61.95	122.23	PASS
155	5850.00	PK	48.68	-21.11	32.2	59.77	122.23	PASS




(PEAK, Channel 42, 802.11ac (VHT80))




(AVERAGE, Channel 42, 802.11ac (VHT80))




(PEAK, Channel 58, 802.11ac (VHT80))



(AVERAGE, Channel 58, 802.11ac (VHT80))




(PEAK, Channel 106, 802.11ac (VHT80))



(AVERAGE, Channel 106, 802.11ac (VHT80))



(PEAK, Channel 138, 802.11ac (VHT80))



(PEAK, Channel 155, 802.11ac (VHT80))



A.9. Radiated Emission

According to ANSI C63.10, because of peak detection will yield amplitudes equal to or greater than amplitudes measured with the quasi-peak (or average) detector, the measurement data from a spectrum analyzer peak detector will represent the worst-case results, if the peak measured value complies with the quasi-peak (or average) limit, it is unnecessary to perform an quasi-peak measurement (or average).

The measurement results are obtained as below:

$$E [\text{dB}\mu\text{V/m}] = U_R + A_T + A_{\text{Factor}} [\text{dB}]; A_T = L_{\text{Cable loss}} [\text{dB}] - G_{\text{preamp}} [\text{dB}]$$

A_T : Total correction Factor except Antenna

U_R : Receiver Reading

G_{preamp} : Preamplifier Gain

A_{Factor} : Antenna Factor at 3m

During the test, the total correction Factor A_T and A_{Factor} were built in test software.

Note1: All radiated emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Note2: For the frequency, which started from 9kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit was not recorded.

Note3: For the frequency, which started from 18GHz to 40GHz harmonic of the highest frequency, was pre-scanned and the result which was 20dB lower than the limit was not recorded.

Note 4: All test modes and bandwidth were considered and evaluated respectively by performing full test, only the worst data were recorded for each bandwidth.


Field strength of fundamental:

Frequency (MHz)	Reading_Peak (dB μ V/m)	Antenna Factor (dB)	Path Loss (dB)	Final_Peak (dB μ V/m)	Antenna Polarity
5213.60	78.86	32.20	-21.29	89.77	Horizontal

The field strength (the lowest) of fundamenta is more than 20dB higher than the unwanted emissions, in accordance with FCC part 15.215(b).


**802.11a Mode**

Plot for Channel 44



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
100.810	32.04	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2491.733	50.06	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
4620.480	49.41	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5815.520	49.64	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
13481.640	49.39	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
14762.920	49.38	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
112.450	32.95	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2361.600	45.33	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
4620.480	50.03	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5134.840	49.16	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
8356.520	48.38	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
14809.120	49.03	N/A	N/A	68.23	N/A	N/A	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel 60



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
113.420	32.98	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2414.400	50.11	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
4749.840	48.88	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5812.440	50.06	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
8424.280	48.98	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
14762.920	49.60	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
107.600	32.60	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2455.467	49.95	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
4749.840	48.49	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
6021.880	49.56	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
8415.040	48.23	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
13453.920	48.98	N/A	N/A	68.23	N/A	N/A	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 120



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
112.450	33.82	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2400.533	49.48	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
5630.720	50.26	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
7102.960	48.86	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
11593.600	49.23	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
14741.360	50.51	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
112.450	34.43	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
1990.933	48.46	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
4626.640	49.91	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
8415.040	49.72	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
9631.640	50.11	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
13497.040	49.60	N/A	N/A	68.23	N/A	N/A	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 157



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
115.360	33.71	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2417.600	49.68	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
4620.480	50.60	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
8424.280	49.36	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
13564.800	50.36	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
14762.920	50.78	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
113.420	32.71	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2411.200	49.63	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
4617.400	49.91	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
7309.320	49.66	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
10358.520	48.17	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
14821.440	50.53	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)


**802.11n (HT40) mode**

Plot for Channel 46



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
110.510	32.70	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2383.467	49.26	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
4626.640	49.75	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5153.320	49.03	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
10238.400	46.92	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
14790.640	49.04	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
108.570	32.26	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2412.800	49.03	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
4614.320	48.80	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5137.920	49.48	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
8402.720	47.86	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
14775.240	49.11	N/A	N/A	68.23	N/A	N/A	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 62



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
113.420	32.58	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2410.667	49.76	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
4614.320	48.20	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5134.840	48.92	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
7069.080	47.99	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
14753.680	49.42	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
110.510	33.60	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2410.133	49.73	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
4546.560	48.71	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
6028.040	49.69	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
8433.520	48.04	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
13466.240	48.84	N/A	N/A	68.23	N/A	N/A	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel 126



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
105.660	32.93	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2409.067	49.42	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
3899.760	47.87	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
6486.960	48.91	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
11153.160	48.53	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
13487.800	49.97	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
107.600	33.71	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2409.600	49.05	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
3921.320	47.72	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
6052.680	49.42	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
9570.040	47.97	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
14772.160	50.52	N/A	N/A	68.23	N/A	N/A	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel 159



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
108.570	32.48	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2416.000	50.45	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
3909.000	48.19	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
6231.320	48.89	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
9573.120	48.40	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
14812.200	50.89	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
110.510	34.59	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2458.667	49.69	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
3915.160	48.18	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
7041.360	48.92	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
10962.200	48.77	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
13478.560	50.26	N/A	N/A	68.23	N/A	N/A	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)


**802.11ac (VHT80) Mode**

Plot for Channel 42



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
108.570	32.92	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2413.333	49.12	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
5821.680	48.74	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
8442.760	48.21	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
11772.240	47.99	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
14787.560	49.44	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
110.510	32.41	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2407.467	49.53	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
4623.560	50.42	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5821.680	49.57	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
8424.280	49.39	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
14781.400	50.36	N/A	N/A	68.23	N/A	N/A	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel 58



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
109.540	32.94	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2409.600	48.92	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
4611.240	47.95	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5818.600	49.73	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
8411.960	47.94	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
13657.200	48.76	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
104.690	33.20	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2414.400	49.16	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
5744.680	49.66	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
8436.600	47.56	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
10355.440	47.70	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
14787.560	49.56	N/A	N/A	68.23	N/A	N/A	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel 122



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
108.570	33.66	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2426.133	49.83	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
4019.880	47.57	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
7081.400	48.89	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
11156.240	49.47	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
14722.880	49.50	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
112.450	33.37	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2416.000	50.01	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
3912.080	47.71	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
6403.800	48.94	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
11147.000	49.20	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
13438.520	49.91	N/A	N/A	68.23	N/A	N/A	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 155



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
109.540	33.82	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2417.600	49.70	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
3918.240	48.33	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
7112.200	49.06	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
10367.760	48.40	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS
13577.120	50.33	N/A	N/A	68.23	N/A	N/A	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
113.420	33.70	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2413.333	49.39	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
4611.240	49.41	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
6717.960	48.88	N/A	N/A	68.23	N/A	N/A	Vertical	PASS
11759.920	49.44	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
14775.240	50.77	N/A	N/A	68.23	N/A	N/A	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)

END OF REPORT