

# FCC TEST REPORT

**Product Name:** Smart Phone  
**Trade Mark:** BLU  
**Model No.:** ADVANCE L5  
**Add. Model No.:** N/A  
**Report Number:** 200916004RFM-2  
**Test Standards:** FCC 47 CFR Part 22  
 FCC 47 CFR Part 24  
 FCC 47 CFR Part 27  
**FCC ID:** YHLBLUADL5  
**Test Result:** PASS  
**Date of Issue:** October 10, 2020

Prepared for:

**BLU Products, Inc.**  
**10814 NW 33rd St # 100 Doral, FL 33172 ,USA**

Prepared by:

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**  
**16/F, Block A, Building 6, Baoneng Science and Technology Park,**  
**Qingxiang Road No.1, Longhua New District, Shenzhen, China**  
**TEL: +86-755-2823 0888**  
**FAX: +86-755-2823 0886**

Prepared by:

*Ryan Zhou*

Ryan Zhou  
Senior Project Engineer

Reviewed by:

*Kevin Liang*

Kevin Liang  
Assistant Manager

Approved by:



Date:

October 10, 2020

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

**Version**

Version No.	Date	Description
V1.0	October 10, 2020	Original

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: [info@uttlab.com](mailto:info@uttlab.com)<http://www.uttlab.com>UTTR-RF-FCC4G-V1.0

## CONTENTS

<b>1. GENERAL INFORMATION .....</b>	<b>5</b>
<b>1.1 CLIENT INFORMATION .....</b>	<b>5</b>
<b>1.2 EUT INFORMATION .....</b>	<b>5</b>
1.2.1 GENERAL DESCRIPTION OF EUT .....	5
1.2.2 DESCRIPTION OF ACCESSORIES .....	5
<b>1.3 PRODUCT SPECIFICATION SUBJECTIVE TO THIS STANDARD .....</b>	<b>6</b>
<b>1.4 DESCRIPTION OF SUPPORT UNITS .....</b>	<b>8</b>
<b>1.5 TEST LOCATION .....</b>	<b>8</b>
<b>1.6 TEST FACILITY .....</b>	<b>8</b>
<b>1.7 DEVIATION FROM STANDARDS .....</b>	<b>9</b>
<b>1.8 ABNORMALITIES FROM STANDARD CONDITIONS .....</b>	<b>9</b>
<b>1.9 OTHER INFORMATION REQUESTED BY THE CUSTOMER .....</b>	<b>9</b>
<b>1.10 MEASUREMENT UNCERTAINTY .....</b>	<b>9</b>
<b>2. TEST SUMMARY .....</b>	<b>10</b>
<b>3. EQUIPMENT LIST .....</b>	<b>12</b>
<b>4. TEST CONFIGURATION .....</b>	<b>13</b>
<b>4.1 ENVIRONMENTAL CONDITIONS FOR TESTING .....</b>	<b>13</b>
<b>4.2 TEST SETUP .....</b>	<b>14</b>
4.2.1 FOR RADIATED EMISSIONS TEST SETUP .....	14
4.2.2 FOR CONDUCTED RF TEST SETUP .....	15
<b>4.3 TEST CHANNELS .....</b>	<b>16</b>
<b>4.4 SYSTEM TEST CONFIGURATION .....</b>	<b>18</b>
<b>4.5 PRE-SCAN .....</b>	<b>19</b>
4.5.1 LTE BAND 2 .....	19
4.5.2 LTE BAND 4 .....	20
4.5.3 LTE BAND 5 .....	21
4.5.4 LTE BAND 7 .....	22
<b>5. RADIO TECHNICAL REQUIREMENTS SPECIFICATION .....</b>	<b>25</b>
<b>5.1 REFERENCE DOCUMENTS FOR TESTING .....</b>	<b>25</b>
<b>5.2 ERP OR EIRP .....</b>	<b>25</b>
5.2.1 LTE BAND 2 .....	27
5.2.2 LTE BAND 4 .....	28
5.2.3 LTE BAND 5 .....	29
5.2.4 LTE BAND 7 .....	29
<b>5.3 CONDUCTED OUTPUT POWER .....</b>	<b>30</b>
<b>5.4 PEAK-TO-AVERAGE RATIO .....</b>	<b>31</b>
5.4.1 LTE BAND 2 .....	31
5.4.2 LTE BAND 4 .....	34
5.4.3 LTE BAND 5 .....	37
5.4.4 LTE BAND 7 .....	40
<b>5.5 99%&amp;26dB BANDWIDTH .....</b>	<b>43</b>
5.5.1 LTE BAND 2 .....	43
5.5.2 LTE BAND 4 .....	50
5.5.3 LTE BAND 5 .....	57
5.5.4 LTE BAND 7 .....	62
<b>5.6 BAND EDGE AT ANTENNA TERMINALS .....</b>	<b>67</b>
5.6.1 LTE BAND 2 .....	68
5.6.2 LTE BAND 4 .....	80
5.6.3 LTE BAND 5 .....	92
5.6.4 LTE BAND 7 .....	100
<b>5.7 SPURIOUS EMISSIONS AT ANTENNA TERMINALS .....</b>	<b>108</b>
5.7.1 LTE BAND 2 .....	109
5.7.2 LTE BAND 4 .....	115

5.7.3 LTE BAND 5 .....121

5.7.4 LTE BAND 7 .....125

**5.8 FIELD STRENGTH OF SPURIOUS RADIATION.....129**

5.8.1 LTE BAND 2 .....130

5.8.2 LTE BAND 4 .....131

5.8.3 LTE BAND 5 .....132

5.8.4 LTE BAND 7 .....133

**5.9 FREQUENCY STABILITY.....135**

5.9.1 LTE BAND 2 .....135


5.9.2 LTE BAND 4 .....136

5.9.3 LTE BAND 5 .....136

5.9.4 LTE BAND 7 .....137

**APPENDIX 1 PHOTOS OF TEST SETUP.....138**

**APPENDIX 2 PHOTOS OF EUT CONSTRUCTIONAL DETAILS.....138**



## 1. GENERAL INFORMATION

### 1.1 CLIENT INFORMATION

<b>Applicant:</b>	BLU Products, Inc.
<b>Address of Applicant:</b>	10814 NW 33rd St # 100 Doral, FL 33172 ,USA
<b>Manufacturer:</b>	BLU Products, Inc.
<b>Address of Manufacturer:</b>	10814 NW 33rd St # 100 Doral, FL 33172 ,USA

### 1.2 EUT INFORMATION

#### 1.2.1 General Description of EUT

<b>Product Name:</b>	Smart Phone	
<b>Model No.:</b>	ADVANCE L5	
<b>Trade Mark:</b>	BLU	
<b>DUT Stage:</b>	Identical Prototype	
<b>EUT Supports Function:</b>	GSM Bands:	GSM850/PCS1900
	UTRA Bands:	Band II/ Band V
	E-UTRA Bands:	FDD Band 2/ Band 4/ Band 5/ Band 7
	2.4 GHz ISM Band:	IEEE 802.11b/g/n Bluetooth V4.2
<b>Sample Received Date:</b>	September 16, 2020	
<b>Sample Tested Date:</b>	September 20, 2020 to September 30, 2020	

#### 1.2.2 Description of Accessories

Adapter	
<b>Model No.:</b>	US-AR-0500
<b>Input:</b>	100-240 V~50/60 Hz 0.15 A
<b>Output:</b>	5.0 V --- 500 mA
<b>DC Cable:</b>	1.0 Meter, Unshielded without ferrite
<b>Manufacturer:</b>	Chongqing lianmao Electronic Co., Ltd.

Battery	
<b>Model No.:</b>	C348246140L
<b>Battery Type:</b>	Lithium-ion Polymer Rechargeable Battery
<b>Rated Voltage:</b>	3.7 Vdc
<b>Limited Charge Voltage:</b>	4.2 Vdc
<b>Rated Capacity:</b>	1400 mAh
<b>Manufacturer:</b>	Shenzhen Truepower New Energy Co.,Ltd.

Cable	
<b>Description:</b>	USB Micro-B Plug Cable
<b>Cable Type:</b>	Unshielded without ferrite
<b>Length:</b>	1.0 Meter

### 1.3 PRODUCT SPECIFICATION SUBJECTIVE TO THIS STANDARD

<b>Support Networks:</b>	LTE	
<b>Type of Modulation:</b>	LTE Band 2/4/5/7	QPSK, 16QAM
<b>Antenna Type:</b>	PIFA Antenna	
<b>Antenna Gain:</b>	LTE Band 2:	0.81dBi
	LTE Band 4:	0.89 dBi
	LTE Band 5:	-0.96 dBi
	LTE Band 7:	0.98 dBi
<b>Normal Test Voltage:</b>	3.7 Vdc	
<b>Extreme Test Voltage:</b>	3.4 to 4.2Vdc	
<b>Extreme Test Temperature:</b>	-5 °C to +55 °C	

Summary of Results:								
Bands	BW	Modulation	Frequency Range	Max RF Output Power (dBm)		EIRP (W)	99% BW (MHz)	Emission Designator
	(MHz)		(MHz)	Conducted (Average)	ERP/EIRP (Average)			
2	1.4	QPSK	1850.7-1909.3	24.85	25.66	0.36813	1.1080	1M11G7D
		16QAM		24.07	24.88	0.30761	1.1078	1M11W7D
	3	QPSK	1851.5-1908.5	24.35	25.16	0.32810	2.7169	2M72G7D
		16QAM		23.65	24.46	0.27925	2.7214	2M72W7D
	5	QPSK	1852.5-1907.5	24.34	25.13	0.32584	4.5385	4M54G7D
		16QAM		23.69	24.50	0.28184	4.5673	4M57W7D
	10	QPSK	1855.0-1905.0	24.38	25.19	0.33037	9.0059	9M00G7D
		16QAM		23.79	24.60	0.28840	9.0231	9M02W7D
	15	QPSK	1857.5-1902.5	24.37	25.18	0.32961	13.538	13M5G7D
		16QAM		23.75	24.56	0.28576	13.526	13M5W7D
	20	QPSK	1860.0-1900.0	24.40	25.21	0.33189	18.068	18M1G7D
		16QAM		23.82	24.63	0.29040	18.045	18M0W7D



Summary of Results:									
Bands	BW	Modulation	Frequency Range	Max RF Output Power (dBm)		EIRP (W)	99% BW (MHz)	Emission Designator	
	(MHz)		(MHz)	Conducted (Average)	ERP/EIRP (Average)				
4	1.4	QPSK	1710.7-1754.3	22.90	23.79	0.23933	1.1080	1M11G7D	
		16QAM		22.77	23.66	0.23227	1.1081	1M11W7D	
	3	QPSK	1711.5-1753.5	22.89	23.78	0.23878	2.7146	2M71G7D	
		16QAM		21.87	22.76	0.18880	2.7239	2M72W7D	
	5	QPSK	1712.5-1752.5	22.93	23.82	0.24099	4.5438	4M54G7D	
		16QAM		21.90	22.79	0.19011	4.5662	4M57W7D	
	10	QPSK	1715-1750	22.93	23.82	0.24099	9.0154	9M02G7D	
		16QAM		21.92	22.81	0.19099	9.0250	9M03W7D	
	15	QPSK	1717.5-1747.5	22.85	23.74	0.23659	13.532	13M5G7D	
		16QAM		21.90	22.79	0.19011	13.541	13M5W7D	
	20	QPSK	1720-1745	22.96	23.85	0.24266	18.073	18M1G7D	
		16QAM		21.98	22.87	0.19364	18.086	18M1W7D	
	5	1.4	QPSK	824.7-848.3	23.03	19.92	0.09817	1.1070	1M11G7D
			16QAM		22.10	18.99	0.07925	1.1075	1M11W7D
3		QPSK	825.5-847.5	22.39	19.28	0.08472	2.7167	2M72G7D	
		16QAM		22.01	18.90	0.07762	2.7232	2M72W7D	
5		QPSK	826.5-846.5	22.42	19.31	0.08531	4.5544	4M55G7D	
		16QAM		22.06	18.95	0.07852	4.5592	4M56W7D	
10		QPSK	829-844	22.48	19.37	0.08650	9.0358	9M04G7D	
		16QAM		22.13	19.02	0.07980	9.0265	9M03W7D	
7		5	QPSK	2502.5-2567.5	24.14	25.12	0.32509	4.5502	4M55G7D
			16QAM		23.61	24.59	0.28774	4.5648	4M56W7D
	10	QPSK	2505-2565	24.28	25.26	0.33574	9.0421	9M04G7D	
		16QAM		23.56	24.54	0.28445	9.0383	9M04W7D	
	15	QPSK	2507.5-2562.5	24.18	25.16	0.32810	13.583	13M6G7D	
		16QAM		23.66	24.64	0.29107	13.583	13M6W7D	
	20	QPSK	2510-2560	24.29	25.27	0.33651	18.152	18M2G7D	
		16QAM		23.67	24.65	0.29174	18.127	18M1W7D	

### 1.4 DESCRIPTION OF SUPPORT UNITS

The EUT has been tested with associated equipment below.

1) Support Equipment

Description	Manufacturer	Model No.	Serial Number	Supplied by
--	--	--	--	--

2) Support Cable

Cable No.	Description	Connector	Length	Supplied by
1	Antenna Cable	SMA	0.30 Meter	UnionTrust

### 1.5 TEST LOCATION

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China 518109  
 Telephone: +86 (0) 755 2823 0888  
 Fax: +86 (0) 755 2823 0886

### 1.6 TEST FACILITY

The test facility is recognized, certified, or accredited by the following organizations:

**CNAS-Lab Code: L9069**

The measuring equipment utilized to perform the tests documented in this report has been calibrated once a year or in accordance with the manufacturer's recommendations, and is traceable under the ISO/IEC/EN 17025 to international or national standards. Equipment has been calibrated by accredited calibration laboratories.

**A2LA-Lab Certificate No.: 4312.01**

Shenzhen UnionTrust Quality and Technology Co., Ltd. has been accredited by A2LA for technical competence in the field of electrical testing, and proved to be in compliance with ISO/IEC 17025: 2005 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

**ISED Wireless Device Testing Laboratories**

CAB identifier: CN0032

**FCC Accredited Lab.**

Designation Number: CN1194

Test Firm Registration Number: 259480



**1.7 DEVIATION FROM STANDARDS**

None.

**1.8 ABNORMALITIES FROM STANDARD CONDITIONS**

None.

**1.9 OTHER INFORMATION REQUESTED BY THE CUSTOMER**

None.

**1.10 MEASUREMENT UNCERTAINTY**

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the Product as specified in CISPR 16-4-2. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

No.	Item	Measurement Uncertainty
1	Conducted emission 9KHz-150KHz	±3.8 dB
2	Conducted emission 150KHz-30MHz	±3.4 dB
3	Radiated emission 9KHz-30MHz	±4.9 dB
4	Radiated emission 30MHz-1GHz	±4.7 dB
5	Radiated emission 1GHz-18GHz	±5.1 dB
6	Radiated emission 18GHz-26GHz	±5.2 dB
7	Radiated emission 26GHz-40GHz	±5.2 dB

## 2. TEST SUMMARY

FCC 47 CFR Part 24 Test Cases (Band 2)			
Test Item	Test Requirement	Test Method	Result
Equivalent Isotropic Radiated Power (EIRP)	FCC 47 CFR Part 2.1046(a) & FCC 47 CFR Part 24.232(c)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Conducted Output Power	FCC 47 CFR Part 2.1046(a) & FCC 47 CFR Part 24.232(c)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Peak-to-average ratio	FCC 47 CFR Part 24.232(d)	KDB 971168 D01v03r01	PASS
99%&26dB Bandwidth	FCC 47 CFR Part 2.1049(h) & FCC 47 CFR Part 24.238(b)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Band Edge at antenna terminals	FCC 47 CFR Part 2.1051 & FCC 47 CFR Part 24.238(a)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Spurious emissions at antenna terminals	FCC 47 CFR Part 2.1051 & FCC 47 CFR Part 24.238(a)(b)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Field strength of spurious radiation	FCC 47 CFR Part 2.1053 & FCC 47 CFR Part 24.238(a)(b)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Frequency stability	FCC 47 CFR Part 2.1055 & FCC 47 CFR Part 24.235	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS

FCC 47 CFR Part 27 Test Cases (LTE Band 4)			
Test Item	Test Requirement	Test Method	Result
Equivalent Isotropic Radiated Power (EIRP)	FCC 47 CFR Part 2.1046(a) & FCC 47 CFR Part 27.50(d)(4)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Conducted Output Power	FCC 47 CFR Part 2.1046(a) & FCC 47 CFR Part 27.50(d)(4)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Peak-to-average ratio	FCC 47 CFR Part 27.50(d)(5)	KDB 971168 D01v03r01	PASS
99%&26dB Bandwidth	FCC 47 CFR Part 2.1049(h) & FCC 47 CFR Part 27.53(h)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Band Edge at antenna terminals	FCC 47 CFR Part 27.53(h)(1)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Spurious emissions at antenna terminals	FCC 47 CFR Part 2.1051 & FCC 47 CFR Part 27.53(h)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Field strength of spurious radiation	FCC 47 CFR Part 2.1053 & FCC 47 CFR Part 27.53(h)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Frequency stability	FCC 47 CFR Part 2.1055 & FCC 47 CFR Part 27.54	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS

FCC 47 CFR Part 22 Test Cases (Band 5)			
Test Item	Test Requirement	Test Method	Result
Effective Radiated Power (ERP)	FCC 47 CFR Part 2.1046(a) & FCC 47 CFR Part 22.913(a)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Conducted Output Power	FCC 47 CFR Part 2.1046(a) & FCC 47 CFR Part 22.913(a)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Peak-to-average ratio	FCC 47 CFR Part 22.913(a)	KDB 971168 D01v03r01	PASS
99%&26dB Bandwidth	FCC 47 CFR Part 2.1049(h)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Band Edge at antenna terminals	FCC 47 CFR Part 2.1051 & FCC 47 CFR Part 22.917(a)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Spurious emissions at antenna terminals	FCC 47 CFR Part 2.1051 & FCC 47 CFR Part 22.917(a)(b)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Field strength of spurious radiation	FCC 47 CFR Part 2.1053 & FCC 47 CFR Part 22.917(a)(b)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Frequency stability	FCC 47 CFR Part 2.1055 & FCC 47 CFR Part 22.355	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS

FCC 47 CFR Part 27 Test Cases (LTE Band 7 & Band 38)			
Test Item	Test Requirement	Test Method	Result
Equivalent Isotropic Radiated Power (EIRP)	FCC 47 CFR Part 2.1046(a) & FCC 47 CFR Part 27.50(h)(2)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Conducted Output Power	FCC 47 CFR Part 2.1046(a) & FCC 47 CFR Part 27.50(h)(2)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Peak-to-average ratio	FCC 47 CFR Part 27.50(d)(5)	KDB 971168 D01v03r01	PASS
99%&26dB Bandwidth	FCC 47 CFR Part 2.1049(h)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Band Edge at antenna terminals	FCC 47 CFR Part 27.53(m)(4)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Spurious emissions at antenna terminals	FCC 47 CFR Part 2.1051 & FCC 47 CFR Part 27.53(m)(4)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Field strength of spurious radiation	FCC 47 CFR Part 2.1053 & FCC 47 CFR Part 27.53(m)(4)	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS
Frequency stability	FCC 47 CFR Part 2.1055 & FCC 47 CFR Part 27.54	ANSI C63.26-2015 & KDB 971168 D01v03r01	PASS

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.0

### 3. EQUIPMENT LIST

Radiated Emission Test Equipment List						
Used	Equipment	Manufacturer	Model No.	Serial Number	Cal. date (mm dd, yyyy)	Cal. Due date (mm dd, yyyy)
<input checked="" type="checkbox"/>	3M Chamber & Accessory Equipment	ETS-LINDGREN	3M	N/A	Dec. 03, 2018	Dec. 03, 2021
<input checked="" type="checkbox"/>	Receiver	R&S	ESIB26	100114	Nov. 24, 2019	Nov. 23, 2020
<input type="checkbox"/>	Loop Antenna	ETS-LINDGREN	6502	00202525	Nov. 16, 2019	Nov. 15, 2020
<input checked="" type="checkbox"/>	Broadband Antenna	ETS-LINDGREN	3142E	00201566	Nov. 16, 2019	Nov. 15, 2020
<input checked="" type="checkbox"/>	6dB Attenuator	Talent	RA6A5-N-18	18103001	Nov. 16, 2019	Nov. 15, 2020
<input checked="" type="checkbox"/>	Preamplifier	HP	8447F	2805A02960	Nov. 24, 2019	Nov. 23, 2020
<input type="checkbox"/>	Broadband Antenna (Pre-amplifier)	ETS-LINDGREN	3142E-PA	00201891	May. 30, 2020	May. 29, 2021
<input type="checkbox"/>	6dB Attenuator	Talent	RA6A5-N-18	18103002	Nov. 24, 2019	Nov. 23, 2020
<input type="checkbox"/>	Horn Antenna	ETS-LINDGREN	3117	00164202	Nov. 16, 2019	Nov. 15, 2020
<input checked="" type="checkbox"/>	Horn Antenna (Pre-amplifier)	ETS-LINDGREN	3117-PA	00201874	May. 30, 2020	May. 29, 2021
<input type="checkbox"/>	Horn Antenna	ETS-LINDGREN	3116C	00200180	Jun. 19, 2020	Jun. 18, 2021
<input checked="" type="checkbox"/>	Horn Antenna (Pre-amplifier)	ETS-LINDGREN	3116C-PA	00202652	Nov. 16, 2019	Nov. 15, 2020
<input checked="" type="checkbox"/>	Multi device Controller	ETS-LINDGREN	7006-001	00160105	N/A	N/A
<input checked="" type="checkbox"/>	Test Software	Audix	e3	Software Version: 9.160323		

RF Test Equipment List						
Used	Equipment	Manufacturer	Model No.	Serial Number	Cal. date (mm dd, yyyy)	Cal. Due date (mm dd, yyyy)
<input checked="" type="checkbox"/>	Wideband Radio Communication Tester	R&S	CMW500	119583	July 20, 2020	July 19, 2021
<input checked="" type="checkbox"/>	Signal Generator	R&S	SMF 100A	100691	May 14, 2020	May 13, 2021
<input checked="" type="checkbox"/>	Vector Signal Generator	R&S	SMU200A	101638	May 14, 2020	May 13, 2021
<input checked="" type="checkbox"/>	Spectrum Analyzer	R&S	FSP13	1164.6391.13	June 11, 2020	June 10, 2021
<input checked="" type="checkbox"/>	Temp Humidity chamber	Votisch	VT4002	58566133290020	May 11, 2020	May 10, 2021
<input checked="" type="checkbox"/>	Shielding room	ETS-Lindgren	333	Euroshiedpn-T J2343-S1608	June 5, 2020	June 4, 2021
<input checked="" type="checkbox"/>	Temperature & Humidity Datalogger	CEM	DT-172	200408605	July 24, 2020	July 23, 2021
<input checked="" type="checkbox"/>	RF Box	ECIT	M4300	20170501	N/A	N/A
<input checked="" type="checkbox"/>	Test Software	Automation Test System	ECIT	Software Version: 1.0659.27819		

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.0

#### 4. TEST CONFIGURATION

##### 4.1 ENVIRONMENTAL CONDITIONS FOR TESTING


Test Environment	Selected Values During Tests		
Test Condition	Ambient		
	Temperature (°C)	Voltage (V)	Relative Humidity (%)
TN/VN	+15 to +35	3.7	20 to 75
TL/VL	-5	3.4	20 to 75
TH/VL	+55	3.4	20 to 75
TL/VH	-5	4.2	20 to 75
TH/VH	+55	4.2	20 to 75

**Remark:**

- 1) The EUT just work in such extreme temperature of -5 °C to +55 °C and the extreme voltage of 3.4 V to 4.2 V, so here the EUT is tested in the temperature of -5 °C to +55 °C and the voltage of 3.4 V to 4.2 V.
- 2) VN: Normal Voltage; TN: Normal Temperature;  
 TL: Low Extreme Test Temperature; TH: High Extreme Test Temperature;  
 VL: Low Extreme Test Voltage; VH: High Extreme Test Voltage.


## 4.2 TEST SETUP

### 4.2.1 For Radiated Emissions test setup





4.2.2 For Conducted RF test setup



### 4.3 TEST CHANNELS

Band	Test Frequency ID	Bandwidth (MHz)	Number [UL]	Frequency of Uplink (MHz)	
LTE Band 2 TX: 1850-1910MHz	Low Range	1.4	18607	1850.7	
		3	18615	1851.5	
		5	18625	1852.5	
		10	18650	1855	
		15	18675	1857.5	
		20	18700	1860	
	Middle Range	1.4/3/5/10/15/20	18900	1880	
	High Range	1.4	19193	1909.3	
		3	19185	1908.5	
		5	19175	1907.5	
		10	19150	1905	
		15	19125	1902.5	
		20	19100	1900	
	LTE Band 4 TX: 1710-1755MHz	Low Range	1.4	19957	1710.7
			3	19965	1711.5
5			19975	1712.5	
10			20000	1715	
15			20025	1717.5	
20			20050	1720	
Middle Range		1.4/3/5/10/ 15/20	20175	1732.5	
High Range		1.4	20393	1754.3	
		3	20385	1753.5	
		5	20375	1752.5	
		10	20350	1750	
		15	20325	1747.5	
	20	20300	1745		
LTE band 5 TX: 824-849MHz	Low Range	1.4	20407	824.7	
		3	20415	825.5	
		5	20425	826.5	
		10	20450	829	
	Middle Range	1.4/3/5/10	20525	836.5	
	High Range	1.4	20643	848.3	
		3	20635	847.5	
		5	20625	846.5	
		10	20600	844	

Band	Test Frequency ID	Bandwidth (MHz)	Number [UL]	Frequency of Uplink (MHz)
LTE Band 7 TX: 2500-2570MHz	Low Range	5	20775	2502.5
		10	20800	2505
		15	20825	2507.5
		20	20850	2510
	Middle Range	5/10/15/20	21100	2535
	High Range	5	21425	2567.5
		10	21400	2565
		15	21375	2562.5
		20	21350	2560



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.0

### 4.4 SYSTEM TEST CONFIGURATION

For emissions testing, the equipment under test (EUT) setup to transmit continuously to simplify the measurement methodology. Care was taken to ensure proper power supply voltages during testing. During testing, radiated emission were performed with the EUT set to transmit at the channel with highest output power as worst-case scenario. It was powered by a 3.7V battery. Only the worst case data were recorded in this test report.

Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X/Y/Z axis, and antenna ports.

The worst case was found when positioned as the table below.

Band	Mode	Antenna Port	Worst-case axis positioning
LTE Band 2	1TX	Chain 0	Y axis
LTE Band 4	1TX	Chain 0	Y axis
LTE Band 5	1TX	Chain 0	Y axis
LTE Band 7	1TX	Chain 0	Y axis
LTE Band 38	1TX	Chain 0	Y axis

All readings are extrapolated back to the equivalent three meter reading using inverse scaling with distance. Analyzer resolution is 100 kHz or greater for frequencies below 1000MHz. The resolution is 1 MHz or greater for frequencies above 1000MHz. The spurious emissions more than 20 dB below the permissible value are not reported.

Radiated emission measurement were performed from the lowest radio frequency signal generated in the device which is greater than 9 kHz to the tenth harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower.

### 4.5 PRE-SCAN

Pre-scan under all rate at lowest middle and highest channel, find the transmitter power as below.

#### 4.5.1 LTE Band 2

LTE Band 2 Maximum Average Power (dBm)												
Modulation	RB		Test Channel			RB		Test Channel				
	Size	Offset	Low	Mid	High	Size	Offset	Low	Mid	High		
			Channel Bandwidth: 1.4 MHz					Channel Bandwidth: 3 MHz				
QPSK	1	0	23.97	24.23	24.14	1	0	23.86	24.12	24.06		
	1	2	24.03	24.39	24.35	1	7	24.01	24.34	24.25		
	1	5	24.02	24.12	24.18	1	14	24.09	24.09	24.35		
	3	0	24.38	24.77	24.57	8	0	23.45	23.78	23.62		
	3	1	24.52	24.81	24.85	8	3	23.50	23.63	23.78		
	3	3	24.68	24.83	24.77	8	7	23.57	23.94	23.75		
	6	0	23.61	23.73	23.69	15	0	23.55	23.71	23.63		
16QAM	1	0	23.15	23.45	23.38	1	0	23.24	23.48	23.39		
	1	2	23.37	23.29	23.81	1	7	23.41	23.38	23.65		
	1	5	23.61	23.19	23.54	1	14	23.52	23.24	23.62		
	3	0	23.70	23.89	23.79	8	0	22.67	22.89	22.84		
	3	1	23.69	23.82	24.03	8	3	22.55	22.71	23.00		
	3	3	23.63	23.78	24.07	8	7	22.66	22.90	23.03		
	6	0	22.72	22.78	23.02	15	0	22.60	22.79	22.95		
			Channel Bandwidth: 5 MHz					Channel Bandwidth: 10 MHz				
QPSK	1	0	23.88	24.13	24.15	1	0	24.02	24.13	24.16		
	1	12	24.01	24.34	24.32	1	24	23.86	24.38	24.24		
	1	24	24.02	24.17	24.31	1	49	24.05	24.25	24.21		
	12	0	23.51	23.70	23.75	25	0	23.41	23.88	23.63		
	12	6	23.57	23.66	23.89	25	12	23.44	23.65	23.72		
	12	13	23.51	23.79	23.88	25	25	23.69	23.85	23.80		
	25	0	23.49	23.72	23.76	50	0	23.49	23.77	23.72		
16QAM	1	0	23.15	23.49	23.36	1	0	23.18	23.36	23.36		
	1	12	23.26	23.22	23.69	1	24	23.41	23.33	23.79		
	1	24	23.62	23.28	23.58	1	49	23.49	23.24	23.64		
	12	0	22.65	22.74	22.85	25	0	22.61	22.83	22.73		
	12	6	22.59	22.74	22.91	25	12	22.54	22.76	23.04		
	12	13	22.70	22.81	22.96	25	25	22.68	22.79	22.96		
	25	0	22.66	22.81	23.02	50	0	22.57	22.71	22.99		
			Channel Bandwidth: 15 MHz					Channel Bandwidth: 20 MHz				
QPSK	1	0	23.95	24.09	24.17	1	0	24.04	24.24	24.22		
	1	37	23.99	24.37	24.34	1	50	24.03	<b>24.40</b>	24.38		
	1	74	24.04	24.20	24.29	1	99	24.13	24.26	24.37		
	37	0	23.36	23.76	23.74	50	0	23.55	23.89	23.75		
	37	19	23.53	23.77	23.87	50	25	23.64	23.81	23.90		
	37	39	23.61	23.80	23.87	50	50	23.70	23.95	23.93		
	75	0	23.59	23.76	23.78	100	0	23.63	23.88	23.83		
16QAM	1	0	23.18	23.36	23.39	1	0	23.32	23.53	23.55		
	1	37	23.32	23.39	23.75	1	50	23.43	23.42	23.82		
	1	74	23.50	23.20	23.59	1	99	23.66	23.33	23.65		
	37	0	22.68	22.88	22.89	50	0	22.75	22.89	22.92		
	37	19	22.67	22.89	23.07	50	25	22.71	22.89	23.09		
	37	39	22.75	22.84	22.92	50	50	22.78	22.92	23.07		
	75	0	22.63	22.78	22.94	100	0	22.75	22.86	23.04		

4.5.2 LTE Band 4

LTE Band 4 Maximum Average Power (dBm)											
Modulation	RB		Test Channel			RB		Test Channel			
	Size	Offset	Low	Mid	High	Size	Offset	Low	Mid	High	
Channel Bandwidth: 1.4 MHz						Channel Bandwidth: 3 MHz					
QPSK	1	0	22.55	22.63	22.78	1	0	22.68	22.66	22.73	
	1	2	22.72	22.70	22.70	1	7	22.60	22.79	22.77	
	1	5	22.70	22.90	22.74	1	14	22.79	22.85	22.89	
	3	0	22.89	22.80	22.82	8	0	21.74	21.85	21.76	
	3	1	22.68	22.73	22.80	8	3	21.74	21.81	21.74	
	3	3	22.88	22.88	21.87	8	7	21.86	21.75	21.02	
16QAM	6	0	21.78	21.77	21.75	15	0	21.79	21.80	21.75	
	1	0	21.52	21.54	21.97	1	0	21.46	21.43	21.87	
	1	2	21.41	21.60	21.80	1	7	21.54	21.61	21.87	
	1	5	21.42	21.68	21.88	1	14	21.52	21.76	21.87	
	3	0	22.35	22.40	22.59	8	0	21.37	21.36	21.56	
	3	1	22.29	22.54	22.71	8	3	21.43	21.58	21.70	
Channel Bandwidth: 5 MHz	3	3	22.45	22.54	22.77	8	7	21.54	21.56	21.75	
	6	0	21.43	21.42	21.50	15	0	21.31	21.40	21.57	
	Channel Bandwidth: 10 MHz										
	QPSK	1	0	22.63	22.66	22.87	1	0	22.60	22.67	22.73
		1	12	22.77	22.77	22.83	1	24	22.75	22.77	22.83
		1	24	22.79	22.93	22.78	1	49	22.81	22.93	22.85
12		0	21.84	21.78	21.80	25	0	21.72	21.83	21.77	
12		6	21.76	21.81	21.76	25	12	21.72	21.92	21.79	
12		13	21.85	21.85	21.02	25	25	21.82	21.77	21.06	
16QAM	25	0	21.66	21.77	21.74	50	0	21.81	21.79	21.69	
	1	0	21.48	21.42	21.90	1	0	21.39	21.47	21.92	
	1	12	21.50	21.56	21.80	1	24	21.50	21.51	21.82	
	1	24	21.50	21.62	21.81	1	49	21.35	21.68	21.80	
	12	0	21.31	21.49	21.68	25	0	21.30	21.42	21.59	
	12	6	21.36	21.62	21.60	25	12	21.31	21.56	21.56	
Channel Bandwidth: 15 MHz	12	13	21.60	21.64	21.73	25	25	21.56	21.64	21.71	
	25	0	21.40	21.44	21.59	50	0	21.34	21.48	21.53	
	Channel Bandwidth: 20 MHz										
	QPSK	1	0	22.68	22.57	22.75	1	0	22.75	22.77	22.87
		1	37	22.61	22.75	22.76	1	50	22.77	22.81	22.90
		1	74	22.69	22.85	22.77	1	99	22.86	22.96	22.93
37		0	21.73	21.80	21.89	50	0	21.90	21.96	21.95	
37		19	21.72	21.84	21.85	50	25	21.77	21.93	21.93	
37		39	21.79	21.82	21.03	50	50	21.90	21.92	21.07	
16QAM	75	0	21.67	21.81	21.80	100	0	21.86	21.89	21.88	
	1	0	21.44	21.41	21.90	1	0	21.58	21.60	21.98	
	1	37	21.40	21.65	21.81	1	50	21.55	21.68	21.95	
	1	74	21.37	21.61	21.79	1	99	21.55	21.77	21.90	
	37	0	21.27	21.48	21.57	50	0	21.44	21.56	21.75	
	37	19	21.43	21.47	21.68	50	25	21.48	21.67	21.74	
Channel Bandwidth: 20 MHz	37	39	21.54	21.57	21.67	50	50	21.63	21.66	21.83	
	75	0	21.33	21.43	21.53	100	0	21.50	21.54	21.68	



4.5.3 LTE Band 5

LTE Band 5 Maximum Average Power (dBm)										
Modulation	RB		Test Channel			RB		Test Channel		
	Size	Offset	Low	Mid	High	Size	Offset	Low	Mid	High
Channel Bandwidth: 1.4 MHz						Channel Bandwidth: 3 MHz				
QPSK	1	0	22.30	22.37	22.24	1	0	22.37	22.39	22.33
	1	2	22.39	22.31	22.30	1	7	22.26	22.33	22.20
	1	5	22.28	22.33	22.36	1	14	22.37	22.27	22.34
	3	0	22.92	22.94	22.94	8	0	22.00	21.80	21.92
	3	1	23.00	22.88	22.65	8	3	21.97	21.77	21.75
	3	3	23.03	22.93	23.03	8	7	21.95	21.94	21.87
	6	0	21.86	21.81	21.85	15	0	21.81	21.82	21.79
16QAM	1	0	22.10	21.94	21.95	1	0	21.94	21.82	21.91
	1	2	21.82	21.84	21.78	1	7	21.92	22.01	21.96
	1	5	21.96	21.87	21.95	1	14	21.99	21.88	21.98
	3	0	22.04	21.94	21.72	8	0	20.92	20.91	20.81
	3	1	21.83	21.89	22.00	8	3	20.76	20.88	20.95
	3	3	21.98	21.86	21.90	8	7	20.95	20.91	20.92
	6	0	20.82	20.99	20.96	15	0	20.89	21.02	21.08
Channel Bandwidth: 5 MHz						Channel Bandwidth: 10 MHz				
QPSK	1	0	22.27	22.27	22.41	1	0	22.45	22.42	22.41
	1	12	22.33	22.39	22.30	1	24	22.41	<b>22.48</b>	22.40
	1	24	22.35	22.32	22.42	1	49	22.39	22.37	22.47
	12	0	22.06	21.89	21.85	25	0	22.09	21.94	22.02
	12	6	21.90	21.91	21.69	25	12	22.06	21.95	21.85
	12	13	22.01	22.02	21.89	25	25	22.07	22.10	22.03
	25	0	21.71	21.83	21.90	50	0	21.91	21.95	21.92
16QAM	1	0	22.04	21.88	21.88	1	0	22.11	22.02	22.07
	1	12	21.93	21.87	21.95	1	24	21.98	22.04	21.97
	1	24	21.97	21.91	22.06	1	49	22.00	21.97	22.13
	12	0	21.00	20.92	20.78	25	0	21.10	21.00	20.87
	12	6	20.86	20.82	21.06	25	12	20.91	21.01	21.15
	12	13	21.01	20.81	20.97	25	25	21.05	20.92	21.05
	25	0	20.72	21.03	21.09	50	0	20.91	21.10	21.12

4.5.4 LTE Band 7

LTE Band 7 Maximum Average Power (dBm)											
Modulation	RB		Test Channel			RB		Test Channel			
	Size	Offset	Low	Mid	High	Size	Offset	Low	Mid	High	
Channel Bandwidth: 5 MHz						Channel Bandwidth: 10 MHz					
QPSK	1	0	23.85	24.03	24.14	1	0	23.87	23.93	24.20	
	1	12	23.85	24.00	24.02	1	24	23.96	23.99	24.06	
	1	24	24.13	24.21	24.06	1	49	24.12	24.28	24.19	
	12	0	23.36	23.61	23.72	25	0	23.44	23.63	23.66	
	12	6	23.50	23.80	23.83	25	12	23.51	23.71	23.76	
	12	13	23.55	23.72	23.80	25	25	23.54	23.71	23.84	
16QAM	25	0	23.57	23.78	23.68	50	0	23.61	23.64	23.81	
	1	0	23.20	23.41	23.29	1	0	23.24	23.31	23.34	
	1	12	23.32	23.31	23.61	1	24	23.21	23.31	23.49	
	1	24	23.43	23.52	23.57	1	49	23.40	23.53	23.41	
	12	0	23.11	23.42	23.31	25	0	23.09	23.33	23.41	
	12	6	23.18	23.48	23.60	25	12	23.28	23.44	23.44	
Channel Bandwidth: 15 MHz	12	13	23.38	23.28	23.56	25	25	23.37	23.36	23.56	
	25	0	23.18	23.25	23.45	50	0	23.12	23.38	23.39	
	QPSK	1	0	23.81	23.97	24.18	1	0	24.00	24.09	24.21
		1	37	23.85	24.10	24.13	1	50	24.03	24.11	24.22
		1	74	24.17	24.15	24.16	1	99	24.17	<b>24.29</b>	24.25
		37	0	23.43	23.55	23.78	50	0	23.54	23.63	23.80
37		19	23.63	23.74	23.76	50	25	23.64	23.80	23.88	
37		39	23.69	23.73	23.87	50	50	23.72	23.90	23.87	
16QAM	75	0	23.51	23.66	23.65	100	0	23.62	23.84	23.83	
	1	0	23.35	23.35	23.33	1	0	23.36	23.45	23.44	
	1	37	23.31	23.47	23.66	1	50	23.35	23.48	23.67	
	1	74	23.36	23.57	23.46	1	99	23.47	23.63	23.59	
	37	0	23.08	23.42	23.46	50	0	23.24	23.46	23.50	
	37	19	23.32	23.44	23.55	50	25	23.32	23.50	23.63	
Channel Bandwidth: 20 MHz	37	39	23.40	23.30	23.38	50	50	23.43	23.46	23.57	
	75	0	23.11	23.25	23.42	100	0	23.19	23.40	23.50	

Pre-scan all bandwidth and RB, find worse case mode are chosen to the report, the LTE worse case mode applicability and tested channel detail as below:

Item	Band	Bandwidth(MHz)						Modulation			RB			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
<b>ERP/EIRP</b>	2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	--	--	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	7	-	-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Conducted output power</b>	2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	--	--	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	7	-	-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>99%&amp;26dB Bandwidth</b>	2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	--	--	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	7	-	-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>peak-to-average ratio</b>	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	--	--	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	7	-	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Item	Band	Bandwidth(MHz)						Modulation			RB			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
<b>Band Edge at antenna terminals</b>	2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	--	--	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	7	-	-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Spurious emissions at antenna terminals</b>	2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	--	--	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	7	-	-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Field strength of spurious radiation</b>	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	--	--	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	7	-	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Frequency stability</b>	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	--	--	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	7	-	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Remark:  
 The mark "☒" means is chosen for testing; The mark "☐" means is not chosen for testing;  
 The mark "-" means is not supported bandwidth

## 5. RADIO TECHNICAL REQUIREMENTS SPECIFICATION

### 5.1 REFERENCE DOCUMENTS FOR TESTING

No.	Identity	Document Title
1	FCC 47 CFR Part 2	Frequency allocations and radio treaty matters; general rules and regulations
2	FCC 47 CFR Part 22	Public Mobile Services
3	FCC 47 CFR Part 27	Miscellaneous Wireless Communications Services
4	FCC 47 CFR Part 24	Personal Communications Services
5	ANSI C63.26-2015	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services
6	KDB 971168 D01	KDB 971168 D01 Power Meas License Digital Systems v03r01

### 5.2 ERP OR EIRP

**Test Requirement:** FCC 47 CFR Part 2.1046(a)  
**LTE Band 2:** FCC 47 CFR Part 24.232(c)  
**LTE Band 4:** FCC 47 CFR Part 27.50(d)(4)  
**LTE Band 5:** FCC 47 CFR Part 22.913(a)  
**LTE Band 7:** FCC 47 CFR Part 27.50(h)(2)

**Test Method:** KDB 971168 D01v03r01 Section 5.6 & ANSI C63.26-2015

**Limit:**

**FCC 47 CFR Part 22.913(a):**

The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 Watts.

**FCC 47 CFR Part 24.232(c):**

Mobile and portable stations are limited to 2 watts EIRP.

**FCC 47 CFR Part 27.50(d)(4):**

Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP.

**FCC 47 CFR Part 27.50(h)(2):**

Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

Antenna height (ATT) meters (feet)	Effective radiated power (watts) <sup>1 2 4</sup>
Above 1,372 (4,500)	65
Above 1,220 (4,000) to 1,372 (4,500)	70
Above 1,067 (3,500) to 1,220 (4,000)	75
Above 915 (3,000) to 1,067 (3,500)	100
Above 763 (2,500) to 915 (3,000)	140
Above 610 (2,000) to 763 (2,500)	200
Above 458 (1,500) to 610 (2,000)	350
Above 305 (1,000) to 458 (1,500)	600
Up to 305 (1,000)	<sup>3</sup> 1,000

- Power is given in terms of effective radiated power (ERP).
- Applicants in the Los Angeles, CA, area who demonstrate a need to serve both the downtown and fringe areas will be permitted to utilize an ERP of 1 kw at the following mountaintop sites: Santiago Park, Sierra Peak, Mount Lukens, and Mount Wilson.
- Stations with antennas below 305 m (1,000 ft) (AAT) will be restricted to a maximum power of 1 kw (ERP).

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.0

4. Licensees in San Diego, CA, will be permitted to utilize an ERP of 500 watts at the following mountaintop sites: Palomar, Otay, Woodson and Miguel.

**Test Procedure:**

$$\text{ERP or EIRP} = P_{\text{Meas}} + G_{\text{T}} - L_{\text{c}}$$

where:

ERP or EIRP = effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as  $P_{\text{Meas}}$ , typically dBW or dBm);

$P_{\text{Meas}}$  = measured transmitter output power or PSD, in dBm or dBW;

$G_{\text{T}}$  = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

- 1)  $L_{\text{c}}$  = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

**Test Setup:** Refer to section 4.2.1 for details.

**Instruments Used:** Refer to section 3 for details

**Test Mode:** Link mode

**Test Results:** Pass

**Test Data:** See table below



**5.2.1 LTE Band 2**

LTE Band 2 Maximum EIRP (dBm)					
Channel	QPSK; RB:1	16QAM; RB:1	64QAM; RB:1	Limit (dBm)	Result
<b>Channel Bandwidth: 1.4MHz</b>					
Lowest	25.33	24.44	/	33.01	Pass
Middle	25.62	24.59	/	33.01	Pass
Highest	25.66	24.88	/	33.01	Pass
<b>Channel Bandwidth: 3MHz</b>					
Lowest	24.90	24.22	/	33.01	Pass
Middle	24.90	24.19	/	33.01	Pass
Highest	25.16	24.46	/	33.01	Pass
<b>Channel Bandwidth: 5MHz</b>					
Lowest	24.82	24.07	/	33.01	Pass
Middle	25.15	24.03	/	33.01	Pass
Highest	25.13	24.50	/	33.01	Pass
<b>Channel Bandwidth: 10MHz</b>					
Lowest	24.67	24.22	/	33.01	Pass
Middle	25.19	24.14	/	33.01	Pass
Highest	25.05	24.60	/	33.01	Pass
<b>Channel Bandwidth: 15MHz</b>					
Lowest	24.80	24.13	/	33.01	Pass
Middle	25.18	24.20	/	33.01	Pass
Highest	25.15	24.56	/	33.01	Pass
<b>Channel Bandwidth: 20MHz</b>					
Lowest	24.84	24.24	/	33.01	Pass
Middle	25.21	24.23	/	33.01	Pass
Highest	25.19	24.63	/	33.01	Pass

**5.2.2 LTE Band 4**

LTE Band 4 Maximum EIRP (dBm)					
Channel	QPSK; RB:1	16QAM; RB:1	64QAM; RB:1	Limit (dBm)	Result
<b>Channel Bandwidth: 1.4MHz</b>					
Lowest	23.59	23.34	/	30.00	Pass
Middle	23.79	23.43	/	30.00	Pass
Highest	23.63	23.66	/	30.00	Pass
<b>Channel Bandwidth: 3MHz</b>					
Lowest	23.68	22.41	/	30.00	Pass
Middle	23.74	22.65	/	30.00	Pass
Highest	23.78	22.76	/	30.00	Pass
<b>Channel Bandwidth: 5MHz</b>					
Lowest	23.68	22.37	/	30.00	Pass
Middle	23.82	22.31	/	30.00	Pass
Highest	23.67	22.79	/	30.00	Pass
<b>Channel Bandwidth: 10MHz</b>					
Lowest	23.70	22.28	/	30.00	Pass
Middle	23.82	22.36	/	30.00	Pass
Highest	23.74	22.81	/	30.00	Pass
<b>Channel Bandwidth: 15MHz</b>					
Lowest	23.58	22.33	/	30.00	Pass
Middle	23.74	22.30	/	30.00	Pass
Highest	23.66	22.79	/	30.00	Pass
<b>Channel Bandwidth: 20MHz</b>					
Lowest	23.75	22.47	/	30.00	Pass
Middle	23.85	22.49	/	30.00	Pass
Highest	23.82	22.87	/	30.00	Pass

**5.2.3 LTE Band 5**

LTE Band 5 Maximum ERP (dBm)					
Channel	QPSK; RB:1	16QAM; RB:1	64QAM; RB:1	Limit (dBm)	Result
<b>Channel Bandwidth: 1.4MHz</b>					
Lowest	19.92	18.99	/	38.45	Pass
Middle	19.82	18.83	/	38.45	Pass
Highest	19.92	18.84	/	38.45	Pass
<b>Channel Bandwidth: 3MHz</b>					
Lowest	19.26	18.81	/	38.45	Pass
Middle	19.28	18.90	/	38.45	Pass
Highest	19.22	18.85	/	38.45	Pass
<b>Channel Bandwidth: 5MHz</b>					
Lowest	19.24	18.86	/	38.45	Pass
Middle	19.21	18.80	/	38.45	Pass
Highest	19.31	18.95	/	38.45	Pass
<b>Channel Bandwidth: 10MHz</b>					
Lowest	19.30	18.89	/	38.45	Pass
Middle	19.37	18.86	/	38.45	Pass
Highest	19.29	19.02	/	38.45	Pass

**5.2.4 LTE Band 7**

LTE Band 7 Maximum EIRP (dBm)					
Channel	QPSK; RB:1	16QAM; RB:1	64QAM; RB:1	Limit (dBm)	Result
<b>Channel Bandwidth: 5MHz</b>					
Lowest	24.83	24.30	/	33.01	Pass
Middle	25.01	24.29	/	33.01	Pass
Highest	25.12	24.59	/	33.01	Pass
<b>Channel Bandwidth: 10MHz</b>					
Lowest	25.10	24.35	/	33.01	Pass
Middle	25.26	24.34	/	33.01	Pass
Highest	25.17	24.54	/	33.01	Pass
<b>Channel Bandwidth: 15MHz</b>					
Lowest	24.79	24.29	/	33.01	Pass
Middle	24.95	24.45	/	33.01	Pass
Highest	25.16	24.64	/	33.01	Pass
<b>Channel Bandwidth: 20MHz</b>					
Lowest	25.15	24.33	/	33.01	Pass
Middle	25.27	24.46	/	33.01	Pass
Highest	25.23	24.65	/	33.01	Pass

### 5.3 CONDUCTED OUTPUT POWER

**FCC 47 CFR Part 2.1046(a)**  
**LTE Band 2:** FCC 47 CFR Part 24.232(c)  
**Test Requirement:** **LTE Band 4:** FCC 47 CFR Part 27.50(d)(4)  
**LTE Band 5:** FCC 47 CFR Part 22.913(a)  
**LTE Band 7:** FCC 47 CFR Part 27.50(h)(2)  
**Test Method:** KDB 971168 D01v03r01 & ANSI C63.26-2015

**Limit:**  
**FCC 47 CFR Part 22.913(a):**  
 The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 Watts.

**FCC 47 CFR Part 24.232(c):**  
 Mobile and portable stations are limited to 2 watts EIRP.

**FCC 47 CFR Part 27.50(d)(4):**  
 Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP.

**FCC 47 CFR Part 27.50(h)(2):**  
 Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

Antenna height (ATT) meters (feet)	Effective radiated power (watts) <sup>1 2 4</sup>
Above 1,372 (4,500)	65
Above 1,220 (4,000) to 1,372 (4,500)	70
Above 1,067 (3,500) to 1,220 (4,000)	75
Above 915 (3,000) to 1,067 (3,500)	100
Above 763 (2,500) to 915 (3,000)	140
Above 610 (2,000) to 763 (2,500)	200
Above 458 (1,500) to 610 (2,000)	350
Above 305 (1,000) to 458 (1,500)	600
Up to 305 (1,000)	<sup>3</sup> 1,000

- Power is given in terms of effective radiated power (ERP).
- Applicants in the Los Angeles, CA, area who demonstrate a need to serve both the downtown and fringe areas will be permitted to utilize an ERP of 1 kw at the following mountaintop sites: Santiago Park, Sierra Peak, Mount Lukens, and Mount Wilson.
- Stations with antennas below 305 m (1,000 ft) (AAT) will be restricted to a maximum power of 1 kw (ERP).
- Licensees in San Diego, CA, will be permitted to utilize an ERP of 500 watts at the following mountaintop sites: Palomar, Otay, Woodson and Miguel.

**Test Procedure:**  
 The EUT was set up for the maximum power with LTE link data modulation and link up with simulator. Set the EUT to transmit under low, middle and high channel and record the power level shown on simulator.

Note: The cable loss and attenuator loss were offset into measure device as an amplitude offset.

**Test Setup:** Refer to section 4.2.2 for details.  
**Instruments Used:** Refer to section 3 for details  
**Test Mode:** Link mode  
**Test Results:** Pass  
**Test Data:** [The full result refer to section 4.5 for details.](#)

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

### 5.4 PEAK-TO-AVERAGE RATIO

**Test Requirement:** LTE Band 2: FCC 47 CFR Part 24.232(d)  
 LTE Band 4: FCC 47 CFR Part 27.50(d)(5)  
 LTE Band 5: FCC 47 CFR Part 22.913(a)  
 LTE Band 7: FCC 47 CFR Part 27.50(d)(5)

**Test Method:** KDB 971168 D01v03r01 Section 5.7

**Limit:** In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB

**Test Procedure:**  
 The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer.


- a) Set resolution/measurement bandwidth  $\geq$  signal's occupied bandwidth
- b) Set the number of counts to a value that stabilizes the measured CCDF curve
- c) Record the maximum PAPR level associated with a probability of 0.1 %

Note: The cable loss and attenuator loss were offset into measure device as an amplitude offset.


**Test Setup:** Refer to section 4.2.2 for details.  
**Instruments Used:** Refer to section 3 for details  
**Test Mode:** Link mode  
**Test Results:** Pass  
**Test Data:** See table below

#### 5.4.1 LTE Band 2

LTE Band 2 Peak-to-average ratio (dB)						
Channel	RB Configuration	Channel Bandwidth: 20 MHz			Limit (dB)	Result
		QPSK	16QAM	64QAM		
Lowest	1 RB	5.91	6.35	/	13	Pass
	Full RB	5.87	6.53	/	13	Pass
Middle	1 RB	5.64	5.96	/	13	Pass
	Full RB	6.01	6.61	/	13	Pass
Highest	1 RB	5.85	6.66	/	13	Pass
	Full RB	5.79	6.49	/	13	Pass











**5.4.2 LTE Band 4**

LTE Band 4 Peak-to-average ratio (dB)						
Channel	RB Configuration	Channel Bandwidth: 20 MHz			Limit (dB)	Result
		QPSK	16QAM	64QAM		
Lowest	1 RB	4.84	5.61	/	13	Pass
	Full RB	5.64	6.31	/	13	Pass
Middle	1 RB	6.15	6.96	/	13	Pass
	Full RB	5.93	6.57	/	13	Pass
Highest	1 RB	4.79	5.87	/	13	Pass
	Full RB	5.48	6.11	/	13	Pass





**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.0

**5.4.3 LTE Band 5**

LTE Band 5 Peak-to-average ratio (dB)						
Channel	RB Configuration	Channel Bandwidth: 10 MHz			Limit (dB)	Result
		QPSK	16QAM	64QAM		
Lowest	1 RB	5.32	6.18	/	13	Pass
	Full RB	5.22	5.91	/	13	Pass
Middle	1 RB	4.94	5.62	/	13	Pass
	Full RB	5.58	6.24	/	13	Pass
Highest	1 RB	5.52	6.19	/	13	Pass
	Full RB	5.50	6.20	/	13	Pass







**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com


<http://www.uttlab.com>


UTTR-RF-FCC4G-V1.0

**5.4.4 LTE Band 7**

LTE Band 7 Peak-to-average ratio (dB)						
Channel	RB Configuration	Channel Bandwidth: 20 MHz			Limit (dB)	Result
		QPSK	16QAM	64QAM		
Lowest	1 RB	4.28	5.01	/	13	Pass
	Full RB	5.27	5.84	/	13	Pass
Middle	1 RB	4.27	5.00	/	13	Pass
	Full RB	5.42	5.97	/	13	Pass
Highest	1 RB	3.51	4.36	/	13	Pass
	Full RB	5.16	5.55	/	13	Pass







### 5.5 99%&26DB BANDWIDTH

**Test Requirement:** FCC 47 CFR Part 2.1049(h)  
**Test Method:** ANSI C63.26-2015 & KDB 971168 D01v03r01 Section 4  
**Limit:** No Limit, for reporting purposes only.  
**Test Procedure:**

The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the low, middle and high channel in each band. The 99% and -26dB bandwidths was also measured and recorded.


Note: The cable loss and attenuator loss were offset into measure device as an amplitude offset.

**Test Setup:** Refer to section 4.2.2 for details.  
**Instruments Used:** Refer to section 3 for details  
**Test Mode:** Link mode  
**Test Results:** Pass  
**Test Data:** See table below


#### 5.5.1 LTE Band 2


LTE Band 2								
Channel	RB Configuration		26 dB BW (MHz)			99% BW (MHz)		
	Size	Offset	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
<b>Channel Bandwidth: 1.4 MHz</b>								
Lowest	6	0	1.310	1.279	/	1.1011	1.1000	/
Middle	6	0	1.287	1.263	/	1.1030	1.1078	/
Highest	6	0	1.330	1.290	/	1.1080	1.1048	/
<b>Channel Bandwidth: 3 MHz</b>								
Lowest	15	0	3.096	3.150	/	2.7169	2.7121	/
Middle	15	0	3.063	3.043	/	2.7134	2.7192	/
Highest	15	0	3.061	3.167	/	2.7160	2.7214	/
<b>Channel Bandwidth: 5 MHz</b>								
Lowest	25	0	5.246	5.327	/	4.5385	4.5397	/
Middle	25	0	5.433	5.466	/	4.5314	4.5673	/
Highest	25	0	5.301	5.432	/	4.5292	4.5580	/
<b>Channel Bandwidth: 10 MHz</b>								
Lowest	50	0	10.12	10.09	/	9.0012	9.0002	/
Middle	50	0	10.28	10.58	/	9.0059	9.0231	/
Highest	50	0	10.03	10.13	/	8.9950	9.0026	/
<b>Channel Bandwidth: 15 MHz</b>								
Lowest	75	0	15.31	15.13	/	13.470	13.513	/
Middle	75	0	15.51	14.96	/	13.538	13.526	/
Highest	75	0	15.61	15.12	/	13.497	13.496	/
<b>Channel Bandwidth: 20 MHz</b>								
Lowest	100	0	20.20	20.16	/	17.995	18.019	/
Middle	100	0	20.22	20.01	/	18.068	18.045	/
Highest	100	0	20.25	20.23	/	18.014	17.997	/

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**









**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China


Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.0



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.0





**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China


Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.0



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com


<http://www.uttlab.com>


UTTR-RF-FCC4G-V1.0

**5.5.2 LTE Band 4**

LTE Band 4								
Channel	RB Configuration		26 dB BW (MHz)			99% BW (MHz)		
	Size	Offset	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
<b>Channel Bandwidth: 1.4 MHz</b>								
Lowest	6	0	1.306	1.280		1.1019	1.0997	/
Middle	6	0	1.278	1.273		1.1016	1.1081	/
Highest	6	0	1.319	1.292		1.1080	1.1046	/
<b>Channel Bandwidth: 3 MHz</b>								
Lowest	15	0	3.048	3.143		2.7127	2.7122	/
Middle	15	0	3.055	3.060		2.7140	2.7239	/
Highest	15	0	3.078	3.151		2.7146	2.7197	/
<b>Channel Bandwidth: 5 MHz</b>								
Lowest	25	0	5.248	5.477	/	4.5281	4.5593	/
Middle	25	0	5.314	5.300	/	4.5438	4.5404	/
Highest	25	0	5.439	5.456	/	4.5238	4.5662	/
<b>Channel Bandwidth: 10 MHz</b>								
Lowest	50	0	10.08	10.18	/	8.9943	9.0250	/
Middle	50	0	10.15	10.22	/	9.0137	9.0098	/
Highest	50	0	10.19	10.59	/	9.0154	9.0142	/
<b>Channel Bandwidth: 15 MHz</b>								
Lowest	75	0	15.44	15.40	/	13.474	13.541	/
Middle	75	0	15.45	15.02	/	13.515	13.509	/
Highest	75	0	15.90	14.99	/	13.532	13.499	/
<b>Channel Bandwidth: 20 MHz</b>								
Lowest	100	0	20.31	20.17	/	18.039	18.039	/
Middle	100	0	20.09	20.38	/	18.022	18.086	/
Highest	100	0	20.54	20.46	/	18.073	18.048	/







**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China


Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.0



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.0





**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.0