



TEST REPORT

No. I22N01500-RF-NR

for

BLU Products,Inc.

Smart Phone

Model Name: B1550VL

FCC ID: YHLBLUB1550VL

with

Hardware Version: V1.0

Software Version: BLU_B1550VL_V12.0.02.05.02.17_Fsec

Issued Date: 2022-10-06

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@caict.ac.cn. www.saict.ac.cn



No. I22N01500-RF-NR

REPORT HISTORY

Report Number	Revision	Description	Issue Date
I22N01500-RF-NR	Rev.0	1st edition	2022-10-06



CONTENTS

1. SUMMARY OF TEST REPORT 4

1.1. TEST ITEMS..... 4

1.2. TEST STANDARDS 4

1.3. TEST RESULT 4

1.4. TESTING LOCATION 4

1.5. PROJECT DATA 4

1.6. SIGNATURE..... 4

2. CLIENT INFORMATION 5

2.1. APPLICANT INFORMATION..... 5

2.2. MANUFACTURER INFORMATION..... 5

3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE) 6

3.1. ABOUT EUT 6

3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST 6

3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST..... 6

3.4. GENERAL DESCRIPTION 7

4. REFERENCE DOCUMENTS..... 8

5. LABORATORY ENVIRONMENT..... 9

6. SUMMARY OF TEST RESULTS 10

7. STATEMENT 12

8. TEST EQUIPMENTS UTILIZED 13

ANNEX A: MEASUREMENT RESULTS 14

A.1 OUTPUT POWER..... 14

A.2 FREQUENCY STABILITY 186

A.3 OCCUPIED BANDWIDTH 190

A.4 EMISSION BANDWIDTH 222

A.5 BAND EDGE COMPLIANCE 254

A.6 CONDUCTED SPURIOUS EMISSION 273

A.7 PEAK-TO-AVERAGE POWER RATIO 277



1. SUMMARY OF TEST REPORT

1.1. Test Items

Description	Smart Phone
Model Name	B1550VL
Brand Name	BLU
Applicant's name	BLU Products,Inc.
Manufacturer's Name	BLU Products,Inc.

1.2. Test Standards

FCC Part 2/22/24/27	10-1-20 Edition
ANSI C63.26	2015
KDB971168 D01	v03r01

1.3. Test Result

All test items are pass. Please refer to "6 Summary of Test Results" for detail.

1.4. Testing Location

Address: Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000

1.5. Project Data

Testing Start Date: 2022-07-08

Testing End Date: 2022-10-05

1.6. Signature

Wang Ping
(Prepared this test report)

Huang Qiuqin
(Reviewed this test report)

Zhang Hao
(Approved this test report)



2. CLIENT INFORMATION

2.1. Applicant Information

Company Name: BLU Products,Inc.
Address /Post: 10814 NW 33rd St # 100 Doral, FL 33172,USA
Contact Person: Zeng wei
Contact Email zwei@ctasiasz.com
Telephone: 305.715.7171
Fax: 305.436.8819

2.2. Manufacturer Information

Company Name: BLU Products,Inc.
Address /Post: 10814 NW 33rd St # 100 Doral, FL 33172,USA
Contact Person: Zeng wei
Contact Email zwei@ctasiasz.com
Telephone: 305.715.7171
Fax: 305.436.8819



3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT

(AE)

3.1. About EUT

Description	Smart Phone
Model Name	B1550VL
FCC ID	YHLBLUB1550VL
EN-DC Bands	DC_2A_n2A,DC_5A_n2A,DC_13A_n2A,DC_66A_n2A, DC_2A-5A_n2A ,DC_2A-13A_n2A,DC_5A-66A_n2A ,DC_13 A-66A_n2A,DC_2A_n5A,DC_66A_n5A,DC_2A-2A_n5A, DC_2A-66A_n5A ,DC_66A-66A_n5A,DC_2A_n66A ,DC_5A_ n66A,DC_13A_n66A,DC_66A_n66A,DC_2A-5A_n66A ,DC_2 A-13A_n66A,DC_5A-66A_n66A,DC_13A-66A_n66A, DC_2A_n77A,DC_5A_n77A,DC_13A_n77A,DC_66A_n77A
Antenna	Integrated
Extreme vol. Limits	3.6V to 4.4V (nominal: 3.85V)
Condition of EUT as received	No abnormality in appearance

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of SAICT.

3.2. Internal Identification of EUT used during the test

EUT ID*	SN or IMEI	HW Version	SW Version	Date of receipt
UT05aa	350547790004119	V1.0	BLU_B1550VL_V12.0.02.05.02.17_Fsec	2022-07-07
UT07aa	350547790010215	V1.0	BLU_B1550VL_V12.0.02.05.02.17_Fsec	2022-08-26

*EUT ID: is used to identify the test sample in the lab internally.

UT05aa are used for conduction test, UT07aa is used for radiation test.

3.3. Internal Identification of AE used during the test

AE ID*	Description
AE1	Battery

*AE ID: is used to identify the test sample in the lab internally.



3.4. General Description

The Equipment Under Test (EUT) is a model Mobile Phone with integrated antenna. It consists of normal options: lithium battery, charger. Manual and specifications of the EUT were provided to fulfil the test. Samples undergoing test were selected by the Client.

Note: NR Operating Band information as follow:

NR Bands	Uplink (UL)	Downlink (DL)	SCS (kHz)	Bandwidths(MHz)
n2	1850 MHz-1910 MHz	1930 MHz-1990 MHz	15/30	5/10/15/20
n5	824 MHz-849 MHz	869 MHz-894 MHz	15/30	5/10/15/20
n66	1710 MHz-1780 MHz	2110 MHz-220 MHz	15/30	5/10/15/20/40
n77L	3450 MHz-3550 MHz	3450 MHz-3550 MHz	15/30	10/15/20/40/50/60/80/90/100
n77H	3700 MHz-3980 MHz	3700 MHz-3980 MHz	15/30	10/15/20/40/50/60/80/90/100

NR modulation: DFT-s-OFDM Pi/2 BPSK/QPSK/16QAM/64QAM/256 QAM; CP-OFDM QPSK/16QAM/64QAM/256QAM;



4. REFERENCE DOCUMENTS

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 2	FREQUENCY ALLOCATIONS AND RADIO TREATY MATTERS; GENERAL RULES AND REGULATIONS	10-1-19 Edition
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-19 Edition
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-20 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-19 Edition
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB971168 D01	Power Meas License Digital Systems	v03r01



5. LABORATORY ENVIRONMENT

Shielded room did not exceed following limits along the RF testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz>60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 4 Ω

Fully-anechoic chamber did not exceed following limits along the EMC testing

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz> 60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	> 2MΩ
Ground system resistance	< 4 Ω
Voltage Standing Wave Ratio (VSWR)	≤ 6 dB, from 1 to 18 GHz, 3 m distance
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz



6. SUMMARY OF TEST RESULTS

Abbreviations used in this clause:		
Verdict Column	P	Pass
	F	Fail
	NA	Not applicable
	NM	Not measured

Note1: DC_2A_n77A(3450 MHz-3550 MHz),DC_2A_n77A(3700 MHz-3980 MHz) are tested by power class 2.

Note2:The test results provided in this report represent the worst case configuration.

Note3:For all the NSA cases, LTE Bands are set under the 10MHz bandwidth, middle channel, 50RB and QPSK modulation.

Note4: For all the NSA combinations of the same NR band, output powers are pretested under the maximum bandwidth and mid channel so that the modes with the maximum output power values are chosen out ,which areDC_5A_n2A,DC_2A_n5A,DC_2A_n66A,DC_2A_n77A(3450 MHz-3550 MHz),DC_2A_n77A(3700 MHz-3980 MHz). Only the results of the modes chosen by the max values are presented in the report. Then all the conducted test cases under the modes chosen out are performed.

n2

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/24.232	A.1	P
2	Frequency Stability	2.1055/24.235	A.2	P
3	Occupied Bandwidth	2.1049/24.238	A.3	P
4	Emission Bandwidth	2.1049/24.238	A.4	P
5	Band Edge Compliance	2.1051/24.238	A.5	P
6	Conducted Spurious Emission	2.1051/24.238	A.6	P
7	Peak-to-Average Power Ratio	24.232/ KDB971168 D01	A.7	P

n5

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/22.913	A.1	P
2	Frequency Stability	2.1055/22.355	A.2	P
3	Occupied Bandwidth	2.1049/22.917	A.3	P
4	Emission Bandwidth	2.1049/22.917	A.4	P
5	Band Edge Compliance	2.1051/22.917	A.5	P
6	Conducted Spurious Emission	2.1051/22.917	A.6	P
7	Peak-to-Average Power Ratio	KDB971168 D01	A.7	P



n66

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(d)	A.1	P
2	Frequency Stability	2.1055/27.54	A.2	P
3	Occupied Bandwidth	2.1049/27.53(h)	A.3	P
4	Emission Bandwidth	2.1049/27.53(h)	A.4	P
5	Band Edge Compliance	2.1051/27.53(h)	A.5	P
6	Conducted Spurious Emission	2.1051/27.53(h)	A.6	P
7	Peak-to-Average Power Ratio	27.50(d)/ KDB971168 D01	A.7	P

n77L(3450MHz-3550MHz)

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(k)	A.1	P
2	Frequency Stability	2.1055/27.54	A.2	P
3	Occupied Bandwidth	2.1049/27.53(n)	A.3	P
4	Emission Bandwidth	2.1049/27.53(n)	A.4	P
5	Band Edge Compliance	2.1051/27.53(n)	A.5	P
6	Conducted Spurious Emission	2.1051/27.53(n)	A.6	P
7	Peak-to-Average Power Ratio	27.50(k)/ KDB971168 D01	A.7	P

n77H(3700MHz-3980MHz)

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(j)	A.1	P
2	Frequency Stability	2.1055/27.54	A.2	P
3	Occupied Bandwidth	2.1049/27.53(l)	A.3	P
4	Emission Bandwidth	2.1049/27.53(l)	A.4	P
5	Band Edge Compliance	2.1051/27.53(l)	A.5	P
6	Conducted Spurious Emission	2.1051/27.53(l)	A.6	P
7	Peak-to-Average Power Ratio	27.50(j)/ KDB971168 D01	A.7	P



No. I22N01500-RF-NR

7. STATEMENT

Since the information of samples in this report is provided by the client, the laboratory is not responsible for the authenticity of sample information.

This report takes measured values as criterion of test conclusion. The test conclusion meets the limit requirements.

**8. TEST EQUIPMENTS UTILIZED**

NO.	Description	TYPE	Manufacture	series number	CAL DUE DATE
1	Universal Radio Communication Tester	MT8821C	Anritsu	6262025268	2023-03-29
2	Universal Radio Communication Tester	MT8000A	Anritsu	6261987936	2023-03-29
3	Spectrum Analyzer	FSW26	R&S	101967	2023-05-07
4	Temperature Chamber	SH-241	ESPEC	92007516	2022-10-15
5	DC Power Supply	U3606A	Agilent Technologies	MY50450012	2022-11-13
6	Test Receiver	ESR7	R&S	101676	2022-11-24
7	BiLog Antenna	3142E	ETS-Lindgren	0224831	2024-05-27
8	Horn Antenna	3117	ETS-Lindgren	00066577	2025-04-17
9	Horn Antenna	QSH-SL-18-26-S-20	Q-par	17013	2023-01-06
10	Antenna	BBHA 9120D	Schwarzbeck	1593	2022-12-05
11	Antenna	VUBA 9117	Schwarzbeck	207	2023-07-15
7	Antenna	QWH-SL-18-40-K-SG	Q-par	15979	2023-01-06
8	preamplifier	83017A	Agilent	MY39501110	/
9	Signal Generator	SMB100A	R&S	179725	2022-11-24
10	Fully Anechoic Chamber	FACT3-2.0	ETS-Lindgren	1285	2023-05-29
11	Spectrum Analyzer	FSV40	R&S	101192	2023-01-12
12	Software	EMC32	R&S	V10.50.40	/

**ANNEX A: MEASUREMENT RESULTS****A.1 OUTPUT POWER****Reference**

FCC: CFR Part 2.1046, 22.913, 24.232, 27.50.

A.1.1 Summary

During the process of testing, the EUT was controlled via Rhode & Schwarz Digital Radio Communication tester to ensure max power transmission and proper modulation.

This result contains peak output power and ERP/EIRP measurements for the EUT.

In all cases, output power is within the specified limits.

A.1.2 Conducted**A.1.2.1 Method of Measurements**

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

A.1.2.2 Measurement result**DC_5A_n2A**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	23.15
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.43
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.73
n2	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.70
n2	5	15	1852.5	DFT	QPSK	Inner_Full	23.23
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	22.01
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	22.29
n2	5	15	1852.5	DFT	QPSK	Outer_Full	22.26
n2	5	15	1852.5	DFT	16QAM	Inner_Full	22.10
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	20.66
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.10
n2	5	15	1852.5	DFT	16QAM	Outer_Full	21.24
n2	5	15	1852.5	DFT	64QAM	Inner_Full	20.77
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.28
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.64
n2	5	15	1852.5	DFT	64QAM	Outer_Full	20.69
n2	5	15	1852.5	DFT	256QAM	Inner_Full	18.88
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.53
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.78
n2	5	15	1852.5	DFT	256QAM	Outer_Full	18.88
n2	5	15	1852.5	CP	QPSK	Inner_Full	21.81
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20.23
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Right	20.52



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	5	15	1852.5	CP	QPSK	Outer_Full	20.42
n2	5	15	1852.5	CP	16QAM	Inner_Full	21.32
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.04
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.28
n2	5	15	1852.5	CP	16QAM	Outer_Full	20.34
n2	5	15	1852.5	CP	64QAM	Inner_Full	19.89
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Left	20.09
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Right	20.47
n2	5	15	1852.5	CP	64QAM	Outer_Full	19.91
n2	5	15	1852.5	CP	256QAM	Inner_Full	16.86
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.33
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.74
n2	5	15	1852.5	CP	256QAM	Outer_Full	16.83
n2	5	15	1880	DFT	pi/2 BPSK	Inner_Full	23.46
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.91
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.89
n2	5	15	1880	DFT	pi/2 BPSK	Outer_Full	22.99
n2	5	15	1880	DFT	QPSK	Inner_Full	23.52
n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	22.41
n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	22.42
n2	5	15	1880	DFT	QPSK	Outer_Full	22.47
n2	5	15	1880	DFT	16QAM	Inner_Full	22.43
n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	21.04
n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	21.17
n2	5	15	1880	DFT	16QAM	Outer_Full	21.44
n2	5	15	1880	DFT	64QAM	Inner_Full	21.05
n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	20.76
n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	20.75
n2	5	15	1880	DFT	64QAM	Outer_Full	20.96
n2	5	15	1880	DFT	256QAM	Inner_Full	19.16
n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	18.88
n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	18.88
n2	5	15	1880	DFT	256QAM	Outer_Full	19.08
n2	5	15	1880	CP	QPSK	Inner_Full	22.04
n2	5	15	1880	CP	QPSK	Edge_1RB_Left	20.60
n2	5	15	1880	CP	QPSK	Edge_1RB_Right	20.66
n2	5	15	1880	CP	QPSK	Outer_Full	20.61
n2	5	15	1880	CP	16QAM	Inner_Full	21.49
n2	5	15	1880	CP	16QAM	Edge_1RB_Left	20.28
n2	5	15	1880	CP	16QAM	Edge_1RB_Right	20.36



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	5	15	1880	CP	16QAM	Outer_Full	20.58
n2	5	15	1880	CP	64QAM	Inner_Full	20.09
n2	5	15	1880	CP	64QAM	Edge_1RB_Left	20.42
n2	5	15	1880	CP	64QAM	Edge_1RB_Right	20.56
n2	5	15	1880	CP	64QAM	Outer_Full	20.09
n2	5	15	1880	CP	256QAM	Inner_Full	17.05
n2	5	15	1880	CP	256QAM	Edge_1RB_Left	16.78
n2	5	15	1880	CP	256QAM	Edge_1RB_Right	16.82
n2	5	15	1880	CP	256QAM	Outer_Full	17.04
n2	5	15	1907.5	DFT	pi/2 BPSK	Inner_Full	23.67
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.08
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.03
n2	5	15	1907.5	DFT	pi/2 BPSK	Outer_Full	23.17
n2	5	15	1907.5	DFT	QPSK	Inner_Full	23.67
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.63
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.62
n2	5	15	1907.5	DFT	QPSK	Outer_Full	22.67
n2	5	15	1907.5	DFT	16QAM	Inner_Full	22.64
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.25
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.22
n2	5	15	1907.5	DFT	16QAM	Outer_Full	21.70
n2	5	15	1907.5	DFT	64QAM	Inner_Full	21.28
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.97
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.89
n2	5	15	1907.5	DFT	64QAM	Outer_Full	21.17
n2	5	15	1907.5	DFT	256QAM	Inner_Full	19.35
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	19.14
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	19.24
n2	5	15	1907.5	DFT	256QAM	Outer_Full	19.34
n2	5	15	1907.5	CP	QPSK	Inner_Full	22.28
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Left	20.76
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Right	20.82
n2	5	15	1907.5	CP	QPSK	Outer_Full	20.81
n2	5	15	1907.5	CP	16QAM	Inner_Full	21.71
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Left	20.51
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Right	20.53
n2	5	15	1907.5	CP	16QAM	Outer_Full	20.77
n2	5	15	1907.5	CP	64QAM	Inner_Full	20.30
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Left	20.67
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Right	20.70



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	5	15	1907.5	CP	64QAM	Outer_Full	20.29
n2	5	15	1907.5	CP	256QAM	Inner_Full	17.24
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Left	16.96
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Right	17.15
n2	5	15	1907.5	CP	256QAM	Outer_Full	17.25
n2	10	15	1855	DFT	pi/2 BPSK	Inner_Full	23.29
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.37
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.70
n2	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.70
n2	10	15	1855	DFT	QPSK	Inner_Full	23.32
n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	21.91
n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.26
n2	10	15	1855	DFT	QPSK	Outer_Full	22.26
n2	10	15	1855	DFT	16QAM	Inner_Full	22.30
n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	20.55
n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	20.88
n2	10	15	1855	DFT	16QAM	Outer_Full	21.27
n2	10	15	1855	DFT	64QAM	Inner_Full	20.78
n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.25
n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.61
n2	10	15	1855	DFT	64QAM	Outer_Full	20.71
n2	10	15	1855	DFT	256QAM	Inner_Full	18.91
n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.40
n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.74
n2	10	15	1855	DFT	256QAM	Outer_Full	18.80
n2	10	15	1855	CP	QPSK	Inner_Full	21.78
n2	10	15	1855	CP	QPSK	Edge_1RB_Left	20.10
n2	10	15	1855	CP	QPSK	Edge_1RB_Right	20.43
n2	10	15	1855	CP	QPSK	Outer_Full	20.35
n2	10	15	1855	CP	16QAM	Inner_Full	21.30
n2	10	15	1855	CP	16QAM	Edge_1RB_Left	19.80
n2	10	15	1855	CP	16QAM	Edge_1RB_Right	20.11
n2	10	15	1855	CP	16QAM	Outer_Full	20.34
n2	10	15	1855	CP	64QAM	Inner_Full	19.94
n2	10	15	1855	CP	64QAM	Edge_1RB_Left	19.98
n2	10	15	1855	CP	64QAM	Edge_1RB_Right	20.31
n2	10	15	1855	CP	64QAM	Outer_Full	19.90
n2	10	15	1855	CP	256QAM	Inner_Full	16.86
n2	10	15	1855	CP	256QAM	Edge_1RB_Left	16.30
n2	10	15	1855	CP	256QAM	Edge_1RB_Right	16.72



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	10	15	1855	CP	256QAM	Outer_Full	16.83
n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	23.27
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.72
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.70
n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	22.78
n2	10	15	1880	DFT	QPSK	Inner_Full	23.32
n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	22.25
n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	22.28
n2	10	15	1880	DFT	QPSK	Outer_Full	22.28
n2	10	15	1880	DFT	16QAM	Inner_Full	22.28
n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	20.92
n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	20.90
n2	10	15	1880	DFT	16QAM	Outer_Full	21.30
n2	10	15	1880	DFT	64QAM	Inner_Full	20.83
n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	20.58
n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	20.60
n2	10	15	1880	DFT	64QAM	Outer_Full	20.80
n2	10	15	1880	DFT	256QAM	Inner_Full	18.91
n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	18.70
n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	18.84
n2	10	15	1880	DFT	256QAM	Outer_Full	18.92
n2	10	15	1880	CP	QPSK	Inner_Full	21.78
n2	10	15	1880	CP	QPSK	Edge_1RB_Left	20.37
n2	10	15	1880	CP	QPSK	Edge_1RB_Right	20.41
n2	10	15	1880	CP	QPSK	Outer_Full	20.41
n2	10	15	1880	CP	16QAM	Inner_Full	21.32
n2	10	15	1880	CP	16QAM	Edge_1RB_Left	20.06
n2	10	15	1880	CP	16QAM	Edge_1RB_Right	20.08
n2	10	15	1880	CP	16QAM	Outer_Full	20.42
n2	10	15	1880	CP	64QAM	Inner_Full	19.93
n2	10	15	1880	CP	64QAM	Edge_1RB_Left	20.21
n2	10	15	1880	CP	64QAM	Edge_1RB_Right	20.20
n2	10	15	1880	CP	64QAM	Outer_Full	19.91
n2	10	15	1880	CP	256QAM	Inner_Full	16.86
n2	10	15	1880	CP	256QAM	Edge_1RB_Left	16.55
n2	10	15	1880	CP	256QAM	Edge_1RB_Right	16.59
n2	10	15	1880	CP	256QAM	Outer_Full	16.82
n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	23.48
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.89
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.86



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	23.00
n2	10	15	1905	DFT	QPSK	Inner_Full	23.58
n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	22.42
n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	22.47
n2	10	15	1905	DFT	QPSK	Outer_Full	22.53
n2	10	15	1905	DFT	16QAM	Inner_Full	22.53
n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	21.03
n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	21.04
n2	10	15	1905	DFT	16QAM	Outer_Full	21.56
n2	10	15	1905	DFT	64QAM	Inner_Full	20.99
n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	20.78
n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	20.75
n2	10	15	1905	DFT	64QAM	Outer_Full	21.00
n2	10	15	1905	DFT	256QAM	Inner_Full	19.14
n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	18.93
n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	19.04
n2	10	15	1905	DFT	256QAM	Outer_Full	19.10
n2	10	15	1905	CP	QPSK	Inner_Full	21.97
n2	10	15	1905	CP	QPSK	Edge_1RB_Left	20.56
n2	10	15	1905	CP	QPSK	Edge_1RB_Right	20.60
n2	10	15	1905	CP	QPSK	Outer_Full	20.63
n2	10	15	1905	CP	16QAM	Inner_Full	21.52
n2	10	15	1905	CP	16QAM	Edge_1RB_Left	20.39
n2	10	15	1905	CP	16QAM	Edge_1RB_Right	20.23
n2	10	15	1905	CP	16QAM	Outer_Full	20.59
n2	10	15	1905	CP	64QAM	Inner_Full	20.13
n2	10	15	1905	CP	64QAM	Edge_1RB_Left	20.39
n2	10	15	1905	CP	64QAM	Edge_1RB_Right	20.46
n2	10	15	1905	CP	64QAM	Outer_Full	20.11
n2	10	15	1905	CP	256QAM	Inner_Full	17.03
n2	10	15	1905	CP	256QAM	Edge_1RB_Left	16.78
n2	10	15	1905	CP	256QAM	Edge_1RB_Right	16.83
n2	10	15	1905	CP	256QAM	Outer_Full	17.04
n2	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.49
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.50
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.93
n2	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.91
n2	15	15	1857.5	DFT	QPSK	Inner_Full	23.53
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.06
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.41



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	15	15	1857.5	DFT	QPSK	Outer_Full	22.47
n2	15	15	1857.5	DFT	16QAM	Inner_Full	22.48
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	20.66
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.09
n2	15	15	1857.5	DFT	16QAM	Outer_Full	21.42
n2	15	15	1857.5	DFT	64QAM	Inner_Full	20.99
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.41
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.78
n2	15	15	1857.5	DFT	64QAM	Outer_Full	20.91
n2	15	15	1857.5	DFT	256QAM	Inner_Full	19.11
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.72
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	19.03
n2	15	15	1857.5	DFT	256QAM	Outer_Full	19.02
n2	15	15	1857.5	CP	QPSK	Inner_Full	21.99
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.17
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.56
n2	15	15	1857.5	CP	QPSK	Outer_Full	20.62
n2	15	15	1857.5	CP	16QAM	Inner_Full	21.44
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.01
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.25
n2	15	15	1857.5	CP	16QAM	Outer_Full	20.59
n2	15	15	1857.5	CP	64QAM	Inner_Full	20.13
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Left	20.05
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Right	20.39
n2	15	15	1857.5	CP	64QAM	Outer_Full	20.08
n2	15	15	1857.5	CP	256QAM	Inner_Full	17.04
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.32
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Right	16.69
n2	15	15	1857.5	CP	256QAM	Outer_Full	17.07
n2	15	15	1880	DFT	pi/2 BPSK	Inner_Full	23.43
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.76
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n2	15	15	1880	DFT	pi/2 BPSK	Outer_Full	22.97
n2	15	15	1880	DFT	QPSK	Inner_Full	23.52
n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	22.37
n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	22.36
n2	15	15	1880	DFT	QPSK	Outer_Full	22.44
n2	15	15	1880	DFT	16QAM	Inner_Full	22.48
n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	21.12
n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	21.18



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	15	15	1880	DFT	16QAM	Outer_Full	21.47
n2	15	15	1880	DFT	64QAM	Inner_Full	20.91
n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	20.72
n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	20.73
n2	15	15	1880	DFT	64QAM	Outer_Full	20.95
n2	15	15	1880	DFT	256QAM	Inner_Full	19.09
n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	18.87
n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	19.05
n2	15	15	1880	DFT	256QAM	Outer_Full	19.07
n2	15	15	1880	CP	QPSK	Inner_Full	21.98
n2	15	15	1880	CP	QPSK	Edge_1RB_Left	20.53
n2	15	15	1880	CP	QPSK	Edge_1RB_Right	20.49
n2	15	15	1880	CP	QPSK	Outer_Full	20.59
n2	15	15	1880	CP	16QAM	Inner_Full	21.44
n2	15	15	1880	CP	16QAM	Edge_1RB_Left	20.21
n2	15	15	1880	CP	16QAM	Edge_1RB_Right	20.21
n2	15	15	1880	CP	16QAM	Outer_Full	20.59
n2	15	15	1880	CP	64QAM	Inner_Full	20.11
n2	15	15	1880	CP	64QAM	Edge_1RB_Left	20.43
n2	15	15	1880	CP	64QAM	Edge_1RB_Right	20.42
n2	15	15	1880	CP	64QAM	Outer_Full	20.08
n2	15	15	1880	CP	256QAM	Inner_Full	17.06
n2	15	15	1880	CP	256QAM	Edge_1RB_Left	16.70
n2	15	15	1880	CP	256QAM	Edge_1RB_Right	16.64
n2	15	15	1880	CP	256QAM	Outer_Full	17.03
n2	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	23.60
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.94
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.95
n2	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	23.09
n2	15	15	1902.5	DFT	QPSK	Inner_Full	23.66
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	22.50
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	22.58
n2	15	15	1902.5	DFT	QPSK	Outer_Full	22.65
n2	15	15	1902.5	DFT	16QAM	Inner_Full	22.66
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	21.25
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	21.29
n2	15	15	1902.5	DFT	16QAM	Outer_Full	21.61
n2	15	15	1902.5	DFT	64QAM	Inner_Full	21.16
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	20.84
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	20.89



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	15	15	1902.5	DFT	64QAM	Outer_Full	21.12
n2	15	15	1902.5	DFT	256QAM	Inner_Full	19.31
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	18.99
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	19.03
n2	15	15	1902.5	DFT	256QAM	Outer_Full	19.25
n2	15	15	1902.5	CP	QPSK	Inner_Full	22.16
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Left	20.62
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Right	20.61
n2	15	15	1902.5	CP	QPSK	Outer_Full	20.73
n2	15	15	1902.5	CP	16QAM	Inner_Full	21.62
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Left	20.35
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Right	20.42
n2	15	15	1902.5	CP	16QAM	Outer_Full	20.73
n2	15	15	1902.5	CP	64QAM	Inner_Full	20.32
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Left	20.49
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Right	20.55
n2	15	15	1902.5	CP	64QAM	Outer_Full	20.24
n2	15	15	1902.5	CP	256QAM	Inner_Full	17.24
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Left	16.74
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Right	16.97
n2	15	15	1902.5	CP	256QAM	Outer_Full	17.16
n2	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.53
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.45
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
n2	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.97
n2	20	15	1860	DFT	QPSK	Inner_Full	23.51
n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	21.97
n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.36
n2	20	15	1860	DFT	QPSK	Outer_Full	22.43
n2	20	15	1860	DFT	16QAM	Inner_Full	22.56
n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	20.62
n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.00
n2	20	15	1860	DFT	16QAM	Outer_Full	21.43
n2	20	15	1860	DFT	64QAM	Inner_Full	21.03
n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.31
n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.69
n2	20	15	1860	DFT	64QAM	Outer_Full	20.93
n2	20	15	1860	DFT	256QAM	Inner_Full	19.10
n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.47
n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	18.96



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	20	15	1860	DFT	256QAM	Outer_Full	19.04
n2	20	15	1860	CP	QPSK	Inner_Full	22.01
n2	20	15	1860	CP	QPSK	Edge_1RB_Left	20.12
n2	20	15	1860	CP	QPSK	Edge_1RB_Right	20.58
n2	20	15	1860	CP	QPSK	Outer_Full	20.59
n2	20	15	1860	CP	16QAM	Inner_Full	21.51
n2	20	15	1860	CP	16QAM	Edge_1RB_Left	19.89
n2	20	15	1860	CP	16QAM	Edge_1RB_Right	20.41
n2	20	15	1860	CP	16QAM	Outer_Full	20.54
n2	20	15	1860	CP	64QAM	Inner_Full	20.12
n2	20	15	1860	CP	64QAM	Edge_1RB_Left	20.03
n2	20	15	1860	CP	64QAM	Edge_1RB_Right	20.44
n2	20	15	1860	CP	64QAM	Outer_Full	20.05
n2	20	15	1860	CP	256QAM	Inner_Full	17.14
n2	20	15	1860	CP	256QAM	Edge_1RB_Left	16.45
n2	20	15	1860	CP	256QAM	Edge_1RB_Right	16.90
n2	20	15	1860	CP	256QAM	Outer_Full	17.06
n2	20	15	1880	DFT	pi/2 BPSK	Inner_Full	23.50
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.77
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.78
n2	20	15	1880	DFT	pi/2 BPSK	Outer_Full	22.89
n2	20	15	1880	DFT	QPSK	Inner_Full	23.48
n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	22.30
n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	22.33
n2	20	15	1880	DFT	QPSK	Outer_Full	22.43
n2	20	15	1880	DFT	16QAM	Inner_Full	22.58
n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	20.91
n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	21.02
n2	20	15	1880	DFT	16QAM	Outer_Full	21.45
n2	20	15	1880	DFT	64QAM	Inner_Full	21.03
n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	20.66
n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	20.64
n2	20	15	1880	DFT	64QAM	Outer_Full	20.92
n2	20	15	1880	DFT	256QAM	Inner_Full	19.08
n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	18.98
n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	18.86
n2	20	15	1880	DFT	256QAM	Outer_Full	19.03
n2	20	15	1880	CP	QPSK	Inner_Full	21.95
n2	20	15	1880	CP	QPSK	Edge_1RB_Left	20.44
n2	20	15	1880	CP	QPSK	Edge_1RB_Right	20.59



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	20	15	1880	CP	QPSK	Outer_Full	20.56
n2	20	15	1880	CP	16QAM	Inner_Full	21.43
n2	20	15	1880	CP	16QAM	Edge_1RB_Left	20.16
n2	20	15	1880	CP	16QAM	Edge_1RB_Right	20.41
n2	20	15	1880	CP	16QAM	Outer_Full	20.57
n2	20	15	1880	CP	64QAM	Inner_Full	20.13
n2	20	15	1880	CP	64QAM	Edge_1RB_Left	20.32
n2	20	15	1880	CP	64QAM	Edge_1RB_Right	20.38
n2	20	15	1880	CP	64QAM	Outer_Full	20.03
n2	20	15	1880	CP	256QAM	Inner_Full	17.08
n2	20	15	1880	CP	256QAM	Edge_1RB_Left	16.62
n2	20	15	1880	CP	256QAM	Edge_1RB_Right	16.87
n2	20	15	1880	CP	256QAM	Outer_Full	17.02
n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	23.69
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	22.86
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	22.91
n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	23.09
n2	20	15	1900	DFT	QPSK	Inner_Full	23.70
n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	22.34
n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	22.51
n2	20	15	1900	DFT	QPSK	Outer_Full	22.64
n2	20	15	1900	DFT	16QAM	Inner_Full	22.74
n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	21.12
n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	21.11
n2	20	15	1900	DFT	16QAM	Outer_Full	21.61
n2	20	15	1900	DFT	64QAM	Inner_Full	21.15
n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	20.75
n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	20.76
n2	20	15	1900	DFT	64QAM	Outer_Full	21.10
n2	20	15	1900	DFT	256QAM	Inner_Full	19.33
n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	19.01
n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	19.11
n2	20	15	1900	DFT	256QAM	Outer_Full	19.21
n2	20	15	1900	CP	QPSK	Inner_Full	22.15
n2	20	15	1900	CP	QPSK	Edge_1RB_Left	20.56
n2	20	15	1900	CP	QPSK	Edge_1RB_Right	20.67
n2	20	15	1900	CP	QPSK	Outer_Full	20.69
n2	20	15	1900	CP	16QAM	Inner_Full	21.68
n2	20	15	1900	CP	16QAM	Edge_1RB_Left	20.39
n2	20	15	1900	CP	16QAM	Edge_1RB_Right	20.40



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	20	15	1900	CP	16QAM	Outer_Full	20.70
n2	20	15	1900	CP	64QAM	Inner_Full	20.31
n2	20	15	1900	CP	64QAM	Edge_1RB_Left	20.42
n2	20	15	1900	CP	64QAM	Edge_1RB_Right	20.57
n2	20	15	1900	CP	64QAM	Outer_Full	20.21
n2	20	15	1900	CP	256QAM	Inner_Full	17.26
n2	20	15	1900	CP	256QAM	Edge_1RB_Left	16.66
n2	20	15	1900	CP	256QAM	Edge_1RB_Right	16.90
n2	20	15	1900	CP	256QAM	Outer_Full	17.14

DC_2A_n5A

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	23.53
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.88
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.94
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.05
n5	5	15	826.5	DFT	QPSK	Inner_Full	23.53
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	22.48
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	22.53
n5	5	15	826.5	DFT	QPSK	Outer_Full	22.54
n5	5	15	826.5	DFT	16QAM	Inner_Full	22.48
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	21.16
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	21.19
n5	5	15	826.5	DFT	16QAM	Outer_Full	21.51
n5	5	15	826.5	DFT	64QAM	Inner_Full	21.11
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	20.81
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	20.86
n5	5	15	826.5	DFT	64QAM	Outer_Full	21.04
n5	5	15	826.5	DFT	256QAM	Inner_Full	19.00
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	18.92
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	18.84
n5	5	15	826.5	DFT	256QAM	Outer_Full	18.99
n5	5	15	826.5	CP	QPSK	Inner_Full	22.14
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	20.42
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	20.58
n5	5	15	826.5	CP	QPSK	Outer_Full	20.50
n5	5	15	826.5	CP	16QAM	Inner_Full	21.56
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	20.10
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	20.35
n5	5	15	826.5	CP	16QAM	Outer_Full	20.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	826.5	CP	64QAM	Inner_Full	19.98
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.33
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.51
n5	5	15	826.5	CP	64QAM	Outer_Full	19.99
n5	5	15	826.5	CP	256QAM	Inner_Full	17.04
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	16.66
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	16.82
n5	5	15	826.5	CP	256QAM	Outer_Full	17.03
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.61
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.94
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.04
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.09
n5	5	15	836.5	DFT	QPSK	Inner_Full	23.60
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	22.52
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	22.59
n5	5	15	836.5	DFT	QPSK	Outer_Full	22.62
n5	5	15	836.5	DFT	16QAM	Inner_Full	22.57
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	21.19
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	21.22
n5	5	15	836.5	DFT	16QAM	Outer_Full	21.56
n5	5	15	836.5	DFT	64QAM	Inner_Full	21.17
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	20.83
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	20.93
n5	5	15	836.5	DFT	64QAM	Outer_Full	21.09
n5	5	15	836.5	DFT	256QAM	Inner_Full	19.10
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.01
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	18.89
n5	5	15	836.5	DFT	256QAM	Outer_Full	19.05
n5	5	15	836.5	CP	QPSK	Inner_Full	22.19
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	20.51
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	20.62
n5	5	15	836.5	CP	QPSK	Outer_Full	20.54
n5	5	15	836.5	CP	16QAM	Inner_Full	21.59
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	20.18
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	20.45
n5	5	15	836.5	CP	16QAM	Outer_Full	20.53
n5	5	15	836.5	CP	64QAM	Inner_Full	20.02
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.42
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.46
n5	5	15	836.5	CP	64QAM	Outer_Full	20.04



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	836.5	CP	256QAM	Inner_Full	17.08
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	16.72
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	16.83
n5	5	15	836.5	CP	256QAM	Outer_Full	17.05
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	23.61
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.01
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.92
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.12
n5	5	15	846.5	DFT	QPSK	Inner_Full	23.62
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	22.58
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	22.52
n5	5	15	846.5	DFT	QPSK	Outer_Full	22.65
n5	5	15	846.5	DFT	16QAM	Inner_Full	22.57
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	21.19
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	21.11
n5	5	15	846.5	DFT	16QAM	Outer_Full	21.63
n5	5	15	846.5	DFT	64QAM	Inner_Full	21.25
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	20.86
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	20.83
n5	5	15	846.5	DFT	64QAM	Outer_Full	21.13
n5	5	15	846.5	DFT	256QAM	Inner_Full	19.11
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	18.86
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	18.97
n5	5	15	846.5	DFT	256QAM	Outer_Full	19.08
n5	5	15	846.5	CP	QPSK	Inner_Full	22.28
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	20.53
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	20.48
n5	5	15	846.5	CP	QPSK	Outer_Full	20.58
n5	5	15	846.5	CP	16QAM	Inner_Full	21.59
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	20.34
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	20.31
n5	5	15	846.5	CP	16QAM	Outer_Full	20.54
n5	5	15	846.5	CP	64QAM	Inner_Full	20.08
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.47
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.48
n5	5	15	846.5	CP	64QAM	Outer_Full	20.12
n5	5	15	846.5	CP	256QAM	Inner_Full	17.07
n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	16.77
n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	16.86
n5	5	15	846.5	CP	256QAM	Outer_Full	17.06



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	23.40
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	22.68
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	22.83
n5	10	15	829	DFT	QPSK	Inner_Full	23.41
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	22.25
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	22.25
n5	10	15	829	DFT	QPSK	Outer_Full	22.40
n5	10	15	829	DFT	16QAM	Inner_Full	22.43
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	20.89
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	20.94
n5	10	15	829	DFT	16QAM	Outer_Full	21.42
n5	10	15	829	DFT	64QAM	Inner_Full	20.86
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	20.58
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	20.65
n5	10	15	829	DFT	64QAM	Outer_Full	20.87
n5	10	15	829	DFT	256QAM	Inner_Full	18.85
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	18.77
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	18.62
n5	10	15	829	DFT	256QAM	Outer_Full	18.81
n5	10	15	829	CP	QPSK	Inner_Full	21.88
n5	10	15	829	CP	QPSK	Edge_1RB_Left	20.17
n5	10	15	829	CP	QPSK	Edge_1RB_Right	20.24
n5	10	15	829	CP	QPSK	Outer_Full	20.32
n5	10	15	829	CP	16QAM	Inner_Full	21.38
n5	10	15	829	CP	16QAM	Edge_1RB_Left	19.84
n5	10	15	829	CP	16QAM	Edge_1RB_Right	19.98
n5	10	15	829	CP	16QAM	Outer_Full	20.34
n5	10	15	829	CP	64QAM	Inner_Full	19.85
n5	10	15	829	CP	64QAM	Edge_1RB_Left	20.09
n5	10	15	829	CP	64QAM	Edge_1RB_Right	20.14
n5	10	15	829	CP	64QAM	Outer_Full	19.80
n5	10	15	829	CP	256QAM	Inner_Full	16.81
n5	10	15	829	CP	256QAM	Edge_1RB_Left	16.59
n5	10	15	829	CP	256QAM	Edge_1RB_Right	16.52
n5	10	15	829	CP	256QAM	Outer_Full	16.83
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.40
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.72
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.83
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.96



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	10	15	836.5	DFT	QPSK	Inner_Full	23.44
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	22.38
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	22.42
n5	10	15	836.5	DFT	QPSK	Outer_Full	22.43
n5	10	15	836.5	DFT	16QAM	Inner_Full	22.41
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	20.97
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	20.98
n5	10	15	836.5	DFT	16QAM	Outer_Full	21.52
n5	10	15	836.5	DFT	64QAM	Inner_Full	20.94
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	20.68
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	20.72
n5	10	15	836.5	DFT	64QAM	Outer_Full	20.96
n5	10	15	836.5	DFT	256QAM	Inner_Full	18.87
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	18.79
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	18.72
n5	10	15	836.5	DFT	256QAM	Outer_Full	18.90
n5	10	15	836.5	CP	QPSK	Inner_Full	21.95
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	20.24
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	20.34
n5	10	15	836.5	CP	QPSK	Outer_Full	20.38
n5	10	15	836.5	CP	16QAM	Inner_Full	21.47
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	19.90
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	19.99
n5	10	15	836.5	CP	16QAM	Outer_Full	20.41
n5	10	15	836.5	CP	64QAM	Inner_Full	19.88
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.11
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.18
n5	10	15	836.5	CP	64QAM	Outer_Full	19.88
n5	10	15	836.5	CP	256QAM	Inner_Full	16.87
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	16.52
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	16.56
n5	10	15	836.5	CP	256QAM	Outer_Full	16.85
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	23.40
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	22.80
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	22.67
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	22.95
n5	10	15	844	DFT	QPSK	Inner_Full	23.48
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	22.32
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	22.29
n5	10	15	844	DFT	QPSK	Outer_Full	22.41



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	10	15	844	DFT	16QAM	Inner_Full	22.48
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	21.01
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	20.90
n5	10	15	844	DFT	16QAM	Outer_Full	21.46
n5	10	15	844	DFT	64QAM	Inner_Full	20.95
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	20.71
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	20.61
n5	10	15	844	DFT	64QAM	Outer_Full	20.97
n5	10	15	844	DFT	256QAM	Inner_Full	18.89
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	18.68
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	18.59
n5	10	15	844	DFT	256QAM	Outer_Full	18.88
n5	10	15	844	CP	QPSK	Inner_Full	21.92
n5	10	15	844	CP	QPSK	Edge_1RB_Left	20.27
n5	10	15	844	CP	QPSK	Edge_1RB_Right	20.20
n5	10	15	844	CP	QPSK	Outer_Full	20.34
n5	10	15	844	CP	16QAM	Inner_Full	21.43
n5	10	15	844	CP	16QAM	Edge_1RB_Left	20.06
n5	10	15	844	CP	16QAM	Edge_1RB_Right	19.87
n5	10	15	844	CP	16QAM	Outer_Full	20.35
n5	10	15	844	CP	64QAM	Inner_Full	19.90
n5	10	15	844	CP	64QAM	Edge_1RB_Left	20.19
n5	10	15	844	CP	64QAM	Edge_1RB_Right	20.15
n5	10	15	844	CP	64QAM	Outer_Full	19.83
n5	10	15	844	CP	256QAM	Inner_Full	16.85
n5	10	15	844	CP	256QAM	Edge_1RB_Left	16.53
n5	10	15	844	CP	256QAM	Edge_1RB_Right	16.47
n5	10	15	844	CP	256QAM	Outer_Full	16.83
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	23.55
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.77
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.93
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	22.98
n5	15	15	831.5	DFT	QPSK	Inner_Full	23.53
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	22.42
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	22.51
n5	15	15	831.5	DFT	QPSK	Outer_Full	22.57
n5	15	15	831.5	DFT	16QAM	Inner_Full	22.50
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	21.13
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	21.13
n5	15	15	831.5	DFT	16QAM	Outer_Full	21.52



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	15	15	831.5	DFT	64QAM	Inner_Full	21.03
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	20.63
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	20.74
n5	15	15	831.5	DFT	64QAM	Outer_Full	21.04
n5	15	15	831.5	DFT	256QAM	Inner_Full	19.01
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	18.63
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	18.82
n5	15	15	831.5	DFT	256QAM	Outer_Full	18.99
n5	15	15	831.5	CP	QPSK	Inner_Full	22.06
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	20.34
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	20.36
n5	15	15	831.5	CP	QPSK	Outer_Full	20.50
n5	15	15	831.5	CP	16QAM	Inner_Full	21.50
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	20.02
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	20.25
n5	15	15	831.5	CP	16QAM	Outer_Full	20.51
n5	15	15	831.5	CP	64QAM	Inner_Full	19.98
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.21
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.30
n5	15	15	831.5	CP	64QAM	Outer_Full	20.01
n5	15	15	831.5	CP	256QAM	Inner_Full	16.99
n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	16.55
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	16.67
n5	15	15	831.5	CP	256QAM	Outer_Full	17.04
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.59
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.87
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.90
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.09
n5	15	15	836.5	DFT	QPSK	Inner_Full	23.61
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	22.54
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	22.51
n5	15	15	836.5	DFT	QPSK	Outer_Full	22.58
n5	15	15	836.5	DFT	16QAM	Inner_Full	22.59
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	21.23
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	21.07
n5	15	15	836.5	DFT	16QAM	Outer_Full	21.62
n5	15	15	836.5	DFT	64QAM	Inner_Full	21.08
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	20.74
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	20.78
n5	15	15	836.5	DFT	64QAM	Outer_Full	21.14



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	15	15	836.5	DFT	256QAM	Inner_Full	19.03
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	18.79
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	18.92
n5	15	15	836.5	DFT	256QAM	Outer_Full	19.06
n5	15	15	836.5	CP	QPSK	Inner_Full	22.09
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	20.44
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	20.36
n5	15	15	836.5	CP	QPSK	Outer_Full	20.56
n5	15	15	836.5	CP	16QAM	Inner_Full	21.57
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	20.12
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	20.15
n5	15	15	836.5	CP	16QAM	Outer_Full	20.59
n5	15	15	836.5	CP	64QAM	Inner_Full	20.05
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.32
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.34
n5	15	15	836.5	CP	64QAM	Outer_Full	20.08
n5	15	15	836.5	CP	256QAM	Inner_Full	17.08
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	16.68
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	16.66
n5	15	15	836.5	CP	256QAM	Outer_Full	17.08
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	23.62
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.88
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.85
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.11
n5	15	15	841.5	DFT	QPSK	Inner_Full	23.62
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	22.44
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	22.40
n5	15	15	841.5	DFT	QPSK	Outer_Full	22.61
n5	15	15	841.5	DFT	16QAM	Inner_Full	22.61
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	21.16
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	21.05
n5	15	15	841.5	DFT	16QAM	Outer_Full	21.60
n5	15	15	841.5	DFT	64QAM	Inner_Full	21.06
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	20.77
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	20.68
n5	15	15	841.5	DFT	64QAM	Outer_Full	21.09
n5	15	15	841.5	DFT	256QAM	Inner_Full	19.07
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	18.71
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	18.85
n5	15	15	841.5	DFT	256QAM	Outer_Full	19.04



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	15	15	841.5	CP	QPSK	Inner_Full	22.09
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	20.38
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	20.32
n5	15	15	841.5	CP	QPSK	Outer_Full	20.53
n5	15	15	841.5	CP	16QAM	Inner_Full	21.55
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	20.09
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	19.94
n5	15	15	841.5	CP	16QAM	Outer_Full	20.57
n5	15	15	841.5	CP	64QAM	Inner_Full	20.07
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.30
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.24
n5	15	15	841.5	CP	64QAM	Outer_Full	20.05
n5	15	15	841.5	CP	256QAM	Inner_Full	17.15
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	16.62
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	16.60
n5	15	15	841.5	CP	256QAM	Outer_Full	17.06
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	23.58
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	22.73
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	22.83
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.04
n5	20	15	834	DFT	QPSK	Inner_Full	23.57
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	22.40
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	22.42
n5	20	15	834	DFT	QPSK	Outer_Full	22.55
n5	20	15	834	DFT	16QAM	Inner_Full	22.64
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	20.98
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	21.05
n5	20	15	834	DFT	16QAM	Outer_Full	21.57
n5	20	15	834	DFT	64QAM	Inner_Full	21.05
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	20.65
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	20.76
n5	20	15	834	DFT	64QAM	Outer_Full	21.02
n5	20	15	834	DFT	256QAM	Inner_Full	19.03
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	18.64
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	18.73
n5	20	15	834	DFT	256QAM	Outer_Full	18.98
n5	20	15	834	CP	QPSK	Inner_Full	22.04
n5	20	15	834	CP	QPSK	Edge_1RB_Left	20.31
n5	20	15	834	CP	QPSK	Edge_1RB_Right	20.43
n5	20	15	834	CP	QPSK	Outer_Full	20.43



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	20	15	834	CP	16QAM	Inner_Full	21.52
n5	20	15	834	CP	16QAM	Edge_1RB_Left	20.10
n5	20	15	834	CP	16QAM	Edge_1RB_Right	20.13
n5	20	15	834	CP	16QAM	Outer_Full	20.43
n5	20	15	834	CP	64QAM	Inner_Full	20.01
n5	20	15	834	CP	64QAM	Edge_1RB_Left	20.19
n5	20	15	834	CP	64QAM	Edge_1RB_Right	20.34
n5	20	15	834	CP	64QAM	Outer_Full	19.95
n5	20	15	834	CP	256QAM	Inner_Full	17.07
n5	20	15	834	CP	256QAM	Edge_1RB_Left	16.49
n5	20	15	834	CP	256QAM	Edge_1RB_Right	16.66
n5	20	15	834	CP	256QAM	Outer_Full	17.00
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.58
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.83
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.90
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.12
n5	20	15	836.5	DFT	QPSK	Inner_Full	23.65
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	22.44
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	22.47
n5	20	15	836.5	DFT	QPSK	Outer_Full	22.62
n5	20	15	836.5	DFT	16QAM	Inner_Full	22.68
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	21.06
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	21.08
n5	20	15	836.5	DFT	16QAM	Outer_Full	21.63
n5	20	15	836.5	DFT	64QAM	Inner_Full	21.10
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	20.80
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	20.83
n5	20	15	836.5	DFT	64QAM	Outer_Full	21.11
n5	20	15	836.5	DFT	256QAM	Inner_Full	19.00
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	18.77
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	18.75
n5	20	15	836.5	DFT	256QAM	Outer_Full	19.03
n5	20	15	836.5	CP	QPSK	Inner_Full	22.09
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	20.39
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	20.52
n5	20	15	836.5	CP	QPSK	Outer_Full	20.53
n5	20	15	836.5	CP	16QAM	Inner_Full	21.60
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	20.11
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	20.16
n5	20	15	836.5	CP	16QAM	Outer_Full	20.51



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	20	15	836.5	CP	64QAM	Inner_Full	20.14
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.33
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.41
n5	20	15	836.5	CP	64QAM	Outer_Full	20.05
n5	20	15	836.5	CP	256QAM	Inner_Full	17.14
n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	16.61
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	16.88
n5	20	15	836.5	CP	256QAM	Outer_Full	17.11
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	23.61
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	22.86
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	22.78
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	23.05
n5	20	15	839	DFT	QPSK	Inner_Full	23.65
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	22.44
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	22.39
n5	20	15	839	DFT	QPSK	Outer_Full	22.57
n5	20	15	839	DFT	16QAM	Inner_Full	22.68
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	21.05
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	21.10
n5	20	15	839	DFT	16QAM	Outer_Full	21.57
n5	20	15	839	DFT	64QAM	Inner_Full	21.13
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	20.76
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	20.70
n5	20	15	839	DFT	64QAM	Outer_Full	21.06
n5	20	15	839	DFT	256QAM	Inner_Full	19.03
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	18.71
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	18.81
n5	20	15	839	DFT	256QAM	Outer_Full	19.05
n5	20	15	839	CP	QPSK	Inner_Full	22.03
n5	20	15	839	CP	QPSK	Edge_1RB_Left	20.38
n5	20	15	839	CP	QPSK	Edge_1RB_Right	20.32
n5	20	15	839	CP	QPSK	Outer_Full	20.49
n5	20	15	839	CP	16QAM	Inner_Full	21.58
n5	20	15	839	CP	16QAM	Edge_1RB_Left	20.08
n5	20	15	839	CP	16QAM	Edge_1RB_Right	20.17
n5	20	15	839	CP	16QAM	Outer_Full	20.51
n5	20	15	839	CP	64QAM	Inner_Full	20.08
n5	20	15	839	CP	64QAM	Edge_1RB_Left	20.22
n5	20	15	839	CP	64QAM	Edge_1RB_Right	20.29
n5	20	15	839	CP	64QAM	Outer_Full	19.95



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	20	15	839	CP	256QAM	Inner_Full	17.13
n5	20	15	839	CP	256QAM	Edge_1RB_Left	16.59
n5	20	15	839	CP	256QAM	Edge_1RB_Right	16.65
n5	20	15	839	CP	256QAM	Outer_Full	17.03

DC_2A_n66A

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.02
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.38
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	22.54
n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.07
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	21.93
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.09
n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.03
n66	5	15	1712.5	DFT	16QAM	Inner_Full	21.96
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	20.57
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	20.71
n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.02
n66	5	15	1712.5	DFT	64QAM	Inner_Full	20.62
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.41
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	20.37
n66	5	15	1712.5	DFT	64QAM	Outer_Full	20.49
n66	5	15	1712.5	DFT	256QAM	Inner_Full	18.68
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	18.40
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	18.68
n66	5	15	1712.5	DFT	256QAM	Outer_Full	18.66
n66	5	15	1712.5	CP	QPSK	Inner_Full	21.58
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.08
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.29
n66	5	15	1712.5	CP	QPSK	Outer_Full	20.19
n66	5	15	1712.5	CP	16QAM	Inner_Full	21.05
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	19.79
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	20.10
n66	5	15	1712.5	CP	16QAM	Outer_Full	20.14
n66	5	15	1712.5	CP	64QAM	Inner_Full	19.68
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	19.93
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	20.17
n66	5	15	1712.5	CP	64QAM	Outer_Full	19.66
n66	5	15	1712.5	CP	256QAM	Inner_Full	16.61



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	16.37
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	16.45
n66	5	15	1712.5	CP	256QAM	Outer_Full	16.60
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	23.09
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.47
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	22.60
n66	5	15	1745	DFT	QPSK	Inner_Full	23.11
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	22.03
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	22.04
n66	5	15	1745	DFT	QPSK	Outer_Full	22.08
n66	5	15	1745	DFT	16QAM	Inner_Full	22.03
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	20.64
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	20.65
n66	5	15	1745	DFT	16QAM	Outer_Full	21.04
n66	5	15	1745	DFT	64QAM	Inner_Full	20.64
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	20.37
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	20.36
n66	5	15	1745	DFT	64QAM	Outer_Full	20.52
n66	5	15	1745	DFT	256QAM	Inner_Full	18.78
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	18.50
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	18.48
n66	5	15	1745	DFT	256QAM	Outer_Full	18.66
n66	5	15	1745	CP	QPSK	Inner_Full	21.61
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	20.12
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	20.24
n66	5	15	1745	CP	QPSK	Outer_Full	20.22
n66	5	15	1745	CP	16QAM	Inner_Full	21.13
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	19.89
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	19.96
n66	5	15	1745	CP	16QAM	Outer_Full	20.17
n66	5	15	1745	CP	64QAM	Inner_Full	19.68
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	20.09
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	20.14
n66	5	15	1745	CP	64QAM	Outer_Full	19.70
n66	5	15	1745	CP	256QAM	Inner_Full	16.66
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	16.47
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	16.42
n66	5	15	1745	CP	256QAM	Outer_Full	16.64
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	23.21



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.53
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	22.70
n66	5	15	1777.5	DFT	QPSK	Inner_Full	23.16
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	22.10
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	22.11
n66	5	15	1777.5	DFT	QPSK	Outer_Full	22.15
n66	5	15	1777.5	DFT	16QAM	Inner_Full	22.12
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	20.74
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	20.73
n66	5	15	1777.5	DFT	16QAM	Outer_Full	21.12
n66	5	15	1777.5	DFT	64QAM	Inner_Full	20.72
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	20.48
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.44
n66	5	15	1777.5	DFT	64QAM	Outer_Full	20.64
n66	5	15	1777.5	DFT	256QAM	Inner_Full	18.82
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	18.59
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.71
n66	5	15	1777.5	DFT	256QAM	Outer_Full	18.75
n66	5	15	1777.5	CP	QPSK	Inner_Full	21.72
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	20.25
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	20.33
n66	5	15	1777.5	CP	QPSK	Outer_Full	20.30
n66	5	15	1777.5	CP	16QAM	Inner_Full	21.21
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	20.00
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	20.06
n66	5	15	1777.5	CP	16QAM	Outer_Full	20.24
n66	5	15	1777.5	CP	64QAM	Inner_Full	19.79
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	20.11
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	20.20
n66	5	15	1777.5	CP	64QAM	Outer_Full	19.76
n66	5	15	1777.5	CP	256QAM	Inner_Full	16.74
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	16.43
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	16.48
n66	5	15	1777.5	CP	256QAM	Outer_Full	16.69
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	22.96
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	22.26
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	22.37
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	22.40
n66	10	15	1715	DFT	QPSK	Inner_Full	22.97



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	21.80
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	21.95
n66	10	15	1715	DFT	QPSK	Outer_Full	21.92
n66	10	15	1715	DFT	16QAM	Inner_Full	21.92
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	20.41
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	20.56
n66	10	15	1715	DFT	16QAM	Outer_Full	20.95
n66	10	15	1715	DFT	64QAM	Inner_Full	20.40
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	20.35
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	20.26
n66	10	15	1715	DFT	64QAM	Outer_Full	20.42
n66	10	15	1715	DFT	256QAM	Inner_Full	18.61
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	18.29
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	18.43
n66	10	15	1715	DFT	256QAM	Outer_Full	18.56
n66	10	15	1715	CP	QPSK	Inner_Full	21.49
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	19.95
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	20.11
n66	10	15	1715	CP	QPSK	Outer_Full	20.02
n66	10	15	1715	CP	16QAM	Inner_Full	20.99
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	19.66
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	19.89
n66	10	15	1715	CP	16QAM	Outer_Full	20.04
n66	10	15	1715	CP	64QAM	Inner_Full	19.60
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	19.79
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	19.97
n66	10	15	1715	CP	64QAM	Outer_Full	19.54
n66	10	15	1715	CP	256QAM	Inner_Full	16.51
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	16.24
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	16.42
n66	10	15	1715	CP	256QAM	Outer_Full	16.52
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	22.91
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.32
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	22.37
n66	10	15	1745	DFT	QPSK	Inner_Full	22.95
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	21.84
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	21.87
n66	10	15	1745	DFT	QPSK	Outer_Full	21.88
n66	10	15	1745	DFT	16QAM	Inner_Full	21.94



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	20.61
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	20.65
n66	10	15	1745	DFT	16QAM	Outer_Full	20.91
n66	10	15	1745	DFT	64QAM	Inner_Full	20.37
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	20.16
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	20.20
n66	10	15	1745	DFT	64QAM	Outer_Full	20.38
n66	10	15	1745	DFT	256QAM	Inner_Full	18.57
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	18.30
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	18.28
n66	10	15	1745	DFT	256QAM	Outer_Full	18.54
n66	10	15	1745	CP	QPSK	Inner_Full	21.39
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	19.91
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	19.98
n66	10	15	1745	CP	QPSK	Outer_Full	20.03
n66	10	15	1745	CP	16QAM	Inner_Full	20.88
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	19.68
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	19.67
n66	10	15	1745	CP	16QAM	Outer_Full	20.03
n66	10	15	1745	CP	64QAM	Inner_Full	19.54
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	19.86
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	19.88
n66	10	15	1745	CP	64QAM	Outer_Full	19.53
n66	10	15	1745	CP	256QAM	Inner_Full	16.43
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	16.24
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	16.20
n66	10	15	1745	CP	256QAM	Outer_Full	16.50
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	23.10
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	22.47
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	22.38
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	22.55
n66	10	15	1775	DFT	QPSK	Inner_Full	23.11
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	21.96
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	21.95
n66	10	15	1775	DFT	QPSK	Outer_Full	22.03
n66	10	15	1775	DFT	16QAM	Inner_Full	22.08
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	20.62
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	20.54
n66	10	15	1775	DFT	16QAM	Outer_Full	21.05
n66	10	15	1775	DFT	64QAM	Inner_Full	20.51



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	20.29
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.27
n66	10	15	1775	DFT	64QAM	Outer_Full	20.53
n66	10	15	1775	DFT	256QAM	Inner_Full	18.68
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	18.41
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	18.41
n66	10	15	1775	DFT	256QAM	Outer_Full	18.63
n66	10	15	1775	CP	QPSK	Inner_Full	21.50
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	20.09
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	20.08
n66	10	15	1775	CP	QPSK	Outer_Full	20.15
n66	10	15	1775	CP	16QAM	Inner_Full	21.03
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	19.81
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	19.75
n66	10	15	1775	CP	16QAM	Outer_Full	20.16
n66	10	15	1775	CP	64QAM	Inner_Full	19.68
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	19.96
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	19.90
n66	10	15	1775	CP	64QAM	Outer_Full	19.66
n66	10	15	1775	CP	256QAM	Inner_Full	16.59
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	16.38
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	16.38
n66	10	15	1775	CP	256QAM	Outer_Full	16.59
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.11
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.32
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.47
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	22.60
n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.18
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	21.89
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.04
n66	15	15	1717.5	DFT	QPSK	Outer_Full	22.08
n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.13
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	20.53
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	20.68
n66	15	15	1717.5	DFT	16QAM	Outer_Full	21.07
n66	15	15	1717.5	DFT	64QAM	Inner_Full	20.58
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	20.46
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	20.38
n66	15	15	1717.5	DFT	64QAM	Outer_Full	20.61
n66	15	15	1717.5	DFT	256QAM	Inner_Full	18.81



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	18.34
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	18.52
n66	15	15	1717.5	DFT	256QAM	Outer_Full	18.68
n66	15	15	1717.5	CP	QPSK	Inner_Full	21.69
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	20.04
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.14
n66	15	15	1717.5	CP	QPSK	Outer_Full	20.25
n66	15	15	1717.5	CP	16QAM	Inner_Full	21.12
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	19.89
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	19.84
n66	15	15	1717.5	CP	16QAM	Outer_Full	20.27
n66	15	15	1717.5	CP	64QAM	Inner_Full	19.78
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	19.88
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	20.07
n66	15	15	1717.5	CP	64QAM	Outer_Full	19.74
n66	15	15	1717.5	CP	256QAM	Inner_Full	16.74
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	16.18
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	16.32
n66	15	15	1717.5	CP	256QAM	Outer_Full	16.72
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.05
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.46
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.41
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	22.57
n66	15	15	1745	DFT	QPSK	Inner_Full	23.07
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	21.99
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	21.96
n66	15	15	1745	DFT	QPSK	Outer_Full	22.03
n66	15	15	1745	DFT	16QAM	Inner_Full	22.04
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	20.73
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	20.59
n66	15	15	1745	DFT	16QAM	Outer_Full	20.99
n66	15	15	1745	DFT	64QAM	Inner_Full	20.51
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	20.31
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	20.33
n66	15	15	1745	DFT	64QAM	Outer_Full	20.56
n66	15	15	1745	DFT	256QAM	Inner_Full	18.73
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	18.45
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	18.61
n66	15	15	1745	DFT	256QAM	Outer_Full	18.66
n66	15	15	1745	CP	QPSK	Inner_Full	21.57



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	20.09
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	20.11
n66	15	15	1745	CP	QPSK	Outer_Full	20.24
n66	15	15	1745	CP	16QAM	Inner_Full	21.01
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	19.80
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	19.80
n66	15	15	1745	CP	16QAM	Outer_Full	20.22
n66	15	15	1745	CP	64QAM	Inner_Full	19.64
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	19.97
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	19.98
n66	15	15	1745	CP	64QAM	Outer_Full	19.73
n66	15	15	1745	CP	256QAM	Inner_Full	16.68
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	16.39
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	16.23
n66	15	15	1745	CP	256QAM	Outer_Full	16.65
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.13
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.65
n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.17
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.04
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	22.04
n66	15	15	1772.5	DFT	QPSK	Outer_Full	22.16
n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.15
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	20.80
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	20.63
n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.14
n66	15	15	1772.5	DFT	64QAM	Inner_Full	20.59
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	20.37
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.27
n66	15	15	1772.5	DFT	64QAM	Outer_Full	20.66
n66	15	15	1772.5	DFT	256QAM	Inner_Full	18.76
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	18.47
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.49
n66	15	15	1772.5	DFT	256QAM	Outer_Full	18.82
n66	15	15	1772.5	CP	QPSK	Inner_Full	21.67
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.15
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	20.12
n66	15	15	1772.5	CP	QPSK	Outer_Full	20.33
n66	15	15	1772.5	CP	16QAM	Inner_Full	21.13



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	19.94
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	19.84
n66	15	15	1772.5	CP	16QAM	Outer_Full	20.28
n66	15	15	1772.5	CP	64QAM	Inner_Full	19.78
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	20.03
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	19.98
n66	15	15	1772.5	CP	64QAM	Outer_Full	19.81
n66	15	15	1772.5	CP	256QAM	Inner_Full	16.82
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	16.33
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	16.48
n66	15	15	1772.5	CP	256QAM	Outer_Full	16.78
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.10
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.24
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	22.39
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	22.56
n66	20	15	1720	DFT	QPSK	Inner_Full	23.17
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	21.80
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.00
n66	20	15	1720	DFT	QPSK	Outer_Full	22.05
n66	20	15	1720	DFT	16QAM	Inner_Full	22.15
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	20.54
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	20.68
n66	20	15	1720	DFT	16QAM	Outer_Full	21.07
n66	20	15	1720	DFT	64QAM	Inner_Full	20.62
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.32
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	20.23
n66	20	15	1720	DFT	64QAM	Outer_Full	20.56
n66	20	15	1720	DFT	256QAM	Inner_Full	18.73
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	18.26
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	18.41
n66	20	15	1720	DFT	256QAM	Outer_Full	18.70
n66	20	15	1720	CP	QPSK	Inner_Full	21.64
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	19.93
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	20.16
n66	20	15	1720	CP	QPSK	Outer_Full	20.18
n66	20	15	1720	CP	16QAM	Inner_Full	21.15
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	19.82
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	20.00
n66	20	15	1720	CP	16QAM	Outer_Full	20.16
n66	20	15	1720	CP	64QAM	Inner_Full	19.84



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	19.79
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	20.07
n66	20	15	1720	CP	64QAM	Outer_Full	19.67
n66	20	15	1720	CP	256QAM	Inner_Full	16.78
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	16.25
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	16.47
n66	20	15	1720	CP	256QAM	Outer_Full	16.67
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.07
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.36
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.39
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	22.55
n66	20	15	1745	DFT	QPSK	Inner_Full	23.07
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	21.96
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	21.90
n66	20	15	1745	DFT	QPSK	Outer_Full	22.09
n66	20	15	1745	DFT	16QAM	Inner_Full	22.10
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	20.63
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	20.60
n66	20	15	1745	DFT	16QAM	Outer_Full	21.07
n66	20	15	1745	DFT	64QAM	Inner_Full	20.51
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	20.22
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	20.26
n66	20	15	1745	DFT	64QAM	Outer_Full	20.58
n66	20	15	1745	DFT	256QAM	Inner_Full	18.69
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	18.43
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	18.42
n66	20	15	1745	DFT	256QAM	Outer_Full	18.69
n66	20	15	1745	CP	QPSK	Inner_Full	21.62
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	20.02
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	20.15
n66	20	15	1745	CP	QPSK	Outer_Full	20.25
n66	20	15	1745	CP	16QAM	Inner_Full	21.10
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	19.80
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	19.92
n66	20	15	1745	CP	16QAM	Outer_Full	20.25
n66	20	15	1745	CP	64QAM	Inner_Full	19.75
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	19.85
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	20.03
n66	20	15	1745	CP	64QAM	Outer_Full	19.77
n66	20	15	1745	CP	256QAM	Inner_Full	16.71



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	16.23
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	16.38
n66	20	15	1745	CP	256QAM	Outer_Full	16.74
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.18
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	22.39
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	22.42
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	22.72
n66	20	15	1770	DFT	QPSK	Inner_Full	23.23
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	21.99
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	22.00
n66	20	15	1770	DFT	QPSK	Outer_Full	22.19
n66	20	15	1770	DFT	16QAM	Inner_Full	22.25
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	20.56
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	20.63
n66	20	15	1770	DFT	16QAM	Outer_Full	21.20
n66	20	15	1770	DFT	64QAM	Inner_Full	20.68
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	20.35
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.25
n66	20	15	1770	DFT	64QAM	Outer_Full	20.68
n66	20	15	1770	DFT	256QAM	Inner_Full	18.78
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	18.43
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	18.44
n66	20	15	1770	DFT	256QAM	Outer_Full	18.82
n66	20	15	1770	CP	QPSK	Inner_Full	21.72
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	20.11
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	20.21
n66	20	15	1770	CP	QPSK	Outer_Full	20.34
n66	20	15	1770	CP	16QAM	Inner_Full	21.24
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	19.84
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	19.95
n66	20	15	1770	CP	16QAM	Outer_Full	20.37
n66	20	15	1770	CP	64QAM	Inner_Full	19.82
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	19.98
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	20.06
n66	20	15	1770	CP	64QAM	Outer_Full	19.82
n66	20	15	1770	CP	256QAM	Inner_Full	16.85
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	16.29
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	16.44
n66	20	15	1770	CP	256QAM	Outer_Full	16.82
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.12



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	21.95
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	21.89
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	22.41
n66	40	15	1730	DFT	QPSK	Inner_Full	23.15
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	21.47
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	21.43
n66	40	15	1730	DFT	QPSK	Outer_Full	22.00
n66	40	15	1730	DFT	16QAM	Inner_Full	22.09
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	20.09
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	20.07
n66	40	15	1730	DFT	16QAM	Outer_Full	20.98
n66	40	15	1730	DFT	64QAM	Inner_Full	20.58
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	19.88
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	19.74
n66	40	15	1730	DFT	64QAM	Outer_Full	20.51
n66	40	15	1730	DFT	256QAM	Inner_Full	18.82
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	18.01
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	18.12
n66	40	15	1730	DFT	256QAM	Outer_Full	18.58
n66	40	15	1730	CP	QPSK	Inner_Full	21.57
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	19.65
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	19.61
n66	40	15	1730	CP	QPSK	Outer_Full	20.05
n66	40	15	1730	CP	16QAM	Inner_Full	21.10
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	19.40
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	19.45
n66	40	15	1730	CP	16QAM	Outer_Full	20.08
n66	40	15	1730	CP	64QAM	Inner_Full	19.68
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	19.51
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	19.48
n66	40	15	1730	CP	64QAM	Outer_Full	19.59
n66	40	15	1730	CP	256QAM	Inner_Full	16.71
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	15.88
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	15.82
n66	40	15	1730	CP	256QAM	Outer_Full	16.53
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	23.11
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.06
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	22.51
n66	40	15	1745	DFT	QPSK	Inner_Full	23.11



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	21.50
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	21.58
n66	40	15	1745	DFT	QPSK	Outer_Full	22.00
n66	40	15	1745	DFT	16QAM	Inner_Full	22.11
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	20.11
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	20.17
n66	40	15	1745	DFT	16QAM	Outer_Full	21.04
n66	40	15	1745	DFT	64QAM	Inner_Full	20.58
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	19.80
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	19.91
n66	40	15	1745	DFT	64QAM	Outer_Full	20.50
n66	40	15	1745	DFT	256QAM	Inner_Full	18.73
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	17.96
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	18.08
n66	40	15	1745	DFT	256QAM	Outer_Full	18.62
n66	40	15	1745	CP	QPSK	Inner_Full	21.60
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	19.65
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	19.72
n66	40	15	1745	CP	QPSK	Outer_Full	20.16
n66	40	15	1745	CP	16QAM	Inner_Full	21.06
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	19.37
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	19.47
n66	40	15	1745	CP	16QAM	Outer_Full	20.11
n66	40	15	1745	CP	64QAM	Inner_Full	19.73
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	19.54
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	19.65
n66	40	15	1745	CP	64QAM	Outer_Full	19.67
n66	40	15	1745	CP	256QAM	Inner_Full	16.70
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	15.96
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	16.09
n66	40	15	1745	CP	256QAM	Outer_Full	16.63
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.07
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	21.87
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	21.93
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	22.36
n66	40	15	1760	DFT	QPSK	Inner_Full	23.11
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	21.42
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	21.47
n66	40	15	1760	DFT	QPSK	Outer_Full	21.86
n66	40	15	1760	DFT	16QAM	Inner_Full	22.06



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	20.06
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	20.11
n66	40	15	1760	DFT	16QAM	Outer_Full	20.90
n66	40	15	1760	DFT	64QAM	Inner_Full	20.54
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	19.76
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	19.85
n66	40	15	1760	DFT	64QAM	Outer_Full	20.42
n66	40	15	1760	DFT	256QAM	Inner_Full	18.70
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	17.93
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	17.99
n66	40	15	1760	DFT	256QAM	Outer_Full	18.50
n66	40	15	1760	CP	QPSK	Inner_Full	21.52
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	19.59
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	19.66
n66	40	15	1760	CP	QPSK	Outer_Full	20.01
n66	40	15	1760	CP	16QAM	Inner_Full	21.09
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	19.29
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	19.41
n66	40	15	1760	CP	16QAM	Outer_Full	20.00
n66	40	15	1760	CP	64QAM	Inner_Full	19.66
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	19.49
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	19.55
n66	40	15	1760	CP	64QAM	Outer_Full	19.51
n66	40	15	1760	CP	256QAM	Inner_Full	16.60
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	15.73
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	15.88
n66	40	15	1760	CP	256QAM	Outer_Full	16.47

DC_2A_n77A(3450 MHz-3550 MHz)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	10	30	3455.01	DFT	pi/2 BPSK	Inner_Full	24.76
n77L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.58
n77L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.55
n77L	10	30	3455.01	DFT	pi/2 BPSK	Outer_Full	23.80
n77L	10	30	3455.01	DFT	QPSK	Inner_Full	24.03
n77L	10	30	3455.01	DFT	QPSK	Edge_1RB_Left	21.60
n77L	10	30	3455.01	DFT	QPSK	Edge_1RB_Right	21.66
n77L	10	30	3455.01	DFT	QPSK	Outer_Full	24.02
n77L	10	30	3455.01	DFT	16QAM	Inner_Full	23.98
n77L	10	30	3455.01	DFT	16QAM	Edge_1RB_Left	21.75



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	10	30	3455.01	DFT	16QAM	Edge_1RB_Right	21.78
n77L	10	30	3455.01	DFT	16QAM	Outer_Full	23.27
n77L	10	30	3455.01	DFT	64QAM	Inner_Full	22.79
n77L	10	30	3455.01	DFT	64QAM	Edge_1RB_Left	21.77
n77L	10	30	3455.01	DFT	64QAM	Edge_1RB_Right	21.66
n77L	10	30	3455.01	DFT	64QAM	Outer_Full	22.91
n77L	10	30	3455.01	DFT	256QAM	Inner_Full	20.73
n77L	10	30	3455.01	DFT	256QAM	Edge_1RB_Left	20.52
n77L	10	30	3455.01	DFT	256QAM	Edge_1RB_Right	20.46
n77L	10	30	3455.01	DFT	256QAM	Outer_Full	20.75
n77L	10	30	3455.01	CP	QPSK	Inner_Full	23.81
n77L	10	30	3455.01	CP	QPSK	Edge_1RB_Left	21.62
n77L	10	30	3455.01	CP	QPSK	Edge_1RB_Right	21.75
n77L	10	30	3455.01	CP	QPSK	Outer_Full	22.27
n77L	10	30	3455.01	CP	16QAM	Inner_Full	23.29
n77L	10	30	3455.01	CP	16QAM	Edge_1RB_Left	21.61
n77L	10	30	3455.01	CP	16QAM	Edge_1RB_Right	21.87
n77L	10	30	3455.01	CP	16QAM	Outer_Full	22.32
n77L	10	30	3455.01	CP	64QAM	Inner_Full	21.86
n77L	10	30	3455.01	CP	64QAM	Edge_1RB_Left	21.73
n77L	10	30	3455.01	CP	64QAM	Edge_1RB_Right	21.90
n77L	10	30	3455.01	CP	64QAM	Outer_Full	21.83
n77L	10	30	3455.01	CP	256QAM	Inner_Full	18.79
n77L	10	30	3455.01	CP	256QAM	Edge_1RB_Left	18.49
n77L	10	30	3455.01	CP	256QAM	Edge_1RB_Right	18.62
n77L	10	30	3455.01	CP	256QAM	Outer_Full	18.87
n77L	10	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.40
n77L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.76
n77L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.98
n77L	10	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.95
n77L	10	30	3500.01	DFT	QPSK	Inner_Full	25.46
n77L	10	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.69
n77L	10	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.96
n77L	10	30	3500.01	DFT	QPSK	Outer_Full	24.37
n77L	10	30	3500.01	DFT	16QAM	Inner_Full	24.32
n77L	10	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.97
n77L	10	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.01
n77L	10	30	3500.01	DFT	16QAM	Outer_Full	23.49
n77L	10	30	3500.01	DFT	64QAM	Inner_Full	22.94
n77L	10	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.83



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	10	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.91
n77L	10	30	3500.01	DFT	64QAM	Outer_Full	22.99
n77L	10	30	3500.01	DFT	256QAM	Inner_Full	20.89
n77L	10	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.68
n77L	10	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.77
n77L	10	30	3500.01	DFT	256QAM	Outer_Full	20.92
n77L	10	30	3500.01	CP	QPSK	Inner_Full	23.96
n77L	10	30	3500.01	CP	QPSK	Edge_1RB_Left	21.75
n77L	10	30	3500.01	CP	QPSK	Edge_1RB_Right	21.95
n77L	10	30	3500.01	CP	QPSK	Outer_Full	22.46
n77L	10	30	3500.01	CP	16QAM	Inner_Full	23.52
n77L	10	30	3500.01	CP	16QAM	Edge_1RB_Left	21.83
n77L	10	30	3500.01	CP	16QAM	Edge_1RB_Right	21.95
n77L	10	30	3500.01	CP	16QAM	Outer_Full	22.50
n77L	10	30	3500.01	CP	64QAM	Inner_Full	22.00
n77L	10	30	3500.01	CP	64QAM	Edge_1RB_Left	21.98
n77L	10	30	3500.01	CP	64QAM	Edge_1RB_Right	22.02
n77L	10	30	3500.01	CP	64QAM	Outer_Full	21.97
n77L	10	30	3500.01	CP	256QAM	Inner_Full	19.00
n77L	10	30	3500.01	CP	256QAM	Edge_1RB_Left	18.65
n77L	10	30	3500.01	CP	256QAM	Edge_1RB_Right	18.80
n77L	10	30	3500.01	CP	256QAM	Outer_Full	19.03
n77L	10	30	3544.98	DFT	pi/2 BPSK	Inner_Full	24.81
n77L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.79
n77L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.62
n77L	10	30	3544.98	DFT	pi/2 BPSK	Outer_Full	24.56
n77L	10	30	3544.98	DFT	QPSK	Inner_Full	24.48
n77L	10	30	3544.98	DFT	QPSK	Edge_1RB_Left	21.73
n77L	10	30	3544.98	DFT	QPSK	Edge_1RB_Right	21.58
n77L	10	30	3544.98	DFT	QPSK	Outer_Full	24.29
n77L	10	30	3544.98	DFT	16QAM	Inner_Full	24.26
n77L	10	30	3544.98	DFT	16QAM	Edge_1RB_Left	21.84
n77L	10	30	3544.98	DFT	16QAM	Edge_1RB_Right	21.70
n77L	10	30	3544.98	DFT	16QAM	Outer_Full	23.32
n77L	10	30	3544.98	DFT	64QAM	Inner_Full	22.80
n77L	10	30	3544.98	DFT	64QAM	Edge_1RB_Left	21.78
n77L	10	30	3544.98	DFT	64QAM	Edge_1RB_Right	21.59
n77L	10	30	3544.98	DFT	64QAM	Outer_Full	22.79
n77L	10	30	3544.98	DFT	256QAM	Inner_Full	20.74
n77L	10	30	3544.98	DFT	256QAM	Edge_1RB_Left	20.47



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	10	30	3544.98	DFT	256QAM	Edge_1RB_Right	20.43
n77L	10	30	3544.98	DFT	256QAM	Outer_Full	20.78
n77L	10	30	3544.98	CP	QPSK	Inner_Full	23.71
n77L	10	30	3544.98	CP	QPSK	Edge_1RB_Left	21.73
n77L	10	30	3544.98	CP	QPSK	Edge_1RB_Right	21.58
n77L	10	30	3544.98	CP	QPSK	Outer_Full	22.27
n77L	10	30	3544.98	CP	16QAM	Inner_Full	23.28
n77L	10	30	3544.98	CP	16QAM	Edge_1RB_Left	21.86
n77L	10	30	3544.98	CP	16QAM	Edge_1RB_Right	21.61
n77L	10	30	3544.98	CP	16QAM	Outer_Full	22.28
n77L	10	30	3544.98	CP	64QAM	Inner_Full	21.80
n77L	10	30	3544.98	CP	64QAM	Edge_1RB_Left	21.85
n77L	10	30	3544.98	CP	64QAM	Edge_1RB_Right	21.64
n77L	10	30	3544.98	CP	64QAM	Outer_Full	21.77
n77L	10	30	3544.98	CP	256QAM	Inner_Full	18.82
n77L	10	30	3544.98	CP	256QAM	Edge_1RB_Left	18.62
n77L	10	30	3544.98	CP	256QAM	Edge_1RB_Right	18.46
n77L	10	30	3544.98	CP	256QAM	Outer_Full	18.82
n77L	15	30	3457.5	DFT	pi/2 BPSK	Inner_Full	24.17
n77L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.78
n77L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.65
n77L	15	30	3457.5	DFT	pi/2 BPSK	Outer_Full	23.92
n77L	15	30	3457.5	DFT	QPSK	Inner_Full	24.06
n77L	15	30	3457.5	DFT	QPSK	Edge_1RB_Left	21.80
n77L	15	30	3457.5	DFT	QPSK	Edge_1RB_Right	21.61
n77L	15	30	3457.5	DFT	QPSK	Outer_Full	24.09
n77L	15	30	3457.5	DFT	16QAM	Inner_Full	23.99
n77L	15	30	3457.5	DFT	16QAM	Edge_1RB_Left	21.88
n77L	15	30	3457.5	DFT	16QAM	Edge_1RB_Right	21.80
n77L	15	30	3457.5	DFT	16QAM	Outer_Full	23.32
n77L	15	30	3457.5	DFT	64QAM	Inner_Full	22.80
n77L	15	30	3457.5	DFT	64QAM	Edge_1RB_Left	21.88
n77L	15	30	3457.5	DFT	64QAM	Edge_1RB_Right	21.64
n77L	15	30	3457.5	DFT	64QAM	Outer_Full	22.83
n77L	15	30	3457.5	DFT	256QAM	Inner_Full	20.77
n77L	15	30	3457.5	DFT	256QAM	Edge_1RB_Left	20.68
n77L	15	30	3457.5	DFT	256QAM	Edge_1RB_Right	20.43
n77L	15	30	3457.5	DFT	256QAM	Outer_Full	20.85
n77L	15	30	3457.5	CP	QPSK	Inner_Full	23.88
n77L	15	30	3457.5	CP	QPSK	Edge_1RB_Left	21.81



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	15	30	3457.5	CP	QPSK	Edge_1RB_Right	21.67
n77L	15	30	3457.5	CP	QPSK	Outer_Full	22.36
n77L	15	30	3457.5	CP	16QAM	Inner_Full	23.31
n77L	15	30	3457.5	CP	16QAM	Edge_1RB_Left	21.80
n77L	15	30	3457.5	CP	16QAM	Edge_1RB_Right	21.78
n77L	15	30	3457.5	CP	16QAM	Outer_Full	22.31
n77L	15	30	3457.5	CP	64QAM	Inner_Full	21.79
n77L	15	30	3457.5	CP	64QAM	Edge_1RB_Left	21.94
n77L	15	30	3457.5	CP	64QAM	Edge_1RB_Right	21.78
n77L	15	30	3457.5	CP	64QAM	Outer_Full	21.84
n77L	15	30	3457.5	CP	256QAM	Inner_Full	18.93
n77L	15	30	3457.5	CP	256QAM	Edge_1RB_Left	18.65
n77L	15	30	3457.5	CP	256QAM	Edge_1RB_Right	18.52
n77L	15	30	3457.5	CP	256QAM	Outer_Full	18.97
n77L	15	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.48
n77L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.76
n77L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.89
n77L	15	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.99
n77L	15	30	3500.01	DFT	QPSK	Inner_Full	25.50
n77L	15	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.73
n77L	15	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.82
n77L	15	30	3500.01	DFT	QPSK	Outer_Full	24.47
n77L	15	30	3500.01	DFT	16QAM	Inner_Full	24.53
n77L	15	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.97
n77L	15	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.07
n77L	15	30	3500.01	DFT	16QAM	Outer_Full	23.42
n77L	15	30	3500.01	DFT	64QAM	Inner_Full	22.93
n77L	15	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.81
n77L	15	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.86
n77L	15	30	3500.01	DFT	64QAM	Outer_Full	22.94
n77L	15	30	3500.01	DFT	256QAM	Inner_Full	20.90
n77L	15	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.49
n77L	15	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.63
n77L	15	30	3500.01	DFT	256QAM	Outer_Full	20.90
n77L	15	30	3500.01	CP	QPSK	Inner_Full	24.00
n77L	15	30	3500.01	CP	QPSK	Edge_1RB_Left	21.67
n77L	15	30	3500.01	CP	QPSK	Edge_1RB_Right	21.90
n77L	15	30	3500.01	CP	QPSK	Outer_Full	22.42
n77L	15	30	3500.01	CP	16QAM	Inner_Full	23.41
n77L	15	30	3500.01	CP	16QAM	Edge_1RB_Left	21.86



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	15	30	3500.01	CP	16QAM	Edge_1RB_Right	22.00
n77L	15	30	3500.01	CP	16QAM	Outer_Full	22.41
n77L	15	30	3500.01	CP	64QAM	Inner_Full	21.85
n77L	15	30	3500.01	CP	64QAM	Edge_1RB_Left	21.86
n77L	15	30	3500.01	CP	64QAM	Edge_1RB_Right	22.10
n77L	15	30	3500.01	CP	64QAM	Outer_Full	21.96
n77L	15	30	3500.01	CP	256QAM	Inner_Full	18.97
n77L	15	30	3500.01	CP	256QAM	Edge_1RB_Left	18.62
n77L	15	30	3500.01	CP	256QAM	Edge_1RB_Right	18.76
n77L	15	30	3500.01	CP	256QAM	Outer_Full	19.08
n77L	15	30	3542.49	DFT	pi/2 BPSK	Inner_Full	24.97
n77L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Left	21.80
n77L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Right	21.52
n77L	15	30	3542.49	DFT	pi/2 BPSK	Outer_Full	24.79
n77L	15	30	3542.49	DFT	QPSK	Inner_Full	24.63
n77L	15	30	3542.49	DFT	QPSK	Edge_1RB_Left	21.79
n77L	15	30	3542.49	DFT	QPSK	Edge_1RB_Right	21.53
n77L	15	30	3542.49	DFT	QPSK	Outer_Full	24.30
n77L	15	30	3542.49	DFT	16QAM	Inner_Full	24.25
n77L	15	30	3542.49	DFT	16QAM	Edge_1RB_Left	21.93
n77L	15	30	3542.49	DFT	16QAM	Edge_1RB_Right	21.71
n77L	15	30	3542.49	DFT	16QAM	Outer_Full	23.28
n77L	15	30	3542.49	DFT	64QAM	Inner_Full	22.74
n77L	15	30	3542.49	DFT	64QAM	Edge_1RB_Left	21.81
n77L	15	30	3542.49	DFT	64QAM	Edge_1RB_Right	21.56
n77L	15	30	3542.49	DFT	64QAM	Outer_Full	22.75
n77L	15	30	3542.49	DFT	256QAM	Inner_Full	20.77
n77L	15	30	3542.49	DFT	256QAM	Edge_1RB_Left	20.62
n77L	15	30	3542.49	DFT	256QAM	Edge_1RB_Right	20.26
n77L	15	30	3542.49	DFT	256QAM	Outer_Full	20.74
n77L	15	30	3542.49	CP	QPSK	Inner_Full	23.79
n77L	15	30	3542.49	CP	QPSK	Edge_1RB_Left	21.68
n77L	15	30	3542.49	CP	QPSK	Edge_1RB_Right	21.52
n77L	15	30	3542.49	CP	QPSK	Outer_Full	22.27
n77L	15	30	3542.49	CP	16QAM	Inner_Full	23.25
n77L	15	30	3542.49	CP	16QAM	Edge_1RB_Left	21.89
n77L	15	30	3542.49	CP	16QAM	Edge_1RB_Right	21.53
n77L	15	30	3542.49	CP	16QAM	Outer_Full	22.20
n77L	15	30	3542.49	CP	64QAM	Inner_Full	21.67
n77L	15	30	3542.49	CP	64QAM	Edge_1RB_Left	21.91



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	15	30	3542.49	CP	64QAM	Edge_1RB_Right	21.75
n77L	15	30	3542.49	CP	64QAM	Outer_Full	21.74
n77L	15	30	3542.49	CP	256QAM	Inner_Full	18.85
n77L	15	30	3542.49	CP	256QAM	Edge_1RB_Left	18.67
n77L	15	30	3542.49	CP	256QAM	Edge_1RB_Right	18.39
n77L	15	30	3542.49	CP	256QAM	Outer_Full	18.86
n77L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	24.39
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.80
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.58
n77L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	24.11
n77L	20	30	3460.02	DFT	QPSK	Inner_Full	24.29
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	21.75
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	21.57
n77L	20	30	3460.02	DFT	QPSK	Outer_Full	24.30
n77L	20	30	3460.02	DFT	16QAM	Inner_Full	24.22
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	21.93
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	21.78
n77L	20	30	3460.02	DFT	16QAM	Outer_Full	23.41
n77L	20	30	3460.02	DFT	64QAM	Inner_Full	22.82
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	21.79
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	21.58
n77L	20	30	3460.02	DFT	64QAM	Outer_Full	22.83
n77L	20	30	3460.02	DFT	256QAM	Inner_Full	20.83
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	20.52
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	20.32
n77L	20	30	3460.02	DFT	256QAM	Outer_Full	20.81
n77L	20	30	3460.02	CP	QPSK	Inner_Full	23.84
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	21.75
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	21.46
n77L	20	30	3460.02	CP	QPSK	Outer_Full	22.33
n77L	20	30	3460.02	CP	16QAM	Inner_Full	23.36
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	21.84
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	21.57
n77L	20	30	3460.02	CP	16QAM	Outer_Full	22.34
n77L	20	30	3460.02	CP	64QAM	Inner_Full	21.84
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	21.94
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	21.73
n77L	20	30	3460.02	CP	64QAM	Outer_Full	21.84
n77L	20	30	3460.02	CP	256QAM	Inner_Full	18.96
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	18.75



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	18.42
n77L	20	30	3460.02	CP	256QAM	Outer_Full	18.91
n77L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.47
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.75
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.90
n77L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.95
n77L	20	30	3500.01	DFT	QPSK	Inner_Full	25.48
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.71
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.81
n77L	20	30	3500.01	DFT	QPSK	Outer_Full	24.45
n77L	20	30	3500.01	DFT	16QAM	Inner_Full	24.47
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.88
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.96
n77L	20	30	3500.01	DFT	16QAM	Outer_Full	23.48
n77L	20	30	3500.01	DFT	64QAM	Inner_Full	22.93
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.74
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.87
n77L	20	30	3500.01	DFT	64QAM	Outer_Full	22.83
n77L	20	30	3500.01	DFT	256QAM	Inner_Full	20.74
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.52
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.42
n77L	20	30	3500.01	DFT	256QAM	Outer_Full	20.76
n77L	20	30	3500.01	CP	QPSK	Inner_Full	23.76
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	21.61
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	21.60
n77L	20	30	3500.01	CP	QPSK	Outer_Full	22.29
n77L	20	30	3500.01	CP	16QAM	Inner_Full	23.34
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	21.75
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	21.73
n77L	20	30	3500.01	CP	16QAM	Outer_Full	22.25
n77L	20	30	3500.01	CP	64QAM	Inner_Full	21.81
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	21.91
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	21.77
n77L	20	30	3500.01	CP	64QAM	Outer_Full	21.80
n77L	20	30	3500.01	CP	256QAM	Inner_Full	18.92
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	18.60
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	18.49
n77L	20	30	3500.01	CP	256QAM	Outer_Full	18.82
n77L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.32
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	21.73



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	21.51
n77L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	24.97
n77L	20	30	3540	DFT	QPSK	Inner_Full	25.28
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Left	21.69
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Right	21.47
n77L	20	30	3540	DFT	QPSK	Outer_Full	24.27
n77L	20	30	3540	DFT	16QAM	Inner_Full	24.28
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Left	21.89
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Right	21.62
n77L	20	30	3540	DFT	16QAM	Outer_Full	23.29
n77L	20	30	3540	DFT	64QAM	Inner_Full	22.72
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.76
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Right	21.57
n77L	20	30	3540	DFT	64QAM	Outer_Full	22.80
n77L	20	30	3540	DFT	256QAM	Inner_Full	20.69
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Left	20.42
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Right	20.22
n77L	20	30	3540	DFT	256QAM	Outer_Full	20.68
n77L	20	30	3540	CP	QPSK	Inner_Full	23.78
n77L	20	30	3540	CP	QPSK	Edge_1RB_Left	21.63
n77L	20	30	3540	CP	QPSK	Edge_1RB_Right	21.37
n77L	20	30	3540	CP	QPSK	Outer_Full	22.24
n77L	20	30	3540	CP	16QAM	Inner_Full	23.25
n77L	20	30	3540	CP	16QAM	Edge_1RB_Left	21.62
n77L	20	30	3540	CP	16QAM	Edge_1RB_Right	21.56
n77L	20	30	3540	CP	16QAM	Outer_Full	22.24
n77L	20	30	3540	CP	64QAM	Inner_Full	21.75
n77L	20	30	3540	CP	64QAM	Edge_1RB_Left	21.72
n77L	20	30	3540	CP	64QAM	Edge_1RB_Right	21.70
n77L	20	30	3540	CP	64QAM	Outer_Full	21.74
n77L	20	30	3540	CP	256QAM	Inner_Full	18.82
n77L	20	30	3540	CP	256QAM	Edge_1RB_Left	18.50
n77L	20	30	3540	CP	256QAM	Edge_1RB_Right	18.34
n77L	20	30	3540	CP	256QAM	Outer_Full	18.81
n77L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	25.38
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.31
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.15
n77L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	24.90
n77L	40	30	3470.01	DFT	QPSK	Inner_Full	25.25
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	21.28



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	21.10
n77L	40	30	3470.01	DFT	QPSK	Outer_Full	24.25
n77L	40	30	3470.01	DFT	16QAM	Inner_Full	24.39
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	21.32
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	20.93
n77L	40	30	3470.01	DFT	16QAM	Outer_Full	23.27
n77L	40	30	3470.01	DFT	64QAM	Inner_Full	22.86
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	21.32
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	21.15
n77L	40	30	3470.01	DFT	64QAM	Outer_Full	22.80
n77L	40	30	3470.01	DFT	256QAM	Inner_Full	20.76
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	20.11
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	19.98
n77L	40	30	3470.01	DFT	256QAM	Outer_Full	20.70
n77L	40	30	3470.01	CP	QPSK	Inner_Full	23.81
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	21.33
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	21.14
n77L	40	30	3470.01	CP	QPSK	Outer_Full	22.23
n77L	40	30	3470.01	CP	16QAM	Inner_Full	23.33
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	21.23
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	21.30
n77L	40	30	3470.01	CP	16QAM	Outer_Full	22.23
n77L	40	30	3470.01	CP	64QAM	Inner_Full	21.81
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	21.35
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	21.31
n77L	40	30	3470.01	CP	64QAM	Outer_Full	21.73
n77L	40	30	3470.01	CP	256QAM	Inner_Full	18.89
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	18.21
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	18.16
n77L	40	30	3470.01	CP	256QAM	Outer_Full	18.80
n77L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.28
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.37
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.14
n77L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.81
n77L	40	30	3500.01	DFT	QPSK	Inner_Full	25.32
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.37
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.08
n77L	40	30	3500.01	DFT	QPSK	Outer_Full	24.20
n77L	40	30	3500.01	DFT	16QAM	Inner_Full	24.33
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.51



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.32
n77L	40	30	3500.01	DFT	16QAM	Outer_Full	23.22
n77L	40	30	3500.01	DFT	64QAM	Inner_Full	22.83
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.43
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.22
n77L	40	30	3500.01	DFT	64QAM	Outer_Full	22.71
n77L	40	30	3500.01	DFT	256QAM	Inner_Full	20.76
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.14
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.88
n77L	40	30	3500.01	DFT	256QAM	Outer_Full	20.69
n77L	40	30	3500.01	CP	QPSK	Inner_Full	23.68
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	21.20
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	21.04
n77L	40	30	3500.01	CP	QPSK	Outer_Full	22.17
n77L	40	30	3500.01	CP	16QAM	Inner_Full	23.27
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	21.42
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	21.14
n77L	40	30	3500.01	CP	16QAM	Outer_Full	22.15
n77L	40	30	3500.01	CP	64QAM	Inner_Full	21.72
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	21.51
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	21.28
n77L	40	30	3500.01	CP	64QAM	Outer_Full	21.68
n77L	40	30	3500.01	CP	256QAM	Inner_Full	18.83
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	18.24
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	18.10
n77L	40	30	3500.01	CP	256QAM	Outer_Full	18.75
n77L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.31
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.29
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	20.97
n77L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	24.70
n77L	40	30	3529.98	DFT	QPSK	Inner_Full	25.30
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	21.24
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	20.93
n77L	40	30	3529.98	DFT	QPSK	Outer_Full	24.20
n77L	40	30	3529.98	DFT	16QAM	Inner_Full	24.35
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	21.43
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.21
n77L	40	30	3529.98	DFT	16QAM	Outer_Full	23.18
n77L	40	30	3529.98	DFT	64QAM	Inner_Full	22.77
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	21.35



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	21.02
n77L	40	30	3529.98	DFT	64QAM	Outer_Full	22.69
n77L	40	30	3529.98	DFT	256QAM	Inner_Full	20.69
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	20.13
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	19.74
n77L	40	30	3529.98	DFT	256QAM	Outer_Full	20.71
n77L	40	30	3529.98	CP	QPSK	Inner_Full	23.70
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	21.14
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	21.03
n77L	40	30	3529.98	CP	QPSK	Outer_Full	22.16
n77L	40	30	3529.98	CP	16QAM	Inner_Full	23.26
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	21.34
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	20.99
n77L	40	30	3529.98	CP	16QAM	Outer_Full	22.11
n77L	40	30	3529.98	CP	64QAM	Inner_Full	21.73
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	21.34
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	21.11
n77L	40	30	3529.98	CP	64QAM	Outer_Full	21.69
n77L	40	30	3529.98	CP	256QAM	Inner_Full	18.82
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	18.25
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	18.01
n77L	40	30	3529.98	CP	256QAM	Outer_Full	18.67
n77L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	25.36
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.56
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.33
n77L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	24.85
n77L	50	30	3475.02	DFT	QPSK	Inner_Full	25.33
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	21.47
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	21.25
n77L	50	30	3475.02	DFT	QPSK	Outer_Full	24.24
n77L	50	30	3475.02	DFT	16QAM	Inner_Full	24.38
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	21.72
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.49
n77L	50	30	3475.02	DFT	16QAM	Outer_Full	23.28
n77L	50	30	3475.02	DFT	64QAM	Inner_Full	22.81
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	21.59
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.38
n77L	50	30	3475.02	DFT	64QAM	Outer_Full	22.75
n77L	50	30	3475.02	DFT	256QAM	Inner_Full	20.80
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	20.33



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	20.05
n77L	50	30	3475.02	DFT	256QAM	Outer_Full	20.72
n77L	50	30	3475.02	CP	QPSK	Inner_Full	23.84
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	21.39
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	21.31
n77L	50	30	3475.02	CP	QPSK	Outer_Full	22.22
n77L	50	30	3475.02	CP	16QAM	Inner_Full	23.32
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	21.66
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	21.33
n77L	50	30	3475.02	CP	16QAM	Outer_Full	22.23
n77L	50	30	3475.02	CP	64QAM	Inner_Full	21.81
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	21.68
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	21.51
n77L	50	30	3475.02	CP	64QAM	Outer_Full	21.72
n77L	50	30	3475.02	CP	256QAM	Inner_Full	18.89
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	18.59
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	18.39
n77L	50	30	3475.02	CP	256QAM	Outer_Full	18.82
n77L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.28
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.61
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.30
n77L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.77
n77L	50	30	3500.01	DFT	QPSK	Inner_Full	25.32
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.55
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.25
n77L	50	30	3500.01	DFT	QPSK	Outer_Full	24.22
n77L	50	30	3500.01	DFT	16QAM	Inner_Full	24.34
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.72
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.50
n77L	50	30	3500.01	DFT	16QAM	Outer_Full	23.25
n77L	50	30	3500.01	DFT	64QAM	Inner_Full	22.76
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.61
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.30
n77L	50	30	3500.01	DFT	64QAM	Outer_Full	22.75
n77L	50	30	3500.01	DFT	256QAM	Inner_Full	20.77
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.46
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.12
n77L	50	30	3500.01	DFT	256QAM	Outer_Full	20.71
n77L	50	30	3500.01	CP	QPSK	Inner_Full	23.77
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	21.49



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	21.25
n77L	50	30	3500.01	CP	QPSK	Outer_Full	22.21
n77L	50	30	3500.01	CP	16QAM	Inner_Full	23.24
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	21.55
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	21.34
n77L	50	30	3500.01	CP	16QAM	Outer_Full	22.24
n77L	50	30	3500.01	CP	64QAM	Inner_Full	21.74
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	21.72
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	21.44
n77L	50	30	3500.01	CP	64QAM	Outer_Full	21.71
n77L	50	30	3500.01	CP	256QAM	Inner_Full	18.82
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	18.52
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	18.32
n77L	50	30	3500.01	CP	256QAM	Outer_Full	18.77
n77L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	25.28
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	21.49
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	21.18
n77L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	24.68
n77L	50	30	3525	DFT	QPSK	Inner_Full	25.33
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Left	21.44
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Right	21.15
n77L	50	30	3525	DFT	QPSK	Outer_Full	24.21
n77L	50	30	3525	DFT	16QAM	Inner_Full	24.30
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Left	21.24
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Right	20.98
n77L	50	30	3525	DFT	16QAM	Outer_Full	23.22
n77L	50	30	3525	DFT	64QAM	Inner_Full	22.76
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.50
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Right	21.20
n77L	50	30	3525	DFT	64QAM	Outer_Full	22.71
n77L	50	30	3525	DFT	256QAM	Inner_Full	20.78
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Left	20.32
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Right	19.93
n77L	50	30	3525	DFT	256QAM	Outer_Full	20.71
n77L	50	30	3525	CP	QPSK	Inner_Full	23.78
n77L	50	30	3525	CP	QPSK	Edge_1RB_Left	21.46
n77L	50	30	3525	CP	QPSK	Edge_1RB_Right	21.22
n77L	50	30	3525	CP	QPSK	Outer_Full	22.16
n77L	50	30	3525	CP	16QAM	Inner_Full	23.29
n77L	50	30	3525	CP	16QAM	Edge_1RB_Left	21.48



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	50	30	3525	CP	16QAM	Edge_1RB_Right	21.22
n77L	50	30	3525	CP	16QAM	Outer_Full	22.16
n77L	50	30	3525	CP	64QAM	Inner_Full	21.72
n77L	50	30	3525	CP	64QAM	Edge_1RB_Left	21.53
n77L	50	30	3525	CP	64QAM	Edge_1RB_Right	21.29
n77L	50	30	3525	CP	64QAM	Outer_Full	21.66
n77L	50	30	3525	CP	256QAM	Inner_Full	18.85
n77L	50	30	3525	CP	256QAM	Edge_1RB_Left	18.51
n77L	50	30	3525	CP	256QAM	Edge_1RB_Right	18.17
n77L	50	30	3525	CP	256QAM	Outer_Full	18.74
n77L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	25.33
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	21.44
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	21.14
n77L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	24.72
n77L	60	30	3480	DFT	QPSK	Inner_Full	25.32
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Left	21.37
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Right	21.09
n77L	60	30	3480	DFT	QPSK	Outer_Full	24.18
n77L	60	30	3480	DFT	16QAM	Inner_Full	24.35
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Left	21.59
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Right	21.30
n77L	60	30	3480	DFT	16QAM	Outer_Full	23.21
n77L	60	30	3480	DFT	64QAM	Inner_Full	22.80
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Left	21.45
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.14
n77L	60	30	3480	DFT	64QAM	Outer_Full	22.67
n77L	60	30	3480	DFT	256QAM	Inner_Full	20.79
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Left	20.23
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Right	19.94
n77L	60	30	3480	DFT	256QAM	Outer_Full	20.68
n77L	60	30	3480	CP	QPSK	Inner_Full	23.76
n77L	60	30	3480	CP	QPSK	Edge_1RB_Left	21.44
n77L	60	30	3480	CP	QPSK	Edge_1RB_Right	21.04
n77L	60	30	3480	CP	QPSK	Outer_Full	22.20
n77L	60	30	3480	CP	16QAM	Inner_Full	23.26
n77L	60	30	3480	CP	16QAM	Edge_1RB_Left	21.44
n77L	60	30	3480	CP	16QAM	Edge_1RB_Right	21.27
n77L	60	30	3480	CP	16QAM	Outer_Full	22.16
n77L	60	30	3480	CP	64QAM	Inner_Full	21.75
n77L	60	30	3480	CP	64QAM	Edge_1RB_Left	21.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	60	30	3480	CP	64QAM	Edge_1RB_Right	21.22
n77L	60	30	3480	CP	64QAM	Outer_Full	21.65
n77L	60	30	3480	CP	256QAM	Inner_Full	18.89
n77L	60	30	3480	CP	256QAM	Edge_1RB_Left	18.52
n77L	60	30	3480	CP	256QAM	Edge_1RB_Right	18.16
n77L	60	30	3480	CP	256QAM	Outer_Full	18.76
n77L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.26
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.51
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.18
n77L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.76
n77L	60	30	3500.01	DFT	QPSK	Inner_Full	25.27
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.45
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.15
n77L	60	30	3500.01	DFT	QPSK	Outer_Full	24.21
n77L	60	30	3500.01	DFT	16QAM	Inner_Full	24.24
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.67
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.24
n77L	60	30	3500.01	DFT	16QAM	Outer_Full	23.26
n77L	60	30	3500.01	DFT	64QAM	Inner_Full	22.73
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.49
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.20
n77L	60	30	3500.01	DFT	64QAM	Outer_Full	22.70
n77L	60	30	3500.01	DFT	256QAM	Inner_Full	20.66
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.33
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.92
n77L	60	30	3500.01	DFT	256QAM	Outer_Full	20.67
n77L	60	30	3500.01	CP	QPSK	Inner_Full	23.70
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	21.40
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	21.11
n77L	60	30	3500.01	CP	QPSK	Outer_Full	22.20
n77L	60	30	3500.01	CP	16QAM	Inner_Full	23.19
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	21.62
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	21.19
n77L	60	30	3500.01	CP	16QAM	Outer_Full	22.21
n77L	60	30	3500.01	CP	64QAM	Inner_Full	21.69
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	21.69
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.29
n77L	60	30	3500.01	CP	64QAM	Outer_Full	21.67
n77L	60	30	3500.01	CP	256QAM	Inner_Full	18.80
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	18.61



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	18.19
n77L	60	30	3500.01	CP	256QAM	Outer_Full	18.74
n77L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.29
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.45
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.07
n77L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	24.65
n77L	60	30	3519.99	DFT	QPSK	Inner_Full	25.25
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	21.42
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	21.00
n77L	60	30	3519.99	DFT	QPSK	Outer_Full	24.17
n77L	60	30	3519.99	DFT	16QAM	Inner_Full	24.27
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.16
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	20.76
n77L	60	30	3519.99	DFT	16QAM	Outer_Full	23.16
n77L	60	30	3519.99	DFT	64QAM	Inner_Full	22.71
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	21.47
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.03
n77L	60	30	3519.99	DFT	64QAM	Outer_Full	22.63
n77L	60	30	3519.99	DFT	256QAM	Inner_Full	20.75
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	20.28
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	19.80
n77L	60	30	3519.99	DFT	256QAM	Outer_Full	20.65
n77L	60	30	3519.99	CP	QPSK	Inner_Full	23.70
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	21.45
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	20.99
n77L	60	30	3519.99	CP	QPSK	Outer_Full	22.14
n77L	60	30	3519.99	CP	16QAM	Inner_Full	23.23
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	21.42
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	21.02
n77L	60	30	3519.99	CP	16QAM	Outer_Full	22.15
n77L	60	30	3519.99	CP	64QAM	Inner_Full	21.71
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	21.64
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	21.20
n77L	60	30	3519.99	CP	64QAM	Outer_Full	21.62
n77L	60	30	3519.99	CP	256QAM	Inner_Full	18.80
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	18.43
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	18.16
n77L	60	30	3519.99	CP	256QAM	Outer_Full	18.68
n77L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	25.40
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.17



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	20.83
n77L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	24.60
n77L	80	30	3490.02	DFT	QPSK	Inner_Full	25.26
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	21.15
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	20.83
n77L	80	30	3490.02	DFT	QPSK	Outer_Full	24.09
n77L	80	30	3490.02	DFT	16QAM	Inner_Full	24.30
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	21.29
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	20.99
n77L	80	30	3490.02	DFT	16QAM	Outer_Full	23.12
n77L	80	30	3490.02	DFT	64QAM	Inner_Full	22.88
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.17
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	20.86
n77L	80	30	3490.02	DFT	64QAM	Outer_Full	22.70
n77L	80	30	3490.02	DFT	256QAM	Inner_Full	20.69
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	19.99
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	19.66
n77L	80	30	3490.02	DFT	256QAM	Outer_Full	20.51
n77L	80	30	3490.02	CP	QPSK	Inner_Full	23.66
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	21.11
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	20.77
n77L	80	30	3490.02	CP	QPSK	Outer_Full	22.04
n77L	80	30	3490.02	CP	16QAM	Inner_Full	23.23
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	21.26
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	20.90
n77L	80	30	3490.02	CP	16QAM	Outer_Full	22.06
n77L	80	30	3490.02	CP	64QAM	Inner_Full	21.66
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	21.37
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	20.97
n77L	80	30	3490.02	CP	64QAM	Outer_Full	21.58
n77L	80	30	3490.02	CP	256QAM	Inner_Full	18.83
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	18.18
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	18.00
n77L	80	30	3490.02	CP	256QAM	Outer_Full	18.74
n77L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.31
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.22
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.80
n77L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.61
n77L	80	30	3500.01	DFT	QPSK	Inner_Full	25.25
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.20



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	20.80
n77L	80	30	3500.01	DFT	QPSK	Outer_Full	24.12
n77L	80	30	3500.01	DFT	16QAM	Inner_Full	24.25
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.39
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	20.91
n77L	80	30	3500.01	DFT	16QAM	Outer_Full	23.12
n77L	80	30	3500.01	DFT	64QAM	Inner_Full	22.74
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.28
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.82
n77L	80	30	3500.01	DFT	64QAM	Outer_Full	22.62
n77L	80	30	3500.01	DFT	256QAM	Inner_Full	20.70
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.00
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.62
n77L	80	30	3500.01	DFT	256QAM	Outer_Full	20.59
n77L	80	30	3500.01	CP	QPSK	Inner_Full	23.72
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	21.11
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	20.71
n77L	80	30	3500.01	CP	QPSK	Outer_Full	22.11
n77L	80	30	3500.01	CP	16QAM	Inner_Full	23.16
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	21.26
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	20.82
n77L	80	30	3500.01	CP	16QAM	Outer_Full	22.12
n77L	80	30	3500.01	CP	64QAM	Inner_Full	21.68
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	21.38
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	20.93
n77L	80	30	3500.01	CP	64QAM	Outer_Full	21.60
n77L	80	30	3500.01	CP	256QAM	Inner_Full	18.83
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	18.47
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	17.77
n77L	80	30	3500.01	CP	256QAM	Outer_Full	18.75
n77L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.26
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	21.19
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	20.64
n77L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	24.56
n77L	80	30	3510	DFT	QPSK	Inner_Full	25.26
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Left	21.18
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Right	20.66
n77L	80	30	3510	DFT	QPSK	Outer_Full	24.07
n77L	80	30	3510	DFT	16QAM	Inner_Full	24.21
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Left	21.29



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Right	20.83
n77L	80	30	3510	DFT	16QAM	Outer_Full	23.06
n77L	80	30	3510	DFT	64QAM	Inner_Full	22.72
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.28
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Right	20.69
n77L	80	30	3510	DFT	64QAM	Outer_Full	22.56
n77L	80	30	3510	DFT	256QAM	Inner_Full	20.66
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Left	20.03
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Right	19.44
n77L	80	30	3510	DFT	256QAM	Outer_Full	20.52
n77L	80	30	3510	CP	QPSK	Inner_Full	23.71
n77L	80	30	3510	CP	QPSK	Edge_1RB_Left	21.16
n77L	80	30	3510	CP	QPSK	Edge_1RB_Right	20.70
n77L	80	30	3510	CP	QPSK	Outer_Full	22.05
n77L	80	30	3510	CP	16QAM	Inner_Full	23.12
n77L	80	30	3510	CP	16QAM	Edge_1RB_Left	20.97
n77L	80	30	3510	CP	16QAM	Edge_1RB_Right	20.33
n77L	80	30	3510	CP	16QAM	Outer_Full	22.05
n77L	80	30	3510	CP	64QAM	Inner_Full	21.67
n77L	80	30	3510	CP	64QAM	Edge_1RB_Left	21.43
n77L	80	30	3510	CP	64QAM	Edge_1RB_Right	20.70
n77L	80	30	3510	CP	64QAM	Outer_Full	21.53
n77L	80	30	3510	CP	256QAM	Inner_Full	18.81
n77L	80	30	3510	CP	256QAM	Edge_1RB_Left	18.23
n77L	80	30	3510	CP	256QAM	Edge_1RB_Right	17.67
n77L	80	30	3510	CP	256QAM	Outer_Full	18.71
n77L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	25.20
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	20.99
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	20.56
n77L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	24.60
n77L	90	30	3495	DFT	QPSK	Inner_Full	25.21
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Left	20.95
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Right	20.52
n77L	90	30	3495	DFT	QPSK	Outer_Full	24.09
n77L	90	30	3495	DFT	16QAM	Inner_Full	24.25
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Left	21.12
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Right	20.69
n77L	90	30	3495	DFT	16QAM	Outer_Full	23.11
n77L	90	30	3495	DFT	64QAM	Inner_Full	22.66
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Left	21.04



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Right	20.57
n77L	90	30	3495	DFT	64QAM	Outer_Full	22.56
n77L	90	30	3495	DFT	256QAM	Inner_Full	20.62
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Left	19.88
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Right	19.36
n77L	90	30	3495	DFT	256QAM	Outer_Full	20.57
n77L	90	30	3495	CP	QPSK	Inner_Full	23.64
n77L	90	30	3495	CP	QPSK	Edge_1RB_Left	20.93
n77L	90	30	3495	CP	QPSK	Edge_1RB_Right	20.48
n77L	90	30	3495	CP	QPSK	Outer_Full	22.00
n77L	90	30	3495	CP	16QAM	Inner_Full	23.12
n77L	90	30	3495	CP	16QAM	Edge_1RB_Left	20.97
n77L	90	30	3495	CP	16QAM	Edge_1RB_Right	20.59
n77L	90	30	3495	CP	16QAM	Outer_Full	22.04
n77L	90	30	3495	CP	64QAM	Inner_Full	21.63
n77L	90	30	3495	CP	64QAM	Edge_1RB_Left	21.04
n77L	90	30	3495	CP	64QAM	Edge_1RB_Right	20.71
n77L	90	30	3495	CP	64QAM	Outer_Full	21.50
n77L	90	30	3495	CP	256QAM	Inner_Full	18.69
n77L	90	30	3495	CP	256QAM	Edge_1RB_Left	18.21
n77L	90	30	3495	CP	256QAM	Edge_1RB_Right	17.67
n77L	90	30	3495	CP	256QAM	Outer_Full	18.64
n77L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.22
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.98
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.49
n77L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.60
n77L	90	30	3500.01	DFT	QPSK	Inner_Full	25.20
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	20.95
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	20.50
n77L	90	30	3500.01	DFT	QPSK	Outer_Full	24.09
n77L	90	30	3500.01	DFT	16QAM	Inner_Full	24.23
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.15
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	20.71
n77L	90	30	3500.01	DFT	16QAM	Outer_Full	23.11
n77L	90	30	3500.01	DFT	64QAM	Inner_Full	22.74
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.07
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.61
n77L	90	30	3500.01	DFT	64QAM	Outer_Full	22.59
n77L	90	30	3500.01	DFT	256QAM	Inner_Full	20.69
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.90



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.31
n77L	90	30	3500.01	DFT	256QAM	Outer_Full	20.59
n77L	90	30	3500.01	CP	QPSK	Inner_Full	23.66
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	21.00
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	20.54
n77L	90	30	3500.01	CP	QPSK	Outer_Full	22.05
n77L	90	30	3500.01	CP	16QAM	Inner_Full	23.14
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	21.05
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	20.57
n77L	90	30	3500.01	CP	16QAM	Outer_Full	22.05
n77L	90	30	3500.01	CP	64QAM	Inner_Full	21.63
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	21.14
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	20.63
n77L	90	30	3500.01	CP	64QAM	Outer_Full	21.51
n77L	90	30	3500.01	CP	256QAM	Inner_Full	18.71
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	18.25
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	17.67
n77L	90	30	3500.01	CP	256QAM	Outer_Full	18.67
n77L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	25.21
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.07
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	20.49
n77L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	24.61
n77L	90	30	3504.99	DFT	QPSK	Inner_Full	25.27
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	21.07
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	20.47
n77L	90	30	3504.99	DFT	QPSK	Outer_Full	24.10
n77L	90	30	3504.99	DFT	16QAM	Inner_Full	24.27
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	21.17
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	20.63
n77L	90	30	3504.99	DFT	16QAM	Outer_Full	23.11
n77L	90	30	3504.99	DFT	64QAM	Inner_Full	22.77
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	21.11
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	20.52
n77L	90	30	3504.99	DFT	64QAM	Outer_Full	22.59
n77L	90	30	3504.99	DFT	256QAM	Inner_Full	20.71
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	19.98
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	19.29
n77L	90	30	3504.99	DFT	256QAM	Outer_Full	20.62
n77L	90	30	3504.99	CP	QPSK	Inner_Full	23.68
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	21.11



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	20.55
n77L	90	30	3504.99	CP	QPSK	Outer_Full	22.02
n77L	90	30	3504.99	CP	16QAM	Inner_Full	23.16
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	21.09
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	20.50
n77L	90	30	3504.99	CP	16QAM	Outer_Full	22.04
n77L	90	30	3504.99	CP	64QAM	Inner_Full	21.68
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	21.25
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	20.66
n77L	90	30	3504.99	CP	64QAM	Outer_Full	21.50
n77L	90	30	3504.99	CP	256QAM	Inner_Full	18.75
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	18.19
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	17.74
n77L	90	30	3504.99	CP	256QAM	Outer_Full	18.64
n77L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.21
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.83
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.29
n77L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.50
n77L	100	30	3500.01	DFT	QPSK	Inner_Full	25.19
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	20.81
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	20.29
n77L	100	30	3500.01	DFT	QPSK	Outer_Full	23.99
n77L	100	30	3500.01	DFT	16QAM	Inner_Full	24.20
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.99
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	20.48
n77L	100	30	3500.01	DFT	16QAM	Outer_Full	23.00
n77L	100	30	3500.01	DFT	64QAM	Inner_Full	22.73
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.89
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.35
n77L	100	30	3500.01	DFT	64QAM	Outer_Full	22.51
n77L	100	30	3500.01	DFT	256QAM	Inner_Full	20.64
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.68
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.13
n77L	100	30	3500.01	DFT	256QAM	Outer_Full	20.49
n77L	100	30	3500.01	CP	QPSK	Inner_Full	23.71
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	20.82
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	20.36
n77L	100	30	3500.01	CP	QPSK	Outer_Full	21.98
n77L	100	30	3500.01	CP	16QAM	Inner_Full	23.22
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	20.56



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	20.04
n77L	100	30	3500.01	CP	16QAM	Outer_Full	21.96
n77L	100	30	3500.01	CP	64QAM	Inner_Full	21.69
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.00
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	20.48
n77L	100	30	3500.01	CP	64QAM	Outer_Full	21.47
n77L	100	30	3500.01	CP	256QAM	Inner_Full	18.77
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	17.98
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	17.48
n77L	100	30	3500.01	CP	256QAM	Outer_Full	18.63
n77L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.15
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.90
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.31
n77L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.51
n77L	100	30	3500.01	DFT	QPSK	Inner_Full	25.17
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	20.83
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	20.28
n77L	100	30	3500.01	DFT	QPSK	Outer_Full	23.99
n77L	100	30	3500.01	DFT	16QAM	Inner_Full	24.19
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.98
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	20.44
n77L	100	30	3500.01	DFT	16QAM	Outer_Full	23.01
n77L	100	30	3500.01	DFT	64QAM	Inner_Full	22.73
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.88
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.35
n77L	100	30	3500.01	DFT	64QAM	Outer_Full	22.52
n77L	100	30	3500.01	DFT	256QAM	Inner_Full	20.67
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.67
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.15
n77L	100	30	3500.01	DFT	256QAM	Outer_Full	20.48
n77L	100	30	3500.01	CP	QPSK	Inner_Full	23.72
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	20.80
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	20.31
n77L	100	30	3500.01	CP	QPSK	Outer_Full	21.97
n77L	100	30	3500.01	CP	16QAM	Inner_Full	23.21
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	20.91
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	20.38
n77L	100	30	3500.01	CP	16QAM	Outer_Full	21.95
n77L	100	30	3500.01	CP	64QAM	Inner_Full	21.68
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	20.93



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	20.42
n77L	100	30	3500.01	CP	64QAM	Outer_Full	21.45
n77L	100	30	3500.01	CP	256QAM	Inner_Full	18.77
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	18.02
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	17.57
n77L	100	30	3500.01	CP	256QAM	Outer_Full	18.61
n77L	100	30	3499.98	DFT	pi/2 BPSK	Inner_Full	25.18
n77L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.83
n77L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Right	20.28
n77L	100	30	3499.98	DFT	pi/2 BPSK	Outer_Full	24.55
n77L	100	30	3499.98	DFT	QPSK	Inner_Full	25.17
n77L	100	30	3499.98	DFT	QPSK	Edge_1RB_Left	20.82
n77L	100	30	3499.98	DFT	QPSK	Edge_1RB_Right	20.24
n77L	100	30	3499.98	DFT	QPSK	Outer_Full	24.00
n77L	100	30	3499.98	DFT	16QAM	Inner_Full	24.18
n77L	100	30	3499.98	DFT	16QAM	Edge_1RB_Left	21.00
n77L	100	30	3499.98	DFT	16QAM	Edge_1RB_Right	20.45
n77L	100	30	3499.98	DFT	16QAM	Outer_Full	23.01
n77L	100	30	3499.98	DFT	64QAM	Inner_Full	22.69
n77L	100	30	3499.98	DFT	64QAM	Edge_1RB_Left	20.87
n77L	100	30	3499.98	DFT	64QAM	Edge_1RB_Right	20.34
n77L	100	30	3499.98	DFT	64QAM	Outer_Full	22.49
n77L	100	30	3499.98	DFT	256QAM	Inner_Full	20.62
n77L	100	30	3499.98	DFT	256QAM	Edge_1RB_Left	19.67
n77L	100	30	3499.98	DFT	256QAM	Edge_1RB_Right	19.12
n77L	100	30	3499.98	DFT	256QAM	Outer_Full	20.47
n77L	100	30	3499.98	CP	QPSK	Inner_Full	23.66
n77L	100	30	3499.98	CP	QPSK	Edge_1RB_Left	20.81
n77L	100	30	3499.98	CP	QPSK	Edge_1RB_Right	20.31
n77L	100	30	3499.98	CP	QPSK	Outer_Full	21.95
n77L	100	30	3499.98	CP	16QAM	Inner_Full	23.15
n77L	100	30	3499.98	CP	16QAM	Edge_1RB_Left	20.88
n77L	100	30	3499.98	CP	16QAM	Edge_1RB_Right	20.36
n77L	100	30	3499.98	CP	16QAM	Outer_Full	21.95
n77L	100	30	3499.98	CP	64QAM	Inner_Full	21.64
n77L	100	30	3499.98	CP	64QAM	Edge_1RB_Left	20.99
n77L	100	30	3499.98	CP	64QAM	Edge_1RB_Right	20.46
n77L	100	30	3499.98	CP	64QAM	Outer_Full	21.44
n77L	100	30	3499.98	CP	256QAM	Inner_Full	18.70
n77L	100	30	3499.98	CP	256QAM	Edge_1RB_Left	18.02



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	100	30	3499.98	CP	256QAM	Edge_1RB_Right	17.50
n77L	100	30	3499.98	CP	256QAM	Outer_Full	18.60

DC_2A_n77A(3700 MHz-3980 MHz)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	10	30	3705	DFT	pi/2 BPSK	Inner_Full	25.01
n77H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Left	21.38
n77H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Right	21.40
n77H	10	30	3705	DFT	pi/2 BPSK	Outer_Full	24.49
n77H	10	30	3705	DFT	QPSK	Inner_Full	25.00
n77H	10	30	3705	DFT	QPSK	Edge_1RB_Left	21.36
n77H	10	30	3705	DFT	QPSK	Edge_1RB_Right	21.38
n77H	10	30	3705	DFT	QPSK	Outer_Full	24.01
n77H	10	30	3705	DFT	16QAM	Inner_Full	24.00
n77H	10	30	3705	DFT	16QAM	Edge_1RB_Left	21.44
n77H	10	30	3705	DFT	16QAM	Edge_1RB_Right	21.55
n77H	10	30	3705	DFT	16QAM	Outer_Full	23.04
n77H	10	30	3705	DFT	64QAM	Inner_Full	22.47
n77H	10	30	3705	DFT	64QAM	Edge_1RB_Left	21.36
n77H	10	30	3705	DFT	64QAM	Edge_1RB_Right	21.47
n77H	10	30	3705	DFT	64QAM	Outer_Full	22.53
n77H	10	30	3705	DFT	256QAM	Inner_Full	20.46
n77H	10	30	3705	DFT	256QAM	Edge_1RB_Left	20.20
n77H	10	30	3705	DFT	256QAM	Edge_1RB_Right	20.25
n77H	10	30	3705	DFT	256QAM	Outer_Full	20.49
n77H	10	30	3705	CP	QPSK	Inner_Full	23.52
n77H	10	30	3705	CP	QPSK	Edge_1RB_Left	21.30
n77H	10	30	3705	CP	QPSK	Edge_1RB_Right	21.36
n77H	10	30	3705	CP	QPSK	Outer_Full	21.99
n77H	10	30	3705	CP	16QAM	Inner_Full	22.97
n77H	10	30	3705	CP	16QAM	Edge_1RB_Left	21.46
n77H	10	30	3705	CP	16QAM	Edge_1RB_Right	21.63
n77H	10	30	3705	CP	16QAM	Outer_Full	22.01
n77H	10	30	3705	CP	64QAM	Inner_Full	21.52
n77H	10	30	3705	CP	64QAM	Edge_1RB_Left	21.49
n77H	10	30	3705	CP	64QAM	Edge_1RB_Right	21.40
n77H	10	30	3705	CP	64QAM	Outer_Full	21.50
n77H	10	30	3705	CP	256QAM	Inner_Full	18.54
n77H	10	30	3705	CP	256QAM	Edge_1RB_Left	18.30
n77H	10	30	3705	CP	256QAM	Edge_1RB_Right	18.45



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	10	30	3705	CP	256QAM	Outer_Full	18.54
n77H	10	30	3840	DFT	pi/2 BPSK	Inner_Full	24.89
n77H	10	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.31
n77H	10	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.31
n77H	10	30	3840	DFT	pi/2 BPSK	Outer_Full	24.42
n77H	10	30	3840	DFT	QPSK	Inner_Full	24.94
n77H	10	30	3840	DFT	QPSK	Edge_1RB_Left	21.29
n77H	10	30	3840	DFT	QPSK	Edge_1RB_Right	21.37
n77H	10	30	3840	DFT	QPSK	Outer_Full	23.98
n77H	10	30	3840	DFT	16QAM	Inner_Full	23.98
n77H	10	30	3840	DFT	16QAM	Edge_1RB_Left	21.54
n77H	10	30	3840	DFT	16QAM	Edge_1RB_Right	21.66
n77H	10	30	3840	DFT	16QAM	Outer_Full	22.96
n77H	10	30	3840	DFT	64QAM	Inner_Full	22.43
n77H	10	30	3840	DFT	64QAM	Edge_1RB_Left	21.39
n77H	10	30	3840	DFT	64QAM	Edge_1RB_Right	21.43
n77H	10	30	3840	DFT	64QAM	Outer_Full	22.49
n77H	10	30	3840	DFT	256QAM	Inner_Full	20.42
n77H	10	30	3840	DFT	256QAM	Edge_1RB_Left	20.20
n77H	10	30	3840	DFT	256QAM	Edge_1RB_Right	20.14
n77H	10	30	3840	DFT	256QAM	Outer_Full	20.46
n77H	10	30	3840	CP	QPSK	Inner_Full	23.43
n77H	10	30	3840	CP	QPSK	Edge_1RB_Left	21.28
n77H	10	30	3840	CP	QPSK	Edge_1RB_Right	21.26
n77H	10	30	3840	CP	QPSK	Outer_Full	21.93
n77H	10	30	3840	CP	16QAM	Inner_Full	22.99
n77H	10	30	3840	CP	16QAM	Edge_1RB_Left	21.28
n77H	10	30	3840	CP	16QAM	Edge_1RB_Right	21.30
n77H	10	30	3840	CP	16QAM	Outer_Full	21.97
n77H	10	30	3840	CP	64QAM	Inner_Full	21.47
n77H	10	30	3840	CP	64QAM	Edge_1RB_Left	21.27
n77H	10	30	3840	CP	64QAM	Edge_1RB_Right	21.38
n77H	10	30	3840	CP	64QAM	Outer_Full	21.46
n77H	10	30	3840	CP	256QAM	Inner_Full	18.54
n77H	10	30	3840	CP	256QAM	Edge_1RB_Left	18.23
n77H	10	30	3840	CP	256QAM	Edge_1RB_Right	18.26
n77H	10	30	3840	CP	256QAM	Outer_Full	18.56
n77H	10	30	3975	DFT	pi/2 BPSK	Inner_Full	25.05
n77H	10	30	3975	DFT	pi/2 BPSK	Edge_1RB_Left	21.46
n77H	10	30	3975	DFT	pi/2 BPSK	Edge_1RB_Right	21.52



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	10	30	3975	DFT	pi/2 BPSK	Outer_Full	24.56
n77H	10	30	3975	DFT	QPSK	Inner_Full	25.08
n77H	10	30	3975	DFT	QPSK	Edge_1RB_Left	21.46
n77H	10	30	3975	DFT	QPSK	Edge_1RB_Right	21.47
n77H	10	30	3975	DFT	QPSK	Outer_Full	24.09
n77H	10	30	3975	DFT	16QAM	Inner_Full	24.08
n77H	10	30	3975	DFT	16QAM	Edge_1RB_Left	21.60
n77H	10	30	3975	DFT	16QAM	Edge_1RB_Right	21.61
n77H	10	30	3975	DFT	16QAM	Outer_Full	23.17
n77H	10	30	3975	DFT	64QAM	Inner_Full	22.56
n77H	10	30	3975	DFT	64QAM	Edge_1RB_Left	21.50
n77H	10	30	3975	DFT	64QAM	Edge_1RB_Right	21.57
n77H	10	30	3975	DFT	64QAM	Outer_Full	22.65
n77H	10	30	3975	DFT	256QAM	Inner_Full	20.60
n77H	10	30	3975	DFT	256QAM	Edge_1RB_Left	20.31
n77H	10	30	3975	DFT	256QAM	Edge_1RB_Right	20.30
n77H	10	30	3975	DFT	256QAM	Outer_Full	20.57
n77H	10	30	3975	CP	QPSK	Inner_Full	23.52
n77H	10	30	3975	CP	QPSK	Edge_1RB_Left	21.42
n77H	10	30	3975	CP	QPSK	Edge_1RB_Right	21.49
n77H	10	30	3975	CP	QPSK	Outer_Full	22.10
n77H	10	30	3975	CP	16QAM	Inner_Full	23.11
n77H	10	30	3975	CP	16QAM	Edge_1RB_Left	21.40
n77H	10	30	3975	CP	16QAM	Edge_1RB_Right	21.59
n77H	10	30	3975	CP	16QAM	Outer_Full	22.15
n77H	10	30	3975	CP	64QAM	Inner_Full	21.71
n77H	10	30	3975	CP	64QAM	Edge_1RB_Left	21.52
n77H	10	30	3975	CP	64QAM	Edge_1RB_Right	21.77
n77H	10	30	3975	CP	64QAM	Outer_Full	21.65
n77H	10	30	3975	CP	256QAM	Inner_Full	18.72
n77H	10	30	3975	CP	256QAM	Edge_1RB_Left	18.45
n77H	10	30	3975	CP	256QAM	Edge_1RB_Right	18.51
n77H	10	30	3975	CP	256QAM	Outer_Full	18.83
n77H	15	30	3707.52	DFT	pi/2 BPSK	Inner_Full	25.00
n77H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Left	21.32
n77H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Right	21.39
n77H	15	30	3707.52	DFT	pi/2 BPSK	Outer_Full	24.51
n77H	15	30	3707.52	DFT	QPSK	Inner_Full	25.03
n77H	15	30	3707.52	DFT	QPSK	Edge_1RB_Left	21.26
n77H	15	30	3707.52	DFT	QPSK	Edge_1RB_Right	21.32



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	15	30	3707.52	DFT	QPSK	Outer_Full	23.99
n77H	15	30	3707.52	DFT	16QAM	Inner_Full	23.99
n77H	15	30	3707.52	DFT	16QAM	Edge_1RB_Left	21.42
n77H	15	30	3707.52	DFT	16QAM	Edge_1RB_Right	21.56
n77H	15	30	3707.52	DFT	16QAM	Outer_Full	23.00
n77H	15	30	3707.52	DFT	64QAM	Inner_Full	22.48
n77H	15	30	3707.52	DFT	64QAM	Edge_1RB_Left	21.34
n77H	15	30	3707.52	DFT	64QAM	Edge_1RB_Right	21.42
n77H	15	30	3707.52	DFT	64QAM	Outer_Full	22.47
n77H	15	30	3707.52	DFT	256QAM	Inner_Full	20.48
n77H	15	30	3707.52	DFT	256QAM	Edge_1RB_Left	20.13
n77H	15	30	3707.52	DFT	256QAM	Edge_1RB_Right	20.25
n77H	15	30	3707.52	DFT	256QAM	Outer_Full	20.46
n77H	15	30	3707.52	CP	QPSK	Inner_Full	23.57
n77H	15	30	3707.52	CP	QPSK	Edge_1RB_Left	21.28
n77H	15	30	3707.52	CP	QPSK	Edge_1RB_Right	21.38
n77H	15	30	3707.52	CP	QPSK	Outer_Full	21.98
n77H	15	30	3707.52	CP	16QAM	Inner_Full	22.97
n77H	15	30	3707.52	CP	16QAM	Edge_1RB_Left	21.48
n77H	15	30	3707.52	CP	16QAM	Edge_1RB_Right	21.47
n77H	15	30	3707.52	CP	16QAM	Outer_Full	21.93
n77H	15	30	3707.52	CP	64QAM	Inner_Full	21.41
n77H	15	30	3707.52	CP	64QAM	Edge_1RB_Left	21.30
n77H	15	30	3707.52	CP	64QAM	Edge_1RB_Right	21.44
n77H	15	30	3707.52	CP	64QAM	Outer_Full	21.50
n77H	15	30	3707.52	CP	256QAM	Inner_Full	18.55
n77H	15	30	3707.52	CP	256QAM	Edge_1RB_Left	18.27
n77H	15	30	3707.52	CP	256QAM	Edge_1RB_Right	18.37
n77H	15	30	3707.52	CP	256QAM	Outer_Full	18.59
n77H	15	30	3840	DFT	pi/2 BPSK	Inner_Full	24.93
n77H	15	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.24
n77H	15	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.34
n77H	15	30	3840	DFT	pi/2 BPSK	Outer_Full	24.45
n77H	15	30	3840	DFT	QPSK	Inner_Full	24.94
n77H	15	30	3840	DFT	QPSK	Edge_1RB_Left	21.22
n77H	15	30	3840	DFT	QPSK	Edge_1RB_Right	21.34
n77H	15	30	3840	DFT	QPSK	Outer_Full	23.98
n77H	15	30	3840	DFT	16QAM	Inner_Full	23.97
n77H	15	30	3840	DFT	16QAM	Edge_1RB_Left	21.47
n77H	15	30	3840	DFT	16QAM	Edge_1RB_Right	21.76



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	15	30	3840	DFT	16QAM	Outer_Full	22.91
n77H	15	30	3840	DFT	64QAM	Inner_Full	22.45
n77H	15	30	3840	DFT	64QAM	Edge_1RB_Left	21.50
n77H	15	30	3840	DFT	64QAM	Edge_1RB_Right	21.60
n77H	15	30	3840	DFT	64QAM	Outer_Full	22.45
n77H	15	30	3840	DFT	256QAM	Inner_Full	20.48
n77H	15	30	3840	DFT	256QAM	Edge_1RB_Left	20.06
n77H	15	30	3840	DFT	256QAM	Edge_1RB_Right	20.21
n77H	15	30	3840	DFT	256QAM	Outer_Full	20.47
n77H	15	30	3840	CP	QPSK	Inner_Full	23.51
n77H	15	30	3840	CP	QPSK	Edge_1RB_Left	21.20
n77H	15	30	3840	CP	QPSK	Edge_1RB_Right	21.36
n77H	15	30	3840	CP	QPSK	Outer_Full	21.91
n77H	15	30	3840	CP	16QAM	Inner_Full	22.93
n77H	15	30	3840	CP	16QAM	Edge_1RB_Left	21.48
n77H	15	30	3840	CP	16QAM	Edge_1RB_Right	21.49
n77H	15	30	3840	CP	16QAM	Outer_Full	21.95
n77H	15	30	3840	CP	64QAM	Inner_Full	21.36
n77H	15	30	3840	CP	64QAM	Edge_1RB_Left	21.40
n77H	15	30	3840	CP	64QAM	Edge_1RB_Right	21.49
n77H	15	30	3840	CP	64QAM	Outer_Full	21.49
n77H	15	30	3840	CP	256QAM	Inner_Full	18.55
n77H	15	30	3840	CP	256QAM	Edge_1RB_Left	18.25
n77H	15	30	3840	CP	256QAM	Edge_1RB_Right	18.34
n77H	15	30	3840	CP	256QAM	Outer_Full	18.52
n77H	15	30	3972.48	DFT	pi/2 BPSK	Inner_Full	25.03
n77H	15	30	3972.48	DFT	pi/2 BPSK	Edge_1RB_Left	21.38
n77H	15	30	3972.48	DFT	pi/2 BPSK	Edge_1RB_Right	21.43
n77H	15	30	3972.48	DFT	pi/2 BPSK	Outer_Full	24.50
n77H	15	30	3972.48	DFT	QPSK	Inner_Full	25.02
n77H	15	30	3972.48	DFT	QPSK	Edge_1RB_Left	21.32
n77H	15	30	3972.48	DFT	QPSK	Edge_1RB_Right	21.38
n77H	15	30	3972.48	DFT	QPSK	Outer_Full	24.04
n77H	15	30	3972.48	DFT	16QAM	Inner_Full	24.09
n77H	15	30	3972.48	DFT	16QAM	Edge_1RB_Left	21.46
n77H	15	30	3972.48	DFT	16QAM	Edge_1RB_Right	21.64
n77H	15	30	3972.48	DFT	16QAM	Outer_Full	22.98
n77H	15	30	3972.48	DFT	64QAM	Inner_Full	22.52
n77H	15	30	3972.48	DFT	64QAM	Edge_1RB_Left	21.37
n77H	15	30	3972.48	DFT	64QAM	Edge_1RB_Right	21.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	15	30	3972.48	DFT	64QAM	Outer_Full	22.54
n77H	15	30	3972.48	DFT	256QAM	Inner_Full	20.51
n77H	15	30	3972.48	DFT	256QAM	Edge_1RB_Left	20.04
n77H	15	30	3972.48	DFT	256QAM	Edge_1RB_Right	20.16
n77H	15	30	3972.48	DFT	256QAM	Outer_Full	20.51
n77H	15	30	3972.48	CP	QPSK	Inner_Full	23.47
n77H	15	30	3972.48	CP	QPSK	Edge_1RB_Left	21.34
n77H	15	30	3972.48	CP	QPSK	Edge_1RB_Right	21.43
n77H	15	30	3972.48	CP	QPSK	Outer_Full	22.01
n77H	15	30	3972.48	CP	16QAM	Inner_Full	23.00
n77H	15	30	3972.48	CP	16QAM	Edge_1RB_Left	21.54
n77H	15	30	3972.48	CP	16QAM	Edge_1RB_Right	21.38
n77H	15	30	3972.48	CP	16QAM	Outer_Full	21.92
n77H	15	30	3972.48	CP	64QAM	Inner_Full	21.48
n77H	15	30	3972.48	CP	64QAM	Edge_1RB_Left	21.44
n77H	15	30	3972.48	CP	64QAM	Edge_1RB_Right	21.50
n77H	15	30	3972.48	CP	64QAM	Outer_Full	21.50
n77H	15	30	3972.48	CP	256QAM	Inner_Full	18.54
n77H	15	30	3972.48	CP	256QAM	Edge_1RB_Left	18.25
n77H	15	30	3972.48	CP	256QAM	Edge_1RB_Right	18.50
n77H	15	30	3972.48	CP	256QAM	Outer_Full	18.61
n77H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	25.02
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.23
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.35
n77H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	24.45
n77H	20	30	3710.01	DFT	QPSK	Inner_Full	24.99
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	21.23
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.34
n77H	20	30	3710.01	DFT	QPSK	Outer_Full	23.98
n77H	20	30	3710.01	DFT	16QAM	Inner_Full	24.01
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	21.43
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	21.55
n77H	20	30	3710.01	DFT	16QAM	Outer_Full	23.03
n77H	20	30	3710.01	DFT	64QAM	Inner_Full	22.49
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	21.28
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	21.39
n77H	20	30	3710.01	DFT	64QAM	Outer_Full	22.53
n77H	20	30	3710.01	DFT	256QAM	Inner_Full	20.48
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	20.05
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	20.25



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	20	30	3710.01	DFT	256QAM	Outer_Full	20.48
n77H	20	30	3710.01	CP	QPSK	Inner_Full	23.49
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	21.19
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	21.28
n77H	20	30	3710.01	CP	QPSK	Outer_Full	21.99
n77H	20	30	3710.01	CP	16QAM	Inner_Full	22.99
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	21.23
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	21.40
n77H	20	30	3710.01	CP	16QAM	Outer_Full	21.96
n77H	20	30	3710.01	CP	64QAM	Inner_Full	21.50
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	21.38
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	21.38
n77H	20	30	3710.01	CP	64QAM	Outer_Full	21.49
n77H	20	30	3710.01	CP	256QAM	Inner_Full	18.59
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	18.13
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	18.29
n77H	20	30	3710.01	CP	256QAM	Outer_Full	18.56
n77H	20	30	3840	DFT	pi/2 BPSK	Inner_Full	24.98
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.26
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.36
n77H	20	30	3840	DFT	pi/2 BPSK	Outer_Full	24.41
n77H	20	30	3840	DFT	QPSK	Inner_Full	24.97
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Left	21.23
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Right	21.33
n77H	20	30	3840	DFT	QPSK	Outer_Full	23.96
n77H	20	30	3840	DFT	16QAM	Inner_Full	23.99
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Left	21.46
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Right	21.59
n77H	20	30	3840	DFT	16QAM	Outer_Full	23.00
n77H	20	30	3840	DFT	64QAM	Inner_Full	22.48
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Left	21.45
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Right	21.31
n77H	20	30	3840	DFT	64QAM	Outer_Full	22.45
n77H	20	30	3840	DFT	256QAM	Inner_Full	20.41
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Left	20.03
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Right	20.12
n77H	20	30	3840	DFT	256QAM	Outer_Full	20.40
n77H	20	30	3840	CP	QPSK	Inner_Full	23.47
n77H	20	30	3840	CP	QPSK	Edge_1RB_Left	21.26
n77H	20	30	3840	CP	QPSK	Edge_1RB_Right	21.31



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	20	30	3840	CP	QPSK	Outer_Full	21.95
n77H	20	30	3840	CP	16QAM	Inner_Full	22.97
n77H	20	30	3840	CP	16QAM	Edge_1RB_Left	21.43
n77H	20	30	3840	CP	16QAM	Edge_1RB_Right	21.41
n77H	20	30	3840	CP	16QAM	Outer_Full	21.94
n77H	20	30	3840	CP	64QAM	Inner_Full	21.47
n77H	20	30	3840	CP	64QAM	Edge_1RB_Left	21.33
n77H	20	30	3840	CP	64QAM	Edge_1RB_Right	21.46
n77H	20	30	3840	CP	64QAM	Outer_Full	21.47
n77H	20	30	3840	CP	256QAM	Inner_Full	18.62
n77H	20	30	3840	CP	256QAM	Edge_1RB_Left	18.17
n77H	20	30	3840	CP	256QAM	Edge_1RB_Right	18.25
n77H	20	30	3840	CP	256QAM	Outer_Full	18.51
n77H	20	30	3969.99	DFT	pi/2 BPSK	Inner_Full	25.04
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.23
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.37
n77H	20	30	3969.99	DFT	pi/2 BPSK	Outer_Full	24.43
n77H	20	30	3969.99	DFT	QPSK	Inner_Full	25.01
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Left	21.25
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Right	21.37
n77H	20	30	3969.99	DFT	QPSK	Outer_Full	23.94
n77H	20	30	3969.99	DFT	16QAM	Inner_Full	24.00
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Left	21.40
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Right	21.58
n77H	20	30	3969.99	DFT	16QAM	Outer_Full	23.04
n77H	20	30	3969.99	DFT	64QAM	Inner_Full	22.51
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Left	21.39
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Right	21.39
n77H	20	30	3969.99	DFT	64QAM	Outer_Full	22.49
n77H	20	30	3969.99	DFT	256QAM	Inner_Full	20.47
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Left	20.13
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Right	20.19
n77H	20	30	3969.99	DFT	256QAM	Outer_Full	20.44
n77H	20	30	3969.99	CP	QPSK	Inner_Full	23.49
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Left	21.19
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Right	21.38
n77H	20	30	3969.99	CP	QPSK	Outer_Full	22.00
n77H	20	30	3969.99	CP	16QAM	Inner_Full	22.98
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Left	21.28
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Right	21.41



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	20	30	3969.99	CP	16QAM	Outer_Full	21.97
n77H	20	30	3969.99	CP	64QAM	Inner_Full	21.53
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Left	21.39
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Right	21.31
n77H	20	30	3969.99	CP	64QAM	Outer_Full	21.50
n77H	20	30	3969.99	CP	256QAM	Inner_Full	18.61
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Left	18.38
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Right	18.36
n77H	20	30	3969.99	CP	256QAM	Outer_Full	18.61
n77H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	24.94
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	20.78
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	20.97
n77H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	24.27
n77H	40	30	3720	DFT	QPSK	Inner_Full	24.94
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Left	20.73
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Right	20.88
n77H	40	30	3720	DFT	QPSK	Outer_Full	23.84
n77H	40	30	3720	DFT	16QAM	Inner_Full	24.00
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Left	20.90
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Right	21.06
n77H	40	30	3720	DFT	16QAM	Outer_Full	22.81
n77H	40	30	3720	DFT	64QAM	Inner_Full	22.42
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Left	20.79
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Right	20.98
n77H	40	30	3720	DFT	64QAM	Outer_Full	22.35
n77H	40	30	3720	DFT	256QAM	Inner_Full	20.42
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Left	19.64
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Right	19.72
n77H	40	30	3720	DFT	256QAM	Outer_Full	20.32
n77H	40	30	3720	CP	QPSK	Inner_Full	23.42
n77H	40	30	3720	CP	QPSK	Edge_1RB_Left	20.75
n77H	40	30	3720	CP	QPSK	Edge_1RB_Right	20.93
n77H	40	30	3720	CP	QPSK	Outer_Full	21.80
n77H	40	30	3720	CP	16QAM	Inner_Full	22.93
n77H	40	30	3720	CP	16QAM	Edge_1RB_Left	20.94
n77H	40	30	3720	CP	16QAM	Edge_1RB_Right	20.98
n77H	40	30	3720	CP	16QAM	Outer_Full	21.82
n77H	40	30	3720	CP	64QAM	Inner_Full	21.45
n77H	40	30	3720	CP	64QAM	Edge_1RB_Left	20.88
n77H	40	30	3720	CP	64QAM	Edge_1RB_Right	21.12



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	40	30	3720	CP	64QAM	Outer_Full	21.34
n77H	40	30	3720	CP	256QAM	Inner_Full	18.55
n77H	40	30	3720	CP	256QAM	Edge_1RB_Left	17.67
n77H	40	30	3720	CP	256QAM	Edge_1RB_Right	17.94
n77H	40	30	3720	CP	256QAM	Outer_Full	18.38
n77H	40	30	3840	DFT	pi/2 BPSK	Inner_Full	25.01
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	20.76
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	20.99
n77H	40	30	3840	DFT	pi/2 BPSK	Outer_Full	24.37
n77H	40	30	3840	DFT	QPSK	Inner_Full	24.98
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Left	20.71
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Right	21.03
n77H	40	30	3840	DFT	QPSK	Outer_Full	23.89
n77H	40	30	3840	DFT	16QAM	Inner_Full	24.05
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Left	21.05
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Right	21.21
n77H	40	30	3840	DFT	16QAM	Outer_Full	22.90
n77H	40	30	3840	DFT	64QAM	Inner_Full	22.50
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Left	20.92
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Right	21.04
n77H	40	30	3840	DFT	64QAM	Outer_Full	22.42
n77H	40	30	3840	DFT	256QAM	Inner_Full	20.45
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Left	19.64
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Right	19.87
n77H	40	30	3840	DFT	256QAM	Outer_Full	20.35
n77H	40	30	3840	CP	QPSK	Inner_Full	23.46
n77H	40	30	3840	CP	QPSK	Edge_1RB_Left	20.75
n77H	40	30	3840	CP	QPSK	Edge_1RB_Right	21.02
n77H	40	30	3840	CP	QPSK	Outer_Full	21.84
n77H	40	30	3840	CP	16QAM	Inner_Full	22.91
n77H	40	30	3840	CP	16QAM	Edge_1RB_Left	20.74
n77H	40	30	3840	CP	16QAM	Edge_1RB_Right	21.22
n77H	40	30	3840	CP	16QAM	Outer_Full	21.80
n77H	40	30	3840	CP	64QAM	Inner_Full	21.42
n77H	40	30	3840	CP	64QAM	Edge_1RB_Left	20.91
n77H	40	30	3840	CP	64QAM	Edge_1RB_Right	21.21
n77H	40	30	3840	CP	64QAM	Outer_Full	21.35
n77H	40	30	3840	CP	256QAM	Inner_Full	18.55
n77H	40	30	3840	CP	256QAM	Edge_1RB_Left	17.70
n77H	40	30	3840	CP	256QAM	Edge_1RB_Right	18.01



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	40	30	3840	CP	256QAM	Outer_Full	18.42
n77H	40	30	3960	DFT	pi/2 BPSK	Inner_Full	24.98
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Left	20.85
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Right	21.04
n77H	40	30	3960	DFT	pi/2 BPSK	Outer_Full	24.40
n77H	40	30	3960	DFT	QPSK	Inner_Full	24.97
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Left	20.87
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Right	20.93
n77H	40	30	3960	DFT	QPSK	Outer_Full	23.91
n77H	40	30	3960	DFT	16QAM	Inner_Full	24.03
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Left	20.95
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Right	21.13
n77H	40	30	3960	DFT	16QAM	Outer_Full	22.90
n77H	40	30	3960	DFT	64QAM	Inner_Full	22.48
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Left	20.90
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Right	20.98
n77H	40	30	3960	DFT	64QAM	Outer_Full	22.40
n77H	40	30	3960	DFT	256QAM	Inner_Full	20.45
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Left	19.68
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Right	19.85
n77H	40	30	3960	DFT	256QAM	Outer_Full	20.35
n77H	40	30	3960	CP	QPSK	Inner_Full	23.42
n77H	40	30	3960	CP	QPSK	Edge_1RB_Left	20.84
n77H	40	30	3960	CP	QPSK	Edge_1RB_Right	21.06
n77H	40	30	3960	CP	QPSK	Outer_Full	21.86
n77H	40	30	3960	CP	16QAM	Inner_Full	22.92
n77H	40	30	3960	CP	16QAM	Edge_1RB_Left	21.00
n77H	40	30	3960	CP	16QAM	Edge_1RB_Right	21.25
n77H	40	30	3960	CP	16QAM	Outer_Full	21.86
n77H	40	30	3960	CP	64QAM	Inner_Full	21.41
n77H	40	30	3960	CP	64QAM	Edge_1RB_Left	20.99
n77H	40	30	3960	CP	64QAM	Edge_1RB_Right	21.17
n77H	40	30	3960	CP	64QAM	Outer_Full	21.36
n77H	40	30	3960	CP	256QAM	Inner_Full	18.76
n77H	40	30	3960	CP	256QAM	Edge_1RB_Left	17.91
n77H	40	30	3960	CP	256QAM	Edge_1RB_Right	18.00
n77H	40	30	3960	CP	256QAM	Outer_Full	18.33
n77H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	25.00
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.05
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.29



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	24.42
n77H	50	30	3725.01	DFT	QPSK	Inner_Full	25.02
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	21.01
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	21.28
n77H	50	30	3725.01	DFT	QPSK	Outer_Full	23.96
n77H	50	30	3725.01	DFT	16QAM	Inner_Full	24.03
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	21.15
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	21.53
n77H	50	30	3725.01	DFT	16QAM	Outer_Full	22.96
n77H	50	30	3725.01	DFT	64QAM	Inner_Full	22.52
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	21.05
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	21.28
n77H	50	30	3725.01	DFT	64QAM	Outer_Full	22.45
n77H	50	30	3725.01	DFT	256QAM	Inner_Full	20.52
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	19.80
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	20.11
n77H	50	30	3725.01	DFT	256QAM	Outer_Full	20.42
n77H	50	30	3725.01	CP	QPSK	Inner_Full	23.51
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	21.04
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	21.30
n77H	50	30	3725.01	CP	QPSK	Outer_Full	21.92
n77H	50	30	3725.01	CP	16QAM	Inner_Full	22.95
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	20.99
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	21.51
n77H	50	30	3725.01	CP	16QAM	Outer_Full	21.93
n77H	50	30	3725.01	CP	64QAM	Inner_Full	21.47
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	21.11
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	21.41
n77H	50	30	3725.01	CP	64QAM	Outer_Full	21.40
n77H	50	30	3725.01	CP	256QAM	Inner_Full	18.60
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	18.01
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	18.42
n77H	50	30	3725.01	CP	256QAM	Outer_Full	18.52
n77H	50	30	3840	DFT	pi/2 BPSK	Inner_Full	24.99
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	20.97
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.21
n77H	50	30	3840	DFT	pi/2 BPSK	Outer_Full	24.38
n77H	50	30	3840	DFT	QPSK	Inner_Full	25.00
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Left	20.93
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Right	21.18



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	50	30	3840	DFT	QPSK	Outer_Full	23.90
n77H	50	30	3840	DFT	16QAM	Inner_Full	24.03
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Left	21.19
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Right	21.46
n77H	50	30	3840	DFT	16QAM	Outer_Full	22.92
n77H	50	30	3840	DFT	64QAM	Inner_Full	22.48
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Left	20.97
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Right	21.34
n77H	50	30	3840	DFT	64QAM	Outer_Full	22.42
n77H	50	30	3840	DFT	256QAM	Inner_Full	20.51
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Left	19.82
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Right	19.99
n77H	50	30	3840	DFT	256QAM	Outer_Full	20.38
n77H	50	30	3840	CP	QPSK	Inner_Full	23.47
n77H	50	30	3840	CP	QPSK	Edge_1RB_Left	20.86
n77H	50	30	3840	CP	QPSK	Edge_1RB_Right	21.25
n77H	50	30	3840	CP	QPSK	Outer_Full	21.90
n77H	50	30	3840	CP	16QAM	Inner_Full	22.92
n77H	50	30	3840	CP	16QAM	Edge_1RB_Left	20.93
n77H	50	30	3840	CP	16QAM	Edge_1RB_Right	21.38
n77H	50	30	3840	CP	16QAM	Outer_Full	21.89
n77H	50	30	3840	CP	64QAM	Inner_Full	21.47
n77H	50	30	3840	CP	64QAM	Edge_1RB_Left	21.06
n77H	50	30	3840	CP	64QAM	Edge_1RB_Right	21.37
n77H	50	30	3840	CP	64QAM	Outer_Full	21.36
n77H	50	30	3840	CP	256QAM	Inner_Full	18.61
n77H	50	30	3840	CP	256QAM	Edge_1RB_Left	17.90
n77H	50	30	3840	CP	256QAM	Edge_1RB_Right	18.25
n77H	50	30	3840	CP	256QAM	Outer_Full	18.44
n77H	50	30	3954.48	DFT	pi/2 BPSK	Inner_Full	24.92
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Left	20.98
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Right	21.18
n77H	50	30	3954.48	DFT	pi/2 BPSK	Outer_Full	24.33
n77H	50	30	3954.48	DFT	QPSK	Inner_Full	24.95
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Left	20.91
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Right	21.24
n77H	50	30	3954.48	DFT	QPSK	Outer_Full	23.76
n77H	50	30	3954.48	DFT	16QAM	Inner_Full	23.92
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Left	21.16
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Right	21.41



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	50	30	3954.48	DFT	16QAM	Outer_Full	22.86
n77H	50	30	3954.48	DFT	64QAM	Inner_Full	22.36
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Left	20.94
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Right	21.20
n77H	50	30	3954.48	DFT	64QAM	Outer_Full	22.34
n77H	50	30	3954.48	DFT	256QAM	Inner_Full	20.35
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Left	19.78
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Right	20.05
n77H	50	30	3954.48	DFT	256QAM	Outer_Full	20.31
n77H	50	30	3954.48	CP	QPSK	Inner_Full	23.40
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Left	20.93
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Right	21.23
n77H	50	30	3954.48	CP	QPSK	Outer_Full	21.83
n77H	50	30	3954.48	CP	16QAM	Inner_Full	22.90
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Left	20.93
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Right	21.18
n77H	50	30	3954.48	CP	16QAM	Outer_Full	21.82
n77H	50	30	3954.48	CP	64QAM	Inner_Full	21.39
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Left	21.02
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Right	21.31
n77H	50	30	3954.48	CP	64QAM	Outer_Full	21.32
n77H	50	30	3954.48	CP	256QAM	Inner_Full	18.76
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Left	18.06
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Right	18.20
n77H	50	30	3954.48	CP	256QAM	Outer_Full	18.28
n77H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	24.97
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	20.84
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.11
n77H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	24.37
n77H	60	30	3730.02	DFT	QPSK	Inner_Full	24.96
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	20.81
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	21.18
n77H	60	30	3730.02	DFT	QPSK	Outer_Full	23.89
n77H	60	30	3730.02	DFT	16QAM	Inner_Full	23.96
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	20.96
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	21.25
n77H	60	30	3730.02	DFT	16QAM	Outer_Full	22.90
n77H	60	30	3730.02	DFT	64QAM	Inner_Full	22.50
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	20.86
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	21.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	60	30	3730.02	DFT	64QAM	Outer_Full	22.40
n77H	60	30	3730.02	DFT	256QAM	Inner_Full	20.44
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	19.71
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	19.99
n77H	60	30	3730.02	DFT	256QAM	Outer_Full	20.42
n77H	60	30	3730.02	CP	QPSK	Inner_Full	23.42
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	20.84
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	21.13
n77H	60	30	3730.02	CP	QPSK	Outer_Full	21.82
n77H	60	30	3730.02	CP	16QAM	Inner_Full	22.93
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	20.84
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	21.13
n77H	60	30	3730.02	CP	16QAM	Outer_Full	21.83
n77H	60	30	3730.02	CP	64QAM	Inner_Full	21.43
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	21.02
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	21.19
n77H	60	30	3730.02	CP	64QAM	Outer_Full	21.34
n77H	60	30	3730.02	CP	256QAM	Inner_Full	18.54
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	17.95
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	18.18
n77H	60	30	3730.02	CP	256QAM	Outer_Full	18.50
n77H	60	30	3840	DFT	pi/2 BPSK	Inner_Full	24.96
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	20.79
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.08
n77H	60	30	3840	DFT	pi/2 BPSK	Outer_Full	24.35
n77H	60	30	3840	DFT	QPSK	Inner_Full	24.89
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Left	20.80
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Right	21.09
n77H	60	30	3840	DFT	QPSK	Outer_Full	23.88
n77H	60	30	3840	DFT	16QAM	Inner_Full	23.98
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Left	21.02
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Right	21.33
n77H	60	30	3840	DFT	16QAM	Outer_Full	22.88
n77H	60	30	3840	DFT	64QAM	Inner_Full	22.38
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Left	20.79
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Right	21.09
n77H	60	30	3840	DFT	64QAM	Outer_Full	22.39
n77H	60	30	3840	DFT	256QAM	Inner_Full	20.45
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Left	19.59
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Right	19.89



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	60	30	3840	DFT	256QAM	Outer_Full	20.36
n77H	60	30	3840	CP	QPSK	Inner_Full	23.44
n77H	60	30	3840	CP	QPSK	Edge_1RB_Left	20.78
n77H	60	30	3840	CP	QPSK	Edge_1RB_Right	21.06
n77H	60	30	3840	CP	QPSK	Outer_Full	21.83
n77H	60	30	3840	CP	16QAM	Inner_Full	22.92
n77H	60	30	3840	CP	16QAM	Edge_1RB_Left	20.77
n77H	60	30	3840	CP	16QAM	Edge_1RB_Right	21.28
n77H	60	30	3840	CP	16QAM	Outer_Full	21.85
n77H	60	30	3840	CP	64QAM	Inner_Full	21.37
n77H	60	30	3840	CP	64QAM	Edge_1RB_Left	20.86
n77H	60	30	3840	CP	64QAM	Edge_1RB_Right	21.22
n77H	60	30	3840	CP	64QAM	Outer_Full	21.32
n77H	60	30	3840	CP	256QAM	Inner_Full	18.70
n77H	60	30	3840	CP	256QAM	Edge_1RB_Left	17.94
n77H	60	30	3840	CP	256QAM	Edge_1RB_Right	18.21
n77H	60	30	3840	CP	256QAM	Outer_Full	18.73
n77H	60	30	3949.98	DFT	pi/2 BPSK	Inner_Full	24.92
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.87
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.11
n77H	60	30	3949.98	DFT	pi/2 BPSK	Outer_Full	24.34
n77H	60	30	3949.98	DFT	QPSK	Inner_Full	24.91
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Left	20.84
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Right	21.03
n77H	60	30	3949.98	DFT	QPSK	Outer_Full	23.82
n77H	60	30	3949.98	DFT	16QAM	Inner_Full	23.93
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Left	20.97
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Right	21.21
n77H	60	30	3949.98	DFT	16QAM	Outer_Full	22.82
n77H	60	30	3949.98	DFT	64QAM	Inner_Full	22.41
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Left	20.91
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Right	21.12
n77H	60	30	3949.98	DFT	64QAM	Outer_Full	22.36
n77H	60	30	3949.98	DFT	256QAM	Inner_Full	20.37
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Left	19.61
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Right	19.96
n77H	60	30	3949.98	DFT	256QAM	Outer_Full	20.34
n77H	60	30	3949.98	CP	QPSK	Inner_Full	23.44
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Left	20.85
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Right	20.99



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	60	30	3949.98	CP	QPSK	Outer_Full	21.82
n77H	60	30	3949.98	CP	16QAM	Inner_Full	22.93
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Left	20.79
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Right	21.08
n77H	60	30	3949.98	CP	16QAM	Outer_Full	21.81
n77H	60	30	3949.98	CP	64QAM	Inner_Full	21.40
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Left	20.96
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Right	21.29
n77H	60	30	3949.98	CP	64QAM	Outer_Full	21.33
n77H	60	30	3949.98	CP	256QAM	Inner_Full	18.67
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Left	17.99
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Right	18.23
n77H	60	30	3949.98	CP	256QAM	Outer_Full	18.35
n77H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	24.92
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.55
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.92
n77H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	24.32
n77H	80	30	3740.01	DFT	QPSK	Inner_Full	24.96
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	20.57
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	20.89
n77H	80	30	3740.01	DFT	QPSK	Outer_Full	23.78
n77H	80	30	3740.01	DFT	16QAM	Inner_Full	23.98
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	20.66
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	21.09
n77H	80	30	3740.01	DFT	16QAM	Outer_Full	22.85
n77H	80	30	3740.01	DFT	64QAM	Inner_Full	22.47
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	20.64
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	20.86
n77H	80	30	3740.01	DFT	64QAM	Outer_Full	22.32
n77H	80	30	3740.01	DFT	256QAM	Inner_Full	20.47
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	19.44
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	19.73
n77H	80	30	3740.01	DFT	256QAM	Outer_Full	20.32
n77H	80	30	3740.01	CP	QPSK	Inner_Full	23.44
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	20.52
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	20.87
n77H	80	30	3740.01	CP	QPSK	Outer_Full	21.80
n77H	80	30	3740.01	CP	16QAM	Inner_Full	22.93
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	20.69
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	20.94



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	80	30	3740.01	CP	16QAM	Outer_Full	21.80
n77H	80	30	3740.01	CP	64QAM	Inner_Full	21.42
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	20.81
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	21.19
n77H	80	30	3740.01	CP	64QAM	Outer_Full	21.33
n77H	80	30	3740.01	CP	256QAM	Inner_Full	18.60
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	17.57
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	17.95
n77H	80	30	3740.01	CP	256QAM	Outer_Full	18.46
n77H	80	30	3840	DFT	pi/2 BPSK	Inner_Full	24.98
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	20.46
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	20.87
n77H	80	30	3840	DFT	pi/2 BPSK	Outer_Full	24.26
n77H	80	30	3840	DFT	QPSK	Inner_Full	24.96
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Left	20.48
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Right	20.90
n77H	80	30	3840	DFT	QPSK	Outer_Full	23.77
n77H	80	30	3840	DFT	16QAM	Inner_Full	24.01
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Left	20.63
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Right	21.25
n77H	80	30	3840	DFT	16QAM	Outer_Full	22.82
n77H	80	30	3840	DFT	64QAM	Inner_Full	22.49
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Left	20.50
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Right	21.22
n77H	80	30	3840	DFT	64QAM	Outer_Full	22.31
n77H	80	30	3840	DFT	256QAM	Inner_Full	20.41
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Left	19.32
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Right	19.71
n77H	80	30	3840	DFT	256QAM	Outer_Full	20.25
n77H	80	30	3840	CP	QPSK	Inner_Full	23.46
n77H	80	30	3840	CP	QPSK	Edge_1RB_Left	20.38
n77H	80	30	3840	CP	QPSK	Edge_1RB_Right	20.88
n77H	80	30	3840	CP	QPSK	Outer_Full	21.76
n77H	80	30	3840	CP	16QAM	Inner_Full	22.87
n77H	80	30	3840	CP	16QAM	Edge_1RB_Left	20.43
n77H	80	30	3840	CP	16QAM	Edge_1RB_Right	20.86
n77H	80	30	3840	CP	16QAM	Outer_Full	21.73
n77H	80	30	3840	CP	64QAM	Inner_Full	21.42
n77H	80	30	3840	CP	64QAM	Edge_1RB_Left	20.60
n77H	80	30	3840	CP	64QAM	Edge_1RB_Right	21.06



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	80	30	3840	CP	64QAM	Outer_Full	21.29
n77H	80	30	3840	CP	256QAM	Inner_Full	18.55
n77H	80	30	3840	CP	256QAM	Edge_1RB_Left	17.67
n77H	80	30	3840	CP	256QAM	Edge_1RB_Right	18.13
n77H	80	30	3840	CP	256QAM	Outer_Full	18.45
n77H	80	30	3939.99	DFT	pi/2 BPSK	Inner_Full	24.95
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	20.63
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	20.92
n77H	80	30	3939.99	DFT	pi/2 BPSK	Outer_Full	24.32
n77H	80	30	3939.99	DFT	QPSK	Inner_Full	24.91
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Left	20.63
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Right	20.94
n77H	80	30	3939.99	DFT	QPSK	Outer_Full	23.79
n77H	80	30	3939.99	DFT	16QAM	Inner_Full	23.92
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Left	20.86
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Right	21.13
n77H	80	30	3939.99	DFT	16QAM	Outer_Full	22.82
n77H	80	30	3939.99	DFT	64QAM	Inner_Full	22.43
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Left	20.65
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Right	21.06
n77H	80	30	3939.99	DFT	64QAM	Outer_Full	22.32
n77H	80	30	3939.99	DFT	256QAM	Inner_Full	20.38
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Left	19.45
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Right	19.74
n77H	80	30	3939.99	DFT	256QAM	Outer_Full	20.29
n77H	80	30	3939.99	CP	QPSK	Inner_Full	23.40
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Left	20.60
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Right	20.91
n77H	80	30	3939.99	CP	QPSK	Outer_Full	21.80
n77H	80	30	3939.99	CP	16QAM	Inner_Full	22.92
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Left	20.79
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Right	20.96
n77H	80	30	3939.99	CP	16QAM	Outer_Full	21.76
n77H	80	30	3939.99	CP	64QAM	Inner_Full	21.35
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Left	20.75
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Right	21.12
n77H	80	30	3939.99	CP	64QAM	Outer_Full	21.33
n77H	80	30	3939.99	CP	256QAM	Inner_Full	18.53
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Left	17.66
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Right	17.92



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	80	30	3939.99	CP	256QAM	Outer_Full	18.47
n77H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	24.96
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	20.37
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	20.81
n77H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	24.28
n77H	90	30	3745.02	DFT	QPSK	Inner_Full	24.93
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	20.37
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	20.75
n77H	90	30	3745.02	DFT	QPSK	Outer_Full	23.85
n77H	90	30	3745.02	DFT	16QAM	Inner_Full	23.99
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	20.55
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	20.86
n77H	90	30	3745.02	DFT	16QAM	Outer_Full	22.84
n77H	90	30	3745.02	DFT	64QAM	Inner_Full	22.47
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	20.42
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	20.81
n77H	90	30	3745.02	DFT	64QAM	Outer_Full	22.33
n77H	90	30	3745.02	DFT	256QAM	Inner_Full	20.42
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	19.19
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	19.62
n77H	90	30	3745.02	DFT	256QAM	Outer_Full	20.33
n77H	90	30	3745.02	CP	QPSK	Inner_Full	23.41
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	20.34
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	20.82
n77H	90	30	3745.02	CP	QPSK	Outer_Full	21.77
n77H	90	30	3745.02	CP	16QAM	Inner_Full	22.89
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	20.38
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	21.01
n77H	90	30	3745.02	CP	16QAM	Outer_Full	21.80
n77H	90	30	3745.02	CP	64QAM	Inner_Full	21.42
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	20.54
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	20.89
n77H	90	30	3745.02	CP	64QAM	Outer_Full	21.28
n77H	90	30	3745.02	CP	256QAM	Inner_Full	18.50
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	17.51
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	17.93
n77H	90	30	3745.02	CP	256QAM	Outer_Full	18.45
n77H	90	30	3840	DFT	pi/2 BPSK	Inner_Full	24.92
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	20.13
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	20.67



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	90	30	3840	DFT	pi/2 BPSK	Outer_Full	24.26
n77H	90	30	3840	DFT	QPSK	Inner_Full	24.92
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Left	20.21
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Right	20.72
n77H	90	30	3840	DFT	QPSK	Outer_Full	23.77
n77H	90	30	3840	DFT	16QAM	Inner_Full	23.92
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Left	20.42
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Right	20.84
n77H	90	30	3840	DFT	16QAM	Outer_Full	22.76
n77H	90	30	3840	DFT	64QAM	Inner_Full	22.42
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Left	20.32
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Right	20.74
n77H	90	30	3840	DFT	64QAM	Outer_Full	22.19
n77H	90	30	3840	DFT	256QAM	Inner_Full	20.37
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Left	19.05
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Right	19.61
n77H	90	30	3840	DFT	256QAM	Outer_Full	20.22
n77H	90	30	3840	CP	QPSK	Inner_Full	23.36
n77H	90	30	3840	CP	QPSK	Edge_1RB_Left	20.18
n77H	90	30	3840	CP	QPSK	Edge_1RB_Right	20.67
n77H	90	30	3840	CP	QPSK	Outer_Full	21.72
n77H	90	30	3840	CP	16QAM	Inner_Full	22.84
n77H	90	30	3840	CP	16QAM	Edge_1RB_Left	20.21
n77H	90	30	3840	CP	16QAM	Edge_1RB_Right	20.77
n77H	90	30	3840	CP	16QAM	Outer_Full	21.74
n77H	90	30	3840	CP	64QAM	Inner_Full	21.36
n77H	90	30	3840	CP	64QAM	Edge_1RB_Left	20.36
n77H	90	30	3840	CP	64QAM	Edge_1RB_Right	20.79
n77H	90	30	3840	CP	64QAM	Outer_Full	21.23
n77H	90	30	3840	CP	256QAM	Inner_Full	18.43
n77H	90	30	3840	CP	256QAM	Edge_1RB_Left	17.30
n77H	90	30	3840	CP	256QAM	Edge_1RB_Right	17.96
n77H	90	30	3840	CP	256QAM	Outer_Full	18.38
n77H	90	30	3934.98	DFT	pi/2 BPSK	Inner_Full	24.92
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.51
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Right	20.81
n77H	90	30	3934.98	DFT	pi/2 BPSK	Outer_Full	24.31
n77H	90	30	3934.98	DFT	QPSK	Inner_Full	24.91
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Left	20.45
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Right	20.76



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	90	30	3934.98	DFT	QPSK	Outer_Full	23.82
n77H	90	30	3934.98	DFT	16QAM	Inner_Full	23.95
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Left	20.64
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Right	20.94
n77H	90	30	3934.98	DFT	16QAM	Outer_Full	22.82
n77H	90	30	3934.98	DFT	64QAM	Inner_Full	22.41
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Left	20.47
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Right	20.81
n77H	90	30	3934.98	DFT	64QAM	Outer_Full	22.32
n77H	90	30	3934.98	DFT	256QAM	Inner_Full	20.41
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Left	19.35
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Right	19.59
n77H	90	30	3934.98	DFT	256QAM	Outer_Full	20.31
n77H	90	30	3934.98	CP	QPSK	Inner_Full	23.41
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Left	20.50
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Right	20.85
n77H	90	30	3934.98	CP	QPSK	Outer_Full	21.78
n77H	90	30	3934.98	CP	16QAM	Inner_Full	22.88
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Left	20.45
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Right	21.01
n77H	90	30	3934.98	CP	16QAM	Outer_Full	21.78
n77H	90	30	3934.98	CP	64QAM	Inner_Full	21.35
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Left	20.69
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Right	20.91
n77H	90	30	3934.98	CP	64QAM	Outer_Full	21.25
n77H	90	30	3934.98	CP	256QAM	Inner_Full	18.48
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Left	17.56
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Right	17.91
n77H	90	30	3934.98	CP	256QAM	Outer_Full	18.45
n77H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	24.94
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	20.18
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	20.68
n77H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	24.20
n77H	100	30	3750	DFT	QPSK	Inner_Full	24.92
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Left	20.18
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Right	20.70
n77H	100	30	3750	DFT	QPSK	Outer_Full	23.73
n77H	100	30	3750	DFT	16QAM	Inner_Full	23.91
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Left	20.35
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Right	20.87



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	100	30	3750	DFT	16QAM	Outer_Full	22.75
n77H	100	30	3750	DFT	64QAM	Inner_Full	22.42
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Left	20.24
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Right	20.74
n77H	100	30	3750	DFT	64QAM	Outer_Full	22.21
n77H	100	30	3750	DFT	256QAM	Inner_Full	20.36
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Left	18.99
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Right	19.54
n77H	100	30	3750	DFT	256QAM	Outer_Full	20.20
n77H	100	30	3750	CP	QPSK	Inner_Full	23.46
n77H	100	30	3750	CP	QPSK	Edge_1RB_Left	20.18
n77H	100	30	3750	CP	QPSK	Edge_1RB_Right	20.73
n77H	100	30	3750	CP	QPSK	Outer_Full	21.70
n77H	100	30	3750	CP	16QAM	Inner_Full	22.96
n77H	100	30	3750	CP	16QAM	Edge_1RB_Left	20.27
n77H	100	30	3750	CP	16QAM	Edge_1RB_Right	20.84
n77H	100	30	3750	CP	16QAM	Outer_Full	21.66
n77H	100	30	3750	CP	64QAM	Inner_Full	21.43
n77H	100	30	3750	CP	64QAM	Edge_1RB_Left	20.31
n77H	100	30	3750	CP	64QAM	Edge_1RB_Right	20.85
n77H	100	30	3750	CP	64QAM	Outer_Full	21.15
n77H	100	30	3750	CP	256QAM	Inner_Full	18.55
n77H	100	30	3750	CP	256QAM	Edge_1RB_Left	17.38
n77H	100	30	3750	CP	256QAM	Edge_1RB_Right	17.92
n77H	100	30	3750	CP	256QAM	Outer_Full	18.34
n77H	100	30	3840	DFT	pi/2 BPSK	Inner_Full	24.89
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	19.94
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	20.50
n77H	100	30	3840	DFT	pi/2 BPSK	Outer_Full	24.14
n77H	100	30	3840	DFT	QPSK	Inner_Full	24.86
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Left	19.96
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Right	20.48
n77H	100	30	3840	DFT	QPSK	Outer_Full	23.64
n77H	100	30	3840	DFT	16QAM	Inner_Full	23.88
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Left	20.12
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Right	20.68
n77H	100	30	3840	DFT	16QAM	Outer_Full	22.65
n77H	100	30	3840	DFT	64QAM	Inner_Full	22.39
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Left	20.08
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Right	20.58



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	100	30	3840	DFT	64QAM	Outer_Full	22.15
n77H	100	30	3840	DFT	256QAM	Inner_Full	20.35
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Left	18.80
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Right	19.36
n77H	100	30	3840	DFT	256QAM	Outer_Full	20.14
n77H	100	30	3840	CP	QPSK	Inner_Full	23.40
n77H	100	30	3840	CP	QPSK	Edge_1RB_Left	19.96
n77H	100	30	3840	CP	QPSK	Edge_1RB_Right	20.54
n77H	100	30	3840	CP	QPSK	Outer_Full	21.65
n77H	100	30	3840	CP	16QAM	Inner_Full	22.92
n77H	100	30	3840	CP	16QAM	Edge_1RB_Left	20.03
n77H	100	30	3840	CP	16QAM	Edge_1RB_Right	20.64
n77H	100	30	3840	CP	16QAM	Outer_Full	21.65
n77H	100	30	3840	CP	64QAM	Inner_Full	21.40
n77H	100	30	3840	CP	64QAM	Edge_1RB_Left	20.09
n77H	100	30	3840	CP	64QAM	Edge_1RB_Right	20.69
n77H	100	30	3840	CP	64QAM	Outer_Full	21.15
n77H	100	30	3840	CP	256QAM	Inner_Full	18.51
n77H	100	30	3840	CP	256QAM	Edge_1RB_Left	17.17
n77H	100	30	3840	CP	256QAM	Edge_1RB_Right	17.78
n77H	100	30	3840	CP	256QAM	Outer_Full	18.29
n77H	100	30	3930	DFT	pi/2 BPSK	Inner_Full	25.03
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Left	20.39
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Right	20.69
n77H	100	30	3930	DFT	pi/2 BPSK	Outer_Full	24.33
n77H	100	30	3930	DFT	QPSK	Inner_Full	25.00
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Left	20.39
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Right	20.71
n77H	100	30	3930	DFT	QPSK	Outer_Full	23.84
n77H	100	30	3930	DFT	16QAM	Inner_Full	24.03
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Left	20.63
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Right	20.87
n77H	100	30	3930	DFT	16QAM	Outer_Full	22.88
n77H	100	30	3930	DFT	64QAM	Inner_Full	22.57
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Left	20.46
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Right	20.78
n77H	100	30	3930	DFT	64QAM	Outer_Full	22.36
n77H	100	30	3930	DFT	256QAM	Inner_Full	20.49
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Left	19.22
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Right	19.54



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	100	30	3930	DFT	256QAM	Outer_Full	20.32
n77H	100	30	3930	CP	QPSK	Inner_Full	23.52
n77H	100	30	3930	CP	QPSK	Edge_1RB_Left	20.40
n77H	100	30	3930	CP	QPSK	Edge_1RB_Right	20.77
n77H	100	30	3930	CP	QPSK	Outer_Full	21.87
n77H	100	30	3930	CP	16QAM	Inner_Full	23.05
n77H	100	30	3930	CP	16QAM	Edge_1RB_Left	20.47
n77H	100	30	3930	CP	16QAM	Edge_1RB_Right	20.83
n77H	100	30	3930	CP	16QAM	Outer_Full	21.81
n77H	100	30	3930	CP	64QAM	Inner_Full	21.49
n77H	100	30	3930	CP	64QAM	Edge_1RB_Left	20.51
n77H	100	30	3930	CP	64QAM	Edge_1RB_Right	20.92
n77H	100	30	3930	CP	64QAM	Outer_Full	21.32
n77H	100	30	3930	CP	256QAM	Inner_Full	18.63
n77H	100	30	3930	CP	256QAM	Edge_1RB_Left	17.60
n77H	100	30	3930	CP	256QAM	Edge_1RB_Right	18.02
n77H	100	30	3930	CP	256QAM	Outer_Full	18.49

Note: Expanded measurement uncertainty is $U = 0.90\text{dB}$, $k = 1.96$



A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

NR Band 2: Part 24.232(c) specifies "Mobile and portable stations are limited to 2 watts EIRP".

NR Band 5: Part 22.913(a) specifies "The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts".

NR Band 66: Part 27.50(d)(4) specifies "Fixed, mobile, and portable(handheld) stations operating in the 1710–1755 MHz band and mobile and portable stations operating in the 1695–1710 MHz and 1755–1780 MHz bands are limited to 1 watt EIRP".

NR Band 77(3450MHz-3550MHz):Part 27.50(k)(3) specifies "Mobile devices are limited to 1Watt (30 dBm) EIRP. Mobile devices operating in these bands must employ a means for limiting power to the minimum necessary for successful communications".

NR Band 77(3700MHz-3980MHz): Part 27.50(j)(3) Mobile and portable stations are limited to 1 Watt EIRP. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

A.1.3.2 Method of Measurement

ANSI C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = P_{\text{Mea}} + GT$$

Where

ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as P_{Mea} , e.g., dBm or dBW)

P_{Mea} measured transmitter output power or PSD, in dBm or dBW

GT gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)



A.1.3.3 Measurement result
DC_5A_n2A - EIRP Part 27.50(b)(10)
Limits: ≤33.00dBm (2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	23.15	24.05
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.43	23.33
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.73	23.63
n2	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.70	23.6
n2	5	15	1852.5	DFT	QPSK	Inner_Full	23.23	24.13
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	22.01	22.91
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	22.29	23.19
n2	5	15	1852.5	DFT	QPSK	Outer_Full	22.26	23.16
n2	5	15	1852.5	DFT	16QAM	Inner_Full	22.10	23
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	20.66	21.56
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.10	22
n2	5	15	1852.5	DFT	16QAM	Outer_Full	21.24	22.14
n2	5	15	1852.5	DFT	64QAM	Inner_Full	20.77	21.67
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.28	21.18
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.64	21.54
n2	5	15	1852.5	DFT	64QAM	Outer_Full	20.69	21.59
n2	5	15	1852.5	DFT	256QAM	Inner_Full	18.88	19.78
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.53	19.43
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.78	19.68
n2	5	15	1852.5	DFT	256QAM	Outer_Full	18.88	19.78
n2	5	15	1852.5	CP	QPSK	Inner_Full	21.81	22.71
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20.23	21.13
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Right	20.52	21.42
n2	5	15	1852.5	CP	QPSK	Outer_Full	20.42	21.32
n2	5	15	1852.5	CP	16QAM	Inner_Full	21.32	22.22
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.04	20.94
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.28	21.18
n2	5	15	1852.5	CP	16QAM	Outer_Full	20.34	21.24
n2	5	15	1852.5	CP	64QAM	Inner_Full	19.89	20.79
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Left	20.09	20.99
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Right	20.47	21.37
n2	5	15	1852.5	CP	64QAM	Outer_Full	19.91	20.81
n2	5	15	1852.5	CP	256QAM	Inner_Full	16.86	17.76
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.33	17.23
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.74	17.64
n2	5	15	1852.5	CP	256QAM	Outer_Full	16.83	17.73
n2	5	15	1880	DFT	pi/2 BPSK	Inner_Full	23.46	24.36



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.91	23.81
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.89	23.79
n2	5	15	1880	DFT	pi/2 BPSK	Outer_Full	22.99	23.89
n2	5	15	1880	DFT	QPSK	Inner_Full	23.52	24.42
n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	22.41	23.31
n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	22.42	23.32
n2	5	15	1880	DFT	QPSK	Outer_Full	22.47	23.37
n2	5	15	1880	DFT	16QAM	Inner_Full	22.43	23.33
n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	21.04	21.94
n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	21.17	22.07
n2	5	15	1880	DFT	16QAM	Outer_Full	21.44	22.34
n2	5	15	1880	DFT	64QAM	Inner_Full	21.05	21.95
n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	20.76	21.66
n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	20.75	21.65
n2	5	15	1880	DFT	64QAM	Outer_Full	20.96	21.86
n2	5	15	1880	DFT	256QAM	Inner_Full	19.16	20.06
n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	18.88	19.78
n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	18.88	19.78
n2	5	15	1880	DFT	256QAM	Outer_Full	19.08	19.98
n2	5	15	1880	CP	QPSK	Inner_Full	22.04	22.94
n2	5	15	1880	CP	QPSK	Edge_1RB_Left	20.60	21.5
n2	5	15	1880	CP	QPSK	Edge_1RB_Right	20.66	21.56
n2	5	15	1880	CP	QPSK	Outer_Full	20.61	21.51
n2	5	15	1880	CP	16QAM	Inner_Full	21.49	22.39
n2	5	15	1880	CP	16QAM	Edge_1RB_Left	20.28	21.18
n2	5	15	1880	CP	16QAM	Edge_1RB_Right	20.36	21.26
n2	5	15	1880	CP	16QAM	Outer_Full	20.58	21.48
n2	5	15	1880	CP	64QAM	Inner_Full	20.09	20.99
n2	5	15	1880	CP	64QAM	Edge_1RB_Left	20.42	21.32
n2	5	15	1880	CP	64QAM	Edge_1RB_Right	20.56	21.46
n2	5	15	1880	CP	64QAM	Outer_Full	20.09	20.99
n2	5	15	1880	CP	256QAM	Inner_Full	17.05	17.95
n2	5	15	1880	CP	256QAM	Edge_1RB_Left	16.78	17.68
n2	5	15	1880	CP	256QAM	Edge_1RB_Right	16.82	17.72
n2	5	15	1880	CP	256QAM	Outer_Full	17.04	17.94
n2	5	15	1907.5	DFT	pi/2 BPSK	Inner_Full	23.67	24.57
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.08	23.98
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.03	23.93
n2	5	15	1907.5	DFT	pi/2 BPSK	Outer_Full	23.17	24.07
n2	5	15	1907.5	DFT	QPSK	Inner_Full	23.67	24.57



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.63	23.53
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.62	23.52
n2	5	15	1907.5	DFT	QPSK	Outer_Full	22.67	23.57
n2	5	15	1907.5	DFT	16QAM	Inner_Full	22.64	23.54
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.25	22.15
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.22	22.12
n2	5	15	1907.5	DFT	16QAM	Outer_Full	21.70	22.6
n2	5	15	1907.5	DFT	64QAM	Inner_Full	21.28	22.18
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.97	21.87
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.89	21.79
n2	5	15	1907.5	DFT	64QAM	Outer_Full	21.17	22.07
n2	5	15	1907.5	DFT	256QAM	Inner_Full	19.35	20.25
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	19.14	20.04
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	19.24	20.14
n2	5	15	1907.5	DFT	256QAM	Outer_Full	19.34	20.24
n2	5	15	1907.5	CP	QPSK	Inner_Full	22.28	23.18
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Left	20.76	21.66
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Right	20.82	21.72
n2	5	15	1907.5	CP	QPSK	Outer_Full	20.81	21.71
n2	5	15	1907.5	CP	16QAM	Inner_Full	21.71	22.61
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Left	20.51	21.41
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Right	20.53	21.43
n2	5	15	1907.5	CP	16QAM	Outer_Full	20.77	21.67
n2	5	15	1907.5	CP	64QAM	Inner_Full	20.30	21.2
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Left	20.67	21.57
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Right	20.70	21.6
n2	5	15	1907.5	CP	64QAM	Outer_Full	20.29	21.19
n2	5	15	1907.5	CP	256QAM	Inner_Full	17.24	18.14
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Left	16.96	17.86
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Right	17.15	18.05
n2	5	15	1907.5	CP	256QAM	Outer_Full	17.25	18.15
n2	10	15	1855	DFT	pi/2 BPSK	Inner_Full	23.29	24.19
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.37	23.27
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.70	23.6
n2	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.70	23.6
n2	10	15	1855	DFT	QPSK	Inner_Full	23.32	24.22
n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	21.91	22.81
n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.26	23.16
n2	10	15	1855	DFT	QPSK	Outer_Full	22.26	23.16
n2	10	15	1855	DFT	16QAM	Inner_Full	22.30	23.2



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	20.55	21.45
n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	20.88	21.78
n2	10	15	1855	DFT	16QAM	Outer_Full	21.27	22.17
n2	10	15	1855	DFT	64QAM	Inner_Full	20.78	21.68
n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.25	21.15
n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.61	21.51
n2	10	15	1855	DFT	64QAM	Outer_Full	20.71	21.61
n2	10	15	1855	DFT	256QAM	Inner_Full	18.91	19.81
n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.40	19.3
n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.74	19.64
n2	10	15	1855	DFT	256QAM	Outer_Full	18.80	19.7
n2	10	15	1855	CP	QPSK	Inner_Full	21.78	22.68
n2	10	15	1855	CP	QPSK	Edge_1RB_Left	20.10	21
n2	10	15	1855	CP	QPSK	Edge_1RB_Right	20.43	21.33
n2	10	15	1855	CP	QPSK	Outer_Full	20.35	21.25
n2	10	15	1855	CP	16QAM	Inner_Full	21.30	22.2
n2	10	15	1855	CP	16QAM	Edge_1RB_Left	19.80	20.7
n2	10	15	1855	CP	16QAM	Edge_1RB_Right	20.11	21.01
n2	10	15	1855	CP	16QAM	Outer_Full	20.34	21.24
n2	10	15	1855	CP	64QAM	Inner_Full	19.94	20.84
n2	10	15	1855	CP	64QAM	Edge_1RB_Left	19.98	20.88
n2	10	15	1855	CP	64QAM	Edge_1RB_Right	20.31	21.21
n2	10	15	1855	CP	64QAM	Outer_Full	19.90	20.8
n2	10	15	1855	CP	256QAM	Inner_Full	16.86	17.76
n2	10	15	1855	CP	256QAM	Edge_1RB_Left	16.30	17.2
n2	10	15	1855	CP	256QAM	Edge_1RB_Right	16.72	17.62
n2	10	15	1855	CP	256QAM	Outer_Full	16.83	17.73
n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	23.27	24.17
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.72	23.62
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.70	23.6
n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	22.78	23.68
n2	10	15	1880	DFT	QPSK	Inner_Full	23.32	24.22
n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	22.25	23.15
n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	22.28	23.18
n2	10	15	1880	DFT	QPSK	Outer_Full	22.28	23.18
n2	10	15	1880	DFT	16QAM	Inner_Full	22.28	23.18
n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	20.92	21.82
n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	20.90	21.8
n2	10	15	1880	DFT	16QAM	Outer_Full	21.30	22.2
n2	10	15	1880	DFT	64QAM	Inner_Full	20.83	21.73



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	20.58	21.48
n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	20.60	21.5
n2	10	15	1880	DFT	64QAM	Outer_Full	20.80	21.7
n2	10	15	1880	DFT	256QAM	Inner_Full	18.91	19.81
n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	18.70	19.6
n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	18.84	19.74
n2	10	15	1880	DFT	256QAM	Outer_Full	18.92	19.82
n2	10	15	1880	CP	QPSK	Inner_Full	21.78	22.68
n2	10	15	1880	CP	QPSK	Edge_1RB_Left	20.37	21.27
n2	10	15	1880	CP	QPSK	Edge_1RB_Right	20.41	21.31
n2	10	15	1880	CP	QPSK	Outer_Full	20.41	21.31
n2	10	15	1880	CP	16QAM	Inner_Full	21.32	22.22
n2	10	15	1880	CP	16QAM	Edge_1RB_Left	20.06	20.96
n2	10	15	1880	CP	16QAM	Edge_1RB_Right	20.08	20.98
n2	10	15	1880	CP	16QAM	Outer_Full	20.42	21.32
n2	10	15	1880	CP	64QAM	Inner_Full	19.93	20.83
n2	10	15	1880	CP	64QAM	Edge_1RB_Left	20.21	21.11
n2	10	15	1880	CP	64QAM	Edge_1RB_Right	20.20	21.1
n2	10	15	1880	CP	64QAM	Outer_Full	19.91	20.81
n2	10	15	1880	CP	256QAM	Inner_Full	16.86	17.76
n2	10	15	1880	CP	256QAM	Edge_1RB_Left	16.55	17.45
n2	10	15	1880	CP	256QAM	Edge_1RB_Right	16.59	17.49
n2	10	15	1880	CP	256QAM	Outer_Full	16.82	17.72
n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	23.48	24.38
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.89	23.79
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.86	23.76
n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	23.00	23.9
n2	10	15	1905	DFT	QPSK	Inner_Full	23.58	24.48
n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	22.42	23.32
n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	22.47	23.37
n2	10	15	1905	DFT	QPSK	Outer_Full	22.53	23.43
n2	10	15	1905	DFT	16QAM	Inner_Full	22.53	23.43
n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	21.03	21.93
n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	21.04	21.94
n2	10	15	1905	DFT	16QAM	Outer_Full	21.56	22.46
n2	10	15	1905	DFT	64QAM	Inner_Full	20.99	21.89
n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	20.78	21.68
n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	20.75	21.65
n2	10	15	1905	DFT	64QAM	Outer_Full	21.00	21.9
n2	10	15	1905	DFT	256QAM	Inner_Full	19.14	20.04



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	18.93	19.83
n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	19.04	19.94
n2	10	15	1905	DFT	256QAM	Outer_Full	19.10	20
n2	10	15	1905	CP	QPSK	Inner_Full	21.97	22.87
n2	10	15	1905	CP	QPSK	Edge_1RB_Left	20.56	21.46
n2	10	15	1905	CP	QPSK	Edge_1RB_Right	20.60	21.5
n2	10	15	1905	CP	QPSK	Outer_Full	20.63	21.53
n2	10	15	1905	CP	16QAM	Inner_Full	21.52	22.42
n2	10	15	1905	CP	16QAM	Edge_1RB_Left	20.39	21.29
n2	10	15	1905	CP	16QAM	Edge_1RB_Right	20.23	21.13
n2	10	15	1905	CP	16QAM	Outer_Full	20.59	21.49
n2	10	15	1905	CP	64QAM	Inner_Full	20.13	21.03
n2	10	15	1905	CP	64QAM	Edge_1RB_Left	20.39	21.29
n2	10	15	1905	CP	64QAM	Edge_1RB_Right	20.46	21.36
n2	10	15	1905	CP	64QAM	Outer_Full	20.11	21.01
n2	10	15	1905	CP	256QAM	Inner_Full	17.03	17.93
n2	10	15	1905	CP	256QAM	Edge_1RB_Left	16.78	17.68
n2	10	15	1905	CP	256QAM	Edge_1RB_Right	16.83	17.73
n2	10	15	1905	CP	256QAM	Outer_Full	17.04	17.94
n2	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.49	24.39
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.50	23.4
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.93	23.83
n2	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.91	23.81
n2	15	15	1857.5	DFT	QPSK	Inner_Full	23.53	24.43
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.06	22.96
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.41	23.31
n2	15	15	1857.5	DFT	QPSK	Outer_Full	22.47	23.37
n2	15	15	1857.5	DFT	16QAM	Inner_Full	22.48	23.38
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	20.66	21.56
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.09	21.99
n2	15	15	1857.5	DFT	16QAM	Outer_Full	21.42	22.32
n2	15	15	1857.5	DFT	64QAM	Inner_Full	20.99	21.89
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.41	21.31
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.78	21.68
n2	15	15	1857.5	DFT	64QAM	Outer_Full	20.91	21.81
n2	15	15	1857.5	DFT	256QAM	Inner_Full	19.11	20.01
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.72	19.62
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	19.03	19.93
n2	15	15	1857.5	DFT	256QAM	Outer_Full	19.02	19.92
n2	15	15	1857.5	CP	QPSK	Inner_Full	21.99	22.89



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.17	21.07
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.56	21.46
n2	15	15	1857.5	CP	QPSK	Outer_Full	20.62	21.52
n2	15	15	1857.5	CP	16QAM	Inner_Full	21.44	22.34
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.01	20.91
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.25	21.15
n2	15	15	1857.5	CP	16QAM	Outer_Full	20.59	21.49
n2	15	15	1857.5	CP	64QAM	Inner_Full	20.13	21.03
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Left	20.05	20.95
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Right	20.39	21.29
n2	15	15	1857.5	CP	64QAM	Outer_Full	20.08	20.98
n2	15	15	1857.5	CP	256QAM	Inner_Full	17.04	17.94
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.32	17.22
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Right	16.69	17.59
n2	15	15	1857.5	CP	256QAM	Outer_Full	17.07	17.97
n2	15	15	1880	DFT	pi/2 BPSK	Inner_Full	23.43	24.33
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.76	23.66
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	23.72
n2	15	15	1880	DFT	pi/2 BPSK	Outer_Full	22.97	23.87
n2	15	15	1880	DFT	QPSK	Inner_Full	23.52	24.42
n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	22.37	23.27
n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	22.36	23.26
n2	15	15	1880	DFT	QPSK	Outer_Full	22.44	23.34
n2	15	15	1880	DFT	16QAM	Inner_Full	22.48	23.38
n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	21.12	22.02
n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	21.18	22.08
n2	15	15	1880	DFT	16QAM	Outer_Full	21.47	22.37
n2	15	15	1880	DFT	64QAM	Inner_Full	20.91	21.81
n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	20.72	21.62
n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	20.73	21.63
n2	15	15	1880	DFT	64QAM	Outer_Full	20.95	21.85
n2	15	15	1880	DFT	256QAM	Inner_Full	19.09	19.99
n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	18.87	19.77
n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	19.05	19.95
n2	15	15	1880	DFT	256QAM	Outer_Full	19.07	19.97
n2	15	15	1880	CP	QPSK	Inner_Full	21.98	22.88
n2	15	15	1880	CP	QPSK	Edge_1RB_Left	20.53	21.43
n2	15	15	1880	CP	QPSK	Edge_1RB_Right	20.49	21.39
n2	15	15	1880	CP	QPSK	Outer_Full	20.59	21.49
n2	15	15	1880	CP	16QAM	Inner_Full	21.44	22.34



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	15	15	1880	CP	16QAM	Edge_1RB_Left	20.21	21.11
n2	15	15	1880	CP	16QAM	Edge_1RB_Right	20.21	21.11
n2	15	15	1880	CP	16QAM	Outer_Full	20.59	21.49
n2	15	15	1880	CP	64QAM	Inner_Full	20.11	21.01
n2	15	15	1880	CP	64QAM	Edge_1RB_Left	20.43	21.33
n2	15	15	1880	CP	64QAM	Edge_1RB_Right	20.42	21.32
n2	15	15	1880	CP	64QAM	Outer_Full	20.08	20.98
n2	15	15	1880	CP	256QAM	Inner_Full	17.06	17.96
n2	15	15	1880	CP	256QAM	Edge_1RB_Left	16.70	17.6
n2	15	15	1880	CP	256QAM	Edge_1RB_Right	16.64	17.54
n2	15	15	1880	CP	256QAM	Outer_Full	17.03	17.93
n2	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	23.60	24.5
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.94	23.84
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.95	23.85
n2	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	23.09	23.99
n2	15	15	1902.5	DFT	QPSK	Inner_Full	23.66	24.56
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	22.50	23.4
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	22.58	23.48
n2	15	15	1902.5	DFT	QPSK	Outer_Full	22.65	23.55
n2	15	15	1902.5	DFT	16QAM	Inner_Full	22.66	23.56
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	21.25	22.15
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	21.29	22.19
n2	15	15	1902.5	DFT	16QAM	Outer_Full	21.61	22.51
n2	15	15	1902.5	DFT	64QAM	Inner_Full	21.16	22.06
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	20.84	21.74
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	20.89	21.79
n2	15	15	1902.5	DFT	64QAM	Outer_Full	21.12	22.02
n2	15	15	1902.5	DFT	256QAM	Inner_Full	19.31	20.21
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	18.99	19.89
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	19.03	19.93
n2	15	15	1902.5	DFT	256QAM	Outer_Full	19.25	20.15
n2	15	15	1902.5	CP	QPSK	Inner_Full	22.16	23.06
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Left	20.62	21.52
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Right	20.61	21.51
n2	15	15	1902.5	CP	QPSK	Outer_Full	20.73	21.63
n2	15	15	1902.5	CP	16QAM	Inner_Full	21.62	22.52
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Left	20.35	21.25
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Right	20.42	21.32
n2	15	15	1902.5	CP	16QAM	Outer_Full	20.73	21.63
n2	15	15	1902.5	CP	64QAM	Inner_Full	20.32	21.22



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Left	20.49	21.39
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Right	20.55	21.45
n2	15	15	1902.5	CP	64QAM	Outer_Full	20.24	21.14
n2	15	15	1902.5	CP	256QAM	Inner_Full	17.24	18.14
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Left	16.74	17.64
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Right	16.97	17.87
n2	15	15	1902.5	CP	256QAM	Outer_Full	17.16	18.06
n2	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.53	24.43
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	23.35
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	23.66
n2	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.97	23.87
n2	20	15	1860	DFT	QPSK	Inner_Full	23.51	24.41
n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	21.97	22.87
n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.36	23.26
n2	20	15	1860	DFT	QPSK	Outer_Full	22.43	23.33
n2	20	15	1860	DFT	16QAM	Inner_Full	22.56	23.46
n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	20.62	21.52
n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.00	21.9
n2	20	15	1860	DFT	16QAM	Outer_Full	21.43	22.33
n2	20	15	1860	DFT	64QAM	Inner_Full	21.03	21.93
n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.31	21.21
n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.69	21.59
n2	20	15	1860	DFT	64QAM	Outer_Full	20.93	21.83
n2	20	15	1860	DFT	256QAM	Inner_Full	19.10	20
n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.47	19.37
n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	18.96	19.86
n2	20	15	1860	DFT	256QAM	Outer_Full	19.04	19.94
n2	20	15	1860	CP	QPSK	Inner_Full	22.01	22.91
n2	20	15	1860	CP	QPSK	Edge_1RB_Left	20.12	21.02
n2	20	15	1860	CP	QPSK	Edge_1RB_Right	20.58	21.48
n2	20	15	1860	CP	QPSK	Outer_Full	20.59	21.49
n2	20	15	1860	CP	16QAM	Inner_Full	21.51	22.41
n2	20	15	1860	CP	16QAM	Edge_1RB_Left	19.89	20.79
n2	20	15	1860	CP	16QAM	Edge_1RB_Right	20.41	21.31
n2	20	15	1860	CP	16QAM	Outer_Full	20.54	21.44
n2	20	15	1860	CP	64QAM	Inner_Full	20.12	21.02
n2	20	15	1860	CP	64QAM	Edge_1RB_Left	20.03	20.93
n2	20	15	1860	CP	64QAM	Edge_1RB_Right	20.44	21.34
n2	20	15	1860	CP	64QAM	Outer_Full	20.05	20.95
n2	20	15	1860	CP	256QAM	Inner_Full	17.14	18.04



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	20	15	1860	CP	256QAM	Edge_1RB_Left	16.45	17.35
n2	20	15	1860	CP	256QAM	Edge_1RB_Right	16.90	17.8
n2	20	15	1860	CP	256QAM	Outer_Full	17.06	17.96
n2	20	15	1880	DFT	pi/2 BPSK	Inner_Full	23.50	24.4
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.77	23.67
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.78	23.68
n2	20	15	1880	DFT	pi/2 BPSK	Outer_Full	22.89	23.79
n2	20	15	1880	DFT	QPSK	Inner_Full	23.48	24.38
n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	22.30	23.2
n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	22.33	23.23
n2	20	15	1880	DFT	QPSK	Outer_Full	22.43	23.33
n2	20	15	1880	DFT	16QAM	Inner_Full	22.58	23.48
n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	20.91	21.81
n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	21.02	21.92
n2	20	15	1880	DFT	16QAM	Outer_Full	21.45	22.35
n2	20	15	1880	DFT	64QAM	Inner_Full	21.03	21.93
n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	20.66	21.56
n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	20.64	21.54
n2	20	15	1880	DFT	64QAM	Outer_Full	20.92	21.82
n2	20	15	1880	DFT	256QAM	Inner_Full	19.08	19.98
n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	18.98	19.88
n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	18.86	19.76
n2	20	15	1880	DFT	256QAM	Outer_Full	19.03	19.93
n2	20	15	1880	CP	QPSK	Inner_Full	21.95	22.85
n2	20	15	1880	CP	QPSK	Edge_1RB_Left	20.44	21.34
n2	20	15	1880	CP	QPSK	Edge_1RB_Right	20.59	21.49
n2	20	15	1880	CP	QPSK	Outer_Full	20.56	21.46
n2	20	15	1880	CP	16QAM	Inner_Full	21.43	22.33
n2	20	15	1880	CP	16QAM	Edge_1RB_Left	20.16	21.06
n2	20	15	1880	CP	16QAM	Edge_1RB_Right	20.41	21.31
n2	20	15	1880	CP	16QAM	Outer_Full	20.57	21.47
n2	20	15	1880	CP	64QAM	Inner_Full	20.13	21.03
n2	20	15	1880	CP	64QAM	Edge_1RB_Left	20.32	21.22
n2	20	15	1880	CP	64QAM	Edge_1RB_Right	20.38	21.28
n2	20	15	1880	CP	64QAM	Outer_Full	20.03	20.93
n2	20	15	1880	CP	256QAM	Inner_Full	17.08	17.98
n2	20	15	1880	CP	256QAM	Edge_1RB_Left	16.62	17.52
n2	20	15	1880	CP	256QAM	Edge_1RB_Right	16.87	17.77
n2	20	15	1880	CP	256QAM	Outer_Full	17.02	17.92
n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	23.69	24.59



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	22.86	23.76
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	22.91	23.81
n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	23.09	23.99
n2	20	15	1900	DFT	QPSK	Inner_Full	23.70	24.6
n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	22.34	23.24
n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	22.51	23.41
n2	20	15	1900	DFT	QPSK	Outer_Full	22.64	23.54
n2	20	15	1900	DFT	16QAM	Inner_Full	22.74	23.64
n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	21.12	22.02
n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	21.11	22.01
n2	20	15	1900	DFT	16QAM	Outer_Full	21.61	22.51
n2	20	15	1900	DFT	64QAM	Inner_Full	21.15	22.05
n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	20.75	21.65
n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	20.76	21.66
n2	20	15	1900	DFT	64QAM	Outer_Full	21.10	22
n2	20	15	1900	DFT	256QAM	Inner_Full	19.33	20.23
n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	19.01	19.91
n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	19.11	20.01
n2	20	15	1900	DFT	256QAM	Outer_Full	19.21	20.11
n2	20	15	1900	CP	QPSK	Inner_Full	22.15	23.05
n2	20	15	1900	CP	QPSK	Edge_1RB_Left	20.56	21.46
n2	20	15	1900	CP	QPSK	Edge_1RB_Right	20.67	21.57
n2	20	15	1900	CP	QPSK	Outer_Full	20.69	21.59
n2	20	15	1900	CP	16QAM	Inner_Full	21.68	22.58
n2	20	15	1900	CP	16QAM	Edge_1RB_Left	20.39	21.29
n2	20	15	1900	CP	16QAM	Edge_1RB_Right	20.40	21.3
n2	20	15	1900	CP	16QAM	Outer_Full	20.70	21.6
n2	20	15	1900	CP	64QAM	Inner_Full	20.31	21.21
n2	20	15	1900	CP	64QAM	Edge_1RB_Left	20.42	21.32
n2	20	15	1900	CP	64QAM	Edge_1RB_Right	20.57	21.47
n2	20	15	1900	CP	64QAM	Outer_Full	20.21	21.11
n2	20	15	1900	CP	256QAM	Inner_Full	17.26	18.16
n2	20	15	1900	CP	256QAM	Edge_1RB_Left	16.66	17.56
n2	20	15	1900	CP	256QAM	Edge_1RB_Right	16.90	17.8
n2	20	15	1900	CP	256QAM	Outer_Full	17.14	18.04



DC_2A_n5A- ERP Part 22.913(a)

Limits: ≤38.45dBm (7W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	23.53	22.13
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.88	21.48
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.94	21.54
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.05	21.65
n5	5	15	826.5	DFT	QPSK	Inner_Full	23.53	22.13
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	22.48	21.08
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	22.53	21.13
n5	5	15	826.5	DFT	QPSK	Outer_Full	22.54	21.14
n5	5	15	826.5	DFT	16QAM	Inner_Full	22.48	21.08
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	21.16	19.76
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	21.19	19.79
n5	5	15	826.5	DFT	16QAM	Outer_Full	21.51	20.11
n5	5	15	826.5	DFT	64QAM	Inner_Full	21.11	19.71
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	20.81	19.41
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	20.86	19.46
n5	5	15	826.5	DFT	64QAM	Outer_Full	21.04	19.64
n5	5	15	826.5	DFT	256QAM	Inner_Full	19.00	17.6
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	18.92	17.52
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	18.84	17.44
n5	5	15	826.5	DFT	256QAM	Outer_Full	18.99	17.59
n5	5	15	826.5	CP	QPSK	Inner_Full	22.14	20.74
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	20.42	19.02
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	20.58	19.18
n5	5	15	826.5	CP	QPSK	Outer_Full	20.50	19.1
n5	5	15	826.5	CP	16QAM	Inner_Full	21.56	20.16
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	20.10	18.7
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	20.35	18.95
n5	5	15	826.5	CP	16QAM	Outer_Full	20.44	19.04
n5	5	15	826.5	CP	64QAM	Inner_Full	19.98	18.58
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.33	18.93
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.51	19.11
n5	5	15	826.5	CP	64QAM	Outer_Full	19.99	18.59
n5	5	15	826.5	CP	256QAM	Inner_Full	17.04	15.64
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	16.66	15.26
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	16.82	15.42
n5	5	15	826.5	CP	256QAM	Outer_Full	17.03	15.63
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.61	22.21
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.94	21.54



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.04	21.64
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.09	21.69
n5	5	15	836.5	DFT	QPSK	Inner_Full	23.60	22.2
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	22.52	21.12
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	22.59	21.19
n5	5	15	836.5	DFT	QPSK	Outer_Full	22.62	21.22
n5	5	15	836.5	DFT	16QAM	Inner_Full	22.57	21.17
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	21.19	19.79
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	21.22	19.82
n5	5	15	836.5	DFT	16QAM	Outer_Full	21.56	20.16
n5	5	15	836.5	DFT	64QAM	Inner_Full	21.17	19.77
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	20.83	19.43
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	20.93	19.53
n5	5	15	836.5	DFT	64QAM	Outer_Full	21.09	19.69
n5	5	15	836.5	DFT	256QAM	Inner_Full	19.10	17.7
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.01	17.61
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	18.89	17.49
n5	5	15	836.5	DFT	256QAM	Outer_Full	19.05	17.65
n5	5	15	836.5	CP	QPSK	Inner_Full	22.19	20.79
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	20.51	19.11
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	20.62	19.22
n5	5	15	836.5	CP	QPSK	Outer_Full	20.54	19.14
n5	5	15	836.5	CP	16QAM	Inner_Full	21.59	20.19
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	20.18	18.78
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	20.45	19.05
n5	5	15	836.5	CP	16QAM	Outer_Full	20.53	19.13
n5	5	15	836.5	CP	64QAM	Inner_Full	20.02	18.62
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.42	19.02
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.46	19.06
n5	5	15	836.5	CP	64QAM	Outer_Full	20.04	18.64
n5	5	15	836.5	CP	256QAM	Inner_Full	17.08	15.68
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	16.72	15.32
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	16.83	15.43
n5	5	15	836.5	CP	256QAM	Outer_Full	17.05	15.65
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	23.61	22.21
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.01	21.61
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.92	21.52
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.12	21.72
n5	5	15	846.5	DFT	QPSK	Inner_Full	23.62	22.22
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	22.58	21.18



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	22.52	21.12
n5	5	15	846.5	DFT	QPSK	Outer_Full	22.65	21.25
n5	5	15	846.5	DFT	16QAM	Inner_Full	22.57	21.17
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	21.19	19.79
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	21.11	19.71
n5	5	15	846.5	DFT	16QAM	Outer_Full	21.63	20.23
n5	5	15	846.5	DFT	64QAM	Inner_Full	21.25	19.85
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	20.86	19.46
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	20.83	19.43
n5	5	15	846.5	DFT	64QAM	Outer_Full	21.13	19.73
n5	5	15	846.5	DFT	256QAM	Inner_Full	19.11	17.71
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	18.86	17.46
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	18.97	17.57
n5	5	15	846.5	DFT	256QAM	Outer_Full	19.08	17.68
n5	5	15	846.5	CP	QPSK	Inner_Full	22.28	20.88
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	20.53	19.13
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	20.48	19.08
n5	5	15	846.5	CP	QPSK	Outer_Full	20.58	19.18
n5	5	15	846.5	CP	16QAM	Inner_Full	21.59	20.19
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	20.34	18.94
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	20.31	18.91
n5	5	15	846.5	CP	16QAM	Outer_Full	20.54	19.14
n5	5	15	846.5	CP	64QAM	Inner_Full	20.08	18.68
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.47	19.07
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.48	19.08
n5	5	15	846.5	CP	64QAM	Outer_Full	20.12	18.72
n5	5	15	846.5	CP	256QAM	Inner_Full	17.07	15.67
n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	16.77	15.37
n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	16.86	15.46
n5	5	15	846.5	CP	256QAM	Outer_Full	17.06	15.66
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	23.40	22
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	22.68	21.28
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	21.36
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	22.83	21.43
n5	10	15	829	DFT	QPSK	Inner_Full	23.41	22.01
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	22.25	20.85
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	22.25	20.85
n5	10	15	829	DFT	QPSK	Outer_Full	22.40	21
n5	10	15	829	DFT	16QAM	Inner_Full	22.43	21.03
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	20.89	19.49



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	20.94	19.54
n5	10	15	829	DFT	16QAM	Outer_Full	21.42	20.02
n5	10	15	829	DFT	64QAM	Inner_Full	20.86	19.46
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	20.58	19.18
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	20.65	19.25
n5	10	15	829	DFT	64QAM	Outer_Full	20.87	19.47
n5	10	15	829	DFT	256QAM	Inner_Full	18.85	17.45
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	18.77	17.37
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	18.62	17.22
n5	10	15	829	DFT	256QAM	Outer_Full	18.81	17.41
n5	10	15	829	CP	QPSK	Inner_Full	21.88	20.48
n5	10	15	829	CP	QPSK	Edge_1RB_Left	20.17	18.77
n5	10	15	829	CP	QPSK	Edge_1RB_Right	20.24	18.84
n5	10	15	829	CP	QPSK	Outer_Full	20.32	18.92
n5	10	15	829	CP	16QAM	Inner_Full	21.38	19.98
n5	10	15	829	CP	16QAM	Edge_1RB_Left	19.84	18.44
n5	10	15	829	CP	16QAM	Edge_1RB_Right	19.98	18.58
n5	10	15	829	CP	16QAM	Outer_Full	20.34	18.94
n5	10	15	829	CP	64QAM	Inner_Full	19.85	18.45
n5	10	15	829	CP	64QAM	Edge_1RB_Left	20.09	18.69
n5	10	15	829	CP	64QAM	Edge_1RB_Right	20.14	18.74
n5	10	15	829	CP	64QAM	Outer_Full	19.80	18.4
n5	10	15	829	CP	256QAM	Inner_Full	16.81	15.41
n5	10	15	829	CP	256QAM	Edge_1RB_Left	16.59	15.19
n5	10	15	829	CP	256QAM	Edge_1RB_Right	16.52	15.12
n5	10	15	829	CP	256QAM	Outer_Full	16.83	15.43
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.40	22
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.72	21.32
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.83	21.43
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.96	21.56
n5	10	15	836.5	DFT	QPSK	Inner_Full	23.44	22.04
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	22.38	20.98
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	22.42	21.02
n5	10	15	836.5	DFT	QPSK	Outer_Full	22.43	21.03
n5	10	15	836.5	DFT	16QAM	Inner_Full	22.41	21.01
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	20.97	19.57
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	20.98	19.58
n5	10	15	836.5	DFT	16QAM	Outer_Full	21.52	20.12
n5	10	15	836.5	DFT	64QAM	Inner_Full	20.94	19.54
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	20.68	19.28



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	20.72	19.32
n5	10	15	836.5	DFT	64QAM	Outer_Full	20.96	19.56
n5	10	15	836.5	DFT	256QAM	Inner_Full	18.87	17.47
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	18.79	17.39
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	18.72	17.32
n5	10	15	836.5	DFT	256QAM	Outer_Full	18.90	17.5
n5	10	15	836.5	CP	QPSK	Inner_Full	21.95	20.55
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	20.24	18.84
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	20.34	18.94
n5	10	15	836.5	CP	QPSK	Outer_Full	20.38	18.98
n5	10	15	836.5	CP	16QAM	Inner_Full	21.47	20.07
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	19.90	18.5
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	19.99	18.59
n5	10	15	836.5	CP	16QAM	Outer_Full	20.41	19.01
n5	10	15	836.5	CP	64QAM	Inner_Full	19.88	18.48
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.11	18.71
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.18	18.78
n5	10	15	836.5	CP	64QAM	Outer_Full	19.88	18.48
n5	10	15	836.5	CP	256QAM	Inner_Full	16.87	15.47
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	16.52	15.12
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	16.56	15.16
n5	10	15	836.5	CP	256QAM	Outer_Full	16.85	15.45
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	23.40	22
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	22.80	21.4
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	22.67	21.27
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	22.95	21.55
n5	10	15	844	DFT	QPSK	Inner_Full	23.48	22.08
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	22.32	20.92
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	22.29	20.89
n5	10	15	844	DFT	QPSK	Outer_Full	22.41	21.01
n5	10	15	844	DFT	16QAM	Inner_Full	22.48	21.08
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	21.01	19.61
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	20.90	19.5
n5	10	15	844	DFT	16QAM	Outer_Full	21.46	20.06
n5	10	15	844	DFT	64QAM	Inner_Full	20.95	19.55
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	20.71	19.31
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	20.61	19.21
n5	10	15	844	DFT	64QAM	Outer_Full	20.97	19.57
n5	10	15	844	DFT	256QAM	Inner_Full	18.89	17.49
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	18.68	17.28



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	18.59	17.19
n5	10	15	844	DFT	256QAM	Outer_Full	18.88	17.48
n5	10	15	844	CP	QPSK	Inner_Full	21.92	20.52
n5	10	15	844	CP	QPSK	Edge_1RB_Left	20.27	18.87
n5	10	15	844	CP	QPSK	Edge_1RB_Right	20.20	18.8
n5	10	15	844	CP	QPSK	Outer_Full	20.34	18.94
n5	10	15	844	CP	16QAM	Inner_Full	21.43	20.03
n5	10	15	844	CP	16QAM	Edge_1RB_Left	20.06	18.66
n5	10	15	844	CP	16QAM	Edge_1RB_Right	19.87	18.47
n5	10	15	844	CP	16QAM	Outer_Full	20.35	18.95
n5	10	15	844	CP	64QAM	Inner_Full	19.90	18.5
n5	10	15	844	CP	64QAM	Edge_1RB_Left	20.19	18.79
n5	10	15	844	CP	64QAM	Edge_1RB_Right	20.15	18.75
n5	10	15	844	CP	64QAM	Outer_Full	19.83	18.43
n5	10	15	844	CP	256QAM	Inner_Full	16.85	15.45
n5	10	15	844	CP	256QAM	Edge_1RB_Left	16.53	15.13
n5	10	15	844	CP	256QAM	Edge_1RB_Right	16.47	15.07
n5	10	15	844	CP	256QAM	Outer_Full	16.83	15.43
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	23.55	22.15
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.77	21.37
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.93	21.53
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	22.98	21.58
n5	15	15	831.5	DFT	QPSK	Inner_Full	23.53	22.13
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	22.42	21.02
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	22.51	21.11
n5	15	15	831.5	DFT	QPSK	Outer_Full	22.57	21.17
n5	15	15	831.5	DFT	16QAM	Inner_Full	22.50	21.1
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	21.13	19.73
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	21.13	19.73
n5	15	15	831.5	DFT	16QAM	Outer_Full	21.52	20.12
n5	15	15	831.5	DFT	64QAM	Inner_Full	21.03	19.63
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	20.63	19.23
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	20.74	19.34
n5	15	15	831.5	DFT	64QAM	Outer_Full	21.04	19.64
n5	15	15	831.5	DFT	256QAM	Inner_Full	19.01	17.61
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	18.63	17.23
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	18.82	17.42
n5	15	15	831.5	DFT	256QAM	Outer_Full	18.99	17.59
n5	15	15	831.5	CP	QPSK	Inner_Full	22.06	20.66
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	20.34	18.94



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	20.36	18.96
n5	15	15	831.5	CP	QPSK	Outer_Full	20.50	19.1
n5	15	15	831.5	CP	16QAM	Inner_Full	21.50	20.1
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	20.02	18.62
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	20.25	18.85
n5	15	15	831.5	CP	16QAM	Outer_Full	20.51	19.11
n5	15	15	831.5	CP	64QAM	Inner_Full	19.98	18.58
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.21	18.81
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.30	18.9
n5	15	15	831.5	CP	64QAM	Outer_Full	20.01	18.61
n5	15	15	831.5	CP	256QAM	Inner_Full	16.99	15.59
n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	16.55	15.15
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	16.67	15.27
n5	15	15	831.5	CP	256QAM	Outer_Full	17.04	15.64
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.59	22.19
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.87	21.47
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.90	21.5
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.09	21.69
n5	15	15	836.5	DFT	QPSK	Inner_Full	23.61	22.21
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	22.54	21.14
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	22.51	21.11
n5	15	15	836.5	DFT	QPSK	Outer_Full	22.58	21.18
n5	15	15	836.5	DFT	16QAM	Inner_Full	22.59	21.19
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	21.23	19.83
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	21.07	19.67
n5	15	15	836.5	DFT	16QAM	Outer_Full	21.62	20.22
n5	15	15	836.5	DFT	64QAM	Inner_Full	21.08	19.68
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	20.74	19.34
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	20.78	19.38
n5	15	15	836.5	DFT	64QAM	Outer_Full	21.14	19.74
n5	15	15	836.5	DFT	256QAM	Inner_Full	19.03	17.63
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	18.79	17.39
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	18.92	17.52
n5	15	15	836.5	DFT	256QAM	Outer_Full	19.06	17.66
n5	15	15	836.5	CP	QPSK	Inner_Full	22.09	20.69
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	20.44	19.04
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	20.36	18.96
n5	15	15	836.5	CP	QPSK	Outer_Full	20.56	19.16
n5	15	15	836.5	CP	16QAM	Inner_Full	21.57	20.17
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	20.12	18.72



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	20.15	18.75
n5	15	15	836.5	CP	16QAM	Outer_Full	20.59	19.19
n5	15	15	836.5	CP	64QAM	Inner_Full	20.05	18.65
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.32	18.92
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.34	18.94
n5	15	15	836.5	CP	64QAM	Outer_Full	20.08	18.68
n5	15	15	836.5	CP	256QAM	Inner_Full	17.08	15.68
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	16.68	15.28
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	16.66	15.26
n5	15	15	836.5	CP	256QAM	Outer_Full	17.08	15.68
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	23.62	22.22
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.88	21.48
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.85	21.45
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.11	21.71
n5	15	15	841.5	DFT	QPSK	Inner_Full	23.62	22.22
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	22.44	21.04
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	22.40	21
n5	15	15	841.5	DFT	QPSK	Outer_Full	22.61	21.21
n5	15	15	841.5	DFT	16QAM	Inner_Full	22.61	21.21
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	21.16	19.76
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	21.05	19.65
n5	15	15	841.5	DFT	16QAM	Outer_Full	21.60	20.2
n5	15	15	841.5	DFT	64QAM	Inner_Full	21.06	19.66
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	20.77	19.37
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	20.68	19.28
n5	15	15	841.5	DFT	64QAM	Outer_Full	21.09	19.69
n5	15	15	841.5	DFT	256QAM	Inner_Full	19.07	17.67
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	18.71	17.31
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	18.85	17.45
n5	15	15	841.5	DFT	256QAM	Outer_Full	19.04	17.64
n5	15	15	841.5	CP	QPSK	Inner_Full	22.09	20.69
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	20.38	18.98
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	20.32	18.92
n5	15	15	841.5	CP	QPSK	Outer_Full	20.53	19.13
n5	15	15	841.5	CP	16QAM	Inner_Full	21.55	20.15
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	20.09	18.69
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	19.94	18.54
n5	15	15	841.5	CP	16QAM	Outer_Full	20.57	19.17
n5	15	15	841.5	CP	64QAM	Inner_Full	20.07	18.67
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.30	18.9



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.24	18.84
n5	15	15	841.5	CP	64QAM	Outer_Full	20.05	18.65
n5	15	15	841.5	CP	256QAM	Inner_Full	17.15	15.75
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	16.62	15.22
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	16.60	15.2
n5	15	15	841.5	CP	256QAM	Outer_Full	17.06	15.66
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	23.58	22.18
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	22.73	21.33
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	22.83	21.43
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.04	21.64
n5	20	15	834	DFT	QPSK	Inner_Full	23.57	22.17
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	22.40	21
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	22.42	21.02
n5	20	15	834	DFT	QPSK	Outer_Full	22.55	21.15
n5	20	15	834	DFT	16QAM	Inner_Full	22.64	21.24
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	20.98	19.58
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	21.05	19.65
n5	20	15	834	DFT	16QAM	Outer_Full	21.57	20.17
n5	20	15	834	DFT	64QAM	Inner_Full	21.05	19.65
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	20.65	19.25
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	20.76	19.36
n5	20	15	834	DFT	64QAM	Outer_Full	21.02	19.62
n5	20	15	834	DFT	256QAM	Inner_Full	19.03	17.63
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	18.64	17.24
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	18.73	17.33
n5	20	15	834	DFT	256QAM	Outer_Full	18.98	17.58
n5	20	15	834	CP	QPSK	Inner_Full	22.04	20.64
n5	20	15	834	CP	QPSK	Edge_1RB_Left	20.31	18.91
n5	20	15	834	CP	QPSK	Edge_1RB_Right	20.43	19.03
n5	20	15	834	CP	QPSK	Outer_Full	20.43	19.03
n5	20	15	834	CP	16QAM	Inner_Full	21.52	20.12
n5	20	15	834	CP	16QAM	Edge_1RB_Left	20.10	18.7
n5	20	15	834	CP	16QAM	Edge_1RB_Right	20.13	18.73
n5	20	15	834	CP	16QAM	Outer_Full	20.43	19.03
n5	20	15	834	CP	64QAM	Inner_Full	20.01	18.61
n5	20	15	834	CP	64QAM	Edge_1RB_Left	20.19	18.79
n5	20	15	834	CP	64QAM	Edge_1RB_Right	20.34	18.94
n5	20	15	834	CP	64QAM	Outer_Full	19.95	18.55
n5	20	15	834	CP	256QAM	Inner_Full	17.07	15.67
n5	20	15	834	CP	256QAM	Edge_1RB_Left	16.49	15.09



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n5	20	15	834	CP	256QAM	Edge_1RB_Right	16.66	15.26
n5	20	15	834	CP	256QAM	Outer_Full	17.00	15.6
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.58	22.18
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	21.43
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.90	21.5
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.12	21.72
n5	20	15	836.5	DFT	QPSK	Inner_Full	23.65	22.25
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	22.44	21.04
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	22.47	21.07
n5	20	15	836.5	DFT	QPSK	Outer_Full	22.62	21.22
n5	20	15	836.5	DFT	16QAM	Inner_Full	22.68	21.28
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	21.06	19.66
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	21.08	19.68
n5	20	15	836.5	DFT	16QAM	Outer_Full	21.63	20.23
n5	20	15	836.5	DFT	64QAM	Inner_Full	21.10	19.7
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	20.80	19.4
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	20.83	19.43
n5	20	15	836.5	DFT	64QAM	Outer_Full	21.11	19.71
n5	20	15	836.5	DFT	256QAM	Inner_Full	19.00	17.6
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	18.77	17.37
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	18.75	17.35
n5	20	15	836.5	DFT	256QAM	Outer_Full	19.03	17.63
n5	20	15	836.5	CP	QPSK	Inner_Full	22.09	20.69
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	20.39	18.99
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	20.52	19.12
n5	20	15	836.5	CP	QPSK	Outer_Full	20.53	19.13
n5	20	15	836.5	CP	16QAM	Inner_Full	21.60	20.2
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	20.11	18.71
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	20.16	18.76
n5	20	15	836.5	CP	16QAM	Outer_Full	20.51	19.11
n5	20	15	836.5	CP	64QAM	Inner_Full	20.14	18.74
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.33	18.93
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.41	19.01
n5	20	15	836.5	CP	64QAM	Outer_Full	20.05	18.65
n5	20	15	836.5	CP	256QAM	Inner_Full	17.14	15.74
n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	16.61	15.21
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	16.88	15.48
n5	20	15	836.5	CP	256QAM	Outer_Full	17.11	15.71
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	23.61	22.21
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	22.86	21.46



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	22.78	21.38
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	23.05	21.65
n5	20	15	839	DFT	QPSK	Inner_Full	23.65	22.25
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	22.44	21.04
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	22.39	20.99
n5	20	15	839	DFT	QPSK	Outer_Full	22.57	21.17
n5	20	15	839	DFT	16QAM	Inner_Full	22.68	21.28
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	21.05	19.65
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	21.10	19.7
n5	20	15	839	DFT	16QAM	Outer_Full	21.57	20.17
n5	20	15	839	DFT	64QAM	Inner_Full	21.13	19.73
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	20.76	19.36
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	20.70	19.3
n5	20	15	839	DFT	64QAM	Outer_Full	21.06	19.66
n5	20	15	839	DFT	256QAM	Inner_Full	19.03	17.63
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	18.71	17.31
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	18.81	17.41
n5	20	15	839	DFT	256QAM	Outer_Full	19.05	17.65
n5	20	15	839	CP	QPSK	Inner_Full	22.03	20.63
n5	20	15	839	CP	QPSK	Edge_1RB_Left	20.38	18.98
n5	20	15	839	CP	QPSK	Edge_1RB_Right	20.32	18.92
n5	20	15	839	CP	QPSK	Outer_Full	20.49	19.09
n5	20	15	839	CP	16QAM	Inner_Full	21.58	20.18
n5	20	15	839	CP	16QAM	Edge_1RB_Left	20.08	18.68
n5	20	15	839	CP	16QAM	Edge_1RB_Right	20.17	18.77
n5	20	15	839	CP	16QAM	Outer_Full	20.51	19.11
n5	20	15	839	CP	64QAM	Inner_Full	20.08	18.68
n5	20	15	839	CP	64QAM	Edge_1RB_Left	20.22	18.82
n5	20	15	839	CP	64QAM	Edge_1RB_Right	20.29	18.89
n5	20	15	839	CP	64QAM	Outer_Full	19.95	18.55
n5	20	15	839	CP	256QAM	Inner_Full	17.13	15.73
n5	20	15	839	CP	256QAM	Edge_1RB_Left	16.59	15.19
n5	20	15	839	CP	256QAM	Edge_1RB_Right	16.65	15.25
n5	20	15	839	CP	256QAM	Outer_Full	17.03	15.63



DC_2A_n66A - EIRP Part 27.50(d)

Limits: ≤30dBm (1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.02	23.22
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.38	22.58
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	22.72
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	22.54	22.74
n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.07	23.27
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	21.93	22.13
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.09	22.29
n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.03	22.23
n66	5	15	1712.5	DFT	16QAM	Inner_Full	21.96	22.16
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	20.57	20.77
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	20.71	20.91
n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.02	21.22
n66	5	15	1712.5	DFT	64QAM	Inner_Full	20.62	20.82
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.41	20.61
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	20.37	20.57
n66	5	15	1712.5	DFT	64QAM	Outer_Full	20.49	20.69
n66	5	15	1712.5	DFT	256QAM	Inner_Full	18.68	18.88
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	18.40	18.6
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	18.68	18.88
n66	5	15	1712.5	DFT	256QAM	Outer_Full	18.66	18.86
n66	5	15	1712.5	CP	QPSK	Inner_Full	21.58	21.78
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.08	20.28
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.29	20.49
n66	5	15	1712.5	CP	QPSK	Outer_Full	20.19	20.39
n66	5	15	1712.5	CP	16QAM	Inner_Full	21.05	21.25
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	19.79	19.99
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	20.10	20.3
n66	5	15	1712.5	CP	16QAM	Outer_Full	20.14	20.34
n66	5	15	1712.5	CP	64QAM	Inner_Full	19.68	19.88
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	19.93	20.13
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	20.17	20.37
n66	5	15	1712.5	CP	64QAM	Outer_Full	19.66	19.86
n66	5	15	1712.5	CP	256QAM	Inner_Full	16.61	16.81
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	16.37	16.57
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	16.45	16.65
n66	5	15	1712.5	CP	256QAM	Outer_Full	16.60	16.8
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	23.09	23.29
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.48	22.68



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.47	22.67
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	22.60	22.8
n66	5	15	1745	DFT	QPSK	Inner_Full	23.11	23.31
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	22.03	22.23
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	22.04	22.24
n66	5	15	1745	DFT	QPSK	Outer_Full	22.08	22.28
n66	5	15	1745	DFT	16QAM	Inner_Full	22.03	22.23
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	20.64	20.84
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	20.65	20.85
n66	5	15	1745	DFT	16QAM	Outer_Full	21.04	21.24
n66	5	15	1745	DFT	64QAM	Inner_Full	20.64	20.84
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	20.37	20.57
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	20.36	20.56
n66	5	15	1745	DFT	64QAM	Outer_Full	20.52	20.72
n66	5	15	1745	DFT	256QAM	Inner_Full	18.78	18.98
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	18.50	18.7
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	18.48	18.68
n66	5	15	1745	DFT	256QAM	Outer_Full	18.66	18.86
n66	5	15	1745	CP	QPSK	Inner_Full	21.61	21.81
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	20.12	20.32
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	20.24	20.44
n66	5	15	1745	CP	QPSK	Outer_Full	20.22	20.42
n66	5	15	1745	CP	16QAM	Inner_Full	21.13	21.33
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	19.89	20.09
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	19.96	20.16
n66	5	15	1745	CP	16QAM	Outer_Full	20.17	20.37
n66	5	15	1745	CP	64QAM	Inner_Full	19.68	19.88
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	20.09	20.29
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	20.14	20.34
n66	5	15	1745	CP	64QAM	Outer_Full	19.70	19.9
n66	5	15	1745	CP	256QAM	Inner_Full	16.66	16.86
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	16.47	16.67
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	16.42	16.62
n66	5	15	1745	CP	256QAM	Outer_Full	16.64	16.84
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	23.21	23.41
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.53	22.73
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	22.71
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	22.70	22.9
n66	5	15	1777.5	DFT	QPSK	Inner_Full	23.16	23.36
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	22.10	22.3



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	22.11	22.31
n66	5	15	1777.5	DFT	QPSK	Outer_Full	22.15	22.35
n66	5	15	1777.5	DFT	16QAM	Inner_Full	22.12	22.32
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	20.74	20.94
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	20.73	20.93
n66	5	15	1777.5	DFT	16QAM	Outer_Full	21.12	21.32
n66	5	15	1777.5	DFT	64QAM	Inner_Full	20.72	20.92
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	20.48	20.68
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.44	20.64
n66	5	15	1777.5	DFT	64QAM	Outer_Full	20.64	20.84
n66	5	15	1777.5	DFT	256QAM	Inner_Full	18.82	19.02
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	18.59	18.79
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.71	18.91
n66	5	15	1777.5	DFT	256QAM	Outer_Full	18.75	18.95
n66	5	15	1777.5	CP	QPSK	Inner_Full	21.72	21.92
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	20.25	20.45
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	20.33	20.53
n66	5	15	1777.5	CP	QPSK	Outer_Full	20.30	20.5
n66	5	15	1777.5	CP	16QAM	Inner_Full	21.21	21.41
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	20.00	20.2
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	20.06	20.26
n66	5	15	1777.5	CP	16QAM	Outer_Full	20.24	20.44
n66	5	15	1777.5	CP	64QAM	Inner_Full	19.79	19.99
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	20.11	20.31
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	20.20	20.4
n66	5	15	1777.5	CP	64QAM	Outer_Full	19.76	19.96
n66	5	15	1777.5	CP	256QAM	Inner_Full	16.74	16.94
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	16.43	16.63
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	16.48	16.68
n66	5	15	1777.5	CP	256QAM	Outer_Full	16.69	16.89
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	22.96	23.16
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	22.26	22.46
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	22.37	22.57
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	22.40	22.6
n66	10	15	1715	DFT	QPSK	Inner_Full	22.97	23.17
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	21.80	22
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	21.95	22.15
n66	10	15	1715	DFT	QPSK	Outer_Full	21.92	22.12
n66	10	15	1715	DFT	16QAM	Inner_Full	21.92	22.12
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	20.41	20.61



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	20.56	20.76
n66	10	15	1715	DFT	16QAM	Outer_Full	20.95	21.15
n66	10	15	1715	DFT	64QAM	Inner_Full	20.40	20.6
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	20.35	20.55
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	20.26	20.46
n66	10	15	1715	DFT	64QAM	Outer_Full	20.42	20.62
n66	10	15	1715	DFT	256QAM	Inner_Full	18.61	18.81
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	18.29	18.49
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	18.43	18.63
n66	10	15	1715	DFT	256QAM	Outer_Full	18.56	18.76
n66	10	15	1715	CP	QPSK	Inner_Full	21.49	21.69
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	19.95	20.15
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	20.11	20.31
n66	10	15	1715	CP	QPSK	Outer_Full	20.02	20.22
n66	10	15	1715	CP	16QAM	Inner_Full	20.99	21.19
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	19.66	19.86
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	19.89	20.09
n66	10	15	1715	CP	16QAM	Outer_Full	20.04	20.24
n66	10	15	1715	CP	64QAM	Inner_Full	19.60	19.8
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	19.79	19.99
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	19.97	20.17
n66	10	15	1715	CP	64QAM	Outer_Full	19.54	19.74
n66	10	15	1715	CP	256QAM	Inner_Full	16.51	16.71
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	16.24	16.44
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	16.42	16.62
n66	10	15	1715	CP	256QAM	Outer_Full	16.52	16.72
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	22.91	23.11
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.32	22.52
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	22.45
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	22.37	22.57
n66	10	15	1745	DFT	QPSK	Inner_Full	22.95	23.15
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	21.84	22.04
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	21.87	22.07
n66	10	15	1745	DFT	QPSK	Outer_Full	21.88	22.08
n66	10	15	1745	DFT	16QAM	Inner_Full	21.94	22.14
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	20.61	20.81
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	20.65	20.85
n66	10	15	1745	DFT	16QAM	Outer_Full	20.91	21.11
n66	10	15	1745	DFT	64QAM	Inner_Full	20.37	20.57
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	20.16	20.36



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	20.20	20.4
n66	10	15	1745	DFT	64QAM	Outer_Full	20.38	20.58
n66	10	15	1745	DFT	256QAM	Inner_Full	18.57	18.77
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	18.30	18.5
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	18.28	18.48
n66	10	15	1745	DFT	256QAM	Outer_Full	18.54	18.74
n66	10	15	1745	CP	QPSK	Inner_Full	21.39	21.59
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	19.91	20.11
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	19.98	20.18
n66	10	15	1745	CP	QPSK	Outer_Full	20.03	20.23
n66	10	15	1745	CP	16QAM	Inner_Full	20.88	21.08
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	19.68	19.88
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	19.67	19.87
n66	10	15	1745	CP	16QAM	Outer_Full	20.03	20.23
n66	10	15	1745	CP	64QAM	Inner_Full	19.54	19.74
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	19.86	20.06
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	19.88	20.08
n66	10	15	1745	CP	64QAM	Outer_Full	19.53	19.73
n66	10	15	1745	CP	256QAM	Inner_Full	16.43	16.63
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	16.24	16.44
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	16.20	16.4
n66	10	15	1745	CP	256QAM	Outer_Full	16.50	16.7
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	23.10	23.3
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	22.47	22.67
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	22.38	22.58
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	22.55	22.75
n66	10	15	1775	DFT	QPSK	Inner_Full	23.11	23.31
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	21.96	22.16
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	21.95	22.15
n66	10	15	1775	DFT	QPSK	Outer_Full	22.03	22.23
n66	10	15	1775	DFT	16QAM	Inner_Full	22.08	22.28
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	20.62	20.82
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	20.54	20.74
n66	10	15	1775	DFT	16QAM	Outer_Full	21.05	21.25
n66	10	15	1775	DFT	64QAM	Inner_Full	20.51	20.71
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	20.29	20.49
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.27	20.47
n66	10	15	1775	DFT	64QAM	Outer_Full	20.53	20.73
n66	10	15	1775	DFT	256QAM	Inner_Full	18.68	18.88
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	18.41	18.61



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	18.41	18.61
n66	10	15	1775	DFT	256QAM	Outer_Full	18.63	18.83
n66	10	15	1775	CP	QPSK	Inner_Full	21.50	21.7
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	20.09	20.29
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	20.08	20.28
n66	10	15	1775	CP	QPSK	Outer_Full	20.15	20.35
n66	10	15	1775	CP	16QAM	Inner_Full	21.03	21.23
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	19.81	20.01
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	19.75	19.95
n66	10	15	1775	CP	16QAM	Outer_Full	20.16	20.36
n66	10	15	1775	CP	64QAM	Inner_Full	19.68	19.88
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	19.96	20.16
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	19.90	20.1
n66	10	15	1775	CP	64QAM	Outer_Full	19.66	19.86
n66	10	15	1775	CP	256QAM	Inner_Full	16.59	16.79
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	16.38	16.58
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	16.38	16.58
n66	10	15	1775	CP	256QAM	Outer_Full	16.59	16.79
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.11	23.31
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.32	22.52
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.47	22.67
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	22.60	22.8
n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.18	23.38
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	21.89	22.09
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.04	22.24
n66	15	15	1717.5	DFT	QPSK	Outer_Full	22.08	22.28
n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.13	22.33
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	20.53	20.73
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	20.68	20.88
n66	15	15	1717.5	DFT	16QAM	Outer_Full	21.07	21.27
n66	15	15	1717.5	DFT	64QAM	Inner_Full	20.58	20.78
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	20.46	20.66
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	20.38	20.58
n66	15	15	1717.5	DFT	64QAM	Outer_Full	20.61	20.81
n66	15	15	1717.5	DFT	256QAM	Inner_Full	18.81	19.01
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	18.34	18.54
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	18.52	18.72
n66	15	15	1717.5	DFT	256QAM	Outer_Full	18.68	18.88
n66	15	15	1717.5	CP	QPSK	Inner_Full	21.69	21.89
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	20.04	20.24



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.14	20.34
n66	15	15	1717.5	CP	QPSK	Outer_Full	20.25	20.45
n66	15	15	1717.5	CP	16QAM	Inner_Full	21.12	21.32
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	19.89	20.09
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	19.84	20.04
n66	15	15	1717.5	CP	16QAM	Outer_Full	20.27	20.47
n66	15	15	1717.5	CP	64QAM	Inner_Full	19.78	19.98
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	19.88	20.08
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	20.07	20.27
n66	15	15	1717.5	CP	64QAM	Outer_Full	19.74	19.94
n66	15	15	1717.5	CP	256QAM	Inner_Full	16.74	16.94
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	16.18	16.38
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	16.32	16.52
n66	15	15	1717.5	CP	256QAM	Outer_Full	16.72	16.92
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.05	23.25
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.46	22.66
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.41	22.61
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	22.57	22.77
n66	15	15	1745	DFT	QPSK	Inner_Full	23.07	23.27
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	21.99	22.19
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	21.96	22.16
n66	15	15	1745	DFT	QPSK	Outer_Full	22.03	22.23
n66	15	15	1745	DFT	16QAM	Inner_Full	22.04	22.24
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	20.73	20.93
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	20.59	20.79
n66	15	15	1745	DFT	16QAM	Outer_Full	20.99	21.19
n66	15	15	1745	DFT	64QAM	Inner_Full	20.51	20.71
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	20.31	20.51
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	20.33	20.53
n66	15	15	1745	DFT	64QAM	Outer_Full	20.56	20.76
n66	15	15	1745	DFT	256QAM	Inner_Full	18.73	18.93
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	18.45	18.65
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	18.61	18.81
n66	15	15	1745	DFT	256QAM	Outer_Full	18.66	18.86
n66	15	15	1745	CP	QPSK	Inner_Full	21.57	21.77
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	20.09	20.29
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	20.11	20.31
n66	15	15	1745	CP	QPSK	Outer_Full	20.24	20.44
n66	15	15	1745	CP	16QAM	Inner_Full	21.01	21.21
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	19.80	20



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	19.80	20
n66	15	15	1745	CP	16QAM	Outer_Full	20.22	20.42
n66	15	15	1745	CP	64QAM	Inner_Full	19.64	19.84
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	19.97	20.17
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	19.98	20.18
n66	15	15	1745	CP	64QAM	Outer_Full	19.73	19.93
n66	15	15	1745	CP	256QAM	Inner_Full	16.68	16.88
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	16.39	16.59
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	16.23	16.43
n66	15	15	1745	CP	256QAM	Outer_Full	16.65	16.85
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.13	23.33
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.48	22.68
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.48	22.68
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.65	22.85
n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.17	23.37
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.04	22.24
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	22.04	22.24
n66	15	15	1772.5	DFT	QPSK	Outer_Full	22.16	22.36
n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.15	22.35
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	20.80	21
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	20.63	20.83
n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.14	21.34
n66	15	15	1772.5	DFT	64QAM	Inner_Full	20.59	20.79
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	20.37	20.57
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.27	20.47
n66	15	15	1772.5	DFT	64QAM	Outer_Full	20.66	20.86
n66	15	15	1772.5	DFT	256QAM	Inner_Full	18.76	18.96
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	18.47	18.67
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.49	18.69
n66	15	15	1772.5	DFT	256QAM	Outer_Full	18.82	19.02
n66	15	15	1772.5	CP	QPSK	Inner_Full	21.67	21.87
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.15	20.35
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	20.12	20.32
n66	15	15	1772.5	CP	QPSK	Outer_Full	20.33	20.53
n66	15	15	1772.5	CP	16QAM	Inner_Full	21.13	21.33
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	19.94	20.14
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	19.84	20.04
n66	15	15	1772.5	CP	16QAM	Outer_Full	20.28	20.48
n66	15	15	1772.5	CP	64QAM	Inner_Full	19.78	19.98
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	20.03	20.23



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	19.98	20.18
n66	15	15	1772.5	CP	64QAM	Outer_Full	19.81	20.01
n66	15	15	1772.5	CP	256QAM	Inner_Full	16.82	17.02
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	16.33	16.53
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	16.48	16.68
n66	15	15	1772.5	CP	256QAM	Outer_Full	16.78	16.98
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.10	23.3
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.24	22.44
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	22.39	22.59
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	22.56	22.76
n66	20	15	1720	DFT	QPSK	Inner_Full	23.17	23.37
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	21.80	22
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.00	22.2
n66	20	15	1720	DFT	QPSK	Outer_Full	22.05	22.25
n66	20	15	1720	DFT	16QAM	Inner_Full	22.15	22.35
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	20.54	20.74
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	20.68	20.88
n66	20	15	1720	DFT	16QAM	Outer_Full	21.07	21.27
n66	20	15	1720	DFT	64QAM	Inner_Full	20.62	20.82
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.32	20.52
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	20.23	20.43
n66	20	15	1720	DFT	64QAM	Outer_Full	20.56	20.76
n66	20	15	1720	DFT	256QAM	Inner_Full	18.73	18.93
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	18.26	18.46
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	18.41	18.61
n66	20	15	1720	DFT	256QAM	Outer_Full	18.70	18.9
n66	20	15	1720	CP	QPSK	Inner_Full	21.64	21.84
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	19.93	20.13
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	20.16	20.36
n66	20	15	1720	CP	QPSK	Outer_Full	20.18	20.38
n66	20	15	1720	CP	16QAM	Inner_Full	21.15	21.35
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	19.82	20.02
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	20.00	20.2
n66	20	15	1720	CP	16QAM	Outer_Full	20.16	20.36
n66	20	15	1720	CP	64QAM	Inner_Full	19.84	20.04
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	19.79	19.99
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	20.07	20.27
n66	20	15	1720	CP	64QAM	Outer_Full	19.67	19.87
n66	20	15	1720	CP	256QAM	Inner_Full	16.78	16.98
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	16.25	16.45



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	16.47	16.67
n66	20	15	1720	CP	256QAM	Outer_Full	16.67	16.87
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.07	23.27
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.36	22.56
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.39	22.59
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	22.55	22.75
n66	20	15	1745	DFT	QPSK	Inner_Full	23.07	23.27
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	21.96	22.16
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	21.90	22.1
n66	20	15	1745	DFT	QPSK	Outer_Full	22.09	22.29
n66	20	15	1745	DFT	16QAM	Inner_Full	22.10	22.3
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	20.63	20.83
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	20.60	20.8
n66	20	15	1745	DFT	16QAM	Outer_Full	21.07	21.27
n66	20	15	1745	DFT	64QAM	Inner_Full	20.51	20.71
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	20.22	20.42
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	20.26	20.46
n66	20	15	1745	DFT	64QAM	Outer_Full	20.58	20.78
n66	20	15	1745	DFT	256QAM	Inner_Full	18.69	18.89
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	18.43	18.63
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	18.42	18.62
n66	20	15	1745	DFT	256QAM	Outer_Full	18.69	18.89
n66	20	15	1745	CP	QPSK	Inner_Full	21.62	21.82
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	20.02	20.22
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	20.15	20.35
n66	20	15	1745	CP	QPSK	Outer_Full	20.25	20.45
n66	20	15	1745	CP	16QAM	Inner_Full	21.10	21.3
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	19.80	20
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	19.92	20.12
n66	20	15	1745	CP	16QAM	Outer_Full	20.25	20.45
n66	20	15	1745	CP	64QAM	Inner_Full	19.75	19.95
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	19.85	20.05
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	20.03	20.23
n66	20	15	1745	CP	64QAM	Outer_Full	19.77	19.97
n66	20	15	1745	CP	256QAM	Inner_Full	16.71	16.91
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	16.23	16.43
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	16.38	16.58
n66	20	15	1745	CP	256QAM	Outer_Full	16.74	16.94
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.18	23.38
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	22.39	22.59



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	22.62
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	22.72	22.92
n66	20	15	1770	DFT	QPSK	Inner_Full	23.23	23.43
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	21.99	22.19
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	22.00	22.2
n66	20	15	1770	DFT	QPSK	Outer_Full	22.19	22.39
n66	20	15	1770	DFT	16QAM	Inner_Full	22.25	22.45
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	20.56	20.76
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	20.63	20.83
n66	20	15	1770	DFT	16QAM	Outer_Full	21.20	21.4
n66	20	15	1770	DFT	64QAM	Inner_Full	20.68	20.88
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	20.35	20.55
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.25	20.45
n66	20	15	1770	DFT	64QAM	Outer_Full	20.68	20.88
n66	20	15	1770	DFT	256QAM	Inner_Full	18.78	18.98
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	18.43	18.63
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	18.44	18.64
n66	20	15	1770	DFT	256QAM	Outer_Full	18.82	19.02
n66	20	15	1770	CP	QPSK	Inner_Full	21.72	21.92
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	20.11	20.31
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	20.21	20.41
n66	20	15	1770	CP	QPSK	Outer_Full	20.34	20.54
n66	20	15	1770	CP	16QAM	Inner_Full	21.24	21.44
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	19.84	20.04
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	19.95	20.15
n66	20	15	1770	CP	16QAM	Outer_Full	20.37	20.57
n66	20	15	1770	CP	64QAM	Inner_Full	19.82	20.02
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	19.98	20.18
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	20.06	20.26
n66	20	15	1770	CP	64QAM	Outer_Full	19.82	20.02
n66	20	15	1770	CP	256QAM	Inner_Full	16.85	17.05
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	16.29	16.49
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	16.44	16.64
n66	20	15	1770	CP	256QAM	Outer_Full	16.82	17.02
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.12	23.32
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	21.95	22.15
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	21.89	22.09
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	22.41	22.61
n66	40	15	1730	DFT	QPSK	Inner_Full	23.15	23.35
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	21.47	21.67



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	21.43	21.63
n66	40	15	1730	DFT	QPSK	Outer_Full	22.00	22.2
n66	40	15	1730	DFT	16QAM	Inner_Full	22.09	22.29
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	20.09	20.29
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	20.07	20.27
n66	40	15	1730	DFT	16QAM	Outer_Full	20.98	21.18
n66	40	15	1730	DFT	64QAM	Inner_Full	20.58	20.78
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	19.88	20.08
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	19.74	19.94
n66	40	15	1730	DFT	64QAM	Outer_Full	20.51	20.71
n66	40	15	1730	DFT	256QAM	Inner_Full	18.82	19.02
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	18.01	18.21
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	18.12	18.32
n66	40	15	1730	DFT	256QAM	Outer_Full	18.58	18.78
n66	40	15	1730	CP	QPSK	Inner_Full	21.57	21.77
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	19.65	19.85
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	19.61	19.81
n66	40	15	1730	CP	QPSK	Outer_Full	20.05	20.25
n66	40	15	1730	CP	16QAM	Inner_Full	21.10	21.3
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	19.40	19.6
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	19.45	19.65
n66	40	15	1730	CP	16QAM	Outer_Full	20.08	20.28
n66	40	15	1730	CP	64QAM	Inner_Full	19.68	19.88
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	19.51	19.71
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	19.48	19.68
n66	40	15	1730	CP	64QAM	Outer_Full	19.59	19.79
n66	40	15	1730	CP	256QAM	Inner_Full	16.71	16.91
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	15.88	16.08
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	15.82	16.02
n66	40	15	1730	CP	256QAM	Outer_Full	16.53	16.73
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	23.11	23.31
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	22.19
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.06	22.26
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	22.51	22.71
n66	40	15	1745	DFT	QPSK	Inner_Full	23.11	23.31
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	21.50	21.7
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	21.58	21.78
n66	40	15	1745	DFT	QPSK	Outer_Full	22.00	22.2
n66	40	15	1745	DFT	16QAM	Inner_Full	22.11	22.31
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	20.11	20.31



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	20.17	20.37
n66	40	15	1745	DFT	16QAM	Outer_Full	21.04	21.24
n66	40	15	1745	DFT	64QAM	Inner_Full	20.58	20.78
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	19.80	20
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	19.91	20.11
n66	40	15	1745	DFT	64QAM	Outer_Full	20.50	20.7
n66	40	15	1745	DFT	256QAM	Inner_Full	18.73	18.93
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	17.96	18.16
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	18.08	18.28
n66	40	15	1745	DFT	256QAM	Outer_Full	18.62	18.82
n66	40	15	1745	CP	QPSK	Inner_Full	21.60	21.8
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	19.65	19.85
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	19.72	19.92
n66	40	15	1745	CP	QPSK	Outer_Full	20.16	20.36
n66	40	15	1745	CP	16QAM	Inner_Full	21.06	21.26
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	19.37	19.57
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	19.47	19.67
n66	40	15	1745	CP	16QAM	Outer_Full	20.11	20.31
n66	40	15	1745	CP	64QAM	Inner_Full	19.73	19.93
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	19.54	19.74
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	19.65	19.85
n66	40	15	1745	CP	64QAM	Outer_Full	19.67	19.87
n66	40	15	1745	CP	256QAM	Inner_Full	16.70	16.9
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	15.96	16.16
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	16.09	16.29
n66	40	15	1745	CP	256QAM	Outer_Full	16.63	16.83
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.07	23.27
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	21.87	22.07
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	21.93	22.13
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	22.36	22.56
n66	40	15	1760	DFT	QPSK	Inner_Full	23.11	23.31
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	21.42	21.62
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	21.47	21.67
n66	40	15	1760	DFT	QPSK	Outer_Full	21.86	22.06
n66	40	15	1760	DFT	16QAM	Inner_Full	22.06	22.26
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	20.06	20.26
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	20.11	20.31
n66	40	15	1760	DFT	16QAM	Outer_Full	20.90	21.1
n66	40	15	1760	DFT	64QAM	Inner_Full	20.54	20.74
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	19.76	19.96



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	19.85	20.05
n66	40	15	1760	DFT	64QAM	Outer_Full	20.42	20.62
n66	40	15	1760	DFT	256QAM	Inner_Full	18.70	18.9
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	17.93	18.13
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	17.99	18.19
n66	40	15	1760	DFT	256QAM	Outer_Full	18.50	18.7
n66	40	15	1760	CP	QPSK	Inner_Full	21.52	21.72
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	19.59	19.79
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	19.66	19.86
n66	40	15	1760	CP	QPSK	Outer_Full	20.01	20.21
n66	40	15	1760	CP	16QAM	Inner_Full	21.09	21.29
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	19.29	19.49
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	19.41	19.61
n66	40	15	1760	CP	16QAM	Outer_Full	20.00	20.2
n66	40	15	1760	CP	64QAM	Inner_Full	19.66	19.86
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	19.49	19.69
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	19.55	19.75
n66	40	15	1760	CP	64QAM	Outer_Full	19.51	19.71
n66	40	15	1760	CP	256QAM	Inner_Full	16.60	16.8
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	15.73	15.93
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	15.88	16.08
n66	40	15	1760	CP	256QAM	Outer_Full	16.47	16.67



DC_2A_n77A (3450MHz-3550MHz)- EIRP 27.50(k)(3)

Limits: ≤33dBm (2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	10	30	3455.01	DFT	pi/2 BPSK	Inner_Full	24.76	26.16
n77L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.58	22.98
n77L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.55	22.95
n77L	10	30	3455.01	DFT	pi/2 BPSK	Outer_Full	23.80	25.2
n77L	10	30	3455.01	DFT	QPSK	Inner_Full	24.03	25.43
n77L	10	30	3455.01	DFT	QPSK	Edge_1RB_Left	21.60	23
n77L	10	30	3455.01	DFT	QPSK	Edge_1RB_Right	21.66	23.06
n77L	10	30	3455.01	DFT	QPSK	Outer_Full	24.02	25.42
n77L	10	30	3455.01	DFT	16QAM	Inner_Full	23.98	25.38
n77L	10	30	3455.01	DFT	16QAM	Edge_1RB_Left	21.75	23.15
n77L	10	30	3455.01	DFT	16QAM	Edge_1RB_Right	21.78	23.18
n77L	10	30	3455.01	DFT	16QAM	Outer_Full	23.27	24.67
n77L	10	30	3455.01	DFT	64QAM	Inner_Full	22.79	24.19
n77L	10	30	3455.01	DFT	64QAM	Edge_1RB_Left	21.77	23.17
n77L	10	30	3455.01	DFT	64QAM	Edge_1RB_Right	21.66	23.06
n77L	10	30	3455.01	DFT	64QAM	Outer_Full	22.91	24.31
n77L	10	30	3455.01	DFT	256QAM	Inner_Full	20.73	22.13
n77L	10	30	3455.01	DFT	256QAM	Edge_1RB_Left	20.52	21.92
n77L	10	30	3455.01	DFT	256QAM	Edge_1RB_Right	20.46	21.86
n77L	10	30	3455.01	DFT	256QAM	Outer_Full	20.75	22.15
n77L	10	30	3455.01	CP	QPSK	Inner_Full	23.81	25.21
n77L	10	30	3455.01	CP	QPSK	Edge_1RB_Left	21.62	23.02
n77L	10	30	3455.01	CP	QPSK	Edge_1RB_Right	21.75	23.15
n77L	10	30	3455.01	CP	QPSK	Outer_Full	22.27	23.67
n77L	10	30	3455.01	CP	16QAM	Inner_Full	23.29	24.69
n77L	10	30	3455.01	CP	16QAM	Edge_1RB_Left	21.61	23.01
n77L	10	30	3455.01	CP	16QAM	Edge_1RB_Right	21.87	23.27
n77L	10	30	3455.01	CP	16QAM	Outer_Full	22.32	23.72
n77L	10	30	3455.01	CP	64QAM	Inner_Full	21.86	23.26
n77L	10	30	3455.01	CP	64QAM	Edge_1RB_Left	21.73	23.13
n77L	10	30	3455.01	CP	64QAM	Edge_1RB_Right	21.90	23.3
n77L	10	30	3455.01	CP	64QAM	Outer_Full	21.83	23.23
n77L	10	30	3455.01	CP	256QAM	Inner_Full	18.79	20.19
n77L	10	30	3455.01	CP	256QAM	Edge_1RB_Left	18.49	19.89
n77L	10	30	3455.01	CP	256QAM	Edge_1RB_Right	18.62	20.02
n77L	10	30	3455.01	CP	256QAM	Outer_Full	18.87	20.27
n77L	10	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.40	26.8



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.76	23.16
n77L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.98	23.38
n77L	10	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.95	26.35
n77L	10	30	3500.01	DFT	QPSK	Inner_Full	25.46	26.86
n77L	10	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.69	23.09
n77L	10	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.96	23.36
n77L	10	30	3500.01	DFT	QPSK	Outer_Full	24.37	25.77
n77L	10	30	3500.01	DFT	16QAM	Inner_Full	24.32	25.72
n77L	10	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.97	23.37
n77L	10	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.01	23.41
n77L	10	30	3500.01	DFT	16QAM	Outer_Full	23.49	24.89
n77L	10	30	3500.01	DFT	64QAM	Inner_Full	22.94	24.34
n77L	10	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.83	23.23
n77L	10	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.91	23.31
n77L	10	30	3500.01	DFT	64QAM	Outer_Full	22.99	24.39
n77L	10	30	3500.01	DFT	256QAM	Inner_Full	20.89	22.29
n77L	10	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.68	22.08
n77L	10	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.77	22.17
n77L	10	30	3500.01	DFT	256QAM	Outer_Full	20.92	22.32
n77L	10	30	3500.01	CP	QPSK	Inner_Full	23.96	25.36
n77L	10	30	3500.01	CP	QPSK	Edge_1RB_Left	21.75	23.15
n77L	10	30	3500.01	CP	QPSK	Edge_1RB_Right	21.95	23.35
n77L	10	30	3500.01	CP	QPSK	Outer_Full	22.46	23.86
n77L	10	30	3500.01	CP	16QAM	Inner_Full	23.52	24.92
n77L	10	30	3500.01	CP	16QAM	Edge_1RB_Left	21.83	23.23
n77L	10	30	3500.01	CP	16QAM	Edge_1RB_Right	21.95	23.35
n77L	10	30	3500.01	CP	16QAM	Outer_Full	22.50	23.9
n77L	10	30	3500.01	CP	64QAM	Inner_Full	22.00	23.4
n77L	10	30	3500.01	CP	64QAM	Edge_1RB_Left	21.98	23.38
n77L	10	30	3500.01	CP	64QAM	Edge_1RB_Right	22.02	23.42
n77L	10	30	3500.01	CP	64QAM	Outer_Full	21.97	23.37
n77L	10	30	3500.01	CP	256QAM	Inner_Full	19.00	20.4
n77L	10	30	3500.01	CP	256QAM	Edge_1RB_Left	18.65	20.05
n77L	10	30	3500.01	CP	256QAM	Edge_1RB_Right	18.80	20.2
n77L	10	30	3500.01	CP	256QAM	Outer_Full	19.03	20.43
n77L	10	30	3544.98	DFT	pi/2 BPSK	Inner_Full	24.81	26.21
n77L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.79	23.19
n77L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.62	23.02
n77L	10	30	3544.98	DFT	pi/2 BPSK	Outer_Full	24.56	25.96
n77L	10	30	3544.98	DFT	QPSK	Inner_Full	24.48	25.88



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	10	30	3544.98	DFT	QPSK	Edge_1RB_Left	21.73	23.13
n77L	10	30	3544.98	DFT	QPSK	Edge_1RB_Right	21.58	22.98
n77L	10	30	3544.98	DFT	QPSK	Outer_Full	24.29	25.69
n77L	10	30	3544.98	DFT	16QAM	Inner_Full	24.26	25.66
n77L	10	30	3544.98	DFT	16QAM	Edge_1RB_Left	21.84	23.24
n77L	10	30	3544.98	DFT	16QAM	Edge_1RB_Right	21.70	23.1
n77L	10	30	3544.98	DFT	16QAM	Outer_Full	23.32	24.72
n77L	10	30	3544.98	DFT	64QAM	Inner_Full	22.80	24.2
n77L	10	30	3544.98	DFT	64QAM	Edge_1RB_Left	21.78	23.18
n77L	10	30	3544.98	DFT	64QAM	Edge_1RB_Right	21.59	22.99
n77L	10	30	3544.98	DFT	64QAM	Outer_Full	22.79	24.19
n77L	10	30	3544.98	DFT	256QAM	Inner_Full	20.74	22.14
n77L	10	30	3544.98	DFT	256QAM	Edge_1RB_Left	20.47	21.87
n77L	10	30	3544.98	DFT	256QAM	Edge_1RB_Right	20.43	21.83
n77L	10	30	3544.98	DFT	256QAM	Outer_Full	20.78	22.18
n77L	10	30	3544.98	CP	QPSK	Inner_Full	23.71	25.11
n77L	10	30	3544.98	CP	QPSK	Edge_1RB_Left	21.73	23.13
n77L	10	30	3544.98	CP	QPSK	Edge_1RB_Right	21.58	22.98
n77L	10	30	3544.98	CP	QPSK	Outer_Full	22.27	23.67
n77L	10	30	3544.98	CP	16QAM	Inner_Full	23.28	24.68
n77L	10	30	3544.98	CP	16QAM	Edge_1RB_Left	21.86	23.26
n77L	10	30	3544.98	CP	16QAM	Edge_1RB_Right	21.61	23.01
n77L	10	30	3544.98	CP	16QAM	Outer_Full	22.28	23.68
n77L	10	30	3544.98	CP	64QAM	Inner_Full	21.80	23.2
n77L	10	30	3544.98	CP	64QAM	Edge_1RB_Left	21.85	23.25
n77L	10	30	3544.98	CP	64QAM	Edge_1RB_Right	21.64	23.04
n77L	10	30	3544.98	CP	64QAM	Outer_Full	21.77	23.17
n77L	10	30	3544.98	CP	256QAM	Inner_Full	18.82	20.22
n77L	10	30	3544.98	CP	256QAM	Edge_1RB_Left	18.62	20.02
n77L	10	30	3544.98	CP	256QAM	Edge_1RB_Right	18.46	19.86
n77L	10	30	3544.98	CP	256QAM	Outer_Full	18.82	20.22
n77L	15	30	3457.5	DFT	pi/2 BPSK	Inner_Full	24.17	25.57
n77L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.78	23.18
n77L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.65	23.05
n77L	15	30	3457.5	DFT	pi/2 BPSK	Outer_Full	23.92	25.32
n77L	15	30	3457.5	DFT	QPSK	Inner_Full	24.06	25.46
n77L	15	30	3457.5	DFT	QPSK	Edge_1RB_Left	21.80	23.2
n77L	15	30	3457.5	DFT	QPSK	Edge_1RB_Right	21.61	23.01
n77L	15	30	3457.5	DFT	QPSK	Outer_Full	24.09	25.49
n77L	15	30	3457.5	DFT	16QAM	Inner_Full	23.99	25.39



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	15	30	3457.5	DFT	16QAM	Edge_1RB_Left	21.88	23.28
n77L	15	30	3457.5	DFT	16QAM	Edge_1RB_Right	21.80	23.2
n77L	15	30	3457.5	DFT	16QAM	Outer_Full	23.32	24.72
n77L	15	30	3457.5	DFT	64QAM	Inner_Full	22.80	24.2
n77L	15	30	3457.5	DFT	64QAM	Edge_1RB_Left	21.88	23.28
n77L	15	30	3457.5	DFT	64QAM	Edge_1RB_Right	21.64	23.04
n77L	15	30	3457.5	DFT	64QAM	Outer_Full	22.83	24.23
n77L	15	30	3457.5	DFT	256QAM	Inner_Full	20.77	22.17
n77L	15	30	3457.5	DFT	256QAM	Edge_1RB_Left	20.68	22.08
n77L	15	30	3457.5	DFT	256QAM	Edge_1RB_Right	20.43	21.83
n77L	15	30	3457.5	DFT	256QAM	Outer_Full	20.85	22.25
n77L	15	30	3457.5	CP	QPSK	Inner_Full	23.88	25.28
n77L	15	30	3457.5	CP	QPSK	Edge_1RB_Left	21.81	23.21
n77L	15	30	3457.5	CP	QPSK	Edge_1RB_Right	21.67	23.07
n77L	15	30	3457.5	CP	QPSK	Outer_Full	22.36	23.76
n77L	15	30	3457.5	CP	16QAM	Inner_Full	23.31	24.71
n77L	15	30	3457.5	CP	16QAM	Edge_1RB_Left	21.80	23.2
n77L	15	30	3457.5	CP	16QAM	Edge_1RB_Right	21.78	23.18
n77L	15	30	3457.5	CP	16QAM	Outer_Full	22.31	23.71
n77L	15	30	3457.5	CP	64QAM	Inner_Full	21.79	23.19
n77L	15	30	3457.5	CP	64QAM	Edge_1RB_Left	21.94	23.34
n77L	15	30	3457.5	CP	64QAM	Edge_1RB_Right	21.78	23.18
n77L	15	30	3457.5	CP	64QAM	Outer_Full	21.84	23.24
n77L	15	30	3457.5	CP	256QAM	Inner_Full	18.93	20.33
n77L	15	30	3457.5	CP	256QAM	Edge_1RB_Left	18.65	20.05
n77L	15	30	3457.5	CP	256QAM	Edge_1RB_Right	18.52	19.92
n77L	15	30	3457.5	CP	256QAM	Outer_Full	18.97	20.37
n77L	15	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.48	26.88
n77L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.76	23.16
n77L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.89	23.29
n77L	15	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.99	26.39
n77L	15	30	3500.01	DFT	QPSK	Inner_Full	25.50	26.9
n77L	15	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.73	23.13
n77L	15	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.82	23.22
n77L	15	30	3500.01	DFT	QPSK	Outer_Full	24.47	25.87
n77L	15	30	3500.01	DFT	16QAM	Inner_Full	24.53	25.93
n77L	15	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.97	23.37
n77L	15	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.07	23.47
n77L	15	30	3500.01	DFT	16QAM	Outer_Full	23.42	24.82
n77L	15	30	3500.01	DFT	64QAM	Inner_Full	22.93	24.33



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	15	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.81	23.21
n77L	15	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.86	23.26
n77L	15	30	3500.01	DFT	64QAM	Outer_Full	22.94	24.34
n77L	15	30	3500.01	DFT	256QAM	Inner_Full	20.90	22.3
n77L	15	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.49	21.89
n77L	15	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.63	22.03
n77L	15	30	3500.01	DFT	256QAM	Outer_Full	20.90	22.3
n77L	15	30	3500.01	CP	QPSK	Inner_Full	24.00	25.4
n77L	15	30	3500.01	CP	QPSK	Edge_1RB_Left	21.67	23.07
n77L	15	30	3500.01	CP	QPSK	Edge_1RB_Right	21.90	23.3
n77L	15	30	3500.01	CP	QPSK	Outer_Full	22.42	23.82
n77L	15	30	3500.01	CP	16QAM	Inner_Full	23.41	24.81
n77L	15	30	3500.01	CP	16QAM	Edge_1RB_Left	21.86	23.26
n77L	15	30	3500.01	CP	16QAM	Edge_1RB_Right	22.00	23.4
n77L	15	30	3500.01	CP	16QAM	Outer_Full	22.41	23.81
n77L	15	30	3500.01	CP	64QAM	Inner_Full	21.85	23.25
n77L	15	30	3500.01	CP	64QAM	Edge_1RB_Left	21.86	23.26
n77L	15	30	3500.01	CP	64QAM	Edge_1RB_Right	22.10	23.5
n77L	15	30	3500.01	CP	64QAM	Outer_Full	21.96	23.36
n77L	15	30	3500.01	CP	256QAM	Inner_Full	18.97	20.37
n77L	15	30	3500.01	CP	256QAM	Edge_1RB_Left	18.62	20.02
n77L	15	30	3500.01	CP	256QAM	Edge_1RB_Right	18.76	20.16
n77L	15	30	3500.01	CP	256QAM	Outer_Full	19.08	20.48
n77L	15	30	3542.49	DFT	pi/2 BPSK	Inner_Full	24.97	26.37
n77L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Left	21.80	23.2
n77L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Right	21.52	22.92
n77L	15	30	3542.49	DFT	pi/2 BPSK	Outer_Full	24.79	26.19
n77L	15	30	3542.49	DFT	QPSK	Inner_Full	24.63	26.03
n77L	15	30	3542.49	DFT	QPSK	Edge_1RB_Left	21.79	23.19
n77L	15	30	3542.49	DFT	QPSK	Edge_1RB_Right	21.53	22.93
n77L	15	30	3542.49	DFT	QPSK	Outer_Full	24.30	25.7
n77L	15	30	3542.49	DFT	16QAM	Inner_Full	24.25	25.65
n77L	15	30	3542.49	DFT	16QAM	Edge_1RB_Left	21.93	23.33
n77L	15	30	3542.49	DFT	16QAM	Edge_1RB_Right	21.71	23.11
n77L	15	30	3542.49	DFT	16QAM	Outer_Full	23.28	24.68
n77L	15	30	3542.49	DFT	64QAM	Inner_Full	22.74	24.14
n77L	15	30	3542.49	DFT	64QAM	Edge_1RB_Left	21.81	23.21
n77L	15	30	3542.49	DFT	64QAM	Edge_1RB_Right	21.56	22.96
n77L	15	30	3542.49	DFT	64QAM	Outer_Full	22.75	24.15
n77L	15	30	3542.49	DFT	256QAM	Inner_Full	20.77	22.17



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	15	30	3542.49	DFT	256QAM	Edge_1RB_Left	20.62	22.02
n77L	15	30	3542.49	DFT	256QAM	Edge_1RB_Right	20.26	21.66
n77L	15	30	3542.49	DFT	256QAM	Outer_Full	20.74	22.14
n77L	15	30	3542.49	CP	QPSK	Inner_Full	23.79	25.19
n77L	15	30	3542.49	CP	QPSK	Edge_1RB_Left	21.68	23.08
n77L	15	30	3542.49	CP	QPSK	Edge_1RB_Right	21.52	22.92
n77L	15	30	3542.49	CP	QPSK	Outer_Full	22.27	23.67
n77L	15	30	3542.49	CP	16QAM	Inner_Full	23.25	24.65
n77L	15	30	3542.49	CP	16QAM	Edge_1RB_Left	21.89	23.29
n77L	15	30	3542.49	CP	16QAM	Edge_1RB_Right	21.53	22.93
n77L	15	30	3542.49	CP	16QAM	Outer_Full	22.20	23.6
n77L	15	30	3542.49	CP	64QAM	Inner_Full	21.67	23.07
n77L	15	30	3542.49	CP	64QAM	Edge_1RB_Left	21.91	23.31
n77L	15	30	3542.49	CP	64QAM	Edge_1RB_Right	21.75	23.15
n77L	15	30	3542.49	CP	64QAM	Outer_Full	21.74	23.14
n77L	15	30	3542.49	CP	256QAM	Inner_Full	18.85	20.25
n77L	15	30	3542.49	CP	256QAM	Edge_1RB_Left	18.67	20.07
n77L	15	30	3542.49	CP	256QAM	Edge_1RB_Right	18.39	19.79
n77L	15	30	3542.49	CP	256QAM	Outer_Full	18.86	20.26
n77L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	24.39	25.79
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.80	23.2
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.58	22.98
n77L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	24.11	25.51
n77L	20	30	3460.02	DFT	QPSK	Inner_Full	24.29	25.69
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	21.75	23.15
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	21.57	22.97
n77L	20	30	3460.02	DFT	QPSK	Outer_Full	24.30	25.7
n77L	20	30	3460.02	DFT	16QAM	Inner_Full	24.22	25.62
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	21.93	23.33
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	21.78	23.18
n77L	20	30	3460.02	DFT	16QAM	Outer_Full	23.41	24.81
n77L	20	30	3460.02	DFT	64QAM	Inner_Full	22.82	24.22
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	21.79	23.19
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	21.58	22.98
n77L	20	30	3460.02	DFT	64QAM	Outer_Full	22.83	24.23
n77L	20	30	3460.02	DFT	256QAM	Inner_Full	20.83	22.23
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	20.52	21.92
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	20.32	21.72
n77L	20	30	3460.02	DFT	256QAM	Outer_Full	20.81	22.21
n77L	20	30	3460.02	CP	QPSK	Inner_Full	23.84	25.24



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	21.75	23.15
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	21.46	22.86
n77L	20	30	3460.02	CP	QPSK	Outer_Full	22.33	23.73
n77L	20	30	3460.02	CP	16QAM	Inner_Full	23.36	24.76
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	21.84	23.24
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	21.57	22.97
n77L	20	30	3460.02	CP	16QAM	Outer_Full	22.34	23.74
n77L	20	30	3460.02	CP	64QAM	Inner_Full	21.84	23.24
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	21.94	23.34
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	21.73	23.13
n77L	20	30	3460.02	CP	64QAM	Outer_Full	21.84	23.24
n77L	20	30	3460.02	CP	256QAM	Inner_Full	18.96	20.36
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	18.75	20.15
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	18.42	19.82
n77L	20	30	3460.02	CP	256QAM	Outer_Full	18.91	20.31
n77L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.47	26.87
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.75	23.15
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.90	23.3
n77L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.95	26.35
n77L	20	30	3500.01	DFT	QPSK	Inner_Full	25.48	26.88
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.71	23.11
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.81	23.21
n77L	20	30	3500.01	DFT	QPSK	Outer_Full	24.45	25.85
n77L	20	30	3500.01	DFT	16QAM	Inner_Full	24.47	25.87
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.88	23.28
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.96	23.36
n77L	20	30	3500.01	DFT	16QAM	Outer_Full	23.48	24.88
n77L	20	30	3500.01	DFT	64QAM	Inner_Full	22.93	24.33
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.74	23.14
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.87	23.27
n77L	20	30	3500.01	DFT	64QAM	Outer_Full	22.83	24.23
n77L	20	30	3500.01	DFT	256QAM	Inner_Full	20.74	22.14
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.52	21.92
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.42	21.82
n77L	20	30	3500.01	DFT	256QAM	Outer_Full	20.76	22.16
n77L	20	30	3500.01	CP	QPSK	Inner_Full	23.76	25.16
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	21.61	23.01
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	21.60	23
n77L	20	30	3500.01	CP	QPSK	Outer_Full	22.29	23.69
n77L	20	30	3500.01	CP	16QAM	Inner_Full	23.34	24.74



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	21.75	23.15
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	21.73	23.13
n77L	20	30	3500.01	CP	16QAM	Outer_Full	22.25	23.65
n77L	20	30	3500.01	CP	64QAM	Inner_Full	21.81	23.21
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	21.91	23.31
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	21.77	23.17
n77L	20	30	3500.01	CP	64QAM	Outer_Full	21.80	23.2
n77L	20	30	3500.01	CP	256QAM	Inner_Full	18.92	20.32
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	18.60	20
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	18.49	19.89
n77L	20	30	3500.01	CP	256QAM	Outer_Full	18.82	20.22
n77L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.32	26.72
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	21.73	23.13
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	21.51	22.91
n77L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	24.97	26.37
n77L	20	30	3540	DFT	QPSK	Inner_Full	25.28	26.68
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Left	21.69	23.09
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Right	21.47	22.87
n77L	20	30	3540	DFT	QPSK	Outer_Full	24.27	25.67
n77L	20	30	3540	DFT	16QAM	Inner_Full	24.28	25.68
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Left	21.89	23.29
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Right	21.62	23.02
n77L	20	30	3540	DFT	16QAM	Outer_Full	23.29	24.69
n77L	20	30	3540	DFT	64QAM	Inner_Full	22.72	24.12
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.76	23.16
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Right	21.57	22.97
n77L	20	30	3540	DFT	64QAM	Outer_Full	22.80	24.2
n77L	20	30	3540	DFT	256QAM	Inner_Full	20.69	22.09
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Left	20.42	21.82
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Right	20.22	21.62
n77L	20	30	3540	DFT	256QAM	Outer_Full	20.68	22.08
n77L	20	30	3540	CP	QPSK	Inner_Full	23.78	25.18
n77L	20	30	3540	CP	QPSK	Edge_1RB_Left	21.63	23.03
n77L	20	30	3540	CP	QPSK	Edge_1RB_Right	21.37	22.77
n77L	20	30	3540	CP	QPSK	Outer_Full	22.24	23.64
n77L	20	30	3540	CP	16QAM	Inner_Full	23.25	24.65
n77L	20	30	3540	CP	16QAM	Edge_1RB_Left	21.62	23.02
n77L	20	30	3540	CP	16QAM	Edge_1RB_Right	21.56	22.96
n77L	20	30	3540	CP	16QAM	Outer_Full	22.24	23.64
n77L	20	30	3540	CP	64QAM	Inner_Full	21.75	23.15



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	20	30	3540	CP	64QAM	Edge_1RB_Left	21.72	23.12
n77L	20	30	3540	CP	64QAM	Edge_1RB_Right	21.70	23.1
n77L	20	30	3540	CP	64QAM	Outer_Full	21.74	23.14
n77L	20	30	3540	CP	256QAM	Inner_Full	18.82	20.22
n77L	20	30	3540	CP	256QAM	Edge_1RB_Left	18.50	19.9
n77L	20	30	3540	CP	256QAM	Edge_1RB_Right	18.34	19.74
n77L	20	30	3540	CP	256QAM	Outer_Full	18.81	20.21
n77L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	25.38	26.78
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.31	22.71
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.15	22.55
n77L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	24.90	26.3
n77L	40	30	3470.01	DFT	QPSK	Inner_Full	25.25	26.65
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	21.28	22.68
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	21.10	22.5
n77L	40	30	3470.01	DFT	QPSK	Outer_Full	24.25	25.65
n77L	40	30	3470.01	DFT	16QAM	Inner_Full	24.39	25.79
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	21.32	22.72
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	20.93	22.33
n77L	40	30	3470.01	DFT	16QAM	Outer_Full	23.27	24.67
n77L	40	30	3470.01	DFT	64QAM	Inner_Full	22.86	24.26
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	21.32	22.72
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	21.15	22.55
n77L	40	30	3470.01	DFT	64QAM	Outer_Full	22.80	24.2
n77L	40	30	3470.01	DFT	256QAM	Inner_Full	20.76	22.16
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	20.11	21.51
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	19.98	21.38
n77L	40	30	3470.01	DFT	256QAM	Outer_Full	20.70	22.1
n77L	40	30	3470.01	CP	QPSK	Inner_Full	23.81	25.21
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	21.33	22.73
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	21.14	22.54
n77L	40	30	3470.01	CP	QPSK	Outer_Full	22.23	23.63
n77L	40	30	3470.01	CP	16QAM	Inner_Full	23.33	24.73
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	21.23	22.63
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	21.30	22.7
n77L	40	30	3470.01	CP	16QAM	Outer_Full	22.23	23.63
n77L	40	30	3470.01	CP	64QAM	Inner_Full	21.81	23.21
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	21.35	22.75
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	21.31	22.71
n77L	40	30	3470.01	CP	64QAM	Outer_Full	21.73	23.13
n77L	40	30	3470.01	CP	256QAM	Inner_Full	18.89	20.29



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	18.21	19.61
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	18.16	19.56
n77L	40	30	3470.01	CP	256QAM	Outer_Full	18.80	20.2
n77L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.28	26.68
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.37	22.77
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.14	22.54
n77L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.81	26.21
n77L	40	30	3500.01	DFT	QPSK	Inner_Full	25.32	26.72
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.37	22.77
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.08	22.48
n77L	40	30	3500.01	DFT	QPSK	Outer_Full	24.20	25.6
n77L	40	30	3500.01	DFT	16QAM	Inner_Full	24.33	25.73
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.51	22.91
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.32	22.72
n77L	40	30	3500.01	DFT	16QAM	Outer_Full	23.22	24.62
n77L	40	30	3500.01	DFT	64QAM	Inner_Full	22.83	24.23
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.43	22.83
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.22	22.62
n77L	40	30	3500.01	DFT	64QAM	Outer_Full	22.71	24.11
n77L	40	30	3500.01	DFT	256QAM	Inner_Full	20.76	22.16
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.14	21.54
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.88	21.28
n77L	40	30	3500.01	DFT	256QAM	Outer_Full	20.69	22.09
n77L	40	30	3500.01	CP	QPSK	Inner_Full	23.68	25.08
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	21.20	22.6
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	21.04	22.44
n77L	40	30	3500.01	CP	QPSK	Outer_Full	22.17	23.57
n77L	40	30	3500.01	CP	16QAM	Inner_Full	23.27	24.67
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	21.42	22.82
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	21.14	22.54
n77L	40	30	3500.01	CP	16QAM	Outer_Full	22.15	23.55
n77L	40	30	3500.01	CP	64QAM	Inner_Full	21.72	23.12
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	21.51	22.91
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	21.28	22.68
n77L	40	30	3500.01	CP	64QAM	Outer_Full	21.68	23.08
n77L	40	30	3500.01	CP	256QAM	Inner_Full	18.83	20.23
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	18.24	19.64
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	18.10	19.5
n77L	40	30	3500.01	CP	256QAM	Outer_Full	18.75	20.15
n77L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.31	26.71



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.29	22.69
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	20.97	22.37
n77L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	24.70	26.1
n77L	40	30	3529.98	DFT	QPSK	Inner_Full	25.30	26.7
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	21.24	22.64
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	20.93	22.33
n77L	40	30	3529.98	DFT	QPSK	Outer_Full	24.20	25.6
n77L	40	30	3529.98	DFT	16QAM	Inner_Full	24.35	25.75
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	21.43	22.83
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.21	22.61
n77L	40	30	3529.98	DFT	16QAM	Outer_Full	23.18	24.58
n77L	40	30	3529.98	DFT	64QAM	Inner_Full	22.77	24.17
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	21.35	22.75
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	21.02	22.42
n77L	40	30	3529.98	DFT	64QAM	Outer_Full	22.69	24.09
n77L	40	30	3529.98	DFT	256QAM	Inner_Full	20.69	22.09
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	20.13	21.53
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	19.74	21.14
n77L	40	30	3529.98	DFT	256QAM	Outer_Full	20.71	22.11
n77L	40	30	3529.98	CP	QPSK	Inner_Full	23.70	25.1
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	21.14	22.54
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	21.03	22.43
n77L	40	30	3529.98	CP	QPSK	Outer_Full	22.16	23.56
n77L	40	30	3529.98	CP	16QAM	Inner_Full	23.26	24.66
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	21.34	22.74
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	20.99	22.39
n77L	40	30	3529.98	CP	16QAM	Outer_Full	22.11	23.51
n77L	40	30	3529.98	CP	64QAM	Inner_Full	21.73	23.13
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	21.34	22.74
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	21.11	22.51
n77L	40	30	3529.98	CP	64QAM	Outer_Full	21.69	23.09
n77L	40	30	3529.98	CP	256QAM	Inner_Full	18.82	20.22
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	18.25	19.65
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	18.01	19.41
n77L	40	30	3529.98	CP	256QAM	Outer_Full	18.67	20.07
n77L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	25.36	26.76
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.56	22.96
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.33	22.73
n77L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	24.85	26.25
n77L	50	30	3475.02	DFT	QPSK	Inner_Full	25.33	26.73



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	21.47	22.87
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	21.25	22.65
n77L	50	30	3475.02	DFT	QPSK	Outer_Full	24.24	25.64
n77L	50	30	3475.02	DFT	16QAM	Inner_Full	24.38	25.78
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	21.72	23.12
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.49	22.89
n77L	50	30	3475.02	DFT	16QAM	Outer_Full	23.28	24.68
n77L	50	30	3475.02	DFT	64QAM	Inner_Full	22.81	24.21
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	21.59	22.99
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.38	22.78
n77L	50	30	3475.02	DFT	64QAM	Outer_Full	22.75	24.15
n77L	50	30	3475.02	DFT	256QAM	Inner_Full	20.80	22.2
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	20.33	21.73
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	20.05	21.45
n77L	50	30	3475.02	DFT	256QAM	Outer_Full	20.72	22.12
n77L	50	30	3475.02	CP	QPSK	Inner_Full	23.84	25.24
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	21.39	22.79
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	21.31	22.71
n77L	50	30	3475.02	CP	QPSK	Outer_Full	22.22	23.62
n77L	50	30	3475.02	CP	16QAM	Inner_Full	23.32	24.72
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	21.66	23.06
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	21.33	22.73
n77L	50	30	3475.02	CP	16QAM	Outer_Full	22.23	23.63
n77L	50	30	3475.02	CP	64QAM	Inner_Full	21.81	23.21
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	21.68	23.08
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	21.51	22.91
n77L	50	30	3475.02	CP	64QAM	Outer_Full	21.72	23.12
n77L	50	30	3475.02	CP	256QAM	Inner_Full	18.89	20.29
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	18.59	19.99
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	18.39	19.79
n77L	50	30	3475.02	CP	256QAM	Outer_Full	18.82	20.22
n77L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.28	26.68
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.61	23.01
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.30	22.7
n77L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.77	26.17
n77L	50	30	3500.01	DFT	QPSK	Inner_Full	25.32	26.72
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.55	22.95
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.25	22.65
n77L	50	30	3500.01	DFT	QPSK	Outer_Full	24.22	25.62
n77L	50	30	3500.01	DFT	16QAM	Inner_Full	24.34	25.74



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.72	23.12
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.50	22.9
n77L	50	30	3500.01	DFT	16QAM	Outer_Full	23.25	24.65
n77L	50	30	3500.01	DFT	64QAM	Inner_Full	22.76	24.16
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.61	23.01
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.30	22.7
n77L	50	30	3500.01	DFT	64QAM	Outer_Full	22.75	24.15
n77L	50	30	3500.01	DFT	256QAM	Inner_Full	20.77	22.17
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.46	21.86
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.12	21.52
n77L	50	30	3500.01	DFT	256QAM	Outer_Full	20.71	22.11
n77L	50	30	3500.01	CP	QPSK	Inner_Full	23.77	25.17
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	21.49	22.89
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	21.25	22.65
n77L	50	30	3500.01	CP	QPSK	Outer_Full	22.21	23.61
n77L	50	30	3500.01	CP	16QAM	Inner_Full	23.24	24.64
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	21.55	22.95
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	21.34	22.74
n77L	50	30	3500.01	CP	16QAM	Outer_Full	22.24	23.64
n77L	50	30	3500.01	CP	64QAM	Inner_Full	21.74	23.14
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	21.72	23.12
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	21.44	22.84
n77L	50	30	3500.01	CP	64QAM	Outer_Full	21.71	23.11
n77L	50	30	3500.01	CP	256QAM	Inner_Full	18.82	20.22
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	18.52	19.92
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	18.32	19.72
n77L	50	30	3500.01	CP	256QAM	Outer_Full	18.77	20.17
n77L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	25.28	26.68
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	21.49	22.89
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	21.18	22.58
n77L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	24.68	26.08
n77L	50	30	3525	DFT	QPSK	Inner_Full	25.33	26.73
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Left	21.44	22.84
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Right	21.15	22.55
n77L	50	30	3525	DFT	QPSK	Outer_Full	24.21	25.61
n77L	50	30	3525	DFT	16QAM	Inner_Full	24.30	25.7
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Left	21.24	22.64
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Right	20.98	22.38
n77L	50	30	3525	DFT	16QAM	Outer_Full	23.22	24.62
n77L	50	30	3525	DFT	64QAM	Inner_Full	22.76	24.16



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.50	22.9
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Right	21.20	22.6
n77L	50	30	3525	DFT	64QAM	Outer_Full	22.71	24.11
n77L	50	30	3525	DFT	256QAM	Inner_Full	20.78	22.18
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Left	20.32	21.72
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Right	19.93	21.33
n77L	50	30	3525	DFT	256QAM	Outer_Full	20.71	22.11
n77L	50	30	3525	CP	QPSK	Inner_Full	23.78	25.18
n77L	50	30	3525	CP	QPSK	Edge_1RB_Left	21.46	22.86
n77L	50	30	3525	CP	QPSK	Edge_1RB_Right	21.22	22.62
n77L	50	30	3525	CP	QPSK	Outer_Full	22.16	23.56
n77L	50	30	3525	CP	16QAM	Inner_Full	23.29	24.69
n77L	50	30	3525	CP	16QAM	Edge_1RB_Left	21.48	22.88
n77L	50	30	3525	CP	16QAM	Edge_1RB_Right	21.22	22.62
n77L	50	30	3525	CP	16QAM	Outer_Full	22.16	23.56
n77L	50	30	3525	CP	64QAM	Inner_Full	21.72	23.12
n77L	50	30	3525	CP	64QAM	Edge_1RB_Left	21.53	22.93
n77L	50	30	3525	CP	64QAM	Edge_1RB_Right	21.29	22.69
n77L	50	30	3525	CP	64QAM	Outer_Full	21.66	23.06
n77L	50	30	3525	CP	256QAM	Inner_Full	18.85	20.25
n77L	50	30	3525	CP	256QAM	Edge_1RB_Left	18.51	19.91
n77L	50	30	3525	CP	256QAM	Edge_1RB_Right	18.17	19.57
n77L	50	30	3525	CP	256QAM	Outer_Full	18.74	20.14
n77L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	25.33	26.73
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	21.44	22.84
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	21.14	22.54
n77L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	24.72	26.12
n77L	60	30	3480	DFT	QPSK	Inner_Full	25.32	26.72
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Left	21.37	22.77
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Right	21.09	22.49
n77L	60	30	3480	DFT	QPSK	Outer_Full	24.18	25.58
n77L	60	30	3480	DFT	16QAM	Inner_Full	24.35	25.75
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Left	21.59	22.99
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Right	21.30	22.7
n77L	60	30	3480	DFT	16QAM	Outer_Full	23.21	24.61
n77L	60	30	3480	DFT	64QAM	Inner_Full	22.80	24.2
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Left	21.45	22.85
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.14	22.54
n77L	60	30	3480	DFT	64QAM	Outer_Full	22.67	24.07
n77L	60	30	3480	DFT	256QAM	Inner_Full	20.79	22.19



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Left	20.23	21.63
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Right	19.94	21.34
n77L	60	30	3480	DFT	256QAM	Outer_Full	20.68	22.08
n77L	60	30	3480	CP	QPSK	Inner_Full	23.76	25.16
n77L	60	30	3480	CP	QPSK	Edge_1RB_Left	21.44	22.84
n77L	60	30	3480	CP	QPSK	Edge_1RB_Right	21.04	22.44
n77L	60	30	3480	CP	QPSK	Outer_Full	22.20	23.6
n77L	60	30	3480	CP	16QAM	Inner_Full	23.26	24.66
n77L	60	30	3480	CP	16QAM	Edge_1RB_Left	21.44	22.84
n77L	60	30	3480	CP	16QAM	Edge_1RB_Right	21.27	22.67
n77L	60	30	3480	CP	16QAM	Outer_Full	22.16	23.56
n77L	60	30	3480	CP	64QAM	Inner_Full	21.75	23.15
n77L	60	30	3480	CP	64QAM	Edge_1RB_Left	21.44	22.84
n77L	60	30	3480	CP	64QAM	Edge_1RB_Right	21.22	22.62
n77L	60	30	3480	CP	64QAM	Outer_Full	21.65	23.05
n77L	60	30	3480	CP	256QAM	Inner_Full	18.89	20.29
n77L	60	30	3480	CP	256QAM	Edge_1RB_Left	18.52	19.92
n77L	60	30	3480	CP	256QAM	Edge_1RB_Right	18.16	19.56
n77L	60	30	3480	CP	256QAM	Outer_Full	18.76	20.16
n77L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.26	26.66
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.51	22.91
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.18	22.58
n77L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.76	26.16
n77L	60	30	3500.01	DFT	QPSK	Inner_Full	25.27	26.67
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.45	22.85
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.15	22.55
n77L	60	30	3500.01	DFT	QPSK	Outer_Full	24.21	25.61
n77L	60	30	3500.01	DFT	16QAM	Inner_Full	24.24	25.64
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.67	23.07
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.24	22.64
n77L	60	30	3500.01	DFT	16QAM	Outer_Full	23.26	24.66
n77L	60	30	3500.01	DFT	64QAM	Inner_Full	22.73	24.13
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.49	22.89
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.20	22.6
n77L	60	30	3500.01	DFT	64QAM	Outer_Full	22.70	24.1
n77L	60	30	3500.01	DFT	256QAM	Inner_Full	20.66	22.06
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.33	21.73
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.92	21.32
n77L	60	30	3500.01	DFT	256QAM	Outer_Full	20.67	22.07
n77L	60	30	3500.01	CP	QPSK	Inner_Full	23.70	25.1



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	21.40	22.8
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	21.11	22.51
n77L	60	30	3500.01	CP	QPSK	Outer_Full	22.20	23.6
n77L	60	30	3500.01	CP	16QAM	Inner_Full	23.19	24.59
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	21.62	23.02
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	21.19	22.59
n77L	60	30	3500.01	CP	16QAM	Outer_Full	22.21	23.61
n77L	60	30	3500.01	CP	64QAM	Inner_Full	21.69	23.09
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	21.69	23.09
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.29	22.69
n77L	60	30	3500.01	CP	64QAM	Outer_Full	21.67	23.07
n77L	60	30	3500.01	CP	256QAM	Inner_Full	18.80	20.2
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	18.61	20.01
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	18.19	19.59
n77L	60	30	3500.01	CP	256QAM	Outer_Full	18.74	20.14
n77L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.29	26.69
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.45	22.85
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.07	22.47
n77L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	24.65	26.05
n77L	60	30	3519.99	DFT	QPSK	Inner_Full	25.25	26.65
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	21.42	22.82
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	21.00	22.4
n77L	60	30	3519.99	DFT	QPSK	Outer_Full	24.17	25.57
n77L	60	30	3519.99	DFT	16QAM	Inner_Full	24.27	25.67
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.16	22.56
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	20.76	22.16
n77L	60	30	3519.99	DFT	16QAM	Outer_Full	23.16	24.56
n77L	60	30	3519.99	DFT	64QAM	Inner_Full	22.71	24.11
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	21.47	22.87
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.03	22.43
n77L	60	30	3519.99	DFT	64QAM	Outer_Full	22.63	24.03
n77L	60	30	3519.99	DFT	256QAM	Inner_Full	20.75	22.15
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	20.28	21.68
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	19.80	21.2
n77L	60	30	3519.99	DFT	256QAM	Outer_Full	20.65	22.05
n77L	60	30	3519.99	CP	QPSK	Inner_Full	23.70	25.1
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	21.45	22.85
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	20.99	22.39
n77L	60	30	3519.99	CP	QPSK	Outer_Full	22.14	23.54
n77L	60	30	3519.99	CP	16QAM	Inner_Full	23.23	24.63



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	21.42	22.82
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	21.02	22.42
n77L	60	30	3519.99	CP	16QAM	Outer_Full	22.15	23.55
n77L	60	30	3519.99	CP	64QAM	Inner_Full	21.71	23.11
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	21.64	23.04
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	21.20	22.6
n77L	60	30	3519.99	CP	64QAM	Outer_Full	21.62	23.02
n77L	60	30	3519.99	CP	256QAM	Inner_Full	18.80	20.2
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	18.43	19.83
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	18.16	19.56
n77L	60	30	3519.99	CP	256QAM	Outer_Full	18.68	20.08
n77L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	25.40	26.8
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.17	22.57
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	20.83	22.23
n77L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	24.60	26
n77L	80	30	3490.02	DFT	QPSK	Inner_Full	25.26	26.66
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	21.15	22.55
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	20.83	22.23
n77L	80	30	3490.02	DFT	QPSK	Outer_Full	24.09	25.49
n77L	80	30	3490.02	DFT	16QAM	Inner_Full	24.30	25.7
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	21.29	22.69
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	20.99	22.39
n77L	80	30	3490.02	DFT	16QAM	Outer_Full	23.12	24.52
n77L	80	30	3490.02	DFT	64QAM	Inner_Full	22.88	24.28
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.17	22.57
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	20.86	22.26
n77L	80	30	3490.02	DFT	64QAM	Outer_Full	22.70	24.1
n77L	80	30	3490.02	DFT	256QAM	Inner_Full	20.69	22.09
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	19.99	21.39
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	19.66	21.06
n77L	80	30	3490.02	DFT	256QAM	Outer_Full	20.51	21.91
n77L	80	30	3490.02	CP	QPSK	Inner_Full	23.66	25.06
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	21.11	22.51
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	20.77	22.17
n77L	80	30	3490.02	CP	QPSK	Outer_Full	22.04	23.44
n77L	80	30	3490.02	CP	16QAM	Inner_Full	23.23	24.63
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	21.26	22.66
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	20.90	22.3
n77L	80	30	3490.02	CP	16QAM	Outer_Full	22.06	23.46
n77L	80	30	3490.02	CP	64QAM	Inner_Full	21.66	23.06



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	21.37	22.77
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	20.97	22.37
n77L	80	30	3490.02	CP	64QAM	Outer_Full	21.58	22.98
n77L	80	30	3490.02	CP	256QAM	Inner_Full	18.83	20.23
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	18.18	19.58
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	18.00	19.4
n77L	80	30	3490.02	CP	256QAM	Outer_Full	18.74	20.14
n77L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.31	26.71
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.22	22.62
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.80	22.2
n77L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.61	26.01
n77L	80	30	3500.01	DFT	QPSK	Inner_Full	25.25	26.65
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.20	22.6
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	20.80	22.2
n77L	80	30	3500.01	DFT	QPSK	Outer_Full	24.12	25.52
n77L	80	30	3500.01	DFT	16QAM	Inner_Full	24.25	25.65
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.39	22.79
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	20.91	22.31
n77L	80	30	3500.01	DFT	16QAM	Outer_Full	23.12	24.52
n77L	80	30	3500.01	DFT	64QAM	Inner_Full	22.74	24.14
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.28	22.68
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.82	22.22
n77L	80	30	3500.01	DFT	64QAM	Outer_Full	22.62	24.02
n77L	80	30	3500.01	DFT	256QAM	Inner_Full	20.70	22.1
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.00	21.4
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.62	21.02
n77L	80	30	3500.01	DFT	256QAM	Outer_Full	20.59	21.99
n77L	80	30	3500.01	CP	QPSK	Inner_Full	23.72	25.12
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	21.11	22.51
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	20.71	22.11
n77L	80	30	3500.01	CP	QPSK	Outer_Full	22.11	23.51
n77L	80	30	3500.01	CP	16QAM	Inner_Full	23.16	24.56
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	21.26	22.66
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	20.82	22.22
n77L	80	30	3500.01	CP	16QAM	Outer_Full	22.12	23.52
n77L	80	30	3500.01	CP	64QAM	Inner_Full	21.68	23.08
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	21.38	22.78
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	20.93	22.33
n77L	80	30	3500.01	CP	64QAM	Outer_Full	21.60	23
n77L	80	30	3500.01	CP	256QAM	Inner_Full	18.83	20.23



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	18.47	19.87
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	17.77	19.17
n77L	80	30	3500.01	CP	256QAM	Outer_Full	18.75	20.15
n77L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.26	26.66
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	21.19	22.59
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	20.64	22.04
n77L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	24.56	25.96
n77L	80	30	3510	DFT	QPSK	Inner_Full	25.26	26.66
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Left	21.18	22.58
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Right	20.66	22.06
n77L	80	30	3510	DFT	QPSK	Outer_Full	24.07	25.47
n77L	80	30	3510	DFT	16QAM	Inner_Full	24.21	25.61
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Left	21.29	22.69
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Right	20.83	22.23
n77L	80	30	3510	DFT	16QAM	Outer_Full	23.06	24.46
n77L	80	30	3510	DFT	64QAM	Inner_Full	22.72	24.12
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.28	22.68
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Right	20.69	22.09
n77L	80	30	3510	DFT	64QAM	Outer_Full	22.56	23.96
n77L	80	30	3510	DFT	256QAM	Inner_Full	20.66	22.06
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Left	20.03	21.43
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Right	19.44	20.84
n77L	80	30	3510	DFT	256QAM	Outer_Full	20.52	21.92
n77L	80	30	3510	CP	QPSK	Inner_Full	23.71	25.11
n77L	80	30	3510	CP	QPSK	Edge_1RB_Left	21.16	22.56
n77L	80	30	3510	CP	QPSK	Edge_1RB_Right	20.70	22.1
n77L	80	30	3510	CP	QPSK	Outer_Full	22.05	23.45
n77L	80	30	3510	CP	16QAM	Inner_Full	23.12	24.52
n77L	80	30	3510	CP	16QAM	Edge_1RB_Left	20.97	22.37
n77L	80	30	3510	CP	16QAM	Edge_1RB_Right	20.33	21.73
n77L	80	30	3510	CP	16QAM	Outer_Full	22.05	23.45
n77L	80	30	3510	CP	64QAM	Inner_Full	21.67	23.07
n77L	80	30	3510	CP	64QAM	Edge_1RB_Left	21.43	22.83
n77L	80	30	3510	CP	64QAM	Edge_1RB_Right	20.70	22.1
n77L	80	30	3510	CP	64QAM	Outer_Full	21.53	22.93
n77L	80	30	3510	CP	256QAM	Inner_Full	18.81	20.21
n77L	80	30	3510	CP	256QAM	Edge_1RB_Left	18.23	19.63
n77L	80	30	3510	CP	256QAM	Edge_1RB_Right	17.67	19.07
n77L	80	30	3510	CP	256QAM	Outer_Full	18.71	20.11
n77L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	25.20	26.6



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	20.99	22.39
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	20.56	21.96
n77L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	24.60	26
n77L	90	30	3495	DFT	QPSK	Inner_Full	25.21	26.61
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Left	20.95	22.35
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Right	20.52	21.92
n77L	90	30	3495	DFT	QPSK	Outer_Full	24.09	25.49
n77L	90	30	3495	DFT	16QAM	Inner_Full	24.25	25.65
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Left	21.12	22.52
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Right	20.69	22.09
n77L	90	30	3495	DFT	16QAM	Outer_Full	23.11	24.51
n77L	90	30	3495	DFT	64QAM	Inner_Full	22.66	24.06
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Left	21.04	22.44
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Right	20.57	21.97
n77L	90	30	3495	DFT	64QAM	Outer_Full	22.56	23.96
n77L	90	30	3495	DFT	256QAM	Inner_Full	20.62	22.02
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Left	19.88	21.28
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Right	19.36	20.76
n77L	90	30	3495	DFT	256QAM	Outer_Full	20.57	21.97
n77L	90	30	3495	CP	QPSK	Inner_Full	23.64	25.04
n77L	90	30	3495	CP	QPSK	Edge_1RB_Left	20.93	22.33
n77L	90	30	3495	CP	QPSK	Edge_1RB_Right	20.48	21.88
n77L	90	30	3495	CP	QPSK	Outer_Full	22.00	23.4
n77L	90	30	3495	CP	16QAM	Inner_Full	23.12	24.52
n77L	90	30	3495	CP	16QAM	Edge_1RB_Left	20.97	22.37
n77L	90	30	3495	CP	16QAM	Edge_1RB_Right	20.59	21.99
n77L	90	30	3495	CP	16QAM	Outer_Full	22.04	23.44
n77L	90	30	3495	CP	64QAM	Inner_Full	21.63	23.03
n77L	90	30	3495	CP	64QAM	Edge_1RB_Left	21.04	22.44
n77L	90	30	3495	CP	64QAM	Edge_1RB_Right	20.71	22.11
n77L	90	30	3495	CP	64QAM	Outer_Full	21.50	22.9
n77L	90	30	3495	CP	256QAM	Inner_Full	18.69	20.09
n77L	90	30	3495	CP	256QAM	Edge_1RB_Left	18.21	19.61
n77L	90	30	3495	CP	256QAM	Edge_1RB_Right	17.67	19.07
n77L	90	30	3495	CP	256QAM	Outer_Full	18.64	20.04
n77L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.22	26.62
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.98	22.38
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.49	21.89
n77L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.60	26
n77L	90	30	3500.01	DFT	QPSK	Inner_Full	25.20	26.6



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	20.95	22.35
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	20.50	21.9
n77L	90	30	3500.01	DFT	QPSK	Outer_Full	24.09	25.49
n77L	90	30	3500.01	DFT	16QAM	Inner_Full	24.23	25.63
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.15	22.55
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	20.71	22.11
n77L	90	30	3500.01	DFT	16QAM	Outer_Full	23.11	24.51
n77L	90	30	3500.01	DFT	64QAM	Inner_Full	22.74	24.14
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.07	22.47
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.61	22.01
n77L	90	30	3500.01	DFT	64QAM	Outer_Full	22.59	23.99
n77L	90	30	3500.01	DFT	256QAM	Inner_Full	20.69	22.09
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.90	21.3
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.31	20.71
n77L	90	30	3500.01	DFT	256QAM	Outer_Full	20.59	21.99
n77L	90	30	3500.01	CP	QPSK	Inner_Full	23.66	25.06
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	21.00	22.4
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	20.54	21.94
n77L	90	30	3500.01	CP	QPSK	Outer_Full	22.05	23.45
n77L	90	30	3500.01	CP	16QAM	Inner_Full	23.14	24.54
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	21.05	22.45
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	20.57	21.97
n77L	90	30	3500.01	CP	16QAM	Outer_Full	22.05	23.45
n77L	90	30	3500.01	CP	64QAM	Inner_Full	21.63	23.03
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	21.14	22.54
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	20.63	22.03
n77L	90	30	3500.01	CP	64QAM	Outer_Full	21.51	22.91
n77L	90	30	3500.01	CP	256QAM	Inner_Full	18.71	20.11
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	18.25	19.65
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	17.67	19.07
n77L	90	30	3500.01	CP	256QAM	Outer_Full	18.67	20.07
n77L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	25.21	26.61
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.07	22.47
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	20.49	21.89
n77L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	24.61	26.01
n77L	90	30	3504.99	DFT	QPSK	Inner_Full	25.27	26.67
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	21.07	22.47
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	20.47	21.87
n77L	90	30	3504.99	DFT	QPSK	Outer_Full	24.10	25.5
n77L	90	30	3504.99	DFT	16QAM	Inner_Full	24.27	25.67



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	21.17	22.57
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	20.63	22.03
n77L	90	30	3504.99	DFT	16QAM	Outer_Full	23.11	24.51
n77L	90	30	3504.99	DFT	64QAM	Inner_Full	22.77	24.17
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	21.11	22.51
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	20.52	21.92
n77L	90	30	3504.99	DFT	64QAM	Outer_Full	22.59	23.99
n77L	90	30	3504.99	DFT	256QAM	Inner_Full	20.71	22.11
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	19.98	21.38
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	19.29	20.69
n77L	90	30	3504.99	DFT	256QAM	Outer_Full	20.62	22.02
n77L	90	30	3504.99	CP	QPSK	Inner_Full	23.68	25.08
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	21.11	22.51
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	20.55	21.95
n77L	90	30	3504.99	CP	QPSK	Outer_Full	22.02	23.42
n77L	90	30	3504.99	CP	16QAM	Inner_Full	23.16	24.56
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	21.09	22.49
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	20.50	21.9
n77L	90	30	3504.99	CP	16QAM	Outer_Full	22.04	23.44
n77L	90	30	3504.99	CP	64QAM	Inner_Full	21.68	23.08
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	21.25	22.65
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	20.66	22.06
n77L	90	30	3504.99	CP	64QAM	Outer_Full	21.50	22.9
n77L	90	30	3504.99	CP	256QAM	Inner_Full	18.75	20.15
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	18.19	19.59
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	17.74	19.14
n77L	90	30	3504.99	CP	256QAM	Outer_Full	18.64	20.04
n77L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.21	26.61
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.83	22.23
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.29	21.69
n77L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.50	25.9
n77L	100	30	3500.01	DFT	QPSK	Inner_Full	25.19	26.59
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	20.81	22.21
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	20.29	21.69
n77L	100	30	3500.01	DFT	QPSK	Outer_Full	23.99	25.39
n77L	100	30	3500.01	DFT	16QAM	Inner_Full	24.20	25.6
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.99	22.39
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	20.48	21.88
n77L	100	30	3500.01	DFT	16QAM	Outer_Full	23.00	24.4
n77L	100	30	3500.01	DFT	64QAM	Inner_Full	22.73	24.13



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.89	22.29
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.35	21.75
n77L	100	30	3500.01	DFT	64QAM	Outer_Full	22.51	23.91
n77L	100	30	3500.01	DFT	256QAM	Inner_Full	20.64	22.04
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.68	21.08
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.13	20.53
n77L	100	30	3500.01	DFT	256QAM	Outer_Full	20.49	21.89
n77L	100	30	3500.01	CP	QPSK	Inner_Full	23.71	25.11
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	20.82	22.22
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	20.36	21.76
n77L	100	30	3500.01	CP	QPSK	Outer_Full	21.98	23.38
n77L	100	30	3500.01	CP	16QAM	Inner_Full	23.22	24.62
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	20.56	21.96
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	20.04	21.44
n77L	100	30	3500.01	CP	16QAM	Outer_Full	21.96	23.36
n77L	100	30	3500.01	CP	64QAM	Inner_Full	21.69	23.09
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.00	22.4
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	20.48	21.88
n77L	100	30	3500.01	CP	64QAM	Outer_Full	21.47	22.87
n77L	100	30	3500.01	CP	256QAM	Inner_Full	18.77	20.17
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	17.98	19.38
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	17.48	18.88
n77L	100	30	3500.01	CP	256QAM	Outer_Full	18.63	20.03
n77L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.15	26.55
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.90	22.3
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.31	21.71
n77L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.51	25.91
n77L	100	30	3500.01	DFT	QPSK	Inner_Full	25.17	26.57
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	20.83	22.23
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	20.28	21.68
n77L	100	30	3500.01	DFT	QPSK	Outer_Full	23.99	25.39
n77L	100	30	3500.01	DFT	16QAM	Inner_Full	24.19	25.59
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.98	22.38
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	20.44	21.84
n77L	100	30	3500.01	DFT	16QAM	Outer_Full	23.01	24.41
n77L	100	30	3500.01	DFT	64QAM	Inner_Full	22.73	24.13
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.88	22.28
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.35	21.75
n77L	100	30	3500.01	DFT	64QAM	Outer_Full	22.52	23.92
n77L	100	30	3500.01	DFT	256QAM	Inner_Full	20.67	22.07



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.67	21.07
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.15	20.55
n77L	100	30	3500.01	DFT	256QAM	Outer_Full	20.48	21.88
n77L	100	30	3500.01	CP	QPSK	Inner_Full	23.72	25.12
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	20.80	22.2
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	20.31	21.71
n77L	100	30	3500.01	CP	QPSK	Outer_Full	21.97	23.37
n77L	100	30	3500.01	CP	16QAM	Inner_Full	23.21	24.61
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	20.91	22.31
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	20.38	21.78
n77L	100	30	3500.01	CP	16QAM	Outer_Full	21.95	23.35
n77L	100	30	3500.01	CP	64QAM	Inner_Full	21.68	23.08
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	20.93	22.33
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	20.42	21.82
n77L	100	30	3500.01	CP	64QAM	Outer_Full	21.45	22.85
n77L	100	30	3500.01	CP	256QAM	Inner_Full	18.77	20.17
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	18.02	19.42
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	17.57	18.97
n77L	100	30	3500.01	CP	256QAM	Outer_Full	18.61	20.01
n77L	100	30	3499.98	DFT	pi/2 BPSK	Inner_Full	25.18	26.58
n77L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.83	22.23
n77L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Right	20.28	21.68
n77L	100	30	3499.98	DFT	pi/2 BPSK	Outer_Full	24.55	25.95
n77L	100	30	3499.98	DFT	QPSK	Inner_Full	25.17	26.57
n77L	100	30	3499.98	DFT	QPSK	Edge_1RB_Left	20.82	22.22
n77L	100	30	3499.98	DFT	QPSK	Edge_1RB_Right	20.24	21.64
n77L	100	30	3499.98	DFT	QPSK	Outer_Full	24.00	25.4
n77L	100	30	3499.98	DFT	16QAM	Inner_Full	24.18	25.58
n77L	100	30	3499.98	DFT	16QAM	Edge_1RB_Left	21.00	22.4
n77L	100	30	3499.98	DFT	16QAM	Edge_1RB_Right	20.45	21.85
n77L	100	30	3499.98	DFT	16QAM	Outer_Full	23.01	24.41
n77L	100	30	3499.98	DFT	64QAM	Inner_Full	22.69	24.09
n77L	100	30	3499.98	DFT	64QAM	Edge_1RB_Left	20.87	22.27
n77L	100	30	3499.98	DFT	64QAM	Edge_1RB_Right	20.34	21.74
n77L	100	30	3499.98	DFT	64QAM	Outer_Full	22.49	23.89
n77L	100	30	3499.98	DFT	256QAM	Inner_Full	20.62	22.02
n77L	100	30	3499.98	DFT	256QAM	Edge_1RB_Left	19.67	21.07
n77L	100	30	3499.98	DFT	256QAM	Edge_1RB_Right	19.12	20.52
n77L	100	30	3499.98	DFT	256QAM	Outer_Full	20.47	21.87
n77L	100	30	3499.98	CP	QPSK	Inner_Full	23.66	25.06



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	100	30	3499.98	CP	QPSK	Edge_1RB_Left	20.81	22.21
n77L	100	30	3499.98	CP	QPSK	Edge_1RB_Right	20.31	21.71
n77L	100	30	3499.98	CP	QPSK	Outer_Full	21.95	23.35
n77L	100	30	3499.98	CP	16QAM	Inner_Full	23.15	24.55
n77L	100	30	3499.98	CP	16QAM	Edge_1RB_Left	20.88	22.28
n77L	100	30	3499.98	CP	16QAM	Edge_1RB_Right	20.36	21.76
n77L	100	30	3499.98	CP	16QAM	Outer_Full	21.95	23.35
n77L	100	30	3499.98	CP	64QAM	Inner_Full	21.64	23.04
n77L	100	30	3499.98	CP	64QAM	Edge_1RB_Left	20.99	22.39
n77L	100	30	3499.98	CP	64QAM	Edge_1RB_Right	20.46	21.86
n77L	100	30	3499.98	CP	64QAM	Outer_Full	21.44	22.84
n77L	100	30	3499.98	CP	256QAM	Inner_Full	18.70	20.1
n77L	100	30	3499.98	CP	256QAM	Edge_1RB_Left	18.02	19.42
n77L	100	30	3499.98	CP	256QAM	Edge_1RB_Right	17.50	18.9
n77L	100	30	3499.98	CP	256QAM	Outer_Full	18.60	20



DC_2A_n77A (37000MHz-3980MHz)- EIRP 27.50(j)(3)

Limits: ≤30dBm (1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	10	30	3705	DFT	pi/2 BPSK	Inner_Full	25.01	26.41
n77H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Left	21.38	22.78
n77H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Right	21.40	22.8
n77H	10	30	3705	DFT	pi/2 BPSK	Outer_Full	24.49	25.89
n77H	10	30	3705	DFT	QPSK	Inner_Full	25.00	26.4
n77H	10	30	3705	DFT	QPSK	Edge_1RB_Left	21.36	22.76
n77H	10	30	3705	DFT	QPSK	Edge_1RB_Right	21.38	22.78
n77H	10	30	3705	DFT	QPSK	Outer_Full	24.01	25.41
n77H	10	30	3705	DFT	16QAM	Inner_Full	24.00	25.4
n77H	10	30	3705	DFT	16QAM	Edge_1RB_Left	21.44	22.84
n77H	10	30	3705	DFT	16QAM	Edge_1RB_Right	21.55	22.95
n77H	10	30	3705	DFT	16QAM	Outer_Full	23.04	24.44
n77H	10	30	3705	DFT	64QAM	Inner_Full	22.47	23.87
n77H	10	30	3705	DFT	64QAM	Edge_1RB_Left	21.36	22.76
n77H	10	30	3705	DFT	64QAM	Edge_1RB_Right	21.47	22.87
n77H	10	30	3705	DFT	64QAM	Outer_Full	22.53	23.93
n77H	10	30	3705	DFT	256QAM	Inner_Full	20.46	21.86
n77H	10	30	3705	DFT	256QAM	Edge_1RB_Left	20.20	21.6
n77H	10	30	3705	DFT	256QAM	Edge_1RB_Right	20.25	21.65
n77H	10	30	3705	DFT	256QAM	Outer_Full	20.49	21.89
n77H	10	30	3705	CP	QPSK	Inner_Full	23.52	24.92
n77H	10	30	3705	CP	QPSK	Edge_1RB_Left	21.30	22.7
n77H	10	30	3705	CP	QPSK	Edge_1RB_Right	21.36	22.76
n77H	10	30	3705	CP	QPSK	Outer_Full	21.99	23.39
n77H	10	30	3705	CP	16QAM	Inner_Full	22.97	24.37
n77H	10	30	3705	CP	16QAM	Edge_1RB_Left	21.46	22.86
n77H	10	30	3705	CP	16QAM	Edge_1RB_Right	21.63	23.03
n77H	10	30	3705	CP	16QAM	Outer_Full	22.01	23.41
n77H	10	30	3705	CP	64QAM	Inner_Full	21.52	22.92
n77H	10	30	3705	CP	64QAM	Edge_1RB_Left	21.49	22.89
n77H	10	30	3705	CP	64QAM	Edge_1RB_Right	21.40	22.8
n77H	10	30	3705	CP	64QAM	Outer_Full	21.50	22.9
n77H	10	30	3705	CP	256QAM	Inner_Full	18.54	19.94
n77H	10	30	3705	CP	256QAM	Edge_1RB_Left	18.30	19.7
n77H	10	30	3705	CP	256QAM	Edge_1RB_Right	18.45	19.85
n77H	10	30	3705	CP	256QAM	Outer_Full	18.54	19.94
n77H	10	30	3840	DFT	pi/2 BPSK	Inner_Full	24.89	26.29



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	10	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.31	22.71
n77H	10	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.31	22.71
n77H	10	30	3840	DFT	pi/2 BPSK	Outer_Full	24.42	25.82
n77H	10	30	3840	DFT	QPSK	Inner_Full	24.94	26.34
n77H	10	30	3840	DFT	QPSK	Edge_1RB_Left	21.29	22.69
n77H	10	30	3840	DFT	QPSK	Edge_1RB_Right	21.37	22.77
n77H	10	30	3840	DFT	QPSK	Outer_Full	23.98	25.38
n77H	10	30	3840	DFT	16QAM	Inner_Full	23.98	25.38
n77H	10	30	3840	DFT	16QAM	Edge_1RB_Left	21.54	22.94
n77H	10	30	3840	DFT	16QAM	Edge_1RB_Right	21.66	23.06
n77H	10	30	3840	DFT	16QAM	Outer_Full	22.96	24.36
n77H	10	30	3840	DFT	64QAM	Inner_Full	22.43	23.83
n77H	10	30	3840	DFT	64QAM	Edge_1RB_Left	21.39	22.79
n77H	10	30	3840	DFT	64QAM	Edge_1RB_Right	21.43	22.83
n77H	10	30	3840	DFT	64QAM	Outer_Full	22.49	23.89
n77H	10	30	3840	DFT	256QAM	Inner_Full	20.42	21.82
n77H	10	30	3840	DFT	256QAM	Edge_1RB_Left	20.20	21.6
n77H	10	30	3840	DFT	256QAM	Edge_1RB_Right	20.14	21.54
n77H	10	30	3840	DFT	256QAM	Outer_Full	20.46	21.86
n77H	10	30	3840	CP	QPSK	Inner_Full	23.43	24.83
n77H	10	30	3840	CP	QPSK	Edge_1RB_Left	21.28	22.68
n77H	10	30	3840	CP	QPSK	Edge_1RB_Right	21.26	22.66
n77H	10	30	3840	CP	QPSK	Outer_Full	21.93	23.33
n77H	10	30	3840	CP	16QAM	Inner_Full	22.99	24.39
n77H	10	30	3840	CP	16QAM	Edge_1RB_Left	21.28	22.68
n77H	10	30	3840	CP	16QAM	Edge_1RB_Right	21.30	22.7
n77H	10	30	3840	CP	16QAM	Outer_Full	21.97	23.37
n77H	10	30	3840	CP	64QAM	Inner_Full	21.47	22.87
n77H	10	30	3840	CP	64QAM	Edge_1RB_Left	21.27	22.67
n77H	10	30	3840	CP	64QAM	Edge_1RB_Right	21.38	22.78
n77H	10	30	3840	CP	64QAM	Outer_Full	21.46	22.86
n77H	10	30	3840	CP	256QAM	Inner_Full	18.54	19.94
n77H	10	30	3840	CP	256QAM	Edge_1RB_Left	18.23	19.63
n77H	10	30	3840	CP	256QAM	Edge_1RB_Right	18.26	19.66
n77H	10	30	3840	CP	256QAM	Outer_Full	18.56	19.96
n77H	10	30	3975	DFT	pi/2 BPSK	Inner_Full	25.05	26.45
n77H	10	30	3975	DFT	pi/2 BPSK	Edge_1RB_Left	21.46	22.86
n77H	10	30	3975	DFT	pi/2 BPSK	Edge_1RB_Right	21.52	22.92
n77H	10	30	3975	DFT	pi/2 BPSK	Outer_Full	24.56	25.96
n77H	10	30	3975	DFT	QPSK	Inner_Full	25.08	26.48



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	10	30	3975	DFT	QPSK	Edge_1RB_Left	21.46	22.86
n77H	10	30	3975	DFT	QPSK	Edge_1RB_Right	21.47	22.87
n77H	10	30	3975	DFT	QPSK	Outer_Full	24.09	25.49
n77H	10	30	3975	DFT	16QAM	Inner_Full	24.08	25.48
n77H	10	30	3975	DFT	16QAM	Edge_1RB_Left	21.60	23
n77H	10	30	3975	DFT	16QAM	Edge_1RB_Right	21.61	23.01
n77H	10	30	3975	DFT	16QAM	Outer_Full	23.17	24.57
n77H	10	30	3975	DFT	64QAM	Inner_Full	22.56	23.96
n77H	10	30	3975	DFT	64QAM	Edge_1RB_Left	21.50	22.9
n77H	10	30	3975	DFT	64QAM	Edge_1RB_Right	21.57	22.97
n77H	10	30	3975	DFT	64QAM	Outer_Full	22.65	24.05
n77H	10	30	3975	DFT	256QAM	Inner_Full	20.60	22
n77H	10	30	3975	DFT	256QAM	Edge_1RB_Left	20.31	21.71
n77H	10	30	3975	DFT	256QAM	Edge_1RB_Right	20.30	21.7
n77H	10	30	3975	DFT	256QAM	Outer_Full	20.57	21.97
n77H	10	30	3975	CP	QPSK	Inner_Full	23.52	24.92
n77H	10	30	3975	CP	QPSK	Edge_1RB_Left	21.42	22.82
n77H	10	30	3975	CP	QPSK	Edge_1RB_Right	21.49	22.89
n77H	10	30	3975	CP	QPSK	Outer_Full	22.10	23.5
n77H	10	30	3975	CP	16QAM	Inner_Full	23.11	24.51
n77H	10	30	3975	CP	16QAM	Edge_1RB_Left	21.40	22.8
n77H	10	30	3975	CP	16QAM	Edge_1RB_Right	21.59	22.99
n77H	10	30	3975	CP	16QAM	Outer_Full	22.15	23.55
n77H	10	30	3975	CP	64QAM	Inner_Full	21.71	23.11
n77H	10	30	3975	CP	64QAM	Edge_1RB_Left	21.52	22.92
n77H	10	30	3975	CP	64QAM	Edge_1RB_Right	21.77	23.17
n77H	10	30	3975	CP	64QAM	Outer_Full	21.65	23.05
n77H	10	30	3975	CP	256QAM	Inner_Full	18.72	20.12
n77H	10	30	3975	CP	256QAM	Edge_1RB_Left	18.45	19.85
n77H	10	30	3975	CP	256QAM	Edge_1RB_Right	18.51	19.91
n77H	10	30	3975	CP	256QAM	Outer_Full	18.83	20.23
n77H	15	30	3707.52	DFT	pi/2 BPSK	Inner_Full	25.00	26.4
n77H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Left	21.32	22.72
n77H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Right	21.39	22.79
n77H	15	30	3707.52	DFT	pi/2 BPSK	Outer_Full	24.51	25.91
n77H	15	30	3707.52	DFT	QPSK	Inner_Full	25.03	26.43
n77H	15	30	3707.52	DFT	QPSK	Edge_1RB_Left	21.26	22.66
n77H	15	30	3707.52	DFT	QPSK	Edge_1RB_Right	21.32	22.72
n77H	15	30	3707.52	DFT	QPSK	Outer_Full	23.99	25.39
n77H	15	30	3707.52	DFT	16QAM	Inner_Full	23.99	25.39



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	15	30	3707.52	DFT	16QAM	Edge_1RB_Left	21.42	22.82
n77H	15	30	3707.52	DFT	16QAM	Edge_1RB_Right	21.56	22.96
n77H	15	30	3707.52	DFT	16QAM	Outer_Full	23.00	24.4
n77H	15	30	3707.52	DFT	64QAM	Inner_Full	22.48	23.88
n77H	15	30	3707.52	DFT	64QAM	Edge_1RB_Left	21.34	22.74
n77H	15	30	3707.52	DFT	64QAM	Edge_1RB_Right	21.42	22.82
n77H	15	30	3707.52	DFT	64QAM	Outer_Full	22.47	23.87
n77H	15	30	3707.52	DFT	256QAM	Inner_Full	20.48	21.88
n77H	15	30	3707.52	DFT	256QAM	Edge_1RB_Left	20.13	21.53
n77H	15	30	3707.52	DFT	256QAM	Edge_1RB_Right	20.25	21.65
n77H	15	30	3707.52	DFT	256QAM	Outer_Full	20.46	21.86
n77H	15	30	3707.52	CP	QPSK	Inner_Full	23.57	24.97
n77H	15	30	3707.52	CP	QPSK	Edge_1RB_Left	21.28	22.68
n77H	15	30	3707.52	CP	QPSK	Edge_1RB_Right	21.38	22.78
n77H	15	30	3707.52	CP	QPSK	Outer_Full	21.98	23.38
n77H	15	30	3707.52	CP	16QAM	Inner_Full	22.97	24.37
n77H	15	30	3707.52	CP	16QAM	Edge_1RB_Left	21.48	22.88
n77H	15	30	3707.52	CP	16QAM	Edge_1RB_Right	21.47	22.87
n77H	15	30	3707.52	CP	16QAM	Outer_Full	21.93	23.33
n77H	15	30	3707.52	CP	64QAM	Inner_Full	21.41	22.81
n77H	15	30	3707.52	CP	64QAM	Edge_1RB_Left	21.30	22.7
n77H	15	30	3707.52	CP	64QAM	Edge_1RB_Right	21.44	22.84
n77H	15	30	3707.52	CP	64QAM	Outer_Full	21.50	22.9
n77H	15	30	3707.52	CP	256QAM	Inner_Full	18.55	19.95
n77H	15	30	3707.52	CP	256QAM	Edge_1RB_Left	18.27	19.67
n77H	15	30	3707.52	CP	256QAM	Edge_1RB_Right	18.37	19.77
n77H	15	30	3707.52	CP	256QAM	Outer_Full	18.59	19.99
n77H	15	30	3840	DFT	pi/2 BPSK	Inner_Full	24.93	26.33
n77H	15	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.24	22.64
n77H	15	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.34	22.74
n77H	15	30	3840	DFT	pi/2 BPSK	Outer_Full	24.45	25.85
n77H	15	30	3840	DFT	QPSK	Inner_Full	24.94	26.34
n77H	15	30	3840	DFT	QPSK	Edge_1RB_Left	21.22	22.62
n77H	15	30	3840	DFT	QPSK	Edge_1RB_Right	21.34	22.74
n77H	15	30	3840	DFT	QPSK	Outer_Full	23.98	25.38
n77H	15	30	3840	DFT	16QAM	Inner_Full	23.97	25.37
n77H	15	30	3840	DFT	16QAM	Edge_1RB_Left	21.47	22.87
n77H	15	30	3840	DFT	16QAM	Edge_1RB_Right	21.76	23.16
n77H	15	30	3840	DFT	16QAM	Outer_Full	22.91	24.31
n77H	15	30	3840	DFT	64QAM	Inner_Full	22.45	23.85



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	15	30	3840	DFT	64QAM	Edge_1RB_Left	21.50	22.9
n77H	15	30	3840	DFT	64QAM	Edge_1RB_Right	21.60	23
n77H	15	30	3840	DFT	64QAM	Outer_Full	22.45	23.85
n77H	15	30	3840	DFT	256QAM	Inner_Full	20.48	21.88
n77H	15	30	3840	DFT	256QAM	Edge_1RB_Left	20.06	21.46
n77H	15	30	3840	DFT	256QAM	Edge_1RB_Right	20.21	21.61
n77H	15	30	3840	DFT	256QAM	Outer_Full	20.47	21.87
n77H	15	30	3840	CP	QPSK	Inner_Full	23.51	24.91
n77H	15	30	3840	CP	QPSK	Edge_1RB_Left	21.20	22.6
n77H	15	30	3840	CP	QPSK	Edge_1RB_Right	21.36	22.76
n77H	15	30	3840	CP	QPSK	Outer_Full	21.91	23.31
n77H	15	30	3840	CP	16QAM	Inner_Full	22.93	24.33
n77H	15	30	3840	CP	16QAM	Edge_1RB_Left	21.48	22.88
n77H	15	30	3840	CP	16QAM	Edge_1RB_Right	21.49	22.89
n77H	15	30	3840	CP	16QAM	Outer_Full	21.95	23.35
n77H	15	30	3840	CP	64QAM	Inner_Full	21.36	22.76
n77H	15	30	3840	CP	64QAM	Edge_1RB_Left	21.40	22.8
n77H	15	30	3840	CP	64QAM	Edge_1RB_Right	21.49	22.89
n77H	15	30	3840	CP	64QAM	Outer_Full	21.49	22.89
n77H	15	30	3840	CP	256QAM	Inner_Full	18.55	19.95
n77H	15	30	3840	CP	256QAM	Edge_1RB_Left	18.25	19.65
n77H	15	30	3840	CP	256QAM	Edge_1RB_Right	18.34	19.74
n77H	15	30	3840	CP	256QAM	Outer_Full	18.52	19.92
n77H	15	30	3972.48	DFT	pi/2 BPSK	Inner_Full	25.03	26.43
n77H	15	30	3972.48	DFT	pi/2 BPSK	Edge_1RB_Left	21.38	22.78
n77H	15	30	3972.48	DFT	pi/2 BPSK	Edge_1RB_Right	21.43	22.83
n77H	15	30	3972.48	DFT	pi/2 BPSK	Outer_Full	24.50	25.9
n77H	15	30	3972.48	DFT	QPSK	Inner_Full	25.02	26.42
n77H	15	30	3972.48	DFT	QPSK	Edge_1RB_Left	21.32	22.72
n77H	15	30	3972.48	DFT	QPSK	Edge_1RB_Right	21.38	22.78
n77H	15	30	3972.48	DFT	QPSK	Outer_Full	24.04	25.44
n77H	15	30	3972.48	DFT	16QAM	Inner_Full	24.09	25.49
n77H	15	30	3972.48	DFT	16QAM	Edge_1RB_Left	21.46	22.86
n77H	15	30	3972.48	DFT	16QAM	Edge_1RB_Right	21.64	23.04
n77H	15	30	3972.48	DFT	16QAM	Outer_Full	22.98	24.38
n77H	15	30	3972.48	DFT	64QAM	Inner_Full	22.52	23.92
n77H	15	30	3972.48	DFT	64QAM	Edge_1RB_Left	21.37	22.77
n77H	15	30	3972.48	DFT	64QAM	Edge_1RB_Right	21.44	22.84
n77H	15	30	3972.48	DFT	64QAM	Outer_Full	22.54	23.94
n77H	15	30	3972.48	DFT	256QAM	Inner_Full	20.51	21.91



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	15	30	3972.48	DFT	256QAM	Edge_1RB_Left	20.04	21.44
n77H	15	30	3972.48	DFT	256QAM	Edge_1RB_Right	20.16	21.56
n77H	15	30	3972.48	DFT	256QAM	Outer_Full	20.51	21.91
n77H	15	30	3972.48	CP	QPSK	Inner_Full	23.47	24.87
n77H	15	30	3972.48	CP	QPSK	Edge_1RB_Left	21.34	22.74
n77H	15	30	3972.48	CP	QPSK	Edge_1RB_Right	21.43	22.83
n77H	15	30	3972.48	CP	QPSK	Outer_Full	22.01	23.41
n77H	15	30	3972.48	CP	16QAM	Inner_Full	23.00	24.4
n77H	15	30	3972.48	CP	16QAM	Edge_1RB_Left	21.54	22.94
n77H	15	30	3972.48	CP	16QAM	Edge_1RB_Right	21.38	22.78
n77H	15	30	3972.48	CP	16QAM	Outer_Full	21.92	23.32
n77H	15	30	3972.48	CP	64QAM	Inner_Full	21.48	22.88
n77H	15	30	3972.48	CP	64QAM	Edge_1RB_Left	21.44	22.84
n77H	15	30	3972.48	CP	64QAM	Edge_1RB_Right	21.50	22.9
n77H	15	30	3972.48	CP	64QAM	Outer_Full	21.50	22.9
n77H	15	30	3972.48	CP	256QAM	Inner_Full	18.54	19.94
n77H	15	30	3972.48	CP	256QAM	Edge_1RB_Left	18.25	19.65
n77H	15	30	3972.48	CP	256QAM	Edge_1RB_Right	18.50	19.9
n77H	15	30	3972.48	CP	256QAM	Outer_Full	18.61	20.01
n77H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	25.02	26.42
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.23	22.63
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.35	22.75
n77H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	24.45	25.85
n77H	20	30	3710.01	DFT	QPSK	Inner_Full	24.99	26.39
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	21.23	22.63
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.34	22.74
n77H	20	30	3710.01	DFT	QPSK	Outer_Full	23.98	25.38
n77H	20	30	3710.01	DFT	16QAM	Inner_Full	24.01	25.41
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	21.43	22.83
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	21.55	22.95
n77H	20	30	3710.01	DFT	16QAM	Outer_Full	23.03	24.43
n77H	20	30	3710.01	DFT	64QAM	Inner_Full	22.49	23.89
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	21.28	22.68
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	21.39	22.79
n77H	20	30	3710.01	DFT	64QAM	Outer_Full	22.53	23.93
n77H	20	30	3710.01	DFT	256QAM	Inner_Full	20.48	21.88
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	20.05	21.45
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	20.25	21.65
n77H	20	30	3710.01	DFT	256QAM	Outer_Full	20.48	21.88
n77H	20	30	3710.01	CP	QPSK	Inner_Full	23.49	24.89



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	21.19	22.59
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	21.28	22.68
n77H	20	30	3710.01	CP	QPSK	Outer_Full	21.99	23.39
n77H	20	30	3710.01	CP	16QAM	Inner_Full	22.99	24.39
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	21.23	22.63
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	21.40	22.8
n77H	20	30	3710.01	CP	16QAM	Outer_Full	21.96	23.36
n77H	20	30	3710.01	CP	64QAM	Inner_Full	21.50	22.9
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	21.38	22.78
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	21.38	22.78
n77H	20	30	3710.01	CP	64QAM	Outer_Full	21.49	22.89
n77H	20	30	3710.01	CP	256QAM	Inner_Full	18.59	19.99
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	18.13	19.53
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	18.29	19.69
n77H	20	30	3710.01	CP	256QAM	Outer_Full	18.56	19.96
n77H	20	30	3840	DFT	pi/2 BPSK	Inner_Full	24.98	26.38
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.26	22.66
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.36	22.76
n77H	20	30	3840	DFT	pi/2 BPSK	Outer_Full	24.41	25.81
n77H	20	30	3840	DFT	QPSK	Inner_Full	24.97	26.37
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Left	21.23	22.63
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Right	21.33	22.73
n77H	20	30	3840	DFT	QPSK	Outer_Full	23.96	25.36
n77H	20	30	3840	DFT	16QAM	Inner_Full	23.99	25.39
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Left	21.46	22.86
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Right	21.59	22.99
n77H	20	30	3840	DFT	16QAM	Outer_Full	23.00	24.4
n77H	20	30	3840	DFT	64QAM	Inner_Full	22.48	23.88
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Left	21.45	22.85
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Right	21.31	22.71
n77H	20	30	3840	DFT	64QAM	Outer_Full	22.45	23.85
n77H	20	30	3840	DFT	256QAM	Inner_Full	20.41	21.81
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Left	20.03	21.43
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Right	20.12	21.52
n77H	20	30	3840	DFT	256QAM	Outer_Full	20.40	21.8
n77H	20	30	3840	CP	QPSK	Inner_Full	23.47	24.87
n77H	20	30	3840	CP	QPSK	Edge_1RB_Left	21.26	22.66
n77H	20	30	3840	CP	QPSK	Edge_1RB_Right	21.31	22.71
n77H	20	30	3840	CP	QPSK	Outer_Full	21.95	23.35
n77H	20	30	3840	CP	16QAM	Inner_Full	22.97	24.37



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	20	30	3840	CP	16QAM	Edge_1RB_Left	21.43	22.83
n77H	20	30	3840	CP	16QAM	Edge_1RB_Right	21.41	22.81
n77H	20	30	3840	CP	16QAM	Outer_Full	21.94	23.34
n77H	20	30	3840	CP	64QAM	Inner_Full	21.47	22.87
n77H	20	30	3840	CP	64QAM	Edge_1RB_Left	21.33	22.73
n77H	20	30	3840	CP	64QAM	Edge_1RB_Right	21.46	22.86
n77H	20	30	3840	CP	64QAM	Outer_Full	21.47	22.87
n77H	20	30	3840	CP	256QAM	Inner_Full	18.62	20.02
n77H	20	30	3840	CP	256QAM	Edge_1RB_Left	18.17	19.57
n77H	20	30	3840	CP	256QAM	Edge_1RB_Right	18.25	19.65
n77H	20	30	3840	CP	256QAM	Outer_Full	18.51	19.91
n77H	20	30	3969.99	DFT	pi/2 BPSK	Inner_Full	25.04	26.44
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.23	22.63
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.37	22.77
n77H	20	30	3969.99	DFT	pi/2 BPSK	Outer_Full	24.43	25.83
n77H	20	30	3969.99	DFT	QPSK	Inner_Full	25.01	26.41
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Left	21.25	22.65
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Right	21.37	22.77
n77H	20	30	3969.99	DFT	QPSK	Outer_Full	23.94	25.34
n77H	20	30	3969.99	DFT	16QAM	Inner_Full	24.00	25.4
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Left	21.40	22.8
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Right	21.58	22.98
n77H	20	30	3969.99	DFT	16QAM	Outer_Full	23.04	24.44
n77H	20	30	3969.99	DFT	64QAM	Inner_Full	22.51	23.91
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Left	21.39	22.79
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Right	21.39	22.79
n77H	20	30	3969.99	DFT	64QAM	Outer_Full	22.49	23.89
n77H	20	30	3969.99	DFT	256QAM	Inner_Full	20.47	21.87
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Left	20.13	21.53
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Right	20.19	21.59
n77H	20	30	3969.99	DFT	256QAM	Outer_Full	20.44	21.84
n77H	20	30	3969.99	CP	QPSK	Inner_Full	23.49	24.89
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Left	21.19	22.59
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Right	21.38	22.78
n77H	20	30	3969.99	CP	QPSK	Outer_Full	22.00	23.4
n77H	20	30	3969.99	CP	16QAM	Inner_Full	22.98	24.38
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Left	21.28	22.68
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Right	21.41	22.81
n77H	20	30	3969.99	CP	16QAM	Outer_Full	21.97	23.37
n77H	20	30	3969.99	CP	64QAM	Inner_Full	21.53	22.93



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Left	21.39	22.79
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Right	21.31	22.71
n77H	20	30	3969.99	CP	64QAM	Outer_Full	21.50	22.9
n77H	20	30	3969.99	CP	256QAM	Inner_Full	18.61	20.01
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Left	18.38	19.78
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Right	18.36	19.76
n77H	20	30	3969.99	CP	256QAM	Outer_Full	18.61	20.01
n77H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	24.94	26.34
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	20.78	22.18
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	20.97	22.37
n77H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	24.27	25.67
n77H	40	30	3720	DFT	QPSK	Inner_Full	24.94	26.34
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Left	20.73	22.13
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Right	20.88	22.28
n77H	40	30	3720	DFT	QPSK	Outer_Full	23.84	25.24
n77H	40	30	3720	DFT	16QAM	Inner_Full	24.00	25.4
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Left	20.90	22.3
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Right	21.06	22.46
n77H	40	30	3720	DFT	16QAM	Outer_Full	22.81	24.21
n77H	40	30	3720	DFT	64QAM	Inner_Full	22.42	23.82
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Left	20.79	22.19
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Right	20.98	22.38
n77H	40	30	3720	DFT	64QAM	Outer_Full	22.35	23.75
n77H	40	30	3720	DFT	256QAM	Inner_Full	20.42	21.82
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Left	19.64	21.04
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Right	19.72	21.12
n77H	40	30	3720	DFT	256QAM	Outer_Full	20.32	21.72
n77H	40	30	3720	CP	QPSK	Inner_Full	23.42	24.82
n77H	40	30	3720	CP	QPSK	Edge_1RB_Left	20.75	22.15
n77H	40	30	3720	CP	QPSK	Edge_1RB_Right	20.93	22.33
n77H	40	30	3720	CP	QPSK	Outer_Full	21.80	23.2
n77H	40	30	3720	CP	16QAM	Inner_Full	22.93	24.33
n77H	40	30	3720	CP	16QAM	Edge_1RB_Left	20.94	22.34
n77H	40	30	3720	CP	16QAM	Edge_1RB_Right	20.98	22.38
n77H	40	30	3720	CP	16QAM	Outer_Full	21.82	23.22
n77H	40	30	3720	CP	64QAM	Inner_Full	21.45	22.85
n77H	40	30	3720	CP	64QAM	Edge_1RB_Left	20.88	22.28
n77H	40	30	3720	CP	64QAM	Edge_1RB_Right	21.12	22.52
n77H	40	30	3720	CP	64QAM	Outer_Full	21.34	22.74
n77H	40	30	3720	CP	256QAM	Inner_Full	18.55	19.95



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	40	30	3720	CP	256QAM	Edge_1RB_Left	17.67	19.07
n77H	40	30	3720	CP	256QAM	Edge_1RB_Right	17.94	19.34
n77H	40	30	3720	CP	256QAM	Outer_Full	18.38	19.78
n77H	40	30	3840	DFT	pi/2 BPSK	Inner_Full	25.01	26.41
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	20.76	22.16
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	20.99	22.39
n77H	40	30	3840	DFT	pi/2 BPSK	Outer_Full	24.37	25.77
n77H	40	30	3840	DFT	QPSK	Inner_Full	24.98	26.38
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Left	20.71	22.11
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Right	21.03	22.43
n77H	40	30	3840	DFT	QPSK	Outer_Full	23.89	25.29
n77H	40	30	3840	DFT	16QAM	Inner_Full	24.05	25.45
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Left	21.05	22.45
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Right	21.21	22.61
n77H	40	30	3840	DFT	16QAM	Outer_Full	22.90	24.3
n77H	40	30	3840	DFT	64QAM	Inner_Full	22.50	23.9
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Left	20.92	22.32
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Right	21.04	22.44
n77H	40	30	3840	DFT	64QAM	Outer_Full	22.42	23.82
n77H	40	30	3840	DFT	256QAM	Inner_Full	20.45	21.85
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Left	19.64	21.04
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Right	19.87	21.27
n77H	40	30	3840	DFT	256QAM	Outer_Full	20.35	21.75
n77H	40	30	3840	CP	QPSK	Inner_Full	23.46	24.86
n77H	40	30	3840	CP	QPSK	Edge_1RB_Left	20.75	22.15
n77H	40	30	3840	CP	QPSK	Edge_1RB_Right	21.02	22.42
n77H	40	30	3840	CP	QPSK	Outer_Full	21.84	23.24
n77H	40	30	3840	CP	16QAM	Inner_Full	22.91	24.31
n77H	40	30	3840	CP	16QAM	Edge_1RB_Left	20.74	22.14
n77H	40	30	3840	CP	16QAM	Edge_1RB_Right	21.22	22.62
n77H	40	30	3840	CP	16QAM	Outer_Full	21.80	23.2
n77H	40	30	3840	CP	64QAM	Inner_Full	21.42	22.82
n77H	40	30	3840	CP	64QAM	Edge_1RB_Left	20.91	22.31
n77H	40	30	3840	CP	64QAM	Edge_1RB_Right	21.21	22.61
n77H	40	30	3840	CP	64QAM	Outer_Full	21.35	22.75
n77H	40	30	3840	CP	256QAM	Inner_Full	18.55	19.95
n77H	40	30	3840	CP	256QAM	Edge_1RB_Left	17.70	19.1
n77H	40	30	3840	CP	256QAM	Edge_1RB_Right	18.01	19.41
n77H	40	30	3840	CP	256QAM	Outer_Full	18.42	19.82
n77H	40	30	3960	DFT	pi/2 BPSK	Inner_Full	24.98	26.38



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Left	20.85	22.25
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Right	21.04	22.44
n77H	40	30	3960	DFT	pi/2 BPSK	Outer_Full	24.40	25.8
n77H	40	30	3960	DFT	QPSK	Inner_Full	24.97	26.37
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Left	20.87	22.27
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Right	20.93	22.33
n77H	40	30	3960	DFT	QPSK	Outer_Full	23.91	25.31
n77H	40	30	3960	DFT	16QAM	Inner_Full	24.03	25.43
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Left	20.95	22.35
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Right	21.13	22.53
n77H	40	30	3960	DFT	16QAM	Outer_Full	22.90	24.3
n77H	40	30	3960	DFT	64QAM	Inner_Full	22.48	23.88
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Left	20.90	22.3
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Right	20.98	22.38
n77H	40	30	3960	DFT	64QAM	Outer_Full	22.40	23.8
n77H	40	30	3960	DFT	256QAM	Inner_Full	20.45	21.85
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Left	19.68	21.08
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Right	19.85	21.25
n77H	40	30	3960	DFT	256QAM	Outer_Full	20.35	21.75
n77H	40	30	3960	CP	QPSK	Inner_Full	23.42	24.82
n77H	40	30	3960	CP	QPSK	Edge_1RB_Left	20.84	22.24
n77H	40	30	3960	CP	QPSK	Edge_1RB_Right	21.06	22.46
n77H	40	30	3960	CP	QPSK	Outer_Full	21.86	23.26
n77H	40	30	3960	CP	16QAM	Inner_Full	22.92	24.32
n77H	40	30	3960	CP	16QAM	Edge_1RB_Left	21.00	22.4
n77H	40	30	3960	CP	16QAM	Edge_1RB_Right	21.25	22.65
n77H	40	30	3960	CP	16QAM	Outer_Full	21.86	23.26
n77H	40	30	3960	CP	64QAM	Inner_Full	21.41	22.81
n77H	40	30	3960	CP	64QAM	Edge_1RB_Left	20.99	22.39
n77H	40	30	3960	CP	64QAM	Edge_1RB_Right	21.17	22.57
n77H	40	30	3960	CP	64QAM	Outer_Full	21.36	22.76
n77H	40	30	3960	CP	256QAM	Inner_Full	18.76	20.16
n77H	40	30	3960	CP	256QAM	Edge_1RB_Left	17.91	19.31
n77H	40	30	3960	CP	256QAM	Edge_1RB_Right	18.00	19.4
n77H	40	30	3960	CP	256QAM	Outer_Full	18.33	19.73
n77H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	25.00	26.4
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.05	22.45
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.29	22.69
n77H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	24.42	25.82
n77H	50	30	3725.01	DFT	QPSK	Inner_Full	25.02	26.42



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	21.01	22.41
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	21.28	22.68
n77H	50	30	3725.01	DFT	QPSK	Outer_Full	23.96	25.36
n77H	50	30	3725.01	DFT	16QAM	Inner_Full	24.03	25.43
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	21.15	22.55
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	21.53	22.93
n77H	50	30	3725.01	DFT	16QAM	Outer_Full	22.96	24.36
n77H	50	30	3725.01	DFT	64QAM	Inner_Full	22.52	23.92
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	21.05	22.45
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	21.28	22.68
n77H	50	30	3725.01	DFT	64QAM	Outer_Full	22.45	23.85
n77H	50	30	3725.01	DFT	256QAM	Inner_Full	20.52	21.92
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	19.80	21.2
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	20.11	21.51
n77H	50	30	3725.01	DFT	256QAM	Outer_Full	20.42	21.82
n77H	50	30	3725.01	CP	QPSK	Inner_Full	23.51	24.91
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	21.04	22.44
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	21.30	22.7
n77H	50	30	3725.01	CP	QPSK	Outer_Full	21.92	23.32
n77H	50	30	3725.01	CP	16QAM	Inner_Full	22.95	24.35
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	20.99	22.39
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	21.51	22.91
n77H	50	30	3725.01	CP	16QAM	Outer_Full	21.93	23.33
n77H	50	30	3725.01	CP	64QAM	Inner_Full	21.47	22.87
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	21.11	22.51
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	21.41	22.81
n77H	50	30	3725.01	CP	64QAM	Outer_Full	21.40	22.8
n77H	50	30	3725.01	CP	256QAM	Inner_Full	18.60	20
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	18.01	19.41
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	18.42	19.82
n77H	50	30	3725.01	CP	256QAM	Outer_Full	18.52	19.92
n77H	50	30	3840	DFT	pi/2 BPSK	Inner_Full	24.99	26.39
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	20.97	22.37
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.21	22.61
n77H	50	30	3840	DFT	pi/2 BPSK	Outer_Full	24.38	25.78
n77H	50	30	3840	DFT	QPSK	Inner_Full	25.00	26.4
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Left	20.93	22.33
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Right	21.18	22.58
n77H	50	30	3840	DFT	QPSK	Outer_Full	23.90	25.3
n77H	50	30	3840	DFT	16QAM	Inner_Full	24.03	25.43



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Left	21.19	22.59
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Right	21.46	22.86
n77H	50	30	3840	DFT	16QAM	Outer_Full	22.92	24.32
n77H	50	30	3840	DFT	64QAM	Inner_Full	22.48	23.88
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Left	20.97	22.37
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Right	21.34	22.74
n77H	50	30	3840	DFT	64QAM	Outer_Full	22.42	23.82
n77H	50	30	3840	DFT	256QAM	Inner_Full	20.51	21.91
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Left	19.82	21.22
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Right	19.99	21.39
n77H	50	30	3840	DFT	256QAM	Outer_Full	20.38	21.78
n77H	50	30	3840	CP	QPSK	Inner_Full	23.47	24.87
n77H	50	30	3840	CP	QPSK	Edge_1RB_Left	20.86	22.26
n77H	50	30	3840	CP	QPSK	Edge_1RB_Right	21.25	22.65
n77H	50	30	3840	CP	QPSK	Outer_Full	21.90	23.3
n77H	50	30	3840	CP	16QAM	Inner_Full	22.92	24.32
n77H	50	30	3840	CP	16QAM	Edge_1RB_Left	20.93	22.33
n77H	50	30	3840	CP	16QAM	Edge_1RB_Right	21.38	22.78
n77H	50	30	3840	CP	16QAM	Outer_Full	21.89	23.29
n77H	50	30	3840	CP	64QAM	Inner_Full	21.47	22.87
n77H	50	30	3840	CP	64QAM	Edge_1RB_Left	21.06	22.46
n77H	50	30	3840	CP	64QAM	Edge_1RB_Right	21.37	22.77
n77H	50	30	3840	CP	64QAM	Outer_Full	21.36	22.76
n77H	50	30	3840	CP	256QAM	Inner_Full	18.61	20.01
n77H	50	30	3840	CP	256QAM	Edge_1RB_Left	17.90	19.3
n77H	50	30	3840	CP	256QAM	Edge_1RB_Right	18.25	19.65
n77H	50	30	3840	CP	256QAM	Outer_Full	18.44	19.84
n77H	50	30	3954.48	DFT	pi/2 BPSK	Inner_Full	24.92	26.32
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Left	20.98	22.38
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Right	21.18	22.58
n77H	50	30	3954.48	DFT	pi/2 BPSK	Outer_Full	24.33	25.73
n77H	50	30	3954.48	DFT	QPSK	Inner_Full	24.95	26.35
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Left	20.91	22.31
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Right	21.24	22.64
n77H	50	30	3954.48	DFT	QPSK	Outer_Full	23.76	25.16
n77H	50	30	3954.48	DFT	16QAM	Inner_Full	23.92	25.32
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Left	21.16	22.56
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Right	21.41	22.81
n77H	50	30	3954.48	DFT	16QAM	Outer_Full	22.86	24.26
n77H	50	30	3954.48	DFT	64QAM	Inner_Full	22.36	23.76



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Left	20.94	22.34
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Right	21.20	22.6
n77H	50	30	3954.48	DFT	64QAM	Outer_Full	22.34	23.74
n77H	50	30	3954.48	DFT	256QAM	Inner_Full	20.35	21.75
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Left	19.78	21.18
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Right	20.05	21.45
n77H	50	30	3954.48	DFT	256QAM	Outer_Full	20.31	21.71
n77H	50	30	3954.48	CP	QPSK	Inner_Full	23.40	24.8
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Left	20.93	22.33
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Right	21.23	22.63
n77H	50	30	3954.48	CP	QPSK	Outer_Full	21.83	23.23
n77H	50	30	3954.48	CP	16QAM	Inner_Full	22.90	24.3
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Left	20.93	22.33
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Right	21.18	22.58
n77H	50	30	3954.48	CP	16QAM	Outer_Full	21.82	23.22
n77H	50	30	3954.48	CP	64QAM	Inner_Full	21.39	22.79
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Left	21.02	22.42
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Right	21.31	22.71
n77H	50	30	3954.48	CP	64QAM	Outer_Full	21.32	22.72
n77H	50	30	3954.48	CP	256QAM	Inner_Full	18.76	20.16
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Left	18.06	19.46
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Right	18.20	19.6
n77H	50	30	3954.48	CP	256QAM	Outer_Full	18.28	19.68
n77H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	24.97	26.37
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	20.84	22.24
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.11	22.51
n77H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	24.37	25.77
n77H	60	30	3730.02	DFT	QPSK	Inner_Full	24.96	26.36
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	20.81	22.21
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	21.18	22.58
n77H	60	30	3730.02	DFT	QPSK	Outer_Full	23.89	25.29
n77H	60	30	3730.02	DFT	16QAM	Inner_Full	23.96	25.36
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	20.96	22.36
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	21.25	22.65
n77H	60	30	3730.02	DFT	16QAM	Outer_Full	22.90	24.3
n77H	60	30	3730.02	DFT	64QAM	Inner_Full	22.50	23.9
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	20.86	22.26
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	21.15	22.55
n77H	60	30	3730.02	DFT	64QAM	Outer_Full	22.40	23.8
n77H	60	30	3730.02	DFT	256QAM	Inner_Full	20.44	21.84



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	19.71	21.11
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	19.99	21.39
n77H	60	30	3730.02	DFT	256QAM	Outer_Full	20.42	21.82
n77H	60	30	3730.02	CP	QPSK	Inner_Full	23.42	24.82
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	20.84	22.24
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	21.13	22.53
n77H	60	30	3730.02	CP	QPSK	Outer_Full	21.82	23.22
n77H	60	30	3730.02	CP	16QAM	Inner_Full	22.93	24.33
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	20.84	22.24
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	21.13	22.53
n77H	60	30	3730.02	CP	16QAM	Outer_Full	21.83	23.23
n77H	60	30	3730.02	CP	64QAM	Inner_Full	21.43	22.83
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	21.02	22.42
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	21.19	22.59
n77H	60	30	3730.02	CP	64QAM	Outer_Full	21.34	22.74
n77H	60	30	3730.02	CP	256QAM	Inner_Full	18.54	19.94
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	17.95	19.35
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	18.18	19.58
n77H	60	30	3730.02	CP	256QAM	Outer_Full	18.50	19.9
n77H	60	30	3840	DFT	pi/2 BPSK	Inner_Full	24.96	26.36
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	20.79	22.19
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.08	22.48
n77H	60	30	3840	DFT	pi/2 BPSK	Outer_Full	24.35	25.75
n77H	60	30	3840	DFT	QPSK	Inner_Full	24.89	26.29
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Left	20.80	22.2
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Right	21.09	22.49
n77H	60	30	3840	DFT	QPSK	Outer_Full	23.88	25.28
n77H	60	30	3840	DFT	16QAM	Inner_Full	23.98	25.38
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Left	21.02	22.42
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Right	21.33	22.73
n77H	60	30	3840	DFT	16QAM	Outer_Full	22.88	24.28
n77H	60	30	3840	DFT	64QAM	Inner_Full	22.38	23.78
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Left	20.79	22.19
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Right	21.09	22.49
n77H	60	30	3840	DFT	64QAM	Outer_Full	22.39	23.79
n77H	60	30	3840	DFT	256QAM	Inner_Full	20.45	21.85
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Left	19.59	20.99
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Right	19.89	21.29
n77H	60	30	3840	DFT	256QAM	Outer_Full	20.36	21.76
n77H	60	30	3840	CP	QPSK	Inner_Full	23.44	24.84



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	60	30	3840	CP	QPSK	Edge_1RB_Left	20.78	22.18
n77H	60	30	3840	CP	QPSK	Edge_1RB_Right	21.06	22.46
n77H	60	30	3840	CP	QPSK	Outer_Full	21.83	23.23
n77H	60	30	3840	CP	16QAM	Inner_Full	22.92	24.32
n77H	60	30	3840	CP	16QAM	Edge_1RB_Left	20.77	22.17
n77H	60	30	3840	CP	16QAM	Edge_1RB_Right	21.28	22.68
n77H	60	30	3840	CP	16QAM	Outer_Full	21.85	23.25
n77H	60	30	3840	CP	64QAM	Inner_Full	21.37	22.77
n77H	60	30	3840	CP	64QAM	Edge_1RB_Left	20.86	22.26
n77H	60	30	3840	CP	64QAM	Edge_1RB_Right	21.22	22.62
n77H	60	30	3840	CP	64QAM	Outer_Full	21.32	22.72
n77H	60	30	3840	CP	256QAM	Inner_Full	18.70	20.1
n77H	60	30	3840	CP	256QAM	Edge_1RB_Left	17.94	19.34
n77H	60	30	3840	CP	256QAM	Edge_1RB_Right	18.21	19.61
n77H	60	30	3840	CP	256QAM	Outer_Full	18.73	20.13
n77H	60	30	3949.98	DFT	pi/2 BPSK	Inner_Full	24.92	26.32
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.87	22.27
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.11	22.51
n77H	60	30	3949.98	DFT	pi/2 BPSK	Outer_Full	24.34	25.74
n77H	60	30	3949.98	DFT	QPSK	Inner_Full	24.91	26.31
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Left	20.84	22.24
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Right	21.03	22.43
n77H	60	30	3949.98	DFT	QPSK	Outer_Full	23.82	25.22
n77H	60	30	3949.98	DFT	16QAM	Inner_Full	23.93	25.33
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Left	20.97	22.37
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Right	21.21	22.61
n77H	60	30	3949.98	DFT	16QAM	Outer_Full	22.82	24.22
n77H	60	30	3949.98	DFT	64QAM	Inner_Full	22.41	23.81
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Left	20.91	22.31
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Right	21.12	22.52
n77H	60	30	3949.98	DFT	64QAM	Outer_Full	22.36	23.76
n77H	60	30	3949.98	DFT	256QAM	Inner_Full	20.37	21.77
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Left	19.61	21.01
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Right	19.96	21.36
n77H	60	30	3949.98	DFT	256QAM	Outer_Full	20.34	21.74
n77H	60	30	3949.98	CP	QPSK	Inner_Full	23.44	24.84
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Left	20.85	22.25
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Right	20.99	22.39
n77H	60	30	3949.98	CP	QPSK	Outer_Full	21.82	23.22
n77H	60	30	3949.98	CP	16QAM	Inner_Full	22.93	24.33



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Left	20.79	22.19
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Right	21.08	22.48
n77H	60	30	3949.98	CP	16QAM	Outer_Full	21.81	23.21
n77H	60	30	3949.98	CP	64QAM	Inner_Full	21.40	22.8
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Left	20.96	22.36
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Right	21.29	22.69
n77H	60	30	3949.98	CP	64QAM	Outer_Full	21.33	22.73
n77H	60	30	3949.98	CP	256QAM	Inner_Full	18.67	20.07
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Left	17.99	19.39
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Right	18.23	19.63
n77H	60	30	3949.98	CP	256QAM	Outer_Full	18.35	19.75
n77H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	24.92	26.32
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.55	21.95
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.92	22.32
n77H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	24.32	25.72
n77H	80	30	3740.01	DFT	QPSK	Inner_Full	24.96	26.36
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	20.57	21.97
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	20.89	22.29
n77H	80	30	3740.01	DFT	QPSK	Outer_Full	23.78	25.18
n77H	80	30	3740.01	DFT	16QAM	Inner_Full	23.98	25.38
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	20.66	22.06
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	21.09	22.49
n77H	80	30	3740.01	DFT	16QAM	Outer_Full	22.85	24.25
n77H	80	30	3740.01	DFT	64QAM	Inner_Full	22.47	23.87
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	20.64	22.04
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	20.86	22.26
n77H	80	30	3740.01	DFT	64QAM	Outer_Full	22.32	23.72
n77H	80	30	3740.01	DFT	256QAM	Inner_Full	20.47	21.87
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	19.44	20.84
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	19.73	21.13
n77H	80	30	3740.01	DFT	256QAM	Outer_Full	20.32	21.72
n77H	80	30	3740.01	CP	QPSK	Inner_Full	23.44	24.84
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	20.52	21.92
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	20.87	22.27
n77H	80	30	3740.01	CP	QPSK	Outer_Full	21.80	23.2
n77H	80	30	3740.01	CP	16QAM	Inner_Full	22.93	24.33
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	20.69	22.09
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	20.94	22.34
n77H	80	30	3740.01	CP	16QAM	Outer_Full	21.80	23.2
n77H	80	30	3740.01	CP	64QAM	Inner_Full	21.42	22.82



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	20.81	22.21
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	21.19	22.59
n77H	80	30	3740.01	CP	64QAM	Outer_Full	21.33	22.73
n77H	80	30	3740.01	CP	256QAM	Inner_Full	18.60	20
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	17.57	18.97
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	17.95	19.35
n77H	80	30	3740.01	CP	256QAM	Outer_Full	18.46	19.86
n77H	80	30	3840	DFT	pi/2 BPSK	Inner_Full	24.98	26.38
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	20.46	21.86
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	20.87	22.27
n77H	80	30	3840	DFT	pi/2 BPSK	Outer_Full	24.26	25.66
n77H	80	30	3840	DFT	QPSK	Inner_Full	24.96	26.36
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Left	20.48	21.88
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Right	20.90	22.3
n77H	80	30	3840	DFT	QPSK	Outer_Full	23.77	25.17
n77H	80	30	3840	DFT	16QAM	Inner_Full	24.01	25.41
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Left	20.63	22.03
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Right	21.25	22.65
n77H	80	30	3840	DFT	16QAM	Outer_Full	22.82	24.22
n77H	80	30	3840	DFT	64QAM	Inner_Full	22.49	23.89
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Left	20.50	21.9
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Right	21.22	22.62
n77H	80	30	3840	DFT	64QAM	Outer_Full	22.31	23.71
n77H	80	30	3840	DFT	256QAM	Inner_Full	20.41	21.81
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Left	19.32	20.72
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Right	19.71	21.11
n77H	80	30	3840	DFT	256QAM	Outer_Full	20.25	21.65
n77H	80	30	3840	CP	QPSK	Inner_Full	23.46	24.86
n77H	80	30	3840	CP	QPSK	Edge_1RB_Left	20.38	21.78
n77H	80	30	3840	CP	QPSK	Edge_1RB_Right	20.88	22.28
n77H	80	30	3840	CP	QPSK	Outer_Full	21.76	23.16
n77H	80	30	3840	CP	16QAM	Inner_Full	22.87	24.27
n77H	80	30	3840	CP	16QAM	Edge_1RB_Left	20.43	21.83
n77H	80	30	3840	CP	16QAM	Edge_1RB_Right	20.86	22.26
n77H	80	30	3840	CP	16QAM	Outer_Full	21.73	23.13
n77H	80	30	3840	CP	64QAM	Inner_Full	21.42	22.82
n77H	80	30	3840	CP	64QAM	Edge_1RB_Left	20.60	22
n77H	80	30	3840	CP	64QAM	Edge_1RB_Right	21.06	22.46
n77H	80	30	3840	CP	64QAM	Outer_Full	21.29	22.69
n77H	80	30	3840	CP	256QAM	Inner_Full	18.55	19.95



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	80	30	3840	CP	256QAM	Edge_1RB_Left	17.67	19.07
n77H	80	30	3840	CP	256QAM	Edge_1RB_Right	18.13	19.53
n77H	80	30	3840	CP	256QAM	Outer_Full	18.45	19.85
n77H	80	30	3939.99	DFT	pi/2 BPSK	Inner_Full	24.95	26.35
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	20.63	22.03
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	20.92	22.32
n77H	80	30	3939.99	DFT	pi/2 BPSK	Outer_Full	24.32	25.72
n77H	80	30	3939.99	DFT	QPSK	Inner_Full	24.91	26.31
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Left	20.63	22.03
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Right	20.94	22.34
n77H	80	30	3939.99	DFT	QPSK	Outer_Full	23.79	25.19
n77H	80	30	3939.99	DFT	16QAM	Inner_Full	23.92	25.32
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Left	20.86	22.26
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Right	21.13	22.53
n77H	80	30	3939.99	DFT	16QAM	Outer_Full	22.82	24.22
n77H	80	30	3939.99	DFT	64QAM	Inner_Full	22.43	23.83
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Left	20.65	22.05
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Right	21.06	22.46
n77H	80	30	3939.99	DFT	64QAM	Outer_Full	22.32	23.72
n77H	80	30	3939.99	DFT	256QAM	Inner_Full	20.38	21.78
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Left	19.45	20.85
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Right	19.74	21.14
n77H	80	30	3939.99	DFT	256QAM	Outer_Full	20.29	21.69
n77H	80	30	3939.99	CP	QPSK	Inner_Full	23.40	24.8
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Left	20.60	22
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Right	20.91	22.31
n77H	80	30	3939.99	CP	QPSK	Outer_Full	21.80	23.2
n77H	80	30	3939.99	CP	16QAM	Inner_Full	22.92	24.32
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Left	20.79	22.19
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Right	20.96	22.36
n77H	80	30	3939.99	CP	16QAM	Outer_Full	21.76	23.16
n77H	80	30	3939.99	CP	64QAM	Inner_Full	21.35	22.75
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Left	20.75	22.15
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Right	21.12	22.52
n77H	80	30	3939.99	CP	64QAM	Outer_Full	21.33	22.73
n77H	80	30	3939.99	CP	256QAM	Inner_Full	18.53	19.93
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Left	17.66	19.06
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Right	17.92	19.32
n77H	80	30	3939.99	CP	256QAM	Outer_Full	18.47	19.87
n77H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	24.96	26.36



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	20.37	21.77
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	20.81	22.21
n77H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	24.28	25.68
n77H	90	30	3745.02	DFT	QPSK	Inner_Full	24.93	26.33
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	20.37	21.77
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	20.75	22.15
n77H	90	30	3745.02	DFT	QPSK	Outer_Full	23.85	25.25
n77H	90	30	3745.02	DFT	16QAM	Inner_Full	23.99	25.39
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	20.55	21.95
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	20.86	22.26
n77H	90	30	3745.02	DFT	16QAM	Outer_Full	22.84	24.24
n77H	90	30	3745.02	DFT	64QAM	Inner_Full	22.47	23.87
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	20.42	21.82
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	20.81	22.21
n77H	90	30	3745.02	DFT	64QAM	Outer_Full	22.33	23.73
n77H	90	30	3745.02	DFT	256QAM	Inner_Full	20.42	21.82
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	19.19	20.59
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	19.62	21.02
n77H	90	30	3745.02	DFT	256QAM	Outer_Full	20.33	21.73
n77H	90	30	3745.02	CP	QPSK	Inner_Full	23.41	24.81
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	20.34	21.74
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	20.82	22.22
n77H	90	30	3745.02	CP	QPSK	Outer_Full	21.77	23.17
n77H	90	30	3745.02	CP	16QAM	Inner_Full	22.89	24.29
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	20.38	21.78
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	21.01	22.41
n77H	90	30	3745.02	CP	16QAM	Outer_Full	21.80	23.2
n77H	90	30	3745.02	CP	64QAM	Inner_Full	21.42	22.82
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	20.54	21.94
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	20.89	22.29
n77H	90	30	3745.02	CP	64QAM	Outer_Full	21.28	22.68
n77H	90	30	3745.02	CP	256QAM	Inner_Full	18.50	19.9
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	17.51	18.91
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	17.93	19.33
n77H	90	30	3745.02	CP	256QAM	Outer_Full	18.45	19.85
n77H	90	30	3840	DFT	pi/2 BPSK	Inner_Full	24.92	26.32
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	20.13	21.53
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	20.67	22.07
n77H	90	30	3840	DFT	pi/2 BPSK	Outer_Full	24.26	25.66
n77H	90	30	3840	DFT	QPSK	Inner_Full	24.92	26.32



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Left	20.21	21.61
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Right	20.72	22.12
n77H	90	30	3840	DFT	QPSK	Outer_Full	23.77	25.17
n77H	90	30	3840	DFT	16QAM	Inner_Full	23.92	25.32
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Left	20.42	21.82
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Right	20.84	22.24
n77H	90	30	3840	DFT	16QAM	Outer_Full	22.76	24.16
n77H	90	30	3840	DFT	64QAM	Inner_Full	22.42	23.82
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Left	20.32	21.72
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Right	20.74	22.14
n77H	90	30	3840	DFT	64QAM	Outer_Full	22.19	23.59
n77H	90	30	3840	DFT	256QAM	Inner_Full	20.37	21.77
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Left	19.05	20.45
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Right	19.61	21.01
n77H	90	30	3840	DFT	256QAM	Outer_Full	20.22	21.62
n77H	90	30	3840	CP	QPSK	Inner_Full	23.36	24.76
n77H	90	30	3840	CP	QPSK	Edge_1RB_Left	20.18	21.58
n77H	90	30	3840	CP	QPSK	Edge_1RB_Right	20.67	22.07
n77H	90	30	3840	CP	QPSK	Outer_Full	21.72	23.12
n77H	90	30	3840	CP	16QAM	Inner_Full	22.84	24.24
n77H	90	30	3840	CP	16QAM	Edge_1RB_Left	20.21	21.61
n77H	90	30	3840	CP	16QAM	Edge_1RB_Right	20.77	22.17
n77H	90	30	3840	CP	16QAM	Outer_Full	21.74	23.14
n77H	90	30	3840	CP	64QAM	Inner_Full	21.36	22.76
n77H	90	30	3840	CP	64QAM	Edge_1RB_Left	20.36	21.76
n77H	90	30	3840	CP	64QAM	Edge_1RB_Right	20.79	22.19
n77H	90	30	3840	CP	64QAM	Outer_Full	21.23	22.63
n77H	90	30	3840	CP	256QAM	Inner_Full	18.43	19.83
n77H	90	30	3840	CP	256QAM	Edge_1RB_Left	17.30	18.7
n77H	90	30	3840	CP	256QAM	Edge_1RB_Right	17.96	19.36
n77H	90	30	3840	CP	256QAM	Outer_Full	18.38	19.78
n77H	90	30	3934.98	DFT	pi/2 BPSK	Inner_Full	24.92	26.32
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.51	21.91
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Right	20.81	22.21
n77H	90	30	3934.98	DFT	pi/2 BPSK	Outer_Full	24.31	25.71
n77H	90	30	3934.98	DFT	QPSK	Inner_Full	24.91	26.31
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Left	20.45	21.85
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Right	20.76	22.16
n77H	90	30	3934.98	DFT	QPSK	Outer_Full	23.82	25.22
n77H	90	30	3934.98	DFT	16QAM	Inner_Full	23.95	25.35



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Left	20.64	22.04
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Right	20.94	22.34
n77H	90	30	3934.98	DFT	16QAM	Outer_Full	22.82	24.22
n77H	90	30	3934.98	DFT	64QAM	Inner_Full	22.41	23.81
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Left	20.47	21.87
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Right	20.81	22.21
n77H	90	30	3934.98	DFT	64QAM	Outer_Full	22.32	23.72
n77H	90	30	3934.98	DFT	256QAM	Inner_Full	20.41	21.81
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Left	19.35	20.75
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Right	19.59	20.99
n77H	90	30	3934.98	DFT	256QAM	Outer_Full	20.31	21.71
n77H	90	30	3934.98	CP	QPSK	Inner_Full	23.41	24.81
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Left	20.50	21.9
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Right	20.85	22.25
n77H	90	30	3934.98	CP	QPSK	Outer_Full	21.78	23.18
n77H	90	30	3934.98	CP	16QAM	Inner_Full	22.88	24.28
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Left	20.45	21.85
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Right	21.01	22.41
n77H	90	30	3934.98	CP	16QAM	Outer_Full	21.78	23.18
n77H	90	30	3934.98	CP	64QAM	Inner_Full	21.35	22.75
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Left	20.69	22.09
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Right	20.91	22.31
n77H	90	30	3934.98	CP	64QAM	Outer_Full	21.25	22.65
n77H	90	30	3934.98	CP	256QAM	Inner_Full	18.48	19.88
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Left	17.56	18.96
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Right	17.91	19.31
n77H	90	30	3934.98	CP	256QAM	Outer_Full	18.45	19.85
n77H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	24.94	26.34
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	20.18	21.58
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	20.68	22.08
n77H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	24.20	25.6
n77H	100	30	3750	DFT	QPSK	Inner_Full	24.92	26.32
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Left	20.18	21.58
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Right	20.70	22.1
n77H	100	30	3750	DFT	QPSK	Outer_Full	23.73	25.13
n77H	100	30	3750	DFT	16QAM	Inner_Full	23.91	25.31
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Left	20.35	21.75
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Right	20.87	22.27
n77H	100	30	3750	DFT	16QAM	Outer_Full	22.75	24.15
n77H	100	30	3750	DFT	64QAM	Inner_Full	22.42	23.82



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Left	20.24	21.64
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Right	20.74	22.14
n77H	100	30	3750	DFT	64QAM	Outer_Full	22.21	23.61
n77H	100	30	3750	DFT	256QAM	Inner_Full	20.36	21.76
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Left	18.99	20.39
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Right	19.54	20.94
n77H	100	30	3750	DFT	256QAM	Outer_Full	20.20	21.6
n77H	100	30	3750	CP	QPSK	Inner_Full	23.46	24.86
n77H	100	30	3750	CP	QPSK	Edge_1RB_Left	20.18	21.58
n77H	100	30	3750	CP	QPSK	Edge_1RB_Right	20.73	22.13
n77H	100	30	3750	CP	QPSK	Outer_Full	21.70	23.1
n77H	100	30	3750	CP	16QAM	Inner_Full	22.96	24.36
n77H	100	30	3750	CP	16QAM	Edge_1RB_Left	20.27	21.67
n77H	100	30	3750	CP	16QAM	Edge_1RB_Right	20.84	22.24
n77H	100	30	3750	CP	16QAM	Outer_Full	21.66	23.06
n77H	100	30	3750	CP	64QAM	Inner_Full	21.43	22.83
n77H	100	30	3750	CP	64QAM	Edge_1RB_Left	20.31	21.71
n77H	100	30	3750	CP	64QAM	Edge_1RB_Right	20.85	22.25
n77H	100	30	3750	CP	64QAM	Outer_Full	21.15	22.55
n77H	100	30	3750	CP	256QAM	Inner_Full	18.55	19.95
n77H	100	30	3750	CP	256QAM	Edge_1RB_Left	17.38	18.78
n77H	100	30	3750	CP	256QAM	Edge_1RB_Right	17.92	19.32
n77H	100	30	3750	CP	256QAM	Outer_Full	18.34	19.74
n77H	100	30	3840	DFT	pi/2 BPSK	Inner_Full	24.89	26.29
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	19.94	21.34
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	20.50	21.9
n77H	100	30	3840	DFT	pi/2 BPSK	Outer_Full	24.14	25.54
n77H	100	30	3840	DFT	QPSK	Inner_Full	24.86	26.26
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Left	19.96	21.36
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Right	20.48	21.88
n77H	100	30	3840	DFT	QPSK	Outer_Full	23.64	25.04
n77H	100	30	3840	DFT	16QAM	Inner_Full	23.88	25.28
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Left	20.12	21.52
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Right	20.68	22.08
n77H	100	30	3840	DFT	16QAM	Outer_Full	22.65	24.05
n77H	100	30	3840	DFT	64QAM	Inner_Full	22.39	23.79
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Left	20.08	21.48
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Right	20.58	21.98
n77H	100	30	3840	DFT	64QAM	Outer_Full	22.15	23.55
n77H	100	30	3840	DFT	256QAM	Inner_Full	20.35	21.75



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Left	18.80	20.2
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Right	19.36	20.76
n77H	100	30	3840	DFT	256QAM	Outer_Full	20.14	21.54
n77H	100	30	3840	CP	QPSK	Inner_Full	23.40	24.8
n77H	100	30	3840	CP	QPSK	Edge_1RB_Left	19.96	21.36
n77H	100	30	3840	CP	QPSK	Edge_1RB_Right	20.54	21.94
n77H	100	30	3840	CP	QPSK	Outer_Full	21.65	23.05
n77H	100	30	3840	CP	16QAM	Inner_Full	22.92	24.32
n77H	100	30	3840	CP	16QAM	Edge_1RB_Left	20.03	21.43
n77H	100	30	3840	CP	16QAM	Edge_1RB_Right	20.64	22.04
n77H	100	30	3840	CP	16QAM	Outer_Full	21.65	23.05
n77H	100	30	3840	CP	64QAM	Inner_Full	21.40	22.8
n77H	100	30	3840	CP	64QAM	Edge_1RB_Left	20.09	21.49
n77H	100	30	3840	CP	64QAM	Edge_1RB_Right	20.69	22.09
n77H	100	30	3840	CP	64QAM	Outer_Full	21.15	22.55
n77H	100	30	3840	CP	256QAM	Inner_Full	18.51	19.91
n77H	100	30	3840	CP	256QAM	Edge_1RB_Left	17.17	18.57
n77H	100	30	3840	CP	256QAM	Edge_1RB_Right	17.78	19.18
n77H	100	30	3840	CP	256QAM	Outer_Full	18.29	19.69
n77H	100	30	3930	DFT	pi/2 BPSK	Inner_Full	25.03	26.43
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Left	20.39	21.79
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Right	20.69	22.09
n77H	100	30	3930	DFT	pi/2 BPSK	Outer_Full	24.33	25.73
n77H	100	30	3930	DFT	QPSK	Inner_Full	25.00	26.4
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Left	20.39	21.79
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Right	20.71	22.11
n77H	100	30	3930	DFT	QPSK	Outer_Full	23.84	25.24
n77H	100	30	3930	DFT	16QAM	Inner_Full	24.03	25.43
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Left	20.63	22.03
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Right	20.87	22.27
n77H	100	30	3930	DFT	16QAM	Outer_Full	22.88	24.28
n77H	100	30	3930	DFT	64QAM	Inner_Full	22.57	23.97
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Left	20.46	21.86
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Right	20.78	22.18
n77H	100	30	3930	DFT	64QAM	Outer_Full	22.36	23.76
n77H	100	30	3930	DFT	256QAM	Inner_Full	20.49	21.89
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Left	19.22	20.62
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Right	19.54	20.94
n77H	100	30	3930	DFT	256QAM	Outer_Full	20.32	21.72
n77H	100	30	3930	CP	QPSK	Inner_Full	23.52	24.92



No. I22N01500-RF-NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	100	30	3930	CP	QPSK	Edge_1RB_Left	20.40	21.8
n77H	100	30	3930	CP	QPSK	Edge_1RB_Right	20.77	22.17
n77H	100	30	3930	CP	QPSK	Outer_Full	21.87	23.27
n77H	100	30	3930	CP	16QAM	Inner_Full	23.05	24.45
n77H	100	30	3930	CP	16QAM	Edge_1RB_Left	20.47	21.87
n77H	100	30	3930	CP	16QAM	Edge_1RB_Right	20.83	22.23
n77H	100	30	3930	CP	16QAM	Outer_Full	21.81	23.21
n77H	100	30	3930	CP	64QAM	Inner_Full	21.49	22.89
n77H	100	30	3930	CP	64QAM	Edge_1RB_Left	20.51	21.91
n77H	100	30	3930	CP	64QAM	Edge_1RB_Right	20.92	22.32
n77H	100	30	3930	CP	64QAM	Outer_Full	21.32	22.72
n77H	100	30	3930	CP	256QAM	Inner_Full	18.63	20.03
n77H	100	30	3930	CP	256QAM	Edge_1RB_Left	17.60	19
n77H	100	30	3930	CP	256QAM	Edge_1RB_Right	18.02	19.42
n77H	100	30	3930	CP	256QAM	Outer_Full	18.49	19.89



A.2 FREQUENCY STABILITY

Reference

FCC: CFR Part 2.1055, 22.355, 24.235, 27.54

A.2.1 Method of Measurement

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of Universal Radio Communication Tester.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the UNIVERSAL RADIO COMMUNICATION TESTER and in a simulated call on middle channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the UNIVERSAL RADIO COMMUNICATION TESTER and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C increments from +50°C to -30°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5 °C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.



A.2.2 Measurement results

DC_5A_n2A

Frequency Error vs Voltage

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1850.240	1909.750		
50				0.50	0.0003
40				0.60	0.0003
30				-5.30	0.0028
10				-2.50	0.0013
0				-5.20	0.0028
-10				-4.30	0.0023
-20				-3.20	0.0017
-30				-2.80	0.0015

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	1850.240	1909.750	-3.80	0.0020
4.40				-5.30	0.0028

DC_2A_n5A

Frequency Error vs Voltage

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	824.660	848.580		
50				4.60	0.0055
40				3.00	0.0036
30				5.90	0.0071
10				4.90	0.0059
0				2.30	0.0027
-10				3.40	0.0041
-20				4.60	0.0055
-30				6.10	0.0073

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	824.660	848.580	4.00	0.0048
4.40				5.00	0.0060



DC_2A_n66A

Frequency Error vs Voltage

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1710.570	1779.380		
50				2.10	0.0012
40				-5.00	0.0029
30				-7.30	0.0042
10				-10.60	0.0061
0				-8.40	0.0048
-10				-1.50	0.0009
-20				-7.60	0.0044
-30				-2.10	0.0012

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	1710.570	1779.380	-4.00	0.0023
4.40				-7.20	0.0041

DC_2A_n77A(3450 MHz-3550 MHz)

Frequency Error vs Voltage

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	3450.760	3549.120		
50				12.40	0.0035
40				10.60	0.0030
30				11.70	0.0033
10				10.80	0.0031
0				15.00	0.0043
-10				4.80	0.0014
-20				12.80	0.0037
-30				10.20	0.0029

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	3450.760	3549.120	7.60	0.0022
4.40				18.90	0.0054



DC_2A_n77A(3700 MHz-3980 MHz)

Frequency Error vs Voltage

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	3700.520	3979.320		
50				-4.70	0.0012
40				-0.20	0.0001
30				-2.30	0.0006
10				-15.40	0.0040
0				-3.20	0.0008
-10				0.20	0.0001
-20				0.00	0.0000
-30				-0.90	0.0002

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	3700.520	3979.320	-2.60	0.0007
4.40				0.30	0.0001

Expanded measurement uncertainty is 10Hz, $k = 2$



A.3 OCCUPIED BANDWIDTH

Reference

FCC: CFR Part 2.1049, 22.917, 24.238, 27.53.

A.3.1 Occupied Bandwidth Results


Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the extreme and mid frequencies. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts (i.e., two to five times the OBW).
- b) The nominal IF filter bandwidth 3 dB (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
- c) Set the reference level of the instrument as required to keep the signal from exceeding the maximum input mixer level for linear operation. In general, the peak of the spectral envelope must be at least 10log (OBW / RBW) below the reference level.
- d) Set the detection mode to peak, and the trace mode to max hold.
- e) Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

DC_5A_n2A
n2,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	4.496	4.504


n2,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n2,5MHz Bandwidth,DFT-s-QPSK (99% BW)



No. I22N01500-RF-NR







DC_5A_n2A
n2,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	9.015	8.998

n2,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n2,10MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_5A_n2A
n2,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	13.451	13.479

n2,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n2,15MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_5A_n2A
n2,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	17.939	18.068

n2,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n2,20MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n5A
n5,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	4.500	4.501

n5,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,5MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n5A
n5,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9.020	9.007

n5,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,10MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n5A
n5,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	13.462	13.475

n5,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,15MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n5A
n5,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	17.975	18.056

n5,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,20MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n66A
n66,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.504	4.504

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,5MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n66A
n66,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	9.019	8.999

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,10MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n66A
n66,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	13.473	13.495

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,15MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n66A
n66,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	18.001	18.113

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,20MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n66A
n66,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	38.812	38.924

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,40MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n77A(3450 MHz-3550 MHz)
n77L,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	8.597	8.596

n77L,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,10MHz Bandwidth,DFT-s-QPSK (99% BW)







**DC_2A_n77A(3450 MHz-3550 MHz)
n77L,15MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	12.937	12.935

n77L,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,15MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n77A(3450 MHz-3550 MHz)
n77L,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	18.094	18.040

n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,20MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n77A(3450 MHz-3550 MHz)
n77L,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	36.058	36.022

n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,40MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n77A(3450 MHz-3550 MHz)
n77L,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	45.867	45.796

n77L,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,50MHz Bandwidth,DFT-s-QPSK (99% BW)






DC_2A_n77A(3450 MHz-3550 MHz)
n77L,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	57.887	57.929

n77L,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,60MHz Bandwidth,DFT-s-QPSK (99% BW)

