



Receive path - distortion and noise 630Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




Receive path - distortion and noise 800Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




Receive path - distortion and noise 1000Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise\LTE Band 2



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise\LTE Band 41




Receive path - distortion and noise 1250Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




Receive path - distortion and noise 1600Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




Receive path - distortion and noise 2000Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise\LTE Band 41




Receive path - distortion and noise 2500Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




Receive path - distortion and noise 3150Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band II



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




Receive path - distortion and noise 4000Hz WB only


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




Receive path - distortion and noise 5000Hz WB only


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN
2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 2



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 14.25 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 41




5.2 Receive path – distortion and noise

The distortion and noise test results data are referred to Annex C.

5.3 Receive Acoustic Frequency response Performance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ GSM 850



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ GSM 1900



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ WCDMA Band II



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ WCDMA Band IV



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ WCDMA Band V



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ LTE Band 2



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ LTE Band 4



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ LTE Band 5



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ LTE Band 12



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ LTE Band 17



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ LTE Band 25



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ LTE Band 26



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ LTE Band 41



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ LTE Band 66



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ LTE Band 71



Absolute minimal distance

OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \ WLAN 2.4GHz



Absolute minimal distance

OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \WLAN 5.2GHz



Absolute minimal distance

OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \WLAN 5.3GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \WLAN 5.5GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65 kbps \WLAN 5.8GHz



Absolute minimal distance

OK


OK

Limits

	lower
Run 1	Fit into tolerance


5.1 Receive Volume Control Performance 8N---EVS NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 2




Speech Level RCV: 96.96 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 4




Speech Level RCV: 92.46 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 5




Speech Level RCV: 97.06 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 12




Speech Level RCV: 96.78 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 17




Speech Level RCV: 97.38 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 25




Speech Level RCV: 96.58 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 26




Speech Level RCV: 96.68 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 41




Speech Level RCV: 96.88 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 66




Speech Level RCV: 96.78 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 71




Speech Level RCV: 96.4 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 2.4GHz




Speech Level RCV: 90.49 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 5.2GHz




Speech Level RCV: 90.79 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 5.3GHz




Speech Level RCV: 88.32 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 5.5GHz



Speech Level RCV: 91.52 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 5.8GHz



Speech Level RCV: 92.24 dB[SPL]

5.1.1 -1 Conversation Gain 8N

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 2

Correction

rcv_vol_wb	96.96 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.96 dB OK

Ok

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 4

Correction

rcv_vol_wb	92.46 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 22.46 dB OK

Ok

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 5

Correction

rcv_vol_wb	97.06 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 27.06 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 12

Correction

rcv_vol_wb	96.78 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.78 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 17

Correction

rcv_vol_wb	97.38 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 27.38 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 25

Correction

rcv_vol_wb	96.58 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.58 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB



ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 26

Correction

rcv_vol_wb	96.68 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.68 dB OK

Ok

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 41

Correction

rcv_vol_wb	96.88 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.88 dB OK

Ok

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 66

Correction

rcv_vol_wb	96.78 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.78 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ LTE Band 71

Correction

rcv_vol_wb	96.4 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	--------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.4 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 2.4GHz

Correction

rcv_vol_wb	90.49 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 20.49 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 5.2GHz

Correction

rcv_vol_wb	90.79 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 20.79 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 5.3GHz

Correction

rcv_vol_wb	88.32 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 18.32 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 5.5GHz

Correction

rcv_vol_wb	91.52 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 21.52 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB



ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2 kbps \ WLAN 5.8GHz

Correction

rcv_vol_wb	92.24 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 22.24 dB OK


Ok

Limits

	lower
Run 1	6.00 dB


5.1 Receive Volume Control Performance 8N---EVS WB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 2




Speech Level RCV: 92.26 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 4




Speech Level RCV: 94.16 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 5




Speech Level RCV: 92.16 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 12




Speech Level RCV: 92.58 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 17




Speech Level RCV: 92.48 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 25




Speech Level RCV: 94.48 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 26




Speech Level RCV: 92.28 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 41




Speech Level RCV: 94.38 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 66




Speech Level RCV: 94.28 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 71




Speech Level RCV: 92.61 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 2.4GHz




Speech Level RCV: 96.69 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 5.2GHz




Speech Level RCV: 96.41 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 5.3GHz




Speech Level RCV: 97.01 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 5.5GHz



Speech Level RCV: 96.21 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 5.8GHz



Speech Level RCV: 94.34 dB[SPL]

5.1.1 -1 Conversation Gain 8N

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 2

Correction

rcv_vol_wb	92.26 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 22.26 dB OK

Ok

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 4

Correction

rcv_vol_wb	94.16 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 24.16 dB OK

Ok

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 5

Correction

rcv_vol_wb	92.16 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 22.16 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 12

Correction

rcv_vol_wb	92.58 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 22.58 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 17

Correction

rcv_vol_wb	92.48 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 22.48 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 25

Correction

rcv_vol_wb	94.48 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 24.48 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 26

Correction

rcv_vol_wb	92.28 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 22.28 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 41

Correction

rcv_vol_wb	94.38 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 24.38 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 66

Correction

rcv_vol_wb	94.28 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 24.28 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ LTE Band 71

Correction

rcv_vol_wb	92.61 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 22.61 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB



ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 2.4GHz

Correction

rcv_vol_wb	96.69 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.69 dB OK

Ok

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 5.2GHz

Correction

rcv_vol_wb	96.41 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.41 dB OK

Ok

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 5.3GHz

Correction

rcv_vol_wb	97.01 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 27.01 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 5.5GHz

Correction

rcv_vol_wb	96.21 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.21 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB



ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \ WLAN 5.8GHz

Correction

rcv_vol_wb	94.34 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 24.34 dB OK


Ok

Limits

	lower
Run 1	6.00 dB


5.1 Receive Volume Control Performance 8N---EVS SWB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 2




Speech Level RCV: 96.7 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 4




Speech Level RCV: 95.71 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 5




Speech Level RCV: 98.35 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 12




Speech Level RCV: 95.64 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 17




Speech Level RCV: 96.82 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 25




Speech Level RCV: 93.91 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 26




Speech Level RCV: 95.71 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 41




Speech Level RCV: 96.49 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 66




Speech Level RCV: 95.24 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 71




Speech Level RCV: 94.57 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ WLAN 2.4GHz




Speech Level RCV: 98.11 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ WLAN 5.2GHz




Speech Level RCV: 92.67 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ WLAN 5.3GHz




Speech Level RCV: 99.28 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ WLAN 5.5GHz



Speech Level RCV: 94.47 dB[SPL]

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ WLAN 5.8GHz



Speech Level RCV: 95.28 dB[SPL]

5.1.1 -1 Conversation Gain 8N

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 2

Correction

rcv_vol_wb	96.7 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	--------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.7 dB OK

Ok

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 4

Correction

rcv_vol_wb	95.71 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 25.71 dB OK

Ok

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 5

Correction

rcv_vol_wb	98.35 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 28.35 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 12

Correction

rcv_vol_wb	95.64 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 25.64 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB



ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 17

Correction

rcv_vol_wb	96.82 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.82 dB OK

Ok

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 25

Correction

rcv_vol_wb	93.91 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 23.91 dB OK

Ok

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 26

Correction

rcv_vol_wb	95.71 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 25.71 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 41

Correction

rcv_vol_wb	96.49 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 26.49 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 66

Correction

rcv_vol_wb	95.24 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 25.24 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ LTE Band 71

Correction

rcv_vol_wb	94.57 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 24.57 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ WLAN 2.4GHz

Correction

rcv_vol_wb	98.11 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 28.11 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ WLAN 5.2GHz

Correction

rcv_vol_wb	92.67 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 22.67 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ WLAN 5.3GHz

Correction

rcv_vol_wb	99.28 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 29.28 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ WLAN 5.5GHz

Correction

rcv_vol_wb	94.47 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 24.47 dB OK

Ok**Limits**

	lower
Run 1	6.00 dB



ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 13.2 kbps \ WLAN 5.8GHz

Correction

rcv_vol_wb	95.28 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 8N
------------	---------------	-----------	----------	---

rcv_vol_wb-70

Calculated Value: 25.28 dB OK


Ok

Limits

	lower
Run 1	6.00 dB


5.1 Receive Volume Control Performance 2N---NB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\GSM 850




Speech Level RCV: 87.91 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\GSM 1900




Speech Level RCV: 87.96 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band II




Speech Level RCV: 87.98 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band IV




Speech Level RCV: 87.94 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band V




Speech Level RCV: 87.84 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 2




Speech Level RCV: 94.81 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 4




Speech Level RCV: 95.58 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 5




Speech Level RCV: 95.46 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 12




Speech Level RCV: 97.56 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 17




Speech Level RCV: 89.22 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 25




Speech Level RCV: 95.88 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 26




Speech Level RCV: 91.38 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 41




Speech Level RCV: 92.28 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 66




Speech Level RCV: 97.98 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 71




Speech Level RCV: 89.62 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN 2.4GHz




Speech Level RCV: 88.24 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN 5.2GHz




Speech Level RCV: 91.79 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN 5.3 GHz




Speech Level RCV: 92.21 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN 5.5 GHz



Speech Level RCV: 92.11 dB[SPL]

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN 5.8 GHz



Speech Level RCV: 90.19 dB[SPL]

5.1.1 -1 Conversation Gain 2N

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\GSM 850

Correction

rcv_vol_nb	87.91 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 17.91 dB OK

OK

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\GSM 1900

Correction

rcv_vol_nb	87.96 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 17.96 dB OK

OK

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band II

Correction

rcv_vol_nb	87.98 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 17.98 dB OK

OK

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band IV

Correction

rcv_vol_nb	87.94 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 17.94 dB OK

OK

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band V

Correction

rcv_vol_nb	87.84 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 17.84 dB OK

OK**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 2

Correction

rcv_vol_nb	94.81 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 24.81 dB OK

OK**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 4

Correction

rcv_vol_nb	95.58 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 25.58 dB OK

OK**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 5

Correction

rcv_vol_nb	95.46 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 25.46 dB OK

OK**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 12

Correction

rcv_vol_nb	97.56 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 27.56 dB OK

OK**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 17

Correction

rcv_vol_nb	89.22 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 19.22 dB OK

OK**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 25

Correction

rcv_vol_nb	95.88 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 25.88 dB OK

OK**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 26

Correction

rcv_vol_nb	91.38 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 21.38 dB OK

OK**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 41

Correction

rcv_vol_nb	92.28 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 22.28 dB OK

OK

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 66

Correction

rcv_vol_nb	97.98 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 27.98 dB OK

OK

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 71

Correction

rcv_vol_nb	89.62 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 19.62 dB OK

OK

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ WLAN 2.4GHz

Correction

rcv_vol_nb	88.24 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 18.24 dB OK

OK

Limits

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ WLAN 5.2GHz

Correction

rcv_vol_nb	91.79 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 21.79 dB OK

OK**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ WLAN 5.3GHz

Correction

rcv_vol_nb	92.21 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 22.21 dB OK

OK**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ WLAN 5.5GHz

Correction

rcv_vol_nb	92.11 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 22.11 dB OK

OK**Limits**

	lower
Run 1	6.00 dB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ WLAN 5.8GHz

Correction

rcv_vol_nb	90.19 dB[SPL]	2024.3.31	Measured	5.1 Receive Volume Control Performance 2N
------------	---------------	-----------	----------	---

rcv_vol_nb-70

Calculated Value: 20.19 dB OK

OK**Limits**

	lower
Run 1	6.00 dB

Receive path - distortion and noise 400Hz WB&NB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




Distortion (Noise) RCV (packed): 38.91 dB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 500Hz WB&NB

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




Distortion (Noise) RCV (packed): 38.91 dB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 630Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
2.4GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz

