









EDGE 1900MHz CH521 1850.2MHz



EDGE 1900MHz CH661 1880.0MHz





EDGE 1900MHz CH810 1909.8MHz









WCDMA Band V CH4132 826.4MHz



WCDMA Band V CH4182 836.4MHz





WCDMA Band V CH4233 846.6MHz









WCDMA Band II CH9262 1852.4MHz



WCDMA Band II CH9400 1880.0MHz





WCDMA Band II CH9538 1907.6MHz









WCDMA Band IV CH1312 1712.4MHz



WCDMA Band IV CH1413 1732.6MHz



WCDMA Band IV CH1513 1752.6MHz




2.6. Band Edge

2.6.1. Requirement

According to FCC section 22.917(b), 24.238(b) and 27.53(h) in the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth (26dB emission bandwidth) of the fundamental emission of the transmitter may be employed.

2.6.2. Test Description

Test Setup:




The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power i.e. Power Control Level (PCL) = 5 and Power Class = 4. A call is established between the EUT and the SS.




2.6.3. Test Result

The lowest and highest channels are tested to verify the band edge emissions.







EDGE 850MHz CH128 824.2MHz




EDGE 850MHz CH251 848.8MHz



EDGE 1900MHz CH521 1850.2MHz



EDGE 1900MHz CH810 1909.8MHz



SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.
 FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
 Block67, BaoAn District, ShenZhen , Guangdong Province, P. R. China

Tel: 86-755-36698555
 Http://www.morlab.cn

Fax: 86-755-36698525
 E-mail: service@morlab.cn