





-26dB Bandwidth NVNT n20 5600MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant1






-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1






-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1






-26dB Bandwidth NVNT n40 5510MHz Ant1




-26dB Bandwidth NVNT n40 5630MHz Ant1






-26dB Bandwidth NVNT n40 5670MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1






-26dB Bandwidth NVNT ac20 5220MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1






-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5300MHz Ant1






-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac20 5500MHz Ant1






-26dB Bandwidth NVNT ac20 5600MHz Ant1




-26dB Bandwidth NVNT ac20 5700MHz Ant1






-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1






-26dB Bandwidth NVNT ac40 5270MHz Ant1




-26dB Bandwidth NVNT ac40 5310MHz Ant1






-26dB Bandwidth NVNT ac40 5510MHz Ant1




-26dB Bandwidth NVNT ac40 5630MHz Ant1






-26dB Bandwidth NVNT ac40 5670MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant1






-26dB Bandwidth NVNT ac80 5290MHz Ant1




-26dB Bandwidth NVNT ac80 5530MHz Ant1






-26dB Bandwidth NVNT ac80 5610MHz Ant1




-26dB Bandwidth NVNT ac80 5690MHz Ant1






Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1






-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1






-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1






-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1






-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1






-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1






-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant1





A.4. Peak Power Spectral Density

| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm) | Duty Factor (dB) | Total PSD (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|---------------------|------------------|-----------------|-------------|---------|
| NVNT | a | 5180 | Ant1 | -2.52 | 0.1 | -2.42 | 11 | Pass |
| NVNT | a | 5220 | Ant1 | -3.55 | 0.08 | -3.47 | 11 | Pass |
| NVNT | a | 5240 | Ant1 | -1.53 | 0.08 | -1.45 | 11 | Pass |
| NVNT | a | 5260 | Ant1 | -0.46 | 0.08 | -0.38 | 11 | Pass |
| NVNT | a | 5300 | Ant1 | 0.91 | 0.1 | 1.01 | 11 | Pass |
| NVNT | a | 5320 | Ant1 | 1.53 | 0.1 | 1.63 | 11 | Pass |
| NVNT | a | 5500 | Ant1 | -0.98 | 0.1 | -0.88 | 11 | Pass |
| NVNT | a | 5600 | Ant1 | -3.04 | 0.08 | -2.96 | 11 | Pass |
| NVNT | a | 5700 | Ant1 | -2.41 | 0.1 | -2.31 | 11 | Pass |
| NVNT | a | 5745 | Ant1 | -3.23 | 0.1 | -3.13 | 30 | Pass |
| NVNT | a | 5785 | Ant1 | -1.4 | 0.08 | -1.32 | 30 | Pass |
| NVNT | a | 5825 | Ant1 | 0.09 | 0.08 | 0.17 | 30 | Pass |
| NVNT | n20 | 5180 | Ant1 | -2.86 | 0.1 | -2.76 | 11 | Pass |
| NVNT | n20 | 5220 | Ant1 | -2.26 | 0.11 | -2.15 | 11 | Pass |
| NVNT | n20 | 5240 | Ant1 | -1.79 | 0.1 | -1.69 | 11 | Pass |
| NVNT | n20 | 5260 | Ant1 | -1.05 | 0.11 | -0.94 | 11 | Pass |
| NVNT | n20 | 5300 | Ant1 | 0.64 | 0.1 | 0.74 | 11 | Pass |
| NVNT | n20 | 5320 | Ant1 | 1.24 | 0.11 | 1.35 | 11 | Pass |
| NVNT | n20 | 5500 | Ant1 | -1.54 | 0.11 | -1.43 | 11 | Pass |
| NVNT | n20 | 5600 | Ant1 | -3.34 | 0.1 | -3.24 | 11 | Pass |
| NVNT | n20 | 5700 | Ant1 | -2.33 | 0.11 | -2.22 | 11 | Pass |
| NVNT | n20 | 5745 | Ant1 | -3.39 | 0.11 | -3.28 | 30 | Pass |
| NVNT | n20 | 5785 | Ant1 | -1.65 | 0.1 | -1.55 | 30 | Pass |
| NVNT | n20 | 5825 | Ant1 | 0 | 0.11 | 0.11 | 30 | Pass |
| NVNT | n40 | 5190 | Ant1 | -12.37 | 0.19 | -12.18 | 11 | Pass |
| NVNT | n40 | 5230 | Ant1 | -11.86 | 0.19 | -11.67 | 11 | Pass |
| NVNT | n40 | 5270 | Ant1 | -11.01 | 0.19 | -10.82 | 11 | Pass |
| NVNT | n40 | 5310 | Ant1 | -10.18 | 0.19 | -9.99 | 11 | Pass |
| NVNT | n40 | 5510 | Ant1 | -16.09 | 0.23 | -15.86 | 11 | Pass |
| NVNT | n40 | 5630 | Ant1 | -17.61 | 0.23 | -17.38 | 11 | Pass |
| NVNT | n40 | 5670 | Ant1 | -16.42 | 0.23 | -16.19 | 11 | Pass |
| NVNT | n40 | 5755 | Ant1 | -15.67 | 0.19 | -15.48 | 30 | Pass |
| NVNT | n40 | 5795 | Ant1 | -14.31 | 0.23 | -14.08 | 30 | Pass |
| NVNT | ac20 | 5180 | Ant1 | -9.23 | 0.09 | -9.14 | 11 | Pass |
| NVNT | ac20 | 5220 | Ant1 | -8.95 | 0.09 | -8.86 | 11 | Pass |




| | | | | | | | | |
|------|------|------|------|--------|------|--------|----|------|
| NVNT | ac20 | 5240 | Ant1 | -8.49 | 0.09 | -8.4 | 11 | Pass |
| NVNT | ac20 | 5260 | Ant1 | -8.26 | 0.11 | -8.15 | 11 | Pass |
| NVNT | ac20 | 5300 | Ant1 | -6.65 | 0.09 | -6.56 | 11 | Pass |
| NVNT | ac20 | 5320 | Ant1 | -6.53 | 0.09 | -6.44 | 11 | Pass |
| NVNT | ac20 | 5500 | Ant1 | -12.55 | 0.09 | -12.46 | 11 | Pass |
| NVNT | ac20 | 5600 | Ant1 | -14.15 | 0.11 | -14.04 | 11 | Pass |
| NVNT | ac20 | 5700 | Ant1 | -13.06 | 0.11 | -12.95 | 11 | Pass |
| NVNT | ac20 | 5745 | Ant1 | -3.36 | 0.11 | -3.25 | 30 | Pass |
| NVNT | ac20 | 5785 | Ant1 | -1.5 | 0.11 | -1.39 | 30 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 0.02 | 0.09 | 0.11 | 30 | Pass |
| NVNT | ac40 | 5190 | Ant1 | -12.77 | 0.19 | -12.58 | 11 | Pass |
| NVNT | ac40 | 5230 | Ant1 | -11.89 | 0.23 | -11.66 | 11 | Pass |
| NVNT | ac40 | 5270 | Ant1 | -11.58 | 0.23 | -11.35 | 11 | Pass |
| NVNT | ac40 | 5310 | Ant1 | -10.04 | 0.19 | -9.85 | 11 | Pass |
| NVNT | ac40 | 5510 | Ant1 | -16.17 | 0.19 | -15.98 | 11 | Pass |
| NVNT | ac40 | 5630 | Ant1 | -17.65 | 0.23 | -17.42 | 11 | Pass |
| NVNT | ac40 | 5670 | Ant1 | -16.47 | 0.19 | -16.28 | 11 | Pass |
| NVNT | ac40 | 5755 | Ant1 | -16.87 | 0.19 | -16.68 | 30 | Pass |
| NVNT | ac40 | 5795 | Ant1 | -15.35 | 0.19 | -15.16 | 30 | Pass |
| NVNT | ac80 | 5210 | Ant1 | -15.76 | 0.39 | -15.37 | 11 | Pass |
| NVNT | ac80 | 5290 | Ant1 | -13.38 | 0.46 | -12.92 | 11 | Pass |
| NVNT | ac80 | 5530 | Ant1 | -19.41 | 0.47 | -18.94 | 11 | Pass |
| NVNT | ac80 | 5610 | Ant1 | -20.14 | 0.38 | -19.76 | 11 | Pass |
| NVNT | ac80 | 5690 | Ant1 | -18.72 | 0.38 | -18.34 | 11 | Pass |
| NVNT | ac80 | 5775 | Ant1 | -18 | 0.47 | -17.53 | 30 | Pass |




Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5220MHz Ant1






PSD NVNT a 5240MHz Ant1




PSD NVNT a 5260MHz Ant1






PSD NVNT a 5300MHz Ant1




PSD NVNT a 5320MHz Ant1






PSD NVNT a 5500MHz Ant1




PSD NVNT a 5600MHz Ant1






PSD NVNT a 5700MHz Ant1




PSD NVNT a 5745MHz Ant1






PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1






PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5220MHz Ant1





PSD NVNT n20 5240MHz Ant1




PSD NVNT n20 5260MHz Ant1






PSD NVNT n20 5300MHz Ant1




PSD NVNT n20 5320MHz Ant1






PSD NVNT n20 5500MHz Ant1




PSD NVNT n20 5600MHz Ant1






PSD NVNT n20 5700MHz Ant1




PSD NVNT n20 5745MHz Ant1





PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1






PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1






PSD NVNT n40 5270MHz Ant1




PSD NVNT n40 5310MHz Ant1






PSD NVNT n40 5510MHz Ant1




PSD NVNT n40 5630MHz Ant1






PSD NVNT n40 5670MHz Ant1




PSD NVNT n40 5755MHz Ant1






PSD NVNT n40 5795MHz Ant1




PSD NVNT ac20 5180MHz Ant1






PSD NVNT ac20 5220MHz Ant1




PSD NVNT ac20 5240MHz Ant1






PSD NVNT ac20 5260MHz Ant1




PSD NVNT ac20 5300MHz Ant1






PSD NVNT ac20 5320MHz Ant1




PSD NVNT ac20 5500MHz Ant1






PSD NVNT ac20 5600MHz Ant1




PSD NVNT ac20 5700MHz Ant1






PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1






PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac40 5190MHz Ant1






PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac40 5270MHz Ant1






PSD NVNT ac40 5310MHz Ant1




PSD NVNT ac40 5510MHz Ant1






PSD NVNT ac40 5630MHz Ant1




PSD NVNT ac40 5670MHz Ant1






PSD NVNT ac40 5755MHz Ant1




PSD NVNT ac40 5795MHz Ant1






PSD NVNT ac80 5210MHz Ant1




PSD NVNT ac80 5290MHz Ant1






PSD NVNT ac80 5530MHz Ant1




PSD NVNT ac80 5610MHz Ant1






PSD NVNT ac80 5690MHz Ant1



PSD NVNT ac80 5775MHz Ant1



**A.5. Frequency Stability**

| Condition | Mode | Frequency (MHz) | Antenna | Measured Frequency (MHz) | Frequency Error (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|-----------|------|-----------------|---------|--------------------------|----------------------|-----------------|-------------|---------|
| 20C 3.5V | a | 5180 | Ant1 | 5180.003 | 3000 | 0.58 | 25 | Pass |
| 20C 4.35V | a | 5180 | Ant1 | 5180.002 | 2000 | 0.39 | 25 | Pass |
| -30C 3.8V | a | 5180 | Ant1 | 5180.002 | 2000 | 0.39 | 25 | Pass |
| -20C 3.8V | a | 5180 | Ant1 | 5180.002 | 2000 | 0.39 | 25 | Pass |
| -10C 3.8V | a | 5180 | Ant1 | 5180.002 | 2000 | 0.39 | 25 | Pass |
| 0C 3.8V | a | 5180 | Ant1 | 5180.002 | 2000 | 0.39 | 25 | Pass |
| 10C 3.8V | a | 5180 | Ant1 | 5180.002 | 2000 | 0.39 | 25 | Pass |
| 20C 3.8V | a | 5180 | Ant1 | 5180.001 | 1000 | 0.19 | 25 | Pass |
| 30C 3.8V | a | 5180 | Ant1 | 5180.001 | 1000 | 0.19 | 25 | Pass |
| 40C 3.8V | a | 5180 | Ant1 | 5180.001 | 1000 | 0.19 | 25 | Pass |
| 50C 3.8V | a | 5180 | Ant1 | 5180.001 | 1000 | 0.19 | 25 | Pass |
| 20C 3.5V | a | 5260 | Ant1 | 5259.999 | -1000 | -0.19 | 25 | Pass |
| 20C 4.35V | a | 5260 | Ant1 | 5259.999 | -1000 | -0.19 | 25 | Pass |
| -30C 3.8V | a | 5260 | Ant1 | 5259.999 | -1000 | -0.19 | 25 | Pass |
| -20C 3.8V | a | 5260 | Ant1 | 5259.999 | -1000 | -0.19 | 25 | Pass |
| -10C 3.8V | a | 5260 | Ant1 | 5259.999 | -1000 | -0.19 | 25 | Pass |
| 0C 3.8V | a | 5260 | Ant1 | 5259.999 | -1000 | -0.19 | 25 | Pass |
| 10C 3.8V | a | 5260 | Ant1 | 5259.999 | -1000 | -0.19 | 25 | Pass |
| 20C 3.8V | a | 5260 | Ant1 | 5259.999 | -1000 | -0.19 | 25 | Pass |
| 30C 3.8V | a | 5260 | Ant1 | 5259.999 | -1000 | -0.19 | 25 | Pass |
| 40C 3.8V | a | 5260 | Ant1 | 5259.999 | -1000 | -0.19 | 25 | Pass |
| 50C 3.8V | a | 5260 | Ant1 | 5259.999 | -1000 | -0.19 | 25 | Pass |
| 20C 3.5V | a | 5500 | Ant1 | 5499.997 | -3000 | -0.55 | 25 | Pass |
| 20C 4.35V | a | 5500 | Ant1 | 5499.997 | -3000 | -0.55 | 25 | Pass |
| -30C 3.8V | a | 5500 | Ant1 | 5499.997 | -3000 | -0.55 | 25 | Pass |
| -20C 3.8V | a | 5500 | Ant1 | 5499.997 | -3000 | -0.55 | 25 | Pass |
| -10C 3.8V | a | 5500 | Ant1 | 5499.997 | -3000 | -0.55 | 25 | Pass |
| 0C 3.8V | a | 5500 | Ant1 | 5499.997 | -3000 | -0.55 | 25 | Pass |
| 10C 3.8V | a | 5500 | Ant1 | 5499.997 | -3000 | -0.55 | 25 | Pass |
| 20C 3.8V | a | 5500 | Ant1 | 5499.997 | -3000 | -0.55 | 25 | Pass |
| 30C 3.8V | a | 5500 | Ant1 | 5499.997 | -3000 | -0.55 | 25 | Pass |
| 40C 3.8V | a | 5500 | Ant1 | 5499.997 | -3000 | -0.55 | 25 | Pass |
| 50C 3.8V | a | 5500 | Ant1 | 5499.997 | -3000 | -0.55 | 25 | Pass |
| 20C 3.5V | a | 5745 | Ant1 | 5744.996 | -4000 | -0.7 | 25 | Pass |




| | | | | | | | | |
|-----------|---|------|------|----------|-------|------|----|------|
| 20C 4.35V | a | 5745 | Ant1 | 5744.996 | -4000 | -0.7 | 25 | Pass |
| -30C 3.8V | a | 5745 | Ant1 | 5744.996 | -4000 | -0.7 | 25 | Pass |
| -20C 3.8V | a | 5745 | Ant1 | 5744.996 | -4000 | -0.7 | 25 | Pass |
| -10C 3.8V | a | 5745 | Ant1 | 5744.996 | -4000 | -0.7 | 25 | Pass |
| 0C 3.8V | a | 5745 | Ant1 | 5744.996 | -4000 | -0.7 | 25 | Pass |
| 10C 3.8V | a | 5745 | Ant1 | 5744.996 | -4000 | -0.7 | 25 | Pass |
| 20C 3.8V | a | 5745 | Ant1 | 5744.996 | -4000 | -0.7 | 25 | Pass |
| 30C 3.8V | a | 5745 | Ant1 | 5744.996 | -4000 | -0.7 | 25 | Pass |
| 40C 3.8V | a | 5745 | Ant1 | 5744.996 | -4000 | -0.7 | 25 | Pass |
| 50C 3.8V | a | 5745 | Ant1 | 5744.996 | -4000 | -0.7 | 25 | Pass |



A.6. Dynamic Frequency Selection


Detection Thresholds

| TestMode | Channel | Radar Type | Result | Limit[dbm] | Verdict |
|------------|---------|------------|--------|------------|---------|
| 11AC20SISO | 5320 | Reference | -63.45 | -57.60 | PASS |
| | 5500 | Reference | -61.59 | -57.60 | PASS |
| 11AC80SISO | 5290 | Reference | -62.52 | -57.60 | PASS |
| | 5530 | Reference | -62.83 | -57.60 | PASS |






11AC80SISO_5290_Reference




11AC80SISO_5530_Reference






Channel Move Time and Channel Closing Transmission Time

| TestMode | Channel | CCT[ms] | Limit[ms] | CMT[ms] | Limit[ms] | Verdict |
|------------|---------|---------|-----------|---------|-----------|---------|
| 11AC20SISO | 5320 | 12.96 | 260 | 736.8 | 10000 | PASS |
| | 5500 | 24.30 | 260 | 777.4 | 10000 | PASS |
| 11AC80SISO | 5290 | 90.72 | 260 | 133.9 | 10000 | PASS |
| | 5530 | 8.10 | 260 | 8.8 | 10000 | PASS |






11AC80SISO_5290



11AC80SISO_5530







Non-Occupancy Period

| TestMode | Channel | Result | Limit[s] | Verdict |
|------------|---------|----------------|----------|---------|
| 11AC20SISO | 5320 | see test graph | ≥1800 | PASS |
| | 5500 | see test graph | ≥1800 | PASS |

11AC20SISO_5320



11AC20SISO_5500





A.7. Conducted Emission

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Set RBW=9kHz, VBW=30kHz. Refer to recorded points and plots below.

Note: Both of the test voltage AC 120V/60Hz and AC 230V/50Hz were considered and tested respectively, only the results of the worst case AC 120V/60Hz were recorded in this report.

A. Test Setup:

Test Mode: EUT + Adapter + Earphone +WIFI TX

Test voltage: AC 120V/60Hz


The measurement results are obtained as below:

$$E \text{ [dB}\mu\text{V]} = U_R + L_{\text{Cable loss}} \text{ [dB]} + A_{\text{Factor}}$$

U_R : Receiver Reading


A_{Factor} : Voltage division factor of LISN

B. Test Plot:



(L Phase)

| No. | Fre. (MHz) | Emission Level (dBµV) | | Limit (dBµV) | | Power-line | Verdict |
|-----|------------|-----------------------|---------|--------------|---------|------------|---------|
| | | Quai-peak | Average | Quai-peak | Average | | |
| 1 | 0.4925 | 48.25 | 34.00 | 56.13 | 46.13 | Line | PASS |
| 2 | 0.5596 | 49.54 | 36.73 | 56.00 | 46.00 | | PASS |
| 3 | 1.0221 | 46.02 | 33.12 | 56.00 | 46.00 | | PASS |
| 4 | 1.0993 | 49.12 | 37.71 | 56.00 | 46.00 | | PASS |
| 5 | 1.1749 | 45.98 | 30.31 | 56.00 | 46.00 | | PASS |
| 6 | 13.5441 | 49.92 | 35.80 | 60.00 | 50.00 | | PASS |



(N Phase)

| No. | Fre. (MHz) | Emission Level (dBµV) | | Limit (dBµV) | | Power-line | Verdict |
|-----|------------|-----------------------|---------|--------------|---------|------------|---------|
| | | Quai-peak | Average | Quai-peak | Average | | |
| 1 | 0.3118 | 41.81 | 31.39 | 59.92 | 49.92 | Neutral | PASS |
| 2 | 0.3977 | 41.89 | 30.71 | 57.90 | 47.90 | | PASS |
| 3 | 0.4157 | 41.96 | 31.20 | 57.53 | 47.53 | | PASS |
| 4 | 0.5056 | 47.04 | 34.66 | 56.00 | 46.00 | | PASS |
| 5 | 0.5779 | 51.00 | 40.13 | 56.00 | 46.00 | | PASS |
| 6 | 13.5990 | 46.89 | 32.92 | 60.00 | 50.00 | | PASS |



A.8. Restricted Frequency Bands

The lowest and highest channels are tested to verify the Restricted Frequency Bands.

The measurement results are obtained as below:

$$E \text{ [dB}\mu\text{V/m]} = U_R + A_T + A_{\text{Factor}} \text{ [dB]}; A_T = L_{\text{Cable loss}} \text{ [dB]} - G_{\text{preamp}} \text{ [dB]}$$

A_T : Total correction Factor except Antenna

U_R : Receiver Reading

G_{preamp} : Preamplifier Gain


A_{Factor} : Antenna Factor at 3m

Note 1: Restricted Frequency Bands were performed when antenna was at vertical and horizontal polarity, and only the worse test condition (vertical) was recorded in this test report.


Note 2: All test modes and bandwidth were considered and evaluated respectively by performing full test, only the worst data were recorded for each bandwidth.

802.11a Mode


| Channel | Frequency (MHz) | Detector | Receiver Reading | A_T (dB) | A_{Factor} (dB@3m) | Max. Emission E (dB μ V/m) | Limit (dB μ V/m) | Verdict |
|---------|-----------------|----------|--------------------|------------|-----------------------------|--------------------------------|----------------------|---------|
| | | PK/ AV | U_R (dB μ V) | | | | | |
| 36 | 5150.00 | PK | 50.67 | -19.54 | 32.20 | 63.33 | 74 | PASS |
| 36 | 5150.00 | AV | 38.39 | -19.54 | 32.20 | 51.05 | 54 | PASS |
| 64 | 5350.94 | PK | 48.91 | -18.80 | 32.20 | 62.31 | 74 | PASS |
| 64 | 5350.00 | AV | 37.44 | -18.80 | 32.20 | 50.84 | 54 | PASS |
| 100 | 5470.00 | PK | 47.57 | -19.20 | 32.20 | 60.57 | 68.23 | PASS |
| 100 | 5470.00 | AV | 38.00 | -19.20 | 32.20 | 51.00 | 54 | PASS |
| 144 | 5725.00 | PK | 58.34 | -19.20 | 32.20 | 71.34 | 68.23 | PASS |
| 149 | 5725.00 | PK | 66.13 | -19.01 | 32.20 | 79.32 | 122.23 | PASS |
| 165 | 5850.00 | PK | 56.42 | -19.01 | 32.20 | 69.61 | 122.23 | PASS |




(PEAK, Channel 36, 802.11a)




(AVERAGE, Channel 36, 802.11a)




(PEAK, Channel 64, 802.11a)




(AVERAGE, Channel 64, 802.11a)




(PEAK, Channel 100, 802.11a)



(AVERAGE, Channel 100, 802.11a)



(PEAK, Channel 144, 802.11a)



(PEAK, Channel 149, 802.11a)




(PEAK, Channel 165, 802.11a)




802.11n (HT40) Mode


| Channel | Frequency (MHz) | Detector | Receiver Reading U _R (dBμV) | A _T (dB) | A _{Factor} (dB@3m) | Max. Emission E (dBμV/m) | Limit (dBμV/m) | Verdict |
|---------|-----------------|----------|--|------------------------|--------------------------------|--------------------------------|-------------------|---------|
| | | PK/ AV | | | | | | |
| 38 | 5150.00 | PK | 48.11 | -19.54 | 32.20 | 60.77 | 74 | PASS |
| 38 | 5150.00 | AV | 38.55 | -19.54 | 32.20 | 51.21 | 54 | PASS |
| 62 | 5354.25 | PK | 49.59 | -18.80 | 32.20 | 62.99 | 74 | PASS |
| 62 | 5350.95 | AV | 38.34 | -18.80 | 32.20 | 51.74 | 54 | PASS |
| 102 | 5470.00 | PK | 48.67 | -19.20 | 32.20 | 61.67 | 68.23 | PASS |
| 102 | 5470.00 | AV | 37.68 | -19.20 | 32.20 | 50.68 | 54 | PASS |
| 142 | 5727.42 | PK | 53.82 | -19.20 | 32.20 | 66.82 | 68.23 | PASS |
| 151 | 5725.00 | PK | 69.47 | -19.01 | 32.20 | 82.66 | 122.23 | PASS |
| 159 | 5850.00 | PK | 53.09 | -19.01 | 32.20 | 66.28 | 122.23 | PASS |




(PEAK, Channel 38, 802.11n (HT40))




(AVERAGE, Channel 38, 802.11n (HT40))




(PEAK, Channel 62, 802.11n (HT40))



(AVERAGE, Channel 62, 802.11n (HT40))




(PEAK, Channel 102, 802.11n (HT40))




(AVERAGE, Channel 102, 802.11n (HT40))



(PEAK, Channel 142, 802.11n (HT40))



(PEAK, Channel 151, 802.11n (HT40))




(PEAK, Channel 159, 802.11n (HT40))




802.11ac (VHT80) Mode


| Channel | Frequency (MHz) | Detector | Receiver Reading U_R (dB μ V) | A_T (dB) | A_{Factor} (dB@3m) | Max. Emission E (dB μ V/m) | Limit (dB μ V/m) | Verdict |
|---------|-----------------|----------|-------------------------------------|------------|----------------------|--------------------------------|----------------------|---------|
| | | PK/ AV | | | | | | |
| 42 | 5145.20 | PK | 47.76 | -19.54 | 32.20 | 60.42 | 74 | PASS |
| 42 | 5150.00 | AV | 38.92 | -19.54 | 32.20 | 51.58 | 54 | PASS |
| 58 | 5358.40 | PK | 47.16 | -18.80 | 32.20 | 60.56 | 74 | PASS |
| 58 | 5350.00 | AV | 37.25 | -18.80 | 32.20 | 50.65 | 54 | PASS |
| 106 | 5460.04 | PK | 46.23 | -19.20 | 32.20 | 59.23 | 68.23 | PASS |
| 106 | 5467.46 | AV | 36.01 | -19.20 | 32.20 | 49.01 | 54 | PASS |
| 138 | 5727.78 | PK | 55.32 | -19.20 | 32.20 | 68.32 | 68.23 | PASS |
| 155 | 5725.00 | PK | 70.29 | -19.01 | 32.20 | 83.48 | 110.83 | PASS |
| 155 | 5850.00 | PK | 62.62 | -19.01 | 32.20 | 75.81 | 122.23 | PASS |




(PEAK, Channel 42, 802.11ac (VHT80))




(AVERAGE, Channel 42, 802.11ac (VHT80))




(PEAK, Channel 58, 802.11ac (VHT80))




(AVERAGE, Channel 58, 802.11ac (VHT80))




(PEAK, Channel 106, 802.11ac (VHT80))



(AVERAGE, Channel 106, 802.11ac (VHT80))



(PEAK, Channel 138, 802.11ac (VHT80))



(PEAK, Channel 155, 802.11ac (VHT80))



A.9. Radiated Emission

According to ANSI C63.10, because of peak detection will yield amplitudes equal to or greater than amplitudes measured with the quasi-peak (or average) detector, the measurement data from a spectrum analyzer peak detector will represent the worst-case results, if the peak measured value complies with the quasi-peak (or average) limit, it is unnecessary to perform an quasi-peak measurement (or average).

The measurement results are obtained as below:

$$E \text{ [dB}\mu\text{V/m]} = U_R + A_T + A_{\text{Factor}} \text{ [dB]}; A_T = L_{\text{Cable loss}} \text{ [dB]} - G_{\text{preamp}} \text{ [dB]}$$

A_T : Total correction Factor except Antenna

U_R : Receiver Reading

G_{preamp} : Preamplifier Gain

A_{Factor} : Antenna Factor at 3m

During the test, the total correction Factor A_T and A_{Factor} were built in test software.

Note1: All radiated emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Note2: For the frequency, which started from 9kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit was not recorded.


Note3: For the frequency, which started from 18GHz to 10th harmonic of the highest frequency, was pre-scanned and the result which was 20dB lower than the limit was not recorded.

Note 4: All test modes and bandwidth were considered and evaluated respectively by performing full test, only the worst data were recorded for each bandwidth.




802.11a Mode

Plot for Channel 36




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 44



| Fre. (MHz) | PK (dBμV/m) | QP (dBμV/m) | AV (dBμV/m) | Limit-PK (dBμV/m) | Limit-QP (dBμV/m) | Limit-AV (dBμV/m) | Antenna | Verdict |
|------------|-------------|-------------|-------------|-------------------|-------------------|-------------------|------------|---------|
| 104.765 | 31.51 | N/A | N/A | N/A | 43.50 | N/A | Horizontal | PASS |
| 203.804 | 29.33 | N/A | N/A | N/A | 43.50 | N/A | Horizontal | PASS |
| 567.918 | 33.44 | N/A | N/A | N/A | 46.00 | N/A | Horizontal | PASS |
| 1997.666 | 39.77 | N/A | N/A | 68.23 | N/A | N/A | Horizontal | PASS |
| 5646.729 | 46.49 | N/A | N/A | 68.23 | N/A | N/A | Horizontal | PASS |
| 13985.957 | 46.52 | N/A | N/A | 68.23 | N/A | N/A | Horizontal | PASS |


(Antenna Horizontal, 30MHz to 18GHz)




| Fre. (MHz) | PK (dBμV/m) | QP (dBμV/m) | AV (dBμV/m) | Limit-PK (dBμV/m) | Limit-QP (dBμV/m) | Limit-AV (dBμV/m) | Antenna | Verdict |
|------------|-------------|-------------|-------------|-------------------|-------------------|-------------------|----------|---------|
| 109.620 | 31.67 | N/A | N/A | N/A | 43.50 | N/A | Vertical | PASS |
| 221.281 | 29.12 | N/A | N/A | N/A | 46.00 | N/A | Vertical | PASS |
| 572.773 | 34.35 | N/A | N/A | N/A | 46.00 | N/A | Vertical | PASS |
| 2222.274 | 40.72 | N/A | N/A | 74.00 | N/A | 54.00 | Vertical | PASS |
| 5865.453 | 47.01 | N/A | N/A | 68.23 | N/A | N/A | Vertical | PASS |
| 12467.213 | 47.18 | N/A | N/A | 74.00 | N/A | 54.00 | Vertical | PASS |

(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 48




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 52



| Fre. (MHz) | PK (dBµV/m) | QP (dBµV/m) | AV (dBµV/m) | Limit-PK (dBµV/m) | Limit-QP (dBµV/m) | Limit-AV (dBµV/m) | Antenna | Verdict |
|------------|-------------|-------------|-------------|-------------------|-------------------|-------------------|------------|---------|
| 98.939 | 30.96 | N/A | N/A | N/A | 43.50 | N/A | Horizontal | PASS |
| 209.630 | 29.82 | N/A | N/A | N/A | 43.50 | N/A | Horizontal | PASS |
| 572.773 | 34.05 | N/A | N/A | N/A | 46.00 | N/A | Horizontal | PASS |
| 1997.666 | 39.42 | N/A | N/A | 68.23 | N/A | N/A | Horizontal | PASS |
| 5640.568 | 47.29 | N/A | N/A | 68.23 | N/A | N/A | Horizontal | PASS |
| 15871.294 | 47.81 | N/A | N/A | 74.00 | N/A | 54.00 | Horizontal | PASS |


(Antenna Horizontal, 30MHz to 18GHz)




| Fre. (MHz) | PK (dBµV/m) | QP (dBµV/m) | AV (dBµV/m) | Limit-PK (dBµV/m) | Limit-QP (dBµV/m) | Limit-AV (dBµV/m) | Antenna | Verdict |
|------------|-------------|-------------|-------------|-------------------|-------------------|-------------------|----------|---------|
| 112.533 | 32.62 | N/A | N/A | N/A | 43.50 | N/A | Vertical | PASS |
| 238.759 | 29.43 | N/A | N/A | N/A | 46.00 | N/A | Vertical | PASS |
| 681.522 | 34.67 | N/A | N/A | N/A | 46.00 | N/A | Vertical | PASS |
| 1852.551 | 39.26 | N/A | N/A | 68.23 | N/A | N/A | Vertical | PASS |
| 5751.470 | 46.31 | N/A | N/A | 68.23 | N/A | N/A | Vertical | PASS |
| 14124.585 | 45.80 | N/A | N/A | 68.23 | N/A | N/A | Vertical | PASS |

(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 60




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 64




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 100




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 120




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 144




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 149




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 157




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 165



| Fre. (MHz) | PK (dBμV/m) | QP (dBμV/m) | AV (dBμV/m) | Limit-PK (dBμV/m) | Limit-QP (dBμV/m) | Limit-AV (dBμV/m) | Antenna | Verdict |
|------------|-------------|-------------|-------------|-------------------|-------------------|-------------------|------------|---------|
| 95.055 | 30.62 | N/A | N/A | N/A | 43.50 | N/A | Horizontal | PASS |
| 214.484 | 29.09 | N/A | N/A | N/A | 43.50 | N/A | Horizontal | PASS |
| 570.831 | 32.80 | N/A | N/A | N/A | 46.00 | N/A | Horizontal | PASS |
| 2335.912 | 40.44 | N/A | N/A | 74.00 | N/A | 54.00 | Horizontal | PASS |
| 5400.280 | 46.76 | N/A | N/A | 74.00 | N/A | 54.00 | Horizontal | PASS |
| 12544.229 | 46.74 | N/A | N/A | 74.00 | N/A | 54.00 | Horizontal | PASS |

(Antenna Horizontal, 30MHz to 18GHz)




| Fre. (MHz) | PK (dBμV/m) | QP (dBμV/m) | AV (dBμV/m) | Limit-PK (dBμV/m) | Limit-QP (dBμV/m) | Limit-AV (dBμV/m) | Antenna | Verdict |
|------------|-------------|-------------|-------------|-------------------|-------------------|-------------------|----------|---------|
| 105.736 | 31.67 | N/A | N/A | N/A | 43.50 | N/A | Vertical | PASS |
| 206.717 | 29.15 | N/A | N/A | N/A | 43.50 | N/A | Vertical | PASS |
| 672.783 | 33.17 | N/A | N/A | N/A | 46.00 | N/A | Vertical | PASS |
| 2278.293 | 39.93 | N/A | N/A | 74.00 | N/A | 54.00 | Vertical | PASS |
| 5400.280 | 44.88 | N/A | N/A | 74.00 | N/A | 54.00 | Vertical | PASS |
| 11706.301 | 45.94 | N/A | N/A | 74.00 | N/A | 54.00 | Vertical | PASS |

(Antenna Vertical, 30MHz to 18GHz)




802.11n (HT40) mode

Plot for Channel 38




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 46




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 54




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 62



| Fre. (MHz) | PK (dBµV/m) | QP (dBµV/m) | AV (dBµV/m) | Limit-PK (dBµV/m) | Limit-QP (dBµV/m) | Limit-AV (dBµV/m) | Antenna | Verdict |
|------------|-------------|-------------|-------------|-------------------|-------------------|-------------------|------------|---------|
| 102.823 | 32.02 | N/A | N/A | N/A | 43.50 | N/A | Horizontal | PASS |
| 236.817 | 28.82 | N/A | N/A | N/A | 46.00 | N/A | Horizontal | PASS |
| 569.860 | 33.82 | N/A | N/A | N/A | 46.00 | N/A | Horizontal | PASS |
| 1941.647 | 38.64 | N/A | N/A | 68.23 | N/A | N/A | Horizontal | PASS |
| 5622.084 | 46.47 | N/A | N/A | 68.23 | N/A | N/A | Horizontal | PASS |
| 13067.934 | 45.71 | N/A | N/A | 68.23 | N/A | N/A | Horizontal | PASS |


(Antenna Horizontal, 30MHz to 18GHz)




| Fre. (MHz) | PK (dBµV/m) | QP (dBµV/m) | AV (dBµV/m) | Limit-PK (dBµV/m) | Limit-QP (dBµV/m) | Limit-AV (dBµV/m) | Antenna | Verdict |
|------------|-------------|-------------|-------------|-------------------|-------------------|-------------------|----------|---------|
| 108.649 | 32.15 | N/A | N/A | N/A | 43.50 | N/A | Vertical | PASS |
| 239.730 | 28.68 | N/A | N/A | N/A | 46.00 | N/A | Vertical | PASS |
| 335.856 | 31.92 | N/A | N/A | N/A | 46.00 | N/A | Vertical | PASS |
| 2090.497 | 40.26 | N/A | N/A | 68.23 | N/A | N/A | Vertical | PASS |
| 4497.660 | 45.54 | N/A | N/A | 68.23 | N/A | N/A | Vertical | PASS |
| 12156.071 | 46.56 | N/A | N/A | 74.00 | N/A | 54.00 | Vertical | PASS |

(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 102




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 126




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 142




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 151



| Fre. (MHz) | PK (dBμV/m) | QP (dBμV/m) | AV (dBμV/m) | Limit-PK (dBμV/m) | Limit-QP (dBμV/m) | Limit-AV (dBμV/m) | Antenna | Verdict |
|------------|-------------|-------------|-------------|-------------------|-------------------|-------------------|------------|---------|
| 61.071 | 30.60 | N/A | N/A | N/A | 40.00 | N/A | Horizontal | PASS |
| 112.533 | 30.10 | N/A | N/A | N/A | 43.50 | N/A | Horizontal | PASS |
| 655.305 | 33.49 | N/A | N/A | N/A | 46.00 | N/A | Horizontal | PASS |
| 2790.998 | 40.83 | N/A | N/A | 74.00 | N/A | 54.00 | Horizontal | PASS |
| 5757.632 | 48.01 | N/A | N/A | 68.23 | N/A | N/A | Horizontal | PASS |
| 10772.875 | 46.57 | N/A | N/A | 74.00 | N/A | 54.00 | Horizontal | PASS |


(Antenna Horizontal, 30MHz to 18GHz)




| Fre. (MHz) | PK (dBμV/m) | QP (dBμV/m) | AV (dBμV/m) | Limit-PK (dBμV/m) | Limit-QP (dBμV/m) | Limit-AV (dBμV/m) | Antenna | Verdict |
|------------|-------------|-------------|-------------|-------------------|-------------------|-------------------|----------|---------|
| 101.852 | 30.43 | N/A | N/A | N/A | 43.50 | N/A | Vertical | PASS |
| 443.634 | 32.93 | N/A | N/A | N/A | 46.00 | N/A | Vertical | PASS |
| 887.367 | 36.73 | N/A | N/A | N/A | 46.00 | N/A | Vertical | PASS |
| 2446.349 | 40.33 | N/A | N/A | 68.23 | N/A | N/A | Vertical | PASS |
| 5619.004 | 46.75 | N/A | N/A | 68.23 | N/A | N/A | Vertical | PASS |
| 8440.848 | 46.86 | N/A | N/A | 74.00 | N/A | 54.00 | Vertical | PASS |

(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 159



(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)




802.11ac (VHT80) Mode

Plot for Channel 42




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 58




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 106




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 122




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 138




(Antenna Horizontal, 30MHz to 18GHz)




(Antenna Vertical, 30MHz to 18GHz)



Plot for Channel 155



(Antenna Horizontal, 30MHz to 18GHz)



(Antenna Vertical, 30MHz to 18GHz)

— END OF REPORT —