


<Photographs of EUT>

Refer to the EUT external photographs.

<Antenna Location>



The separation distance for antenna to edge:

Antenna	Overall Diagonal (mm)	Display Diagonal (mm)	To Left Side (mm)	To Right Side (mm)	To Top Side (mm)	To Bottom Side (mm)
WWAN-Main (Ant. 0)	288	256	145.96	10.93	0	140.69
WWAN-DIV (Ant. 1 Only Rx)			0	217.74	116.09	0
WLAN / BT/ GPS			0	233.65	22.34	102.5

State of receiver	Antenna	GSM	WCDMA	LTE
Power Sensor ≤20 mm	WWAN-Main (Ant. 0)	✓	✓	✓

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China
 Tel: +86-755-28230888 Fax: +86-755-28230888 E-mail: info@uttlab.com [Http://www.uttlab.com](http://www.uttlab.com)
 UTRR-SAR-IEEE Std 1528-2013-V1.0_Appendix D

<Photographs of SAR Setup>



Rear Face of EUT with 1.9 cm Gap



Right Side of EUT with 1.9cm Gap



Top Side of EUT with 1.9cm Gap



Rear Face of EUT with 0 cm Gap



Right Side of EUT with 0cm Gap



Top Side of EUT with 0 cm Gap

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China
Tel: +86-755-28230888 Fax: +86-755-28230886 E-mail: info@uttlab.com [Http://www.uttlab.com](http://www.uttlab.com)
UTTR-SAR-IEEE Std 1528-2013-V1.0_Appendix D



N/A

Left Side of EUT with 0cm Gap

N/A

Shenzhen UnionTrust Quality and Technology Co., Ltd.