





LTE Band 4 / 5MHz

Lowest Channel / QPSK




Date: 6.NOV.2017 22:03:46

Lowest Channel / 16QAM




Date: 6.NOV.2017 22:04:41

Middle Channel / QPSK



Date: 6.NOV.2017 22:06:16

Middle Channel / 16QAM




Date: 6.NOV.2017 22:07:10




LTE Band 4 / 5MHz

Highest Channel / QPSK



Date: 6.NOV.2017 22:13:20


Highest Channel / 16QAM



Date: 6.NOV.2017 22:14:14


LTE Band 4 / 10MHz

Lowest Channel / QPSK



Date: 6.NOV.2017 22:20:25

Lowest Channel / 16QAM





Date: 6.NOV.2017 22:21:19



LTE Band 4 / 10MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 6.NOV.2017 22:22:54

Date: 6.NOV.2017 22:23:49

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 6.NOV.2017 22:29:59



Date: 6.NOV.2017 22:30:53



LTE Band 4 / 15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 6.NOV.2017 22:37:04

Date: 6.NOV.2017 22:37:59

Middle Channel / QPSK

Middle Channel / 16QAM



Date: 6.NOV.2017 22:39:34



Date: 6.NOV.2017 22:40:29



LTE Band 4 / 15MHz

Highest Channel / QPSK

Highest Channel / 16QAM





Date: 6.NOV.2017 22:46:39

Date: 6.NOV.2017 22:47:34

LTE Band 4 / 20MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 6.NOV.2017 22:53:44

Date: 6.NOV.2017 22:54:38




LTE Band 4 / 20MHz

Middle Channel / QPSK




Date: 6.NOV.2017 22:56:13

Middle Channel / 16QAM




Date: 6.NOV.2017 22:57:07

Highest Channel / QPSK



Date: 6.NOV.2017 23:03:18

Highest Channel / 16QAM



Date: 6.NOV.2017 23:04:12







LTE Band 7 / 5MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 3 NOV.2017 21:09:05

Date: 3 NOV.2017 21:09:57

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 3 NOV.2017 21:11:30

Date: 3 NOV.2017 21:12:23




LTE Band 7 / 5MHz

Highest Channel / QPSK



Date: 3.NOV.2017 21:18:27


Highest Channel / 16QAM



Date: 3.NOV.2017 21:19:19


LTE Band 7 / 10MHz

Lowest Channel / QPSK



Date: 3.NOV.2017 21:25:24

Lowest Channel / 16QAM



Date: 3.NOV.2017 21:26:16







LTE Band 7 / 10MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 3 NOV.2017 21:27:49

Date: 3 NOV.2017 21:28:41

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 3 NOV.2017 21:34:46



Date: 3 NOV.2017 21:35:38



LTE Band 7 / 15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 3.NOV.2017 21:41:43

Date: 3.NOV.2017 21:42:35

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 3.NOV.2017 21:44:07

Date: 3.NOV.2017 21:44:59




LTE Band 7 / 15MHz

Highest Channel / QPSK



Date: 3 NOV.2017 21:51:04


Highest Channel / 16QAM



Date: 3 NOV.2017 21:51:56


LTE Band 7 / 20MHz

Lowest Channel / QPSK



Date: 3 NOV.2017 22:11:56

Lowest Channel / 16QAM




Date: 3 NOV.2017 22:12:48




LTE Band 7 / 20MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 3 NOV.2017 22:14:20




Date: 3 NOV.2017 22:15:12

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 3 NOV.2017 22:21:17





Date: 3 NOV.2017 22:22:09



LTE Band 12 / 1.4MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 29.NOV.2017 18:14:00

Date: 29.NOV.2017 18:14:55

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 29.NOV.2017 18:16:32

Date: 29.NOV.2017 18:17:28




LTE Band 12 / 1.4MHz

Highest Channel / QPSK



Date: 29.NOV.2017 18:23:43


Highest Channel / 16QAM



Date: 29.NOV.2017 18:24:39


LTE Band 12 / 3MHz

Lowest Channel / QPSK



Date: 29.NOV.2017 18:30:54

Lowest Channel / 16QAM



Date: 29.NOV.2017 18:31:46







LTE Band 12 / 3MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 29.NOV.2017 18:33:26




Date: 29.NOV.2017 18:34:22

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 29.NOV.2017 18:40:36




Date: 29.NOV.2017 18:41:32




LTE Band 12 / 5MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 29.NOV.2017 18:47:47




Date: 29.NOV.2017 18:48:43

Middle Channel / QPSK

Middle Channel / 16QAM



Date: 29.NOV.2017 18:50:19




Date: 29.NOV.2017 18:51:16




LTE Band 12 / 5MHz

Highest Channel / QPSK



Date: 29.NOV.2017 18:57:29


Highest Channel / 16QAM



Date: 29.NOV.2017 18:58:25


LTE Band 12 / 10MHz

Lowest Channel / QPSK



Date: 29.NOV.2017 19:04:39

Lowest Channel / 16QAM




Date: 29.NOV.2017 19:05:35




LTE Band 12 / 10MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 29.NOV.2017 19:07:11




Date: 29.NOV.2017 19:08:08

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 29.NOV.2017 19:14:21





Date: 29.NOV.2017 19:15:17



LTE Band 17 / 5MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 9.NOV.2017 20:54:50

Date: 9.NOV.2017 20:55:45

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 9.NOV.2017 20:57:22

Date: 9.NOV.2017 20:58:17




LTE Band 17 / 5MHz

Highest Channel / QPSK



Date: 9.NOV.2017 21:04:29


Highest Channel / 16QAM



Date: 9.NOV.2017 21:05:24


LTE Band 17 / 10MHz

Lowest Channel / QPSK



Date: 9.NOV.2017 21:11:36

Lowest Channel / 16QAM



Date: 9.NOV.2017 21:12:31







LTE Band 17 / 10MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 9.NOV.2017 21:14:08

Date: 9.NOV.2017 21:15:03

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 9.NOV.2017 21:21:14

Date: 9.NOV.2017 21:22:10



Frequency Stability

| Test Conditions  |                   | LTE Band 2 (QPSK) / Middle Channel | Limit   |
|------------------|-------------------|------------------------------------|---------|
| Temperature (°C) | Voltage (Volt)    | BW 10MHz                           | Note 2. |
|                  |                   | Deviation (ppm)                    | Result  |
| 50               | Normal Voltage    | 0.0031                             | PASS    |
| 40               | Normal Voltage    | 0.0002                             |         |
| 30               | Normal Voltage    | 0.0002                             |         |
| 20(Ref.)         | Normal Voltage    | 0.0000                             |         |
| 10               | Normal Voltage    | 0.0002                             |         |
| 0                | Normal Voltage    | 0.0004                             |         |
| -10              | Normal Voltage    | 0.0007                             |         |
| -20              | Normal Voltage    | 0.0049                             |         |
| -30              | Normal Voltage    | 0.0049                             |         |
| 20               | Maximum Voltage   | 0.0020                             |         |
| 20               | Normal Voltage    | 0.0021                             |         |
| 20               | Battery End Point | 0.0027                             |         |

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.4 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



| Test Conditions  |                   | LTE Band 4 (QPSK) / Middle Channel | Limit   |
|------------------|-------------------|------------------------------------|---------|
| Temperature (°C) | Voltage (Volt)    | BW 10MHz                           | Note 2. |
|                  |                   | Deviation (ppm)                    | Result  |
| 50               | Normal Voltage    | 0.0008                             | PASS    |
| 40               | Normal Voltage    | 0.0008                             |         |
| 30               | Normal Voltage    | 0.0002                             |         |
| 20(Ref.)         | Normal Voltage    | 0.0000                             |         |
| 10               | Normal Voltage    | 0.0006                             |         |
| 0                | Normal Voltage    | 0.0016                             |         |
| -10              | Normal Voltage    | 0.0022                             |         |
| -20              | Normal Voltage    | 0.0048                             |         |
| -30              | Normal Voltage    | 0.0048                             |         |
| 20               | Maximum Voltage   | 0.0008                             |         |
| 20               | Normal Voltage    | 0.0009                             |         |
| 20               | Battery End Point | 0.0005                             |         |

**Note:**

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.4 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



| Test Conditions  |                   | LTE Band 7 (QPSK) / Middle Channel | Limit   |
|------------------|-------------------|------------------------------------|---------|
| Temperature (°C) | Voltage (Volt)    | BW 10MHz                           | Note 2. |
|                  |                   | Deviation (ppm)                    | Result  |
| 50               | Normal Voltage    | 0.0002                             | PASS    |
| 40               | Normal Voltage    | 0.0006                             |         |
| 30               | Normal Voltage    | 0.0004                             |         |
| 20(Ref.)         | Normal Voltage    | 0.0000                             |         |
| 10               | Normal Voltage    | 0.0005                             |         |
| 0                | Normal Voltage    | 0.0021                             |         |
| -10              | Normal Voltage    | 0.0037                             |         |
| -20              | Normal Voltage    | 0.0078                             |         |
| -30              | Normal Voltage    | 0.0078                             |         |
| 20               | Maximum Voltage   | 0.0009                             |         |
| 20               | Normal Voltage    | 0.0010                             |         |
| 20               | Battery End Point | 0.0003                             |         |

**Note:**

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.4 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



| Test Conditions  |                   | LTE Band 12 (QPSK) / Middle Channel | Limit   |
|------------------|-------------------|-------------------------------------|---------|
| Temperature (°C) | Voltage (Volt)    | BW 10MHz                            | Note 2. |
|                  |                   | Deviation (ppm)                     | Result  |
| 50               | Normal Voltage    | 0.0017                              | PASS    |
| 40               | Normal Voltage    | 0.0018                              |         |
| 30               | Normal Voltage    | 0.0028                              |         |
| 20(Ref.)         | Normal Voltage    | 0.0000                              |         |
| 10               | Normal Voltage    | 0.0035                              |         |
| 0                | Normal Voltage    | 0.0025                              |         |
| -10              | Normal Voltage    | 0.0014                              |         |
| -20              | Normal Voltage    | 0.0073                              |         |
| -30              | Normal Voltage    | 0.0073                              |         |
| 20               | Maximum Voltage   | 0.0004                              |         |
| 20               | Normal Voltage    | 0.0000                              |         |
| 20               | Battery End Point | 0.0007                              |         |

**Note:**

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.4 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



| Test Conditions  |                   | LTE Band 17 (QPSK) / Middle Channel | Limit   |
|------------------|-------------------|-------------------------------------|---------|
| Temperature (°C) | Voltage (Volt)    | BW 10MHz                            | Note 2. |
|                  |                   | Deviation (ppm)                     | Result  |
| 50               | Normal Voltage    | 0.0069                              | PASS    |
| 40               | Normal Voltage    | 0.0106                              |         |
| 30               | Normal Voltage    | 0.0039                              |         |
| 20(Ref.)         | Normal Voltage    | 0.0000                              |         |
| 10               | Normal Voltage    | 0.0010                              |         |
| 0                | Normal Voltage    | 0.0018                              |         |
| -10              | Normal Voltage    | 0.0024                              |         |
| -20              | Normal Voltage    | 0.0068                              |         |
| -30              | Normal Voltage    | 0.0068                              |         |
| 20               | Maximum Voltage   | 0.0015                              |         |
| 20               | Normal Voltage    | 0.0024                              |         |
| 20               | Battery End Point | 0.0011                              |         |

**Note:**

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.4 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.





### Appendix B. Test Results of Radiated Test

#### Radiated Spurious Emission

| LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel   | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle  | 3758.92           | -54.67       | -13           | -41.67            | -68.29            | -62.25             | 5.02                 | 12.60                 | H                  |
|   | 5638.38           | -42.39       | -13           | -29.39            | -58.99            | -48.19             | 7.3                  | 13.10                 | H                  |
|   | 7517.84           | -54.88       | -13           | -41.88            | -74.86            | -58.45             | 7.73                 | 11.30                 | H                  |
|   | 3758.92           | -53.68       | -13           | -40.68            | -68.01            | -61.26             | 5.02                 | 12.6                  | V                  |
|   | 5638.38           | -40.23       | -13           | -27.23            | -56.76            | -46.03             | 7.3                  | 13.1                  | V                  |
|   | 7517.84           | -57.18       | -13           | -44.18            | -76.82            | -60.75             | 7.73                 | 11.3                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                                       | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle  | 3757.48           | -53.37       | -13           | -40.37            | -66.99            | -60.95             | 5.02                 | 12.60                 | H                  |
|   | 5636.22           | -43.14       | -13           | -30.14            | -59.74            | -48.94             | 7.3                  | 13.10                 | H                  |
|   | 7514.96           | -56.13       | -13           | -43.13            | -76.11            | -59.70             | 7.73                 | 11.30                 | H                  |
|   | 3757.48           | -53.04       | -13           | -40.04            | -67.37            | -60.62             | 5.02                 | 12.6                  | V                  |
|   | 5636.22           | -40.77       | -13           | -27.77            | -57.3             | -46.57             | 7.3                  | 13.1                  | V                  |
|   | 7514.96           | -57.28       | -13           | -44.28            | -76.92            | -60.85             | 7.73                 | 11.3                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                                       | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle  | 3755.68           | -54.55       | -13           | -41.55            | -68.17            | -62.13             | 5.02                 | 12.60                 | H                  |
|   | 5633.52           | -41.93       | -13           | -28.93            | -58.53            | -47.73             | 7.3                  | 13.10                 | H                  |
|   | 7511.36           | -56.37       | -13           | -43.37            | -76.35            | -59.94             | 7.73                 | 11.30                 | H                  |
|   | 3755.68           | -54.31       | -13           | -41.31            | -68.64            | -61.89             | 5.02                 | 12.6                  | V                  |
|   | 5633.52           | -40.17       | -13           | -27.17            | -56.7             | -45.97             | 7.3                  | 13.1                  | V                  |
|   | 7511.36           | -57.22       | -13           | -44.22            | -76.86            | -60.79             | 7.73                 | 11.3                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 3751.18           | -51.98       | -13           | -38.98            | -65.60            | -59.56             | 5.02                 | 12.60                 | H                  |
|  | 5626.77           | -38.68       | -13           | -25.68            | -55.56            | -44.48             | 7.3                  | 13.10                 | H                  |
|  | 7502              | -55.95       | -13           | -42.95            | -75.93            | -59.52             | 7.73                 | 11.30                 | H                  |
|  | 3751.18           | -53.42       | -13           | -40.42            | -67.75            | -61.00             | 5.02                 | 12.6                  | V                  |
|  | 5626.77           | -40.44       | -13           | -27.44            | -56.97            | -46.24             | 7.3                  | 13.1                  | V                  |
|  | 7502              | -57.18       | -13           | -44.18            | -76.82            | -60.75             | 7.73                 | 11.3                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 3746.68           | -53.43       | -13           | -40.43            | -67.05            | -61.01             | 5.02                 | 12.60                 | H                  |
|  | 5620.02           | -41.83       | -13           | -28.83            | -58.43            | -47.63             | 7.3                  | 13.10                 | H                  |
|  | 7493.36           | -57.21       | -13           | -44.21            | -77.19            | -60.78             | 7.73                 | 11.30                 | H                  |
|  | 3746.68           | -51.41       | -13           | -38.41            | -65.74            | -58.99             | 5.02                 | 12.6                  | V                  |
|  | 5620.02           | -38.02       | -13           | -25.02            | -55.46            | -43.82             | 7.3                  | 13.1                  | V                  |
|  | 7493.36           | -58.35       | -13           | -45.35            | -77.99            | -61.92             | 7.73                 | 11.3                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 3742.18           | -53.21       | -13           | -40.21            | -66.83            | -60.79             | 5.02                 | 12.60                 | H                  |
|  | 5613.27           | -42.43       | -13           | -29.43            | -59.03            | -48.23             | 7.3                  | 13.10                 | H                  |
|  | 7484.36           | -56.37       | -13           | -43.37            | -76.35            | -59.94             | 7.73                 | 11.30                 | H                  |
|  | 3742.18           | -52.29       | -13           | -39.29            | -66.62            | -59.87             | 5.02                 | 12.6                  | V                  |
|  | 5613.27           | -41.04       | -13           | -28.04            | -57.57            | -46.84             | 7.3                  | 13.1                  | V                  |
|  | 7484.36           | -57.63       | -13           | -44.63            | -77.27            | -61.20             | 7.73                 | 11.3                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel   | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle  | 3463.74           | -56.24       | -13           | -43.24            | -69.94            | -64.21             | 4.63                 | 12.60                 | H                  |
|   | 5195.61           | -40.47       | -13           | -27.47            | -58.40            | -46.92             | 6.25                 | 12.70                 | H                  |
|   | 6927.48           | -56.73       | -13           | -43.73            | -76.35            | -61.50             | 8.23                 | 13.00                 | H                  |
|   | 3463.74           | -57.37       | -13           | -44.37            | -68.78            | -65.34             | 4.63                 | 12.6                  | V                  |
|   | 5195.61           | -46.49       | -13           | -33.49            | -60.21            | -52.94             | 6.25                 | 12.7                  | V                  |
|   | 6927.48           | -52.05       | -13           | -39.05            | -71.17            | -56.82             | 8.23                 | 13                    | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                                       | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle  | 3462.48           | -58.21       | -13           | -45.21            | -71.91            | -66.18             | 4.63                 | 12.60                 | H                  |
|   | 5193.72           | -43.22       | -13           | -30.22            | -61.15            | -49.67             | 6.25                 | 12.70                 | H                  |
|   | 6924.96           | -58.74       | -13           | -45.74            | -78.36            | -63.51             | 8.23                 | 13.00                 | H                  |
|   | 3462.48           | -60.11       | -13           | -47.11            | -71.52            | -68.08             | 4.63                 | 12.6                  | V                  |
|   | 5193.72           | -50.32       | -13           | -37.32            | -63.93            | -56.77             | 6.25                 | 12.7                  | V                  |
|   | 6924.96           | -55.13       | -13           | -42.13            | -74.25            | -59.90             | 8.23                 | 13                    | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                                       | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle  | 3460.68           | -60.11       | -13           | -47.11            | -73.81            | -68.08             | 4.63                 | 12.60                 | H                  |
|   | 5191.02           | -45.83       | -13           | -32.83            | -63.76            | -52.28             | 6.25                 | 12.70                 | H                  |
|   | 6921.36           | -58.51       | -13           | -45.51            | -78.13            | -63.28             | 8.23                 | 13.00                 | H                  |
|   | 3460.68           | -62.15       | -13           | -49.15            | -73.56            | -70.12             | 4.63                 | 12.6                  | V                  |
|   | 5191.02           | -53.08       | -13           | -40.08            | -66.69            | -59.53             | 6.25                 | 12.7                  | V                  |
|   | 6921.36           | -55.98       | -13           | -42.98            | -75.1             | -60.75             | 8.23                 | 13                    | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 3456.18           | -55.43       | -13           | -42.43            | -69.13            | -63.40             | 4.63                 | 12.60                 | H                  |
|  | 5184.27           | -35.17       | -13           | -22.17            | -53.50            | -41.62             | 6.25                 | 12.70                 | H                  |
|  | 6912.36           | -55.48       | -13           | -42.48            | -75.10            | -60.25             | 8.23                 | 13.00                 | H                  |
|  | 3456.18           | -58.14       | -13           | -45.14            | -69.55            | -66.11             | 4.63                 | 12.6                  | V                  |
|  | 5184.27           | -41.45       | -13           | -28.45            | -57.28            | -47.90             | 6.25                 | 12.7                  | V                  |
|  | 6912.36           | -48.61       | -13           | -35.61            | -67.73            | -53.38             | 8.23                 | 13                    | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 3451.68           | -57.88       | -13           | -44.88            | -71.58            | -65.85             | 4.63                 | 12.60                 | H                  |
|  | 5177.52           | -42.28       | -13           | -29.28            | -60.21            | -48.73             | 6.25                 | 12.70                 | H                  |
|  | 6903.36           | -54.20       | -13           | -41.20            | -73.82            | -58.97             | 8.23                 | 13.00                 | H                  |
|  | 3451.68           | -60.14       | -13           | -47.14            | -71.55            | -68.11             | 4.63                 | 12.6                  | V                  |
|  | 5177.52           | -50.64       | -13           | -37.64            | -64.25            | -57.09             | 6.25                 | 12.7                  | V                  |
|  | 6903.36           | -47.79       | -13           | -34.79            | -66.91            | -52.56             | 8.23                 | 13                    | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 3447.18           | -55.71       | -13           | -42.71            | -69.41            | -63.68             | 4.63                 | 12.60                 | H                  |
|  | 5170.77           | -36.03       | -13           | -23.03            | -54.19            | -42.48             | 6.25                 | 12.70                 | H                  |
|  | 6894.36           | -56.26       | -13           | -43.26            | -75.88            | -61.03             | 8.23                 | 13.00                 | H                  |
|  | 3447.18           | -57.66       | -13           | -44.66            | -69.07            | -65.63             | 4.63                 | 12.6                  | V                  |
|  | 5170.77           | -41.57       | -13           | -28.57            | -57.4             | -48.02             | 6.25                 | 12.7                  | V                  |
|  | 6894.36           | -49.09       | -13           | -36.09            | -68.21            | -53.86             | 8.23                 | 13                    | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





| LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                                       | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle  | 5065.7            | -53.39       | -25           | -28.39            | -70.46            | -60.24             | 6.25                 | 13.10                 | H                  |
|   | 7598.5            | -43.25       | -25           | -18.25            | -64.12            | -46.82             | 7.73                 | 11.30                 | H                  |
|   | 10131.4           | -53.58       | -25           | -28.58            | -79.68            | -57.24             | 8.44                 | 12.10                 | H                  |
|   | 12662.5           | -44.86       | -25           | -19.86            | -73.88            | -49.48             | 8.98                 | 13.60                 | H                  |
|   | 5065.7            | -55.92       | -25           | -30.92            | -72.66            | -62.7656           | 6.25                 | 13.10                 | V                  |
|   | 7598.5            | -44.55       | -25           | -19.55            | -65.09            | -48.1156           | 7.73                 | 11.30                 | V                  |
|   | 10131.4           | -53.94       | -25           | -28.94            | -78.23            | -57.5956           | 8.44                 | 12.10                 | V                  |
|   | 12662.5           | -46.08       | -25           | -21.08            | -75.24            | -50.70             | 8.98                 | 13.60                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 5061.2            | -52.90       | -25           | -27.90            | -69.97            | -59.75             | 6.25                 | 13.10                 | H                  |
|  | 7591.8            | -41.88       | -25           | -16.88            | -62.75            | -45.45             | 7.73                 | 11.30                 | H                  |
|  | 10122.4           | -54.32       | -25           | -29.32            | -80.42            | -57.98             | 8.44                 | 12.10                 | H                  |
|  | 12653.0           | -45.06       | -25           | -20.06            | -74.08            | -49.68             | 8.98                 | 13.60                 | H                  |
|  | 5061.2            | -55.79       | -25           | -30.79            | -72.53            | -62.64             | 6.25                 | 13.10                 | V                  |
|  | 7591.8            | -44.65       | -25           | -19.65            | -65.19            | -48.22             | 7.73                 | 11.30                 | V                  |
|  | 10122.4           | -55.80       | -25           | -30.80            | -80.09            | -59.46             | 8.44                 | 12.10                 | V                  |
|  | 12653.0           | -45.61       | -25           | -20.61            | -74.77            | -50.23             | 8.98                 | 13.60                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 5056.7            | -53.02       | -25           | -28.02            | -70.09            | -59.87             | 6.25                 | 13.10                 | H                  |
|  | 7585.0            | -41.31       | -25           | -16.31            | -62.18            | -44.88             | 7.73                 | 11.30                 | H                  |
|  | 10113.4           | -54.66       | -25           | -29.66            | -80.76            | -58.32             | 8.44                 | 12.10                 | H                  |
|  | 12641.7           | -45.48       | -25           | -20.48            | -74.50            | -50.10             | 8.98                 | 13.60                 | H                  |
|  | 5056.7            | -56.02       | -25           | -31.02            | -72.76            | -62.8656           | 6.25                 | 13.10                 | V                  |
|  | 7585.0            | -44.39       | -25           | -19.39            | -64.93            | -47.9556           | 7.73                 | 11.30                 | V                  |
|  | 10113.4           | -56.25       | -25           | -31.25            | -80.54            | -59.9056           | 8.44                 | 12.10                 | V                  |
|  | 12641.7           | -45.04       | -25           | -20.04            | -74.20            | -49.66             | 8.98                 | 13.60                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0 |                   |              |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 5052.2            | -53.29       | -25           | -28.29            | -70.36            | -60.14             | 6.25                 | 13.10                 | H                  |
|  | 7578.3            | -40.99       | -25           | -15.99            | -61.86            | -44.56             | 7.73                 | 11.30                 | H                  |
|  | 10104.4           | -54.52       | -25           | -29.52            | -80.62            | -58.18             | 8.44                 | 12.10                 | H                  |
|  | 12630.5           | -46.25       | -25           | -21.25            | -75.27            | -50.87             | 8.98                 | 13.60                 | H                  |
|  | 5052.2            | -55.38       | -25           | -30.38            | -72.12            | -62.2256           | 6.25                 | 13.10                 | V                  |
|  | 7578.3            | -43.73       | -25           | -18.73            | -64.27            | -47.2956           | 7.73                 | 11.30                 | V                  |
|  | 10104.4           | -55.46       | -25           | -30.46            | -79.75            | -59.1156           | 8.44                 | 12.10                 | V                  |
|  | 12630.5           | -46.38       | -25           | -21.38            | -75.54            | -51.00             | 8.98                 | 13.60                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0 |                   |             |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 1413.74           | -43.11      | -13           | -30.11            | -52.39            | -47.52             | 2.84                 | 9.40                  | H                  |
|  | 2120.61           | -58.91      | -13           | -45.91            | -69.33            | -63.66             | 3.7                  | 10.60                 | H                  |
|  | 2827.48           | -61.70      | -13           | -48.70            | -76.46            | -67.78             | 4.37                 | 12.60                 | H                  |
|  | 1413.74           | -42.25      | -13           | -29.25            | -51.88            | -46.66             | 2.84                 | 9.40                  | V                  |
|  | 2120.61           | -59.82      | -13           | -46.82            | -69.65            | -64.57             | 3.70                 | 10.60                 | V                  |
|  | 2827.48           | -62.40      | -13           | -49.40            | -75.97            | -68.48             | 4.37                 | 12.60                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0 |                   |             |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 1412.3            | -38.42      | -13           | -25.42            | -48.64            | -42.83             | 2.84                 | 9.40                  | H                  |
|  | 2118.45           | -54.13      | -13           | -41.13            | -64.55            | -58.88             | 3.7                  | 10.60                 | H                  |
|  | 2824.6            | -60.82      | -13           | -47.82            | -75.58            | -66.90             | 4.37                 | 12.60                 | H                  |
|  | 1412.3            | -39.73      | -13           | -26.73            | -49.82            | -44.14             | 2.84                 | 9.40                  | V                  |
|  | 2118.45           | -56.82      | -13           | -43.82            | -66.65            | -61.57             | 3.70                 | 10.60                 | V                  |
|  | 2824.6            | -61.45      | -13           | -48.45            | -75.02            | -67.53             | 4.37                 | 12.60                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0 |                   |             |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 1410.5            | -38.10      | -13           | -25.10            | -48.41            | -42.51             | 2.84                 | 9.40                  | H                  |
|  | 2115.75           | -54.36      | -13           | -41.36            | -64.78            | -59.11             | 3.7                  | 10.60                 | H                  |
|  | 2821              | -61.17      | -13           | -48.17            | -75.93            | -67.25             | 4.37                 | 12.60                 | H                  |
|  | 1410.5            | -38.98      | -13           | -25.98            | -49.20            | -43.39             | 2.84                 | 9.40                  | V                  |
|  | 2115.75           | -58.19      | -13           | -45.19            | -68.02            | -62.94             | 3.70                 | 10.60                 | V                  |
|  | 2821              | -61.57      | -13           | -48.57            | -75.14            | -67.65             | 4.37                 | 12.60                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0 |                   |             |               |                   |                   |                    |                      |                       |                    |
|---|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel   | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle  | 1408              | -34.22      | -13           | -21.22            | -44.81            | -38.63             | 2.84                 | 9.40                  | H                  |
|   | 2109              | -57.11      | -13           | -44.11            | -67.53            | -61.86             | 3.7                  | 10.60                 | H                  |
|   | 2812              | -59.74      | -13           | -46.74            | -74.50            | -65.82             | 4.37                 | 12.60                 | H                  |
|   | 1408              | -35.83      | -13           | -22.83            | -46.46            | -40.24             | 2.84                 | 9.40                  | V                  |
|   | 2109              | -59.42      | -13           | -46.42            | -69.25            | -64.17             | 3.70                 | 10.60                 | V                  |
|   | 2812              | -59.83      | -13           | -46.83            | -73.40            | -65.91             | 4.37                 | 12.60                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0 |                   |             |               |                   |                   |                    |                      |                       |                    |
|--|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel  | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle   | 1415.68           | -44.77      | -13           | -31.77            | -50.68            | -47.74             | 2.88                 | 8.00                  | H                  |
|  | 2123.58           | -60.54      | -13           | -47.54            | -66.74            | -65.54             | 3.25                 | 10.40                 | H                  |
|  | 2831.36           | -62.01      | -13           | -49.01            | -70.50            | -67.49             | 3.87                 | 11.50                 | H                  |
|  | 1415.68           | -43.54      | -13           | -30.54            | -50.74            | -46.51             | 2.88                 | 8.00                  | V                  |
|  | 2123.58           | -62.79      | -13           | -49.79            | -67.18            | -67.79             | 3.25                 | 10.40                 | V                  |
|  | 2831.36           | -64.57      | -13           | -51.57            | -71.94            | -70.05             | 3.87                 | 11.50                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0 |                   |             |               |                   |                   |                    |                      |                       |                    |
|---|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel   | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle  | 1411.18           | -42.16      | -13           | -29.16            | -48.47            | -45.13             | 2.88                 | 8.00                  | H                  |
|   | 2116.77           | -58.93      | -13           | -45.93            | -65.13            | -63.93             | 3.25                 | 10.40                 | H                  |
|   | 2822.36           | -64.32      | -13           | -51.32            | -72.81            | -69.80             | 3.87                 | 11.50                 | H                  |
|   | 1411.18           | -43.32      | -13           | -30.32            | -50.57            | -46.29             | 2.88                 | 8.00                  | V                  |
|   | 2116.77           | -63.40      | -13           | -50.40            | -67.79            | -68.40             | 3.25                 | 10.40                 | V                  |
|   | 2822.36           | -63.93      | -13           | -50.93            | -71.30            | -69.41             | 3.87                 | 11.50                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.