



REPORT No.: SZ24040089S02

Annex D Test Results of Volume Control

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555 Fax: 86-755-36698525
[Http://www.morlab.cn](http://www.morlab.cn) E-mail: service@morlab.cn



Measurement Protocol

Project	SZ24040089 of TIA 5050 v1
---------	---------------------------

5.1 Receive Volume Control Performance 8N---NB	5
Receive path - distortion and noise 400Hz WB&NB.....	11
Receive path - distortion and noise 500Hz WB&NB.....	17
Receive path - distortion and noise 630Hz WB&NB.....	23
Receive path - distortion and noise 800Hz WB&NB.....	29
Receive path - distortion and noise 1000Hz WB&NB.....	35
Receive path - distortion and noise 1250Hz WB&NB.....	41
Receive path - distortion and noise 1600Hz WB&NB.....	47
Receive path - distortion and noise 2000Hz WB&NB.....	53
Receive path - distortion and noise 2500Hz WB&NB.....	59
Receive path - distortion and noise 3150Hz WB&NB.....	65
5.2 Receive path – distortion and noise.....	71
5.3 Receive Acoustic Frequency response Performance.....	72
5.1 Receive Volume Control Performance 8N---WB	80
Receive path - distortion and noise 250 WB only.....	86
Receive path - distortion and noise 315Hz WB only	92
Receive path - distortion and noise 400Hz WB&NB.....	98
Receive path - distortion and noise 500Hz WB&NB.....	104
Receive path - distortion and noise 630Hz WB&NB.....	110
Receive path - distortion and noise 800Hz WB&NB.....	116
Receive path - distortion and noise 1000Hz WB&NB.....	122
Receive path - distortion and noise 1250Hz WB&NB.....	127
Receive path - distortion and noise 1600Hz WB&NB.....	133
Receive path - distortion and noise 2000Hz WB&NB.....	139
Receive path - distortion and noise 2500Hz WB&NB.....	145
Receive path - distortion and noise 3150Hz WB&NB.....	151
Receive path - distortion and noise 4000Hz WB only	157
Receive path - distortion and noise 5000Hz WB only	163
5.2 Receive path – distortion and noise.....	169
5.3 Receive Acoustic Frequency response Performance.....	170
5.1 Receive Volume Control Performance 8N---EVS NB	178
5.1 Receive Volume Control Performance 8N---EVS WB	182
5.1 Receive Volume Control Performance 2N---NB	186
Receive path - distortion and noise 400Hz WB&NB.....	192
Receive path - distortion and noise 500Hz WB&NB.....	198
Receive path - distortion and noise 630Hz WB&NB.....	204
Receive path - distortion and noise 800Hz WB&NB.....	210
Receive path - distortion and noise 1000Hz WB&NB.....	216
Receive path - distortion and noise 1250Hz WB&NB.....	222
Receive path - distortion and noise 1600Hz WB&NB.....	228
Receive path - distortion and noise 2000Hz WB&NB.....	234
Receive path - distortion and noise 2500Hz WB&NB.....	240
Receive path - distortion and noise 3150Hz WB&NB.....	246
5.2 Receive path – distortion and noise.....	252
5.3 Receive Acoustic Frequency response Performance.....	253
5.1 Receive Volume Control Performance 2N---WB	261
Receive path - distortion and noise 250 WB only	267
Receive path - distortion and noise 315Hz WB only	273

Receive path - distortion and noise 400Hz WB&NB	279
Receive path - distortion and noise 500Hz WB&NB	285
Receive path - distortion and noise 630Hz WB&NB	291
Receive path - distortion and noise 800Hz WB&NB	297
Receive path - distortion and noise 1000Hz WB&NB	303
Receive path - distortion and noise 1250Hz WB&NB	308
Receive path - distortion and noise 1600Hz WB&NB	314
Receive path - distortion and noise 2000Hz WB&NB	320
Receive path - distortion and noise 2500Hz WB&NB	326
Receive path - distortion and noise 3150Hz WB&NB	332
Receive path - distortion and noise 4000Hz WB only	338
Receive path - distortion and noise 5000Hz WB only	343
5.2 Receive path – distortion and noise	349
5.3 Receive Acoustic Frequency response Performance	350
5.1 Receive Volume Control Performance 2N---EVS NB	358
5.1 Receive Volume Control Performance 2N---EVS WB	362

5.1 Receive Volume Control Performance 8N---NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\GSM 850



Speech Level RCV: 85.21 dB[SPL]

Calculated Value: 15.21 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\GSM 1900



Speech Level RCV: 85.32 dB[SPL]

Calculated Value: 15.32 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band II



Speech Level RCV: 85.13 dB[SPL]

Calculated Value: 15.13 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band IV



Speech Level RCV: 85.22 dB[SPL]

Calculated Value: 15.22 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band V



Speech Level RCV: 85.25 dB[SPL]

Calculated Value: 15.25 dB Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 2



Speech Level RCV: 85.37 dB[SPL]

Calculated Value: 15.37 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 5



Speech Level RCV: 85.28 dB[SPL]

Calculated Value: 15.28 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 7



Speech Level RCV: 85.4 dB[SPL]

Calculated Value: 15.4 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 12



Speech Level RCV: 85.22 dB[SPL]

Calculated Value: 15.22 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 66



Speech Level RCV: 85.32 dB[SPL]

Calculated Value: 15.32 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 71



Speech Level RCV: 85.27 dB[SPL]

Calculated Value: 15.27 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN 2.4GHz



Speech Level RCV: 96.51 dB[SPL]

Calculated Value: 26.51 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN 5.2GHz



Speech Level RCV: 91.38 dB[SPL]

Calculated Value: 21.38 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN 5.3GHz



Speech Level RCV: 92.21 dB[SPL]

Calculated Value: 22.21 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN 5.5GHz



Speech Level RCV: 90.36 dB[SPL]

Calculated Value: 20.36 dB Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN 5.8GHz




Speech Level RCV: 90.61 dB[SPL]

Calculated Value: 20.61 dB Ok

Receive path - distortion and noise 400Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8 GHz




Receive path - distortion and noise 500Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8 GHz




Receive path - distortion and noise 630Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8 GHz




Receive path - distortion and noise 800Hz WB&NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8 GHz




Receive path - distortion and noise 1000Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8 GHz




Receive path - distortion and noise 1250Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8 GHz



Receive path - distortion and noise 1600Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8 GHz




Receive path - distortion and noise 2000Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8 GHz




Receive path - distortion and noise 2500Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8 GHz




Receive path - distortion and noise 3150Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2 GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5 GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8 GHz




5.2 Receive path – distortion and noise

The distortion and noise test results data are referred to Annex C.

5.3 Receive Acoustic Frequency response Performance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\GSM 850



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\GSM 1900



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band II



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WCDMA Band IV



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WCDMA Band V



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 2



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 5



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 7



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 12



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 66



Absolute minimal distance

OK

OK

Limits


	lower
Run 1	Fit into tolerance

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555 Fax: 86-755-36698525
[Http://www.morlab.cn](http://www.morlab.cn) E-mail: service@morlab.cn

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 71



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN 2.4GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN 5.2GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN 5.3GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN 5.5GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN 5.8GHz



Absolute minimal distance

OK


OK

Limits

	lower
Run 1	Fit into tolerance

5.1 Receive Volume Control Performance 8N---WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \GSM 850



Speech Level RCV: 84.82 dB[SPL]

Calculated Value: 14.82 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \GSM 1900



Speech Level RCV: 84.94 dB[SPL]

Calculated Value: 14.94 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \WCDMA Band II



Speech Level RCV: 84.76 dB[SPL]

Calculated Value: 14.76 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \WCDMA Band IV



Speech Level RCV: 84.86 dB[SPL]

Calculated Value: 14.86 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \WCDMA Band V



Speech Level RCV: 84.9 dB[SPL]

Calculated Value: 14.9 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \LTE Band 2



Speech Level RCV: 84.42 dB[SPL]

Calculated Value: 14.42 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \ LTE Band 5



Speech Level RCV: 84.34 dB[SPL]

Calculated Value: 14.34 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \ LTE Band 7



Speech Level RCV: 84.29 dB[SPL]

Calculated Value: 14.29 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \ LTE Band 12



Speech Level RCV: 84.19 dB[SPL]

Calculated Value: 14.19 dB Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \ LTE Band 66



Speech Level RCV: 84.28 dB[SPL]

Calculated Value: 14.28 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \ LTE Band 71



Speech Level RCV: 84.41 dB[SPL]

Calculated Value: 14.41 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \ WLAN 2.4GHz



Speech Level RCV: 95.27 dB[SPL]

Calculated Value: 25.27 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \WLAN 5.2GHz



Speech Level RCV: 88.89 dB[SPL]

Calculated Value: 18.89 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \WLAN 5.3GHz



Speech Level RCV: 90.16 dB[SPL]

Calculated Value: 20.16 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \WLAN 5.5GHz



Speech Level RCV: 88.81 dB[SPL]

Calculated Value: 18.81 dB Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps \ WLAN 5.8GHz




Speech Level RCV: 88.86 dB[SPL]


Calculated Value: 18.86 dB Ok

Receive path - distortion and noise 250 WB only


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 315Hz WB only


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz



Receive path - distortion and noise 400Hz WB&NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 500Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 630Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 800Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 1000Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 1250Hz WB&NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 1600Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 2000Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz

