



802.11n HT20

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)
Low Channel	2412	-7.65	8
Middle Channel	2437	-4.08	8
High Channel	2462	-5.14	8




802.11n HT40


Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)
Low Channel	2422	-13.04	8
Middle Channel	2437	-10.76	8
High Channel	2452	-12.40	8




Test Result of Conducted Spurious Emissions
802.11b




802.11g



802.11n HT20




802.11n HT40




Test Result of Conducted Bandedge, Tx Mode


802.11b




802.11g



802.11n HT20



802.11n HT40



Appendix B: Test Results of Radiated Spurious Emissions

Band Edges, 2.31GHz ~ 2.9GHz


802.11b

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2385.87	56.38	18.98	37.32	74.00	-17.70	100	109	Peak	Horizontal	
2 *	2412.80	108.02	70.62	37.40	74.00	34.02	100	109	Peak	Horizontal	
3	2802.77	55.28	17.28	37.92	74.00	-18.80	100	109	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2387.17	54.26	16.94	37.32	74.00	-19.74	100	233	Peak	Vertical	
2 *	2412.80	102.12	64.72	37.40	74.00	28.12	100	233	Peak	Vertical	
3	2557.33	55.70	17.85	37.85	74.00	-18.30	100	233	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average

Low Channel (Vertical) Average





1	2	3								
MHz	Level dBuV/m	Read Level dBuV	Factor dB/m	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
2387.17	47.62	18.50	37.32	54.00	-6.18	100	109	Average	Horizontal	
2412.00	105.40	68.00	37.40	54.00	51.40	100	109	average	Horizontal	
2898.82	41.24	2.92	38.32	54.00	-12.76	100	109	Average	Horizontal	

1	2	3								
MHz	Level dBuV/m	Read Level dBuV	Factor dB/m	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
2387.29	42.12	4.00	37.32	54.00	-11.88	100	233	Average	Vertical	
2412.00	99.50	62.10	37.40	54.00	45.50	100	233	Average	Vertical	
2895.75	41.26	2.96	38.30	54.00	-12.74	100	233	Average	Vertical	

802.11b

High Channel (Horizontal) Peak

High Channel (Vertical) Peak





Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2318.94	52.98	15.90	37.08	74.00	-21.02	106	106	Peak	Horizontal	
2 *	2462.00	105.72	68.18	37.54	74.00	31.72	106	106	Peak	Horizontal	
3	2496.88	55.68	18.12	37.56	74.00	-18.32	106	106	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2377.14	53.56	16.27	37.29	74.00	-20.44	100	240	Peak	Vertical	
2 *	2462.00	101.77	64.23	37.54	74.00	27.77	100	240	Peak	Vertical	
3	2792.38	55.08	17.18	37.90	74.00	-18.92	100	240	Peak	Vertical	

802.11b

High Channel (Horizontal) Average

High Channel (Vertical) Average



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2398.00	48.18	2.77	37.33	54.00	-13.98	186	186	Average	Horizontal	
2 *	2462.00	103.15	65.61	37.54	54.00	49.15	186	186	Average	Horizontal	
3	2488.77	45.51	7.94	37.57	54.00	-8.49	186	186	Average	Horizontal	

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2383.16	48.01	2.78	37.31	54.00	-13.99	180	240	Average	Vertical	
2 *	2462.00	99.28	61.74	37.54	54.00	45.28	180	240	Average	Vertical	
3	2488.77	43.43	5.86	37.57	54.00	-10.57	180	240	Average	Vertical	


802.11g

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.41	71.58	34.25	37.33	74.00	-2.42	100	108	Peak	Horizontal	
2	2412.00	108.42	71.02	37.40	74.00	34.42	100	108	Peak	Horizontal	
3	2485.23	55.11	17.55	37.56	74.00	-18.89	100	108	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2388.94	63.95	26.62	37.33	74.00	-10.05	100	299	Peak	Vertical	
2	2412.00	101.61	64.21	37.40	74.00	27.61	100	299	Peak	Vertical	
3	2484.88	55.08	17.52	37.56	74.00	-18.92	100	299	Peak	Vertical	


802.11g

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
2398.00	52.44	15.11	37.33	54.00	-1.56	100	108	Average	Horizontal		
2412.00	98.13	60.73	37.40	54.00	44.13	100	108	Average	Horizontal		
2483.46	42.17	4.61	37.56	54.00	-11.83	100	108	Average	Horizontal		



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
2398.00	46.33	9.00	37.33	54.00	-7.67	100	299	Average	Vertical		
2412.00	91.24	53.84	37.40	54.00	37.24	100	299	Average	Vertical		
2634.97	41.34	3.45	37.89	54.00	-12.66	100	299	Average	Vertical		


802.11g

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2387.17	53.74	16.42	37.32	74.00	-20.26	127	112	Peak	Horizontal	
2 *	2462.00	107.75	70.21	37.54	74.00	33.75	127	112	Peak	Horizontal	
3 !	2483.50	70.97	33.41	37.56	74.00	-3.03	127	112	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2369.24	53.59	16.32	37.27	74.00	-20.41	100	239	Peak	Vertical	
2 *	2462.00	103.63	66.09	37.54	74.00	29.63	100	239	Peak	Vertical	
3 !	2483.50	69.66	32.10	37.56	74.00	-4.34	100	239	Peak	Vertical	


802.11g

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.77	40.02	3.49	37.33	54.00	-13.18	127	112	Average	Horizontal	
2 *	2462.00	97.70	60.16	37.54	54.00	43.70	127	112	Average	Horizontal	
3 !	2483.50	53.39	15.83	37.56	54.00	-0.61	127	112	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.50	40.16	2.04	37.32	54.00	-13.84	100	239	Average	Vertical	
2 *	2462.00	93.50	55.96	37.54	54.00	39.50	100	239	Average	Vertical	
3 !	2483.50	50.72	13.16	37.56	54.00	-3.28	100	239	Average	Vertical	

802.11n HT20

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.77	71.32	33.99	37.33	74.00	-2.68	100	108	Peak	Horizontal	
2 *	2412.00	107.26	69.86	37.40	74.00	33.26	100	108	Peak	Horizontal	
3	2792.15	54.55	16.65	37.90	74.00	-19.45	100	108	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.77	64.21	26.88	37.33	74.00	-9.79	100	301	Peak	Vertical	
2 *	2412.00	100.34	62.94	37.40	74.00	26.34	100	301	Peak	Vertical	
3	2895.87	54.55	16.25	38.30	74.00	-19.45	100	301	Peak	Vertical	


802.11n HT20

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2398.00	52.43	15.10	37.33	54.00	-1.57	100	100 Average	Horizontal	
2 *	2412.00	97.27	59.67	37.40	54.00	43.27	100	100 Average	Horizontal	
3	2483.70	42.33	4.77	37.56	54.00	-11.67	100	100 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2398.00	47.04	9.71	37.33	54.00	-6.96	100	301 Average	Vertical	
2 *	2412.00	90.82	53.42	37.40	54.00	36.82	100	301 Average	Vertical	
3	2636.62	41.44	3.56	37.88	54.00	-12.56	100	301 Average	Vertical	

802.11n HT20

High Channel (Horizontal) Peak

High Channel (Vertical) Peak





Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2366.17	53.12	15.87	37.25	74.00	-20.88	125	112	Peak	Horizontal	
2 *	2462.00	106.72	69.18	37.54	74.00	32.72	125	112	Peak	Horizontal	
3 †	2483.81	71.49	33.93	37.56	74.00	-2.51	125	112	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2365.46	52.85	15.60	37.25	74.00	-21.15	100	239	Peak	Vertical	
2 *	2462.00	102.22	64.68	37.54	74.00	28.22	100	239	Peak	Vertical	
3 †	2483.58	69.24	31.68	37.56	74.00	-4.76	100	239	Peak	Vertical	

802.11n HT20

High Channel (Horizontal) Average

High Channel (Vertical) Average





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.94	48.53	3.20	37.33	54.00	-13.47	125	112	Average	Horizontal	
2 *	2462.80	96.68	59.14	37.54	54.00	42.68	125	112	Average	Horizontal	
3 !	2483.81	53.16	15.60	37.56	54.00	-0.84	125	112	Average	Horizontal	

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2344.57	48.04	2.85	37.19	54.00	-13.96	100	239	Average	Vertical	
2 *	2462.80	92.43	54.89	37.54	54.00	38.43	100	239	Average	Vertical	
3 !	2483.58	50.59	13.03	37.56	54.00	-3.41	100	239	Average	Vertical	

802.11n HT40

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.65	71.78	34.45	37.33	74.00	-2.22	100	109	Peak	Horizontal	
2	2422.00	101.95	64.52	37.43	74.00	27.95	100	109	Peak	Horizontal	
3	2483.50	55.96	18.40	37.56	74.00	-18.04	100	109	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.65	64.12	26.79	37.33	74.00	-9.88	100	226	Peak	Vertical	
2	2422.00	95.71	58.28	37.43	74.00	21.71	100	226	Peak	Vertical	
3	2818.70	54.41	16.44	37.97	74.00	-19.59	100	226	Peak	Vertical	


802.11n HT40

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2389.89	53.11	15.78	37.33	54.00	-0.89	100	109	Average	Horizontal	
2	2422.00	91.91	54.48	37.43	54.00	37.91	100	109	average	Horizontal	
3	2483.70	43.74	6.18	37.56	54.00	-10.26	100	109	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2389.65	46.14	8.81	37.33	54.00	-7.86	100	226	Average	Vertical	
2	2422.00	85.78	48.35	37.43	54.00	31.78	100	226	Average	Vertical	
3	2483.70	42.37	4.81	37.56	54.00	-11.63	100	226	Average	Vertical	

802.11n HT40

High Channel (Horizontal) Peak

High Channel (Vertical) Peak



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.76	54.47	17.14	37.33	74.00	-19.53	120	107	107	Peak	Horizontal	
2 *	2452.00	102.43	64.91	37.52	74.00	28.43	120	107	107	Peak	Horizontal	
3 !	2483.50	72.75	35.19	37.56	74.00	-1.25	120	107	107	Peak	Horizontal	

Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2381.51	52.89	15.59	37.30	74.00	-21.11	100	238	238	Peak	Vertical	
2 *	2452.00	97.78	60.18	37.52	74.00	23.78	100	238	238	Peak	Vertical	
3 !	2483.50	69.63	32.07	37.56	74.00	-4.37	100	238	238	Peak	Vertical	


802.11n HT40

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2389.41	48.79	3.46	37.33	54.00	-13.21	120	187	Average	Horizontal	
2 *	2452.00	93.08	55.57	37.52	54.00	39.08	120	187	Average	Horizontal	
3 !	2494.40	52.60	15.04	37.56	54.00	-1.40	120	187	Average	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2312.01	48.38	3.38	37.00	54.00	-13.62	100	238	Average	Vertical	
2 *	2452.00	87.65	50.13	37.52	54.00	33.65	100	238	Average	Vertical	
3 !	2483.93	49.11	11.55	37.56	54.00	-4.89	100	238	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz
802.11b
Low Channel 9kHz~150kHz
Low Channel 150kHz~30MHz

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	84.74	4.80	79.94	128.50	-43.75	100	240	QP	vertical
2	84.32	2.11	72.21	128.81	-46.49	100	52	QP	vertical
3	67.57	0.86	66.71	114.85	-47.28	100	253	QP	vertical
4	61.11	-1.01	62.12	110.43	-49.32	100	48	QP	vertical
5	58.96	-1.44	60.40	108.47	-49.51	100	100	QP	vertical
6	54.89	-2.70	57.59	105.41	-50.52	100	287	QP	vertical


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	84.74	4.80	79.94	128.50	-43.75	100	240	QP	vertical
2	84.32	2.11	72.21	128.81	-46.49	100	52	QP	vertical
3	67.57	0.86	66.71	114.85	-47.28	100	253	QP	vertical
4	61.11	-1.01	62.12	110.43	-49.32	100	48	QP	vertical
5	58.96	-1.44	60.40	108.47	-49.51	100	100	QP	vertical
6	54.89	-2.70	57.59	105.41	-50.52	100	287	QP	vertical

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
802.11b
Low Channel (Horizontal)
Low Channel (Vertical)



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	55.32	21.47	29.16	-7.69	40.00	-18.53	100	255 QP	horizontal
2	165.12	21.58	28.85	-7.27	43.50	-21.92	200	73 QP	horizontal
3	338.95	23.77	29.46	-5.69	46.00	-22.23	110	360 QP	horizontal
4	568.84	27.32	29.18	-1.86	46.00	-18.68	119	360 QP	horizontal
5	781.53	30.65	30.49	0.16	46.00	-15.35	100	216 QP	horizontal
6	785.53	32.10	30.55	1.55	46.00	-13.90	200	98 QP	horizontal



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	168.23	21.49	28.71	-7.22	43.50	-22.01	100	333 QP	vertical
2	369.79	24.13	29.34	-5.21	46.00	-21.87	100	16 QP	vertical
3	614.13	28.64	29.55	-0.91	46.00	-17.36	100	238 QP	vertical
4	675.73	29.88	30.17	-0.29	46.00	-16.12	200	96 QP	vertical
5	711.33	30.34	30.03	0.31	46.00	-15.66	200	117 QP	vertical
6	847.42	32.45	30.10	2.35	46.00	-13.55	100	161 QP	vertical

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11b

Low Channel (Horizontal)

Low Channel (Vertical)



1	2	3									
Level	Level	Level									
Factor	Factor	Factor									
Limit	Limit	Limit									
Line	Line	Line									
Limit	Limit	Limit									
APos	APos	APos									
TPos	TPos	TPos									
Remark	Remark	Remark									
Pol/Phase	Pol/Phase	Pol/Phase									
Note	Note	Note									
Freq	Level	Read									
MHz	dBuV/m	Level									
		Factor									
		dB/m									
		dBuV/m									
		dB									
		cm									
		deg									
1	4824.00	53.42	63.56	-10.14	54.00	-0.58	337	63	Average	horizontal	
2	4824.00	54.71	64.85	-10.14	74.00	-19.29	337	63	Peak	horizontal	
3	7236.00	44.13	51.91	-7.78	74.00	-29.87	100	23	Peak	horizontal	

1	2	3									
Level	Level	Level									
Factor	Factor	Factor									
Limit	Limit	Limit									
Line	Line	Line									
Limit	Limit	Limit									
APos	APos	APos									
TPos	TPos	TPos									
Remark	Remark	Remark									
Pol/Phase	Pol/Phase	Pol/Phase									
Note	Note	Note									
Freq	Level	Read									
MHz	dBuV/m	Level									
		Factor									
		dB/m									
		dBuV/m									
		dB									
		cm									
		deg									
1	4824.00	46.77	56.91	-10.14	54.00	-7.23	100	60	Average	vertical	
2	4824.00	49.41	59.55	-10.14	74.00	-24.59	100	60	Peak	vertical	
3	7236.00	43.83	51.61	-7.78	74.00	-30.17	100	288	Peak	vertical	


802.11b

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MHz	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note								
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
4874.00	52.38	62.43	-10.05	54.00	-1.62	349	62	Average	horizontal										
4874.00	54.19	64.24	-10.05	74.00	-19.81	349	62	Peak	horizontal										
7311.00	46.25	54.01	-7.76	74.00	-27.75	100	89	Peak	horizontal										



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MHz	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note								
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
4874.00	48.09	58.14	-10.05	54.00	-5.91	332	338	Average	vertical										
4874.00	50.87	60.92	-10.05	74.00	-23.13	332	338	Peak	vertical										
7311.00	43.71	51.47	-7.76	74.00	-30.29	100	260	Peak	vertical										


802.11b

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	46.02	56.70	-9.88	74.00	-27.18	100	67 Peak	horizontal	
2	7386.00	43.82	51.52	-7.70	74.00	-30.18	300	116 Peak	horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	42.99	52.87	-9.88	74.00	-31.01	100	56 Peak	vertical	
2	7386.00	45.33	53.03	-7.70	74.00	-28.67	200	305 Peak	vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	43.46	53.60	-10.14	74.00	-30.54	100	66 Peak	horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	41.26	51.40	-10.14	74.00	-32.74	300	0 Peak	vertical



802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	41.91	51.96	-10.05	54.00	-12.09	349	62	Average	horizontal	
2	4874.00	54.80	64.85	-10.05	74.00	-19.20	349	62	Peak	horizontal	
3	7311.00	44.83	52.59	-7.76	74.00	-29.17	100	85	Peak	horizontal	

Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	47.17	57.22	-10.05	74.00	-26.83	369	369	Peak	vertical	
2	7311.00	43.40	51.16	-7.76	74.00	-30.60	300	350	Peak	vertical	


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4924.00	45.98	55.86	-9.88	74.00	-28.02	133	65	Peak	horizontal
---	---------	-------	-------	-------	-------	--------	-----	----	------	------------



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4924.00	42.05	51.93	-9.88	74.00	-31.95	100	52	Peak	vertical
---	---------	-------	-------	-------	-------	--------	-----	----	------	----------


802.11n HT20

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4824.00	44.39	54.53	-10.14	74.00	-29.61	122	56	Peak	horizontal
---	---------	-------	-------	--------	-------	--------	-----	----	------	------------



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




1	4824.00	39.58	49.72	-10.14	74.00	-34.42	133	66	Peak	vertical
---	---------	-------	-------	--------	-------	--------	-----	----	------	----------

802.11n HT20

Middle Channel (Horizontal)


Middle Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
4874.00	36.18	46.15
4874.00	58.45	60.50
7311.00	45.28	53.04

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
4874.00	45.92
7311.00	44.14


802.11n HT20

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	43.48	53.36	-9.88	74.00	-30.52	100	77 Peak	horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	41.62	51.50	-9.88	74.00	-32.38	144	32 Peak	vertical


802.11n HT40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4844.00	41.73	51.82	-10.09	74.00	-32.27	200	73 Peak	horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4844.00	41.37	51.46	-10.09	74.00	-32.63	300	0 Peak	vertical


802.11n HT40

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4874.00	42.21	52.26	-10.05	74.00	-31.79	100	69	Peak	horizontal
---	---------	-------	-------	--------	-------	--------	-----	----	------	------------



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4874.00	40.44	50.49	-10.05	74.00	-33.56	400	315	Peak	vertical
---	---------	-------	-------	--------	-------	--------	-----	-----	------	----------


802.11n HT40

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4984.00	38.43	48.45	-10.02	74.00	-35.57	353	360 Peak	horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4984.00	37.97	47.99	-10.02	74.00	-36.03	200	52 Peak	vertical	