

WMX850 Labels and Locations



103 Westhaven Drive, St. Mary's Bay
PO Box 91164, Victoria Street West
Auckland, New Zealand

Phone: +64 (0)9 950 4848
Fax: +64 (0)9 950 4085

www.vespermarine.com

Version History

Version	Date	Comment	Author
1	13/10/10	First version	CBO

Copyright Notice

Copyright © 2010, Vesper Marine Ltd. All rights are reserved.

The information contained within this document is the copyright of Vesper Marine Ltd

No part of this document may be disclosed, reproduced or transmitted in any form, or by any means without the written permission of Vesper Marine Ltd. The term document extends to all forms of media in which information may be embodied.

Product Identification

<i>Product</i>	AIS WatchMate WMX850 Collision Warning System with integrated AIS Class B Transceiver
<i>Manufacturer</i>	Vesper Marine Ltd
<i>Model Number</i>	WMX850
<i>Power Supply</i>	12-24V DC
<i>Frequency Range</i>	161.500 – 162.025 MHz TX 156.025 – 162.025 MHz RX
<i>Transmit Power</i>	33dBm (2W)
<i>Modulation Technique</i>	FM GMSK
<i>Channel Spacing</i>	25kHz
<i>Temperature Range</i>	-25 - +55 deg C
<i>Intended Users</i>	General Public
<i>GPS Antenna</i>	Internal patch antenna (with connection for optional external antenna)
<i>Enclosure</i>	IPx7



WMX850 – Label Locations



WMX850 – USA Customer Warning Label



WMX850 – Serial Label Example

USA Warning Label – 70mm x 25mm**For Customers in the USA**

This device must be programmed with data corresponding to the vessel on which it will be installed. Programming must be carried out by a Vesper Marine dealer. The included instructions contain information on how to verify the correct programming.

WARNING: It is a violation of the rules of the Federal Communications Commission to input an MMSI that has not been properly assigned to the end user, or to otherwise input any inaccurate data in this device.

Serial Number Label – 70mm x 25mm

vespermarine

Made in New Zealand

Model: **WMX850**

S/N: **XX99999**

Barcode S/N 26x6mm

Input: 12-24VDC 1A max, 3W nom


Compass safe distance: 0.6m

BSH: 46162/4321414/10

USCG: XXX.XXX/XX/X

FCC ID: YJDVESPWMX850

IC: 9118A-WMX850



Z1039