XB Series External Photos - 1



103 Westhaven Drive, St. Mary's Bay PO Box 91164, Victoria Street West Auckland, New Zealand

> Phone: +64 (0)9 950 4848 Fax: +64 (0)9 950 4085

www.vespermarine.com

Version History

Version	Date	Comment	Author
1	09/07/12	First version	СВО
2	10/08/12	Include More Sides and NMEA Close up	СВО
3	10/09/12	Broken into two seperate files for FCC Submission	СВО

Copyright Notice

Copyright © 2012, Vesper Marine Ltd. All rights are reserved.

The information contained within this document is the copyright of Vesper Marine Ltd

No part of this document may be disclosed, reproduced or transmitted in any form, or by any means without the written permission of Vesper Marine Ltd. The term document extends to all forms of media in which information may be embodied.

Product Identification

Product Family	XB Series	
Manufacturer	Vesper Marine Ltd	
Model Number s	XB9000, XB8000, XB6000	
Power Supply	12-24V DC	
VHF Frequency Range	161.500 – 162.025 MHz TX 156.025 – 162.025 MHz RX	
Transmit Power	33dBm (2W)	
Modulation Technique	FM GMSK	
Channel Spacing	25kHz	
Temperature Range	-25 - +55 deg C	
Intended Users	General Public	
Enclosure	lpx7	
Wireless connectivity	802.11 b/g (XB9000 and XB8000 only)	

External Photos

WatchMate Vision (XB9000)



WatchMate Vision (Model XB9000) - Front View



WatchMate Vision (Model XB9000) - Rear View



WatchMate Vision (Model XB9000) - Top View



WatchMate Vision (Model XB9000) – Side 1 View



WatchMate Vision (Model XB9000) – Side 2 View



WatchMate Vision (Model XB9000) – Bottom View



WatchMate Vision (Model XB9000) – NMEA 2000 Connector