


140 mm x 90 mm, double side printed

■ 299C ■ K100

(Outside)



### Specifications

Input: 5VDC/3A; 9VDC/2.22A; 12VDC/1.67A

Output: Up to 15W

Includes:

Magnetic Car Charger, Vent Mount, Suction Mount, Holder, VPC, and Cable.

Compatible with all Qi-enabled devices.

F000418R00



## *User Manual*

### Magnetic Car Charger + Dash and Vent Mount 15W Qi2 Fast Charge

**CAUTION:**  
Wireless charging works with  
ONLY Qi-enabled devices.




140 mm x 90 mm, double side printed

■ 299C ■ 1797C ■ 368C ■ K100


(Inside)

## Using your Wireless Car Charger

- 1 Unscrew the large socket nut and push the ball joint into the hole until it snaps into place.



- 2 Screw the socket nut back on until it is tight - this locks the wireless charging pad and holds the adjustable holder in place.




- 3 Using the provided cable, insert either end of the USB-C plug into the Car Charger and Magnetic Wireless Charger. Insert the car charger into the car's cigarette lighter socket.




- 4 **VENT MOUNT** Attach the vent mount by placing it in the appropriate location of the car air vent and pushing the lever into place.


**NOTE:** The fixed lever has a few gear positions. Please adjust as needed.



**SUCTION MOUNT** Attach the suction mount by placing it onto the dashboard or window in your car and lock the mount by pressing down on the lever.



- 5 Place your phone on the Magnetic Wireless Charger; it will align automatically and start charging. Adjust the support holder as needed.



## Charging Indicator Light Status

- Red flashing light: ERROR, please re-position your device
- Green light: CHARGING, lights up green, flashes 3 times and goes off (device will remain charging)

## FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The FCC certification of this device refers to RF exposure testing performed in typical operating conditions, where a person is no closer than 20 centimeters from the device surface at all times, except for non-repetitive patterns with transient time intervals in the order of a second. Only in the stated conditions, the device is shown to fully comply with the FCC RF Exposure requirements of KDB 447498.