


深圳市绿湖电子科技有限公司
SPECIFICATION FOR APPROVAL
承认书

CUSTOMER: 客 户:	希普利欧		
DESIGN NO.: 设计编号:	2023-011	CUSTOMER P/N: 客 户 料 号:	
DOCUMENT NO. 文件编号:	LH-688	MODEL NO.: 型 号:	磁吸无线充线圈
DATE: 日 期:	2023/2/15	REV.: 版 本:	A
PLEASE RETURN TO US COPY OF "SPECIFICATION FOR APPROVAL" WITH YOUR APPROVED SIGNATURES. 确认后请加盖公司宝印及签名, 且返回一份.谢谢!			
APPROVED SIGNATURES			
OUR ENGINEERING DEPARTMENT		YOUR ENGINEERING DEPARTMENT	
DESIGN	APPROVAL	DESIGN	APPROVAL
JIANG	昊阳		
DATE: 2/15	DATE: 2/15	DATE:	DATE:


绿湖电子科技有限公司

客户 (CUSTOMER)	希普利欧
规格 (Part No)	磁吸无线充线圈

1、APPEARANCE DIMENSION (UNIT: mm)



2、SCHEMATIC:



绿湖电子科技有限公司

客户 (CUSTOMER)	希普利欧
---------------	------

规格 (Part No)	磁吸无线充线圈
--------------	---------

3. WINDING STEP:

NO	MARGIN TAPE		TERMINAL	MAGNETIC/WIRE	TURNS	TUBE		TAPE	REMARK
	PRI	SEC				S/入	F/出		
N1			1--2	2UEW线 0.08*105P	10Ts				

4. ELECTRICAL CHARACTERISTICS:

NO	ITEM	TERMICAL	SPECIFICATION	TEST CONDITION
1	INDUCTANCE	S--F	6.8UH±10%	JX2816B (100KHZ 0.25V) 客户同惠2816B
2	DC RESISTANCE	S--F	45mΩ MAX	CHEN HWA502AC

5. Electrical Test:

INDUCTANCE (UH) : 100K 0.25V / 6.8UH±10%

6.75	6.81	6.80	6.78	6.78
------	------	------	------	------

DCR (mΩ) 45 MAX 25°C

38	38	38	38	38
----	----	----	----	----

6. MATERIAL LIST:

No.	Items	Raw Material	Suppliers/Manufacturer	ULNO
1	CORE	(PC95材) 43*0.8	东阳光等其它同等材质	N/A
2	Copper Wire	0.08*105p 2UEW-1.15mm	言成/台一	E234896
3	soldering	SN99.3/CU0.7	THOUSAND ISLAND	N/A
4	TAPE	0.8MM high temperature	DAWEI	E482579
5	Silica	单组份高温	ANPIN	E257078