


802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56992G	48.02	54.00	-5.98	14.66	3	Horizontal	130	2.96	-	33.36	39.90	9.39	34.63
PK	11.56432G	58.54	74.00	-15.46	14.66	3	Horizontal	130	2.96	-	43.88	39.90	9.39	34.63
PK	17.35868G	61.99	68.20	-6.21	18.86	3	Horizontal	104	2.98	-	43.13	40.33	12.95	34.42

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	112.44	Inf	-Inf	4.39	3	Vertical	252	2.20	-	108.05	32.15	7.01	34.77
PK	5.5742G	57.43	68.20	-10.77	3.94	3	Vertical	252	2.20	-	53.49	31.70	7.01	34.77
PK	5.8238G	119.26	Inf	-Inf	4.39	3	Vertical	252	2.20	-	114.87	32.15	7.01	34.77
PK	5.9378G	60.28	68.20	-7.92	5.13	3	Vertical	252	2.20	-	55.15	32.38	7.52	34.77

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	98.13	Inf	-Inf	4.41	3	Horizontal	276	2.69	-	93.72	32.15	7.03	34.77
PK	5.6306G	56.90	68.20	-11.30	3.91	3	Horizontal	276	2.69	-	52.99	31.70	6.98	34.77
PK	5.8262G	104.74	Inf	-Inf	4.41	3	Horizontal	276	2.69	-	100.33	32.15	7.03	34.77
PK	5.9282G	58.85	68.20	-9.35	5.06	3	Horizontal	276	2.69	-	53.79	32.36	7.47	34.77

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64804G	49.13	54.00	-4.87	14.37	3	Vertical	59.9	2.89	-	34.76	39.61	9.41	34.65
PK	11.648G	59.49	74.00	-14.51	14.37	3	Vertical	59.9	2.89	-	45.12	39.61	9.41	34.65
PK	17.46984G	66.68	68.20	-1.52	19.54	3	Vertical	86.1	2.13	-	47.14	41.12	12.99	34.57

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64884G	46.90	54.00	-7.10	14.37	3	Horizontal	132	2.26	-	32.53	39.61	9.41	34.65
PK	11.64388G	57.95	74.00	-16.05	14.40	3	Horizontal	132	2.26	-	43.55	39.64	9.41	34.65
PK	17.4712G	62.33	68.20	-5.87	19.55	3	Horizontal	0	2.83	-	42.78	41.13	12.99	34.57

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	52.44	54.00	-1.56	4.01	3	Vertical	227	1.50	-	48.43	31.90	6.87	34.76
AV	5.1786G	106.75	Inf	-Inf	3.91	3	Vertical	227	1.50	-	102.84	31.79	6.88	34.76
PK	5.147G	68.32	74.00	-5.68	4.01	3	Vertical	227	1.50	-	64.31	31.90	6.87	34.76
PK	5.1808G	113.72	Inf	-Inf	3.90	3	Vertical	227	1.50	-	113.72	31.78	6.88	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.19	54.00	-6.81	4.01	3	Horizontal	140	1.04	-	43.18	31.90	6.87	34.76
AV	5.1786G	96.82	Inf	-Inf	3.91	3	Horizontal	140	1.04	-	92.91	31.79	6.88	34.76
PK	5.149G	59.49	74.00	-14.51	4.01	3	Horizontal	140	1.04	-	55.48	31.90	6.87	34.76
PK	5.1808G	107.60	Inf	-Inf	3.90	3	Horizontal	140	1.04	-	103.70	31.78	6.88	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53844G	49.76	54.00	-4.24	15.43	3	Vertical	120	2.82	-	34.33	38.25	12.10	34.92
PK	15.53768G	62.06	74.00	-11.94	15.43	3	Vertical	120	2.82	-	46.63	38.25	12.10	34.92
PK	10.36592G	55.30	68.20	-12.90	13.57	3	Vertical	302	2.62	-	41.73	39.60	8.99	35.02

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53192G	47.44	54.00	-6.56	15.44	3	Horizontal	249.7	1.50	-	32.00	38.27	12.09	34.92
PK	10.35404G	55.28	68.20	-12.92	13.52	3	Horizontal	221.7	1.59	-	41.76	39.56	8.99	35.03
PK	15.54352G	59.62	74.00	-14.38	15.41	3	Horizontal	249.7	1.50	-	44.21	38.23	12.11	34.93

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.96	54.00	-3.04	4.01	3	Vertical	224	1.50	-	46.95	31.90	6.87	34.76
AV	5.202G	110.11	Inf	-Inf	3.82	3	Vertical	224	1.50	-	106.29	31.69	6.89	34.76
PK	5.1476G	69.29	74.00	-4.71	4.01	3	Vertical	224	1.50	-	65.28	31.90	6.87	34.76
PK	5.1948G	121.04	Inf	-Inf	3.85	3	Vertical	224	1.50	-	117.19	31.72	6.89	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	46.92	54.00	-7.08	4.01	3	Horizontal	155	2.41	-	42.91	31.90	6.87	34.76
AV	5.1944G	99.83	Inf	-Inf	3.85	3	Horizontal	155	2.41	-	95.98	31.72	6.89	34.76
PK	5.148G	61.08	74.00	-12.92	4.01	3	Horizontal	155	2.41	-	57.07	31.90	6.87	34.76
PK	5.1948G	110.84	Inf	-Inf	3.85	3	Horizontal	155	2.41	-	106.99	31.72	6.89	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5984G	52.19	54.00	-1.81	15.21	3	Vertical	130	2.83	-	36.98	38.01	12.16	34.96
PK	10.39642G	55.56	68.20	-12.64	13.69	3	Vertical	239	2.19	-	41.87	39.69	9.00	35.00
PK	15.6045G	64.62	74.00	-9.38	15.20	3	Vertical	130	2.83	-	49.42	37.99	12.17	34.96

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60218G	45.95	54.00	-8.05	15.19	3	Horizontal	221	1.50	-	30.76	37.99	12.16	34.96
PK	10.39676G	56.15	68.20	-12.05	13.70	3	Horizontal	27	1.50	-	42.45	39.69	9.00	34.99
PK	15.6044G	57.20	74.00	-16.80	15.20	3	Horizontal	221	1.50	-	42.00	37.99	12.17	34.96

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.45	54.00	-7.55	4.01	3	Vertical	225	1.50	-	42.44	31.90	6.87	34.76
AV	5.2388G	109.64	Inf	-Inf	3.71	3	Vertical	225	1.50	-	105.93	31.54	6.93	34.76
AV	5.387G	45.39	54.00	-8.61	3.69	3	Vertical	225	1.50	-	41.70	31.35	7.11	34.77
PK	5.1368G	57.58	74.00	-16.42	4.00	3	Vertical	225	1.50	-	53.58	31.90	6.86	34.76
PK	5.2346G	120.45	Inf	-Inf	3.73	3	Vertical	225	1.50	-	116.72	31.56	6.93	34.76
PK	5.39G	55.83	74.00	-18.17	3.70	3	Vertical	225	1.50	-	52.13	31.36	7.11	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1002G	46.16	54.00	-7.84	3.99	3	Horizontal	286	1.00	-	42.17	31.90	6.85	34.76
AV	5.237G	96.76	Inf	-Inf	3.72	3	Horizontal	286	1.00	-	93.04	31.55	6.93	34.76
AV	5.3876G	45.35	54.00	-8.65	3.69	3	Horizontal	286	1.00	-	41.66	31.35	7.11	34.77
PK	5.132G	56.82	74.00	-17.18	4.00	3	Horizontal	286	1.00	-	52.82	31.90	6.86	34.76
PK	5.2406G	107.46	Inf	-Inf	3.72	3	Horizontal	286	1.00	-	103.74	31.54	6.94	34.76
PK	5.3708G	56.02	74.00	-17.98	3.60	3	Horizontal	286	1.00	-	52.42	31.28	7.09	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71846G	52.40	54.00	-1.60	14.93	3	Vertical	114	3.00	-	37.47	37.68	12.28	35.03
PK	10.48004G	55.62	68.20	-12.58	14.05	3	Vertical	90	2.54	-	41.57	39.94	9.03	34.92
PK	15.72452G	64.79	74.00	-9.21	14.94	3	Vertical	114	3.00	-	49.85	37.68	12.29	35.03

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72398G	46.04	54.00	-7.96	14.94	3	Horizontal	301	1.50	-	31.10	37.68	12.29	35.03
PK	10.47744G	55.39	68.20	-12.81	14.04	3	Horizontal	18	1.50	-	41.35	39.93	9.03	34.92
PK	15.72216G	57.14	74.00	-16.86	14.93	3	Horizontal	301	1.50	-	42.21	37.68	12.28	35.03

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	46.17	54.00	-7.83	4.01	3	Vertical	223	1.50	-	42.16	31.90	6.87	34.76
AV	5.2588G	109.27	Inf	-Inf	3.67	3	Vertical	223	1.50	-	105.60	31.48	6.96	34.77
AV	5.4004G	45.53	54.00	-8.47	3.75	3	Vertical	223	1.50	-	41.78	31.40	7.12	34.77
PK	5.1484G	56.54	74.00	-17.46	4.01	3	Vertical	223	1.50	-	52.53	31.90	6.87	34.76
PK	5.2576G	119.78	Inf	-Inf	3.67	3	Vertical	223	1.50	-	116.11	31.48	6.96	34.77
PK	5.389G	56.28	74.00	-17.72	3.70	3	Vertical	223	1.50	-	52.58	31.36	7.11	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1124G	46.03	54.00	-7.97	3.99	3	Horizontal	285	1.23	-	42.04	31.90	6.85	34.76
AV	5.2618G	95.96	Inf	-Inf	3.67	3	Horizontal	285	1.23	-	92.29	31.48	6.96	34.77
AV	5.4004G	45.47	54.00	-8.53	3.75	3	Horizontal	285	1.23	-	41.72	31.40	7.12	34.77
PK	5.1424G	56.21	74.00	-17.79	4.01	3	Horizontal	285	1.23	-	52.20	31.90	6.87	34.76
PK	5.2612G	106.62	Inf	-Inf	3.67	3	Horizontal	285	1.23	-	102.95	31.48	6.96	34.77
PK	5.4052G	56.27	74.00	-17.73	3.77	3	Horizontal	285	1.23	-	52.50	31.42	7.12	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78248G	52.37	54.00	-1.63	14.90	3	Vertical	100	3.00	-	37.47	37.62	12.34	35.06
PK	10.52156G	56.97	68.20	-11.23	14.13	3	Vertical	240	1.90	-	42.84	39.98	9.04	34.89
PK	15.78236G	64.64	74.00	-9.36	14.90	3	Vertical	100	3.00	-	49.74	37.62	12.34	35.06

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7825G	47.00	54.00	-7.00	14.90	3	Horizontal	90	2.87	-	32.10	37.62	12.34	35.06
PK	10.51516G	56.39	68.20	-11.81	14.12	3	Horizontal	322	2.59	-	42.27	39.98	9.04	34.90
PK	15.78067G	57.66	74.00	-16.34	14.90	3	Horizontal	90	2.87	-	42.76	37.62	12.34	35.06

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	108.97	Inf	-Inf	3.64	3	Vertical	228	1.50	-	105.33	31.41	7.00	34.77
AV	5.35G	50.26	54.00	-3.74	3.49	3	Vertical	228	1.50	-	46.77	31.20	7.06	34.77
PK	5.2976G	119.54	Inf	-Inf	3.63	3	Vertical	228	1.50	-	115.91	31.40	7.00	34.77
PK	5.3516G	70.53	74.00	-3.47	3.50	3	Vertical	228	1.50	-	67.03	31.21	7.06	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	97.24	Inf	-Inf	3.63	3	Horizontal	133	2.17	-	93.61	31.39	7.01	34.77
AV	5.35G	45.82	54.00	-8.18	3.49	3	Horizontal	133	2.17	-	42.33	31.20	7.06	34.77
PK	5.3024G	107.59	Inf	-Inf	3.63	3	Horizontal	133	2.17	-	103.96	31.39	7.01	34.77
PK	5.3524G	61.29	74.00	-12.71	3.51	3	Horizontal	133	2.17	-	57.78	31.21	7.07	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89844G	52.45	54.00	-1.55	14.73	3	Vertical	98	2.98	-	37.72	37.40	12.46	35.13
PK	10.59832G	56.08	68.20	-12.12	14.10	3	Vertical	237	1.50	-	41.98	39.90	9.07	34.87
PK	15.90222G	65.04	74.00	-8.96	14.73	3	Vertical	98	2.98	-	50.31	37.40	12.46	35.13

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89772G	46.05	54.00	-7.95	14.73	3	Horizontal	167	3.00	-	31.32	37.40	12.46	35.13
PK	10.60008G	55.36	74.00	-18.64	14.10	3	Horizontal	283	1.50	-	41.26	39.90	9.07	34.87
PK	15.90398G	56.96	74.00	-17.04	14.73	3	Horizontal	167	3.00	-	42.23	37.40	12.46	35.13

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3188G	106.20	Inf	-Inf	3.58	3	Vertical	224	1.50	-	102.62	31.32	7.03	34.77
AV	5.35G	51.33	54.00	-2.67	3.49	3	Vertical	224	1.50	-	47.84	31.20	7.06	34.77
PK	5.3208G	117.14	Inf	-Inf	3.58	3	Vertical	224	1.50	-	113.56	31.32	7.03	34.77
PK	5.3518G	66.72	74.00	-7.28	3.50	3	Vertical	224	1.50	-	63.22	31.21	7.06	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3218G	97.17	Inf	-Inf	3.57	3	Horizontal	139	1.00	-	93.60	31.31	7.03	34.77
AV	5.35G	47.34	54.00	-6.66	3.49	3	Horizontal	139	1.00	-	43.85	31.20	7.06	34.77
PK	5.3208G	107.95	Inf	-Inf	3.58	3	Horizontal	139	1.00	-	104.37	31.32	7.03	34.77
PK	5.35G	60.69	74.00	-13.31	3.49	3	Horizontal	139	1.00	-	57.20	31.20	7.06	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64247G	44.43	54.00	-9.57	14.17	3	Vertical	243	1.50	-	30.26	39.94	9.08	34.85
AV	15.96354G	45.74	54.00	-8.26	14.69	3	Vertical	159	2.71	-	31.05	37.34	12.52	35.17
PK	10.63842G	55.87	74.00	-18.13	14.16	3	Vertical	243	1.50	-	41.71	39.94	9.08	34.86
PK	15.96374G	56.95	74.00	-17.05	14.69	3	Vertical	159	2.71	-	42.26	37.34	12.52	35.17

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63845G	44.10	54.00	-9.90	14.16	3	Horizontal	338	2.11	-	29.94	39.94	9.08	34.86
AV	15.9649G	45.59	54.00	-8.41	14.70	3	Horizontal	60	1.50	-	30.89	37.34	12.53	35.17
PK	10.63836G	55.22	74.00	-18.78	14.16	3	Horizontal	338	2.11	-	41.06	39.94	9.08	34.86
PK	15.96348G	57.36	74.00	-16.64	14.69	3	Horizontal	60	1.50	-	42.67	37.34	12.52	35.17

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	47.43	54.00	-6.57	3.92	3	Vertical	227	1.50	-	43.51	31.61	7.08	34.77
AV	5.4944G	102.88	Inf	-Inf	3.98	3	Vertical	227	1.50	-	98.90	31.69	7.06	34.77
PK	5.4672G	66.35	68.20	-1.85	3.94	3	Vertical	227	1.50	-	62.41	31.63	7.08	34.77
PK	5.4946G	113.72	Inf	-Inf	3.98	3	Vertical	227	1.50	-	109.74	31.69	7.06	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	46.34	54.00	-7.66	3.92	3	Horizontal	172	2.76	-	42.42	31.61	7.08	34.77
AV	5.497G	98.02	Inf	-Inf	3.98	3	Horizontal	172	2.76	-	94.04	31.69	7.06	34.77
PK	5.4694G	61.45	68.20	-6.75	3.94	3	Horizontal	172	2.76	-	57.51	31.64	7.07	34.77
PK	5.4948G	108.88	Inf	-Inf	3.98	3	Horizontal	172	2.76	-	104.90	31.69	7.06	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01494G	44.99	54.00	-9.01	14.63	3	Vertical	223	1.50	-	30.36	40.17	9.20	34.74
PK	10.98848G	56.54	74.00	-17.46	14.67	3	Vertical	223	1.50	-	41.87	40.21	9.20	34.74
PK	16.5045G	60.43	68.20	-7.77	16.77	3	Vertical	96	1.50	-	43.66	38.99	12.71	34.93

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01488G	44.95	54.00	-9.05	14.63	3	Horizontal	174	3.00	-	30.32	40.17	9.20	34.74
PK	11.00354G	56.03	74.00	-17.97	14.65	3	Horizontal	174	3.00	-	41.38	40.19	9.20	34.74
PK	16.51188G	60.40	68.20	-7.80	16.77	3	Horizontal	358	1.50	-	43.63	38.98	12.71	34.92

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.50	54.00	-7.50	3.93	3	Vertical	335	1.06	-	42.57	31.62	7.08	34.77
AV	5.5788G	107.59	Inf	-Inf	3.93	3	Vertical	335	1.06	-	103.66	31.70	7.00	34.77
PK	5.4696G	56.84	68.20	-11.36	3.94	3	Vertical	335	1.06	-	52.90	31.64	7.07	34.77
PK	5.5776G	117.95	Inf	-Inf	3.93	3	Vertical	335	1.06	-	114.02	31.70	7.00	34.77
PK	5.7252G	56.49	68.20	-11.71	4.07	3	Vertical	335	1.06	-	52.42	31.90	6.94	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4504G	46.18	54.00	-7.82	3.92	3	Horizontal	89	2.46	-	42.26	31.60	7.09	34.77
AV	5.577G	95.82	Inf	-Inf	3.93	3	Horizontal	89	2.46	-	91.89	31.70	7.00	34.77
PK	5.4618G	56.62	68.20	-11.58	3.93	3	Horizontal	89	2.46	-	52.69	31.62	7.08	34.77
PK	5.5776G	106.01	Inf	-Inf	3.93	3	Horizontal	89	2.46	-	102.08	31.70	7.00	34.77
PK	5.727G	55.61	68.20	-12.59	4.08	3	Horizontal	89	2.46	-	51.53	31.91	6.94	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16012G	47.13	54.00	-6.87	14.31	3	Vertical	351	1.01	-	32.82	39.76	9.25	34.70
PK	11.1612G	58.57	74.00	-15.43	14.31	3	Vertical	351	1.01	-	44.26	39.76	9.25	34.70
PK	16.7428G	61.96	68.20	-6.24	17.77	3	Vertical	12	1.07	-	44.19	39.44	12.78	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16004G	46.25	54.00	-7.75	14.31	3	Horizontal	131	2.75	-	31.94	39.76	9.25	34.70
PK	11.1562G	57.00	74.00	-17.00	14.33	3	Horizontal	131	2.75	-	42.67	39.78	9.25	34.70
PK	16.73412G	60.76	68.20	-7.44	17.67	3	Horizontal	104	1.00	-	43.09	39.37	12.77	34.47

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	100.76	Inf	-Inf	3.99	3	Vertical	339	1.00	-	96.77	31.81	6.95	34.77
PK	5.7008G	111.68	Inf	-Inf	3.98	3	Vertical	339	1.00	-	107.70	31.80	6.95	34.77
PK	5.7254G	66.45	68.20	-1.75	4.07	3	Vertical	339	1.00	-	62.38	31.90	6.94	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	87.52	Inf	-Inf	3.98	3	Horizontal	268.9	1.50	-	83.54	31.80	6.95	34.77
PK	5.7008G	98.43	Inf	-Inf	3.98	3	Horizontal	268.9	1.50	-	94.45	31.80	6.95	34.77
PK	5.7404G	56.91	68.20	-11.29	4.12	3	Horizontal	268.9	1.50	-	52.79	31.96	6.93	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39632G	44.86	54.00	-9.14	14.58	3	Vertical	359	1.45	-	30.28	39.89	9.33	34.64
PK	11.40308G	56.99	74.00	-17.01	14.59	3	Vertical	359	1.45	-	42.40	39.90	9.33	34.64
PK	17.09642G	61.61	68.20	-6.59	18.51	3	Vertical	302	1.50	-	43.10	39.70	12.88	34.07

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39822G	44.80	54.00	-9.20	14.58	3	Horizontal	196	2.55	-	30.22	39.89	9.33	34.64
PK	11.40146G	56.42	74.00	-17.58	14.59	3	Horizontal	196	2.55	-	41.83	39.90	9.33	34.64
PK	17.10412G	61.25	68.20	-6.95	18.50	3	Horizontal	345	1.50	-	42.75	39.70	12.88	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	108.64	Inf	-Inf	4.14	3	Vertical	338	2.17	-	104.50	31.98	6.93	34.77
PK	5.6538G	61.85	71.01	-9.16	3.91	3	Vertical	338	2.17	-	57.94	31.71	6.97	34.77
PK	5.7474G	118.27	Inf	-Inf	4.15	3	Vertical	338	2.17	-	114.12	31.99	6.93	34.77
PK	5.931G	57.60	68.20	-10.60	5.08	3	Vertical	338	2.17	-	52.52	32.36	7.49	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	97.23	Inf	-Inf	4.13	3	Horizontal	30	2.45	-	93.10	31.97	6.93	34.77
PK	5.5266G	57.17	68.20	-11.03	3.97	3	Horizontal	30	2.45	-	53.20	31.70	7.04	34.77
PK	5.7402G	107.99	Inf	-Inf	4.12	3	Horizontal	30	2.45	-	103.87	31.96	6.93	34.77
PK	5.9766G	58.08	68.20	-10.12	5.32	3	Horizontal	30	2.45	-	52.76	32.40	7.69	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49006G	48.10	54.00	-5.90	14.65	3	Vertical	347	1.18	-	33.45	39.90	9.36	34.61
PK	11.49074G	59.20	74.00	-14.80	14.65	3	Vertical	347	1.18	-	44.55	39.90	9.36	34.61
PK	17.2246G	66.65	68.20	-1.55	18.48	3	Vertical	83	2.51	-	48.17	39.80	12.92	34.24

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48998G	47.40	54.00	-6.60	14.65	3	Horizontal	340	2.20	-	32.75	39.90	9.36	34.61
PK	11.48946G	58.69	74.00	-15.31	14.65	3	Horizontal	340	2.20	-	44.04	39.90	9.36	34.61
PK	17.23586G	61.89	68.20	-6.31	18.46	3	Horizontal	359	1.01	-	43.43	39.80	12.92	34.26

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	108.40	Inf	-Inf	4.22	3	Vertical	336	2.23	-	104.18	32.07	6.92	34.77
PK	5.5402G	57.21	68.20	-10.99	3.96	3	Vertical	336	2.23	-	53.25	31.70	7.03	34.77
PK	5.7874G	118.93	Inf	-Inf	4.22	3	Vertical	336	2.23	-	114.71	32.07	6.92	34.77
PK	5.947G	57.90	68.20	-10.30	5.18	3	Vertical	336	2.23	-	52.72	32.39	7.56	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	97.06	Inf	-Inf	4.22	3	Horizontal	31	2.57	-	92.84	32.07	6.92	34.77
PK	5.5702G	57.06	68.20	-11.14	3.94	3	Horizontal	31	2.57	-	53.12	31.70	7.01	34.77
PK	5.779G	107.22	Inf	-Inf	4.21	3	Horizontal	31	2.57	-	103.01	32.06	6.92	34.77
PK	6.0574G	57.86	68.20	-10.34	5.28	3	Horizontal	31	2.57	-	52.58	32.41	7.63	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57004G	47.63	54.00	-6.37	14.66	3	Vertical	346	1.01	-	32.97	39.90	9.39	34.63
PK	11.56224G	59.12	74.00	-14.88	14.66	3	Vertical	346	1.01	-	44.46	39.90	9.39	34.63
PK	17.3447G	66.58	68.20	-1.62	18.75	3	Vertical	82	2.64	-	47.83	40.20	12.95	34.40

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56988G	47.03	54.00	-6.97	14.66	3	Horizontal	339	2.04	-	32.37	39.90	9.39	34.63
PK	11.56956G	57.89	74.00	-16.11	14.66	3	Horizontal	339	2.04	-	43.23	39.90	9.39	34.63
PK	17.36156G	62.31	68.20	-5.89	18.88	3	Horizontal	56	1.03	-	43.43	40.35	12.95	34.42

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	108.32	Inf	-Inf	4.41	3	Vertical	260	2.14	-	103.91	32.15	7.03	34.77
PK	5.5478G	56.97	68.20	-11.23	3.95	3	Vertical	260	2.14	-	53.02	31.70	7.02	34.77
PK	5.8238G	118.65	Inf	-Inf	4.39	3	Vertical	260	2.14	-	114.26	32.15	7.01	34.77
PK	5.9306G	59.36	68.20	-8.84	5.07	3	Vertical	260	2.14	-	54.29	32.36	7.48	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	94.33	Inf	-Inf	4.39	3	Horizontal	301	2.16	-	89.94	32.15	7.01	34.77
PK	5.5634G	56.86	68.20	-11.34	3.94	3	Horizontal	301	2.16	-	52.92	31.70	7.01	34.77
PK	5.8238G	104.71	Inf	-Inf	4.39	3	Horizontal	301	2.16	-	100.32	32.15	7.01	34.77
PK	6.1178G	57.84	68.20	-10.36	5.21	3	Horizontal	301	2.16	-	52.63	32.50	7.46	34.75

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65012G	46.85	54.00	-7.15	14.36	3	Vertical	344	1.11	-	32.49	39.60	9.41	34.65
PK	11.65212G	58.88	74.00	-15.12	14.36	3	Vertical	344	1.11	-	44.52	39.59	9.42	34.65
PK	17.4696G	66.38	68.20	-1.82	19.54	3	Vertical	77	2.11	-	46.84	41.12	12.99	34.57

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64972G	46.32	54.00	-7.68	14.36	3	Horizontal	38	1.22	-	31.96	39.60	9.41	34.65
PK	11.65976G	57.48	74.00	-16.52	14.31	3	Horizontal	38	1.22	-	43.17	39.54	9.42	34.65
PK	17.4742G	63.14	68.20	-5.06	19.56	3	Horizontal	253	3.00	-	43.58	41.15	12.99	34.58

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.27	54.00	-1.73	4.01	3	Vertical	305	2.02	-	48.26	31.90	6.87	34.76
AV	5.1844G	102.75	Inf	-Inf	3.88	3	Vertical	305	2.02	-	98.87	31.76	6.88	34.76
PK	5.1452G	66.37	74.00	-7.63	4.01	3	Vertical	305	2.02	-	62.36	31.90	6.87	34.76
PK	5.1868G	113.82	Inf	-Inf	3.87	3	Vertical	305	2.02	-	109.95	31.75	6.88	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	46.56	54.00	-7.44	4.01	3	Horizontal	233	2.51	-	42.55	31.90	6.87	34.76
AV	5.1968G	91.32	Inf	-Inf	3.84	3	Horizontal	233	2.51	-	87.48	31.71	6.89	34.76
PK	5.1452G	57.42	74.00	-16.58	4.01	3	Horizontal	233	2.51	-	53.41	31.90	6.87	34.76
PK	5.1996G	100.94	Inf	-Inf	3.83	3	Horizontal	233	2.51	-	97.11	31.70	6.89	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57368G	45.43	54.00	-8.57	15.31	3	Vertical	70	3.00	-	30.12	38.11	12.14	34.94
PK	10.38356G	53.91	68.20	-14.29	13.64	3	Vertical	204	1.70	-	40.27	39.65	9.00	35.01
PK	15.57068G	56.20	74.00	-17.80	15.31	3	Vertical	70	3.00	-	40.89	38.12	12.13	34.94

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.573G	45.39	54.00	-8.61	15.31	3	Horizontal	209	1.50	-	30.08	38.11	12.14	34.94
PK	10.37696G	53.91	68.20	-14.29	13.61	3	Horizontal	350	1.50	-	40.30	39.63	8.99	35.01
PK	15.5685G	56.39	74.00	-17.61	15.32	3	Horizontal	209	1.50	-	41.07	38.13	12.13	34.94

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.33	54.00	-1.67	4.01	3	Vertical	305	2.14	-	48.32	31.90	6.87	34.76
AV	5.2208G	107.32	Inf	-Inf	3.77	3	Vertical	305	2.14	-	103.55	31.62	6.91	34.76
PK	5.15G	69.54	74.00	-4.46	4.01	3	Vertical	305	2.14	-	65.53	31.90	6.87	34.76
PK	5.2284G	117.89	Inf	-Inf	3.75	3	Vertical	305	2.14	-	114.14	31.59	6.92	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.67	54.00	-6.33	4.01	3	Horizontal	153	2.92	-	43.66	31.90	6.87	34.76
AV	5.2284G	100.09	Inf	-Inf	3.75	3	Horizontal	153	2.92	-	96.34	31.59	6.92	34.76
PK	5.15G	60.42	74.00	-13.58	4.01	3	Horizontal	153	2.92	-	56.41	31.90	6.87	34.76
PK	5.2276G	110.76	Inf	-Inf	3.75	3	Horizontal	153	2.92	-	107.01	31.59	6.92	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6935G	46.38	54.00	-7.62	14.97	3	Vertical	36	3.00	-	31.41	37.72	12.26	35.01
PK	10.45686G	54.87	68.20	-13.33	13.95	3	Vertical	247	1.50	-	40.92	39.87	9.02	34.94
PK	15.69408G	57.33	74.00	-16.67	14.97	3	Vertical	36	3.00	-	42.36	37.72	12.26	35.01

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68714G	45.35	54.00	-8.65	14.98	3	Horizontal	28	2.88	-	30.37	37.74	12.25	35.01
PK	10.45838G	54.81	68.20	-13.39	13.96	3	Horizontal	125	1.50	-	40.85	39.88	9.02	34.94
PK	15.69364G	56.39	74.00	-17.61	14.97	3	Horizontal	28	2.88	-	41.42	37.72	12.26	35.01

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2608G	106.72	Inf	-Inf	3.67	3	Vertical	306	2.17	-	103.05	31.48	6.96	34.77
AV	5.35G	51.99	54.00	-2.01	3.49	3	Vertical	306	2.17	-	48.50	31.20	7.06	34.77
PK	5.2572G	117.02	Inf	-Inf	3.68	3	Vertical	306	2.17	-	113.34	31.49	6.96	34.77
PK	5.35G	66.66	74.00	-7.34	3.49	3	Vertical	306	2.17	-	63.17	31.20	7.06	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.272G	99.59	Inf	-Inf	3.66	3	Horizontal	154	3.00	-	95.93	31.46	6.97	34.77
AV	5.35G	47.49	54.00	-6.51	3.49	3	Horizontal	154	3.00	-	44.00	31.20	7.06	34.77
PK	5.2724G	109.92	Inf	-Inf	3.66	3	Horizontal	154	3.00	-	106.26	31.46	6.97	34.77
PK	5.3504G	60.12	74.00	-13.88	3.49	3	Horizontal	154	3.00	-	56.63	31.20	7.06	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.81206G	49.02	54.00	-4.98	14.87	3	Vertical	94	2.75	-	34.15	37.58	12.37	35.08
PK	10.54028G	54.89	68.20	-13.31	14.12	3	Vertical	85	1.50	-	40.77	39.96	9.05	34.89
PK	15.81138G	60.75	74.00	-13.25	14.87	3	Vertical	94	2.75	-	45.88	37.58	12.37	35.08

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81488G	46.15	54.00	-7.85	14.87	3	Horizontal	103	1.50	-	31.28	37.57	12.38	35.08
PK	10.53866G	54.60	68.20	-13.60	14.12	3	Horizontal	216	2.81	-	40.48	39.96	9.05	34.89
PK	15.8057G	57.76	74.00	-16.24	14.88	3	Horizontal	103	1.50	-	42.88	37.59	12.37	35.08

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3132G	101.41	Inf	-Inf	3.60	3	Vertical	306	2.08	-	97.81	31.35	7.02	34.77
AV	5.35G	52.12	54.00	-1.88	3.49	3	Vertical	306	2.08	-	48.63	31.20	7.06	34.77
PK	5.3168G	112.42	Inf	-Inf	3.58	3	Vertical	306	2.08	-	108.84	31.33	7.02	34.77
PK	5.3512G	71.72	74.00	-2.28	3.49	3	Vertical	306	2.08	-	68.23	31.20	7.06	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3056G	94.89	Inf	-Inf	3.62	3	Horizontal	153	2.80	-	91.27	31.38	7.01	34.77
AV	5.35G	48.16	54.00	-5.84	3.49	3	Horizontal	153	2.80	-	44.67	31.20	7.06	34.77
PK	5.2972G	106.45	Inf	-Inf	3.64	3	Horizontal	153	2.80	-	102.81	31.41	7.00	34.77
PK	5.3512G	68.51	74.00	-5.49	3.49	3	Horizontal	153	2.80	-	65.02	31.20	7.06	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61868G	43.03	54.00	-10.97	14.13	3	Vertical	342	1.45	-	28.90	39.92	9.07	34.86
AV	15.92576G	46.14	54.00	-7.86	14.71	3	Vertical	90	2.96	-	31.43	37.37	12.49	35.15
PK	10.62308G	54.52	74.00	-19.48	14.14	3	Vertical	342	1.45	-	40.38	39.92	9.08	34.86
PK	15.93272G	57.16	74.00	-16.84	14.71	3	Vertical	90	2.96	-	42.45	37.37	12.49	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61518G	42.95	54.00	-11.05	14.13	3	Horizontal	230	2.38	-	28.82	39.92	9.07	34.86
AV	15.92684G	45.89	54.00	-8.11	14.71	3	Horizontal	59	2.27	-	31.18	37.37	12.49	35.15
PK	10.61916G	54.03	74.00	-19.97	14.13	3	Horizontal	230	2.38	-	39.90	39.92	9.07	34.86
PK	15.92662G	57.35	74.00	-16.65	14.71	3	Horizontal	59	2.27	-	42.64	37.37	12.49	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.46	54.00	-6.54	3.93	3	Vertical	336	1.16	-	43.53	31.62	7.08	34.77
AV	5.506G	97.25	Inf	-Inf	3.98	3	Vertical	336	1.16	-	93.27	31.70	7.05	34.77
PK	5.4692G	66.37	68.20	-1.83	3.95	3	Vertical	336	1.16	-	62.42	31.64	7.08	34.77
PK	5.5068G	108.41	Inf	-Inf	3.98	3	Vertical	336	1.16	-	104.43	31.70	7.05	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	46.27	54.00	-7.73	3.93	3	Horizontal	173	2.92	-	42.34	31.62	7.08	34.77
AV	5.4988G	90.95	Inf	-Inf	3.99	3	Horizontal	173	2.92	-	86.96	31.70	7.06	34.77
PK	5.47G	57.51	68.20	-10.69	3.94	3	Horizontal	173	2.92	-	53.57	31.64	7.07	34.77
PK	5.5116G	101.72	Inf	-Inf	3.98	3	Horizontal	173	2.92	-	97.74	31.70	7.05	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.025G	43.00	54.00	-11.00	14.63	3	Vertical	354	1.11	-	28.37	40.15	9.21	34.73
PK	11.0214G	53.99	74.00	-20.01	14.64	3	Vertical	354	1.11	-	39.35	40.16	9.21	34.73
PK	16.52838G	58.45	68.20	-9.75	16.77	3	Vertical	312	3.00	-	41.68	38.94	12.71	34.88

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02158G	42.75	54.00	-11.25	14.64	3	Horizontal	355	1.50	-	28.11	40.16	9.21	34.73
PK	11.0172G	54.45	74.00	-19.55	14.64	3	Horizontal	355	1.50	-	39.81	40.17	9.21	34.74
PK	16.52914G	59.04	68.20	-9.16	16.77	3	Horizontal	217	1.50	-	42.27	38.94	12.71	34.88

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.91	54.00	-6.09	3.93	3	Vertical	334	1.97	-	43.98	31.62	7.08	34.77
AV	5.538G	100.84	Inf	-Inf	3.96	3	Vertical	334	1.97	-	96.88	31.70	7.03	34.77
PK	5.4692G	66.47	68.20	-1.73	3.95	3	Vertical	334	1.97	-	62.52	31.64	7.08	34.77
PK	5.5444G	111.65	Inf	-Inf	3.96	3	Vertical	334	1.97	-	107.69	31.70	7.03	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.77	54.00	-8.23	3.93	3	Horizontal	96	1.08	-	41.84	31.62	7.08	34.77
AV	5.5412G	89.73	Inf	-Inf	3.96	3	Horizontal	96	1.08	-	85.77	31.70	7.03	34.77
PK	5.468G	56.89	68.20	-11.31	3.95	3	Horizontal	96	1.08	-	52.94	31.64	7.08	34.77
PK	5.5404G	100.45	Inf	-Inf	3.96	3	Horizontal	96	1.08	-	96.49	31.70	7.03	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.105G	42.74	54.00	-11.26	14.50	3	Vertical	231	1.32	-	28.24	39.98	9.23	34.71
PK	11.1033G	53.84	74.00	-20.16	14.51	3	Vertical	231	1.32	-	39.33	39.99	9.23	34.71
PK	16.64568G	58.17	68.20	-10.03	17.04	3	Vertical	306	1.50	-	41.13	38.94	12.75	34.65

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10496G	42.84	54.00	-11.16	14.50	3	Horizontal	107	2.50	-	28.34	39.98	9.23	34.71
PK	11.10468G	53.59	74.00	-20.41	14.50	3	Horizontal	107	2.50	-	39.09	39.98	9.23	34.71
PK	16.64552G	58.73	68.20	-9.47	17.04	3	Horizontal	153	2.26	-	41.69	38.94	12.75	34.65

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6682G	98.67	Inf	-Inf	3.93	3	Vertical	335	2.19	-	94.74	31.74	6.96	34.77
PK	5.6712G	109.73	Inf	-Inf	3.93	3	Vertical	335	2.19	-	105.80	31.74	6.96	34.77
PK	5.7276G	66.65	68.20	-1.55	4.08	3	Vertical	335	2.19	-	62.57	31.91	6.94	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6622G	87.83	Inf	-Inf	3.92	3	Horizontal	160	2.18	-	83.91	31.72	6.97	34.77
PK	5.6706G	97.96	Inf	-Inf	3.93	3	Horizontal	160	2.18	-	94.03	31.74	6.96	34.77
PK	5.73G	57.15	68.20	-11.05	4.09	3	Horizontal	160	2.18	-	53.06	31.92	6.94	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34848G	42.42	54.00	-11.58	14.41	3	Vertical	233	2.64	-	28.01	39.75	9.31	34.65
PK	11.34881G	53.49	74.00	-20.51	14.42	3	Vertical	233	2.64	-	39.07	39.75	9.32	34.65
PK	17.00982G	59.70	68.20	-8.50	18.51	3	Vertical	194	1.50	-	41.19	39.61	12.85	33.95

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34432G	42.29	54.00	-11.71	14.39	3	Horizontal	168	1.93	-	27.90	39.73	9.31	34.65
PK	11.3449G	53.39	74.00	-20.61	14.39	3	Horizontal	168	1.93	-	39.00	39.73	9.31	34.65
PK	17.00788G	58.61	68.20	-9.59	18.51	3	Horizontal	250	1.50	-	40.10	39.61	12.85	33.95

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	106.00	Inf	-Inf	4.17	3	Vertical	315	1.00	-	101.83	32.01	6.93	34.77
PK	5.6518G	66.49	69.53	-3.04	3.90	3	Vertical	315	1.00	-	62.59	31.70	6.97	34.77
PK	5.7478G	117.19	Inf	-Inf	4.15	3	Vertical	315	1.00	-	113.04	31.99	6.93	34.77
PK	5.9266G	59.23	68.20	-8.97	5.05	3	Vertical	315	1.00	-	54.18	32.35	7.47	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	91.75	Inf	-Inf	4.16	3	Horizontal	1	1.10	-	87.59	32.00	6.93	34.77
PK	5.5786G	57.03	68.20	-11.17	3.93	3	Horizontal	1	1.10	-	53.10	31.70	7.00	34.77
PK	5.7598G	100.70	Inf	-Inf	4.18	3	Horizontal	1	1.10	-	96.52	32.02	6.93	34.77
PK	6.019G	57.43	68.20	-10.77	5.37	3	Horizontal	1	1.10	-	52.06	32.40	7.74	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50978G	43.62	54.00	-10.38	14.66	3	Vertical	338	1.02	-	28.96	39.90	9.37	34.61
PK	11.50648G	54.43	74.00	-19.57	14.66	3	Vertical	338	1.02	-	39.77	39.90	9.37	34.61
PK	17.26002G	62.54	68.20	-5.66	18.44	3	Vertical	82	2.73	-	44.10	39.80	12.93	34.29

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5098G	42.94	54.00	-11.06	14.66	3	Horizontal	130	2.67	-	28.28	39.90	9.37	34.61
PK	11.50958G	53.93	74.00	-20.07	14.66	3	Horizontal	130	2.67	-	39.27	39.90	9.37	34.61
PK	17.26412G	59.14	68.20	-9.06	18.44	3	Horizontal	101	1.06	-	40.70	39.80	12.93	34.29

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	106.21	Inf	-Inf	4.23	3	Vertical	315	1.00	-	101.98	32.09	6.91	34.77
PK	5.6498G	59.49	68.20	-8.71	3.90	3	Vertical	315	1.00	-	55.59	31.70	6.97	34.77
PK	5.7986G	117.50	Inf	-Inf	4.24	3	Vertical	315	1.00	-	113.26	32.10	6.91	34.77
PK	5.9282G	65.48	68.20	-2.72	5.06	3	Vertical	315	1.00	-	60.42	32.36	7.47	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	92.80	Inf	-Inf	4.22	3	Horizontal	0	1.00	-	88.58	32.08	6.91	34.77
PK	5.5178G	56.49	68.20	-11.71	3.97	3	Horizontal	0	1.00	-	52.52	31.70	7.04	34.77
PK	5.783G	102.56	Inf	-Inf	4.22	3	Horizontal	0	1.00	-	98.34	32.07	6.92	34.77
PK	5.9474G	57.83	68.20	-10.37	5.18	3	Horizontal	0	1.00	-	52.65	32.39	7.56	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58982G	45.42	54.00	-8.58	14.65	3	Vertical	248	3.00	-	30.77	39.90	9.39	34.64
PK	11.58824G	57.21	74.00	-16.79	14.66	3	Vertical	248	3.00	-	42.55	39.90	9.39	34.63
PK	17.38792G	59.92	68.20	-8.28	19.09	3	Vertical	25	1.50	-	40.83	40.59	12.96	34.46

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59038G	43.27	54.00	-10.73	14.65	3	Horizontal	240	3.00	-	28.62	39.90	9.39	34.64
PK	11.5858G	53.91	74.00	-20.09	14.66	3	Horizontal	240	3.00	-	39.25	39.90	9.39	34.63
PK	17.38356G	60.90	68.20	-7.30	19.06	3	Horizontal	116	1.22	-	41.84	40.55	12.96	34.45

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.125G	52.26	54.00	-1.74	4.00	3	Vertical	335	1.97	-	48.26	31.90	6.86	34.76
AV	5.173G	97.63	Inf	-Inf	3.93	3	Vertical	335	1.97	-	93.70	31.81	6.88	34.76
AV	5.444G	45.80	54.00	-8.20	3.90	3	Vertical	335	1.97	-	41.90	31.58	7.09	34.77
PK	5.125G	63.17	74.00	-10.83	4.00	3	Vertical	335	1.97	-	59.17	31.90	6.86	34.76
PK	5.174G	107.48	Inf	-Inf	3.92	3	Vertical	335	1.97	-	103.56	31.80	6.88	34.76
PK	5.375G	56.70	74.00	-17.30	3.62	3	Vertical	335	1.97	-	53.08	31.30	7.09	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	47.13	54.00	-6.87	4.01	3	Horizontal	152	2.71	-	43.12	31.90	6.87	34.76
AV	5.246G	90.88	Inf	-Inf	3.70	3	Horizontal	152	2.71	-	87.18	31.52	6.94	34.76
AV	5.459G	45.60	54.00	-8.40	3.93	3	Horizontal	152	2.71	-	41.67	31.62	7.08	34.77
PK	5.145G	58.01	74.00	-15.99	4.01	3	Horizontal	152	2.71	-	54.00	31.90	6.87	34.76
PK	5.236G	100.75	Inf	-Inf	3.73	3	Horizontal	152	2.71	-	97.02	31.56	6.93	34.76
PK	5.432G	56.00	74.00	-18.00	3.86	3	Horizontal	152	2.71	-	52.14	31.53	7.10	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62992G	45.72	54.00	-8.28	15.12	3	Vertical	174	2.50	-	30.60	37.91	12.19	34.98
PK	10.41682G	54.62	68.20	-13.58	13.78	3	Vertical	105	1.50	-	40.84	39.75	9.01	34.98
PK	15.63128G	56.06	74.00	-17.94	15.12	3	Vertical	174	2.50	-	40.94	37.91	12.19	34.98

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62854G	45.47	54.00	-8.53	15.13	3	Horizontal	271	1.50	-	30.34	37.91	12.19	34.97
PK	10.41788G	54.11	68.20	-14.09	13.78	3	Horizontal	275	2.05	-	40.33	39.75	9.01	34.98
PK	15.63348G	57.28	74.00	-16.72	15.12	3	Horizontal	271	1.50	-	42.16	37.90	12.20	34.98

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.79	54.00	-7.21	4.01	3	Vertical	306	2.22	-	42.78	31.90	6.87	34.76
AV	5.323G	97.92	Inf	-Inf	3.57	3	Vertical	306	2.22	-	94.35	31.31	7.03	34.77
AV	5.374G	52.46	54.00	-1.54	3.62	3	Vertical	306	2.22	-	48.84	31.30	7.09	34.77
PK	5.11G	57.35	74.00	-16.65	3.99	3	Vertical	306	2.22	-	53.36	31.90	6.85	34.76
PK	5.314G	107.94	Inf	-Inf	3.59	3	Vertical	306	2.22	-	104.35	31.34	7.02	34.77
PK	5.362G	66.18	74.00	-7.82	3.56	3	Vertical	306	2.22	-	62.62	31.25	7.08	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.041G	46.14	54.00	-7.86	3.73	3	Horizontal	154	3.00	-	42.41	31.66	6.83	34.76
AV	5.323G	91.64	Inf	-Inf	3.57	3	Horizontal	154	3.00	-	88.07	31.31	7.03	34.77
AV	5.373G	48.31	54.00	-5.69	3.61	3	Horizontal	154	3.00	-	44.70	31.29	7.09	34.77
PK	5.073G	56.92	74.00	-17.08	3.87	3	Horizontal	154	3.00	-	53.05	31.79	6.84	34.76
PK	5.321G	101.58	Inf	-Inf	3.58	3	Horizontal	154	3.00	-	98.00	31.32	7.03	34.77
PK	5.467G	56.48	68.20	-11.72	3.94	3	Horizontal	154	3.00	-	52.54	31.63	7.08	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87322G	46.11	54.00	-7.89	14.76	3	Vertical	296	1.50	-	31.35	37.45	12.43	35.12
PK	10.58158G	54.87	68.20	-13.33	14.11	3	Vertical	334	1.50	-	40.76	39.92	9.06	34.87
PK	15.86778G	57.49	74.00	-16.51	14.78	3	Vertical	296	1.50	-	42.71	37.46	12.43	35.11

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86882G	46.16	54.00	-7.84	14.78	3	Horizontal	130	2.44	-	31.38	37.46	12.43	35.11
PK	10.58118G	54.68	68.20	-13.52	14.11	3	Horizontal	360	1.50	-	40.57	39.92	9.06	34.87
PK	15.86784G	57.22	74.00	-16.78	14.78	3	Horizontal	130	2.44	-	42.44	37.46	12.43	35.11

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.446G	52.50	54.00	-1.50	3.90	3	Vertical	304	2.24	-	48.60	31.58	7.09	34.77
AV	5.495G	95.46	Inf	-Inf	3.98	3	Vertical	304	2.24	-	91.48	31.69	7.06	34.77
PK	5.462G	62.03	68.20	-6.17	3.93	3	Vertical	304	2.24	-	58.10	31.62	7.08	34.77
PK	5.551G	105.71	Inf	-Inf	3.95	3	Vertical	304	2.24	-	101.76	31.70	7.02	34.77
PK	5.735G	58.33	68.20	-9.87	4.11	3	Vertical	304	2.24	-	54.22	31.94	6.94	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	47.81	54.00	-6.19	3.90	3	Horizontal	85	2.44	-	43.91	31.58	7.09	34.77
AV	5.494G	85.01	Inf	-Inf	3.98	3	Horizontal	85	2.44	-	81.03	31.69	7.06	34.77
PK	5.468G	56.14	68.20	-12.06	3.95	3	Horizontal	85	2.44	-	52.19	31.64	7.08	34.77
PK	5.501G	94.85	Inf	-Inf	3.98	3	Horizontal	85	2.44	-	90.87	31.70	7.05	34.77
PK	5.753G	55.65	68.20	-12.55	4.17	3	Horizontal	85	2.44	-	51.48	32.01	6.93	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05658G	43.03	54.00	-10.97	14.58	3	Vertical	2	2.35	-	28.45	40.09	9.22	34.73
PK	11.06448G	54.42	74.00	-19.58	14.57	3	Vertical	2	2.35	-	39.85	40.07	9.22	34.72
PK	16.58872G	58.96	68.20	-9.24	16.79	3	Vertical	220	1.50	-	42.17	38.82	12.73	34.76

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05868G	42.77	54.00	-11.23	14.58	3	Horizontal	269	1.50	-	28.19	40.08	9.22	34.72
PK	11.06068G	54.08	74.00	-19.92	14.58	3	Horizontal	269	1.50	-	39.50	40.08	9.22	34.72
PK	16.5853G	58.03	68.20	-10.17	16.79	3	Horizontal	253	1.50	-	41.24	38.83	12.73	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	100.00	Inf	-Inf	4.12	3	Vertical	315	1.00	-	95.88	31.96	6.93	34.77
PK	5.6514G	64.98	69.24	-4.26	3.90	3	Vertical	315	1.00	-	61.08	31.70	6.97	34.77
PK	5.7402G	110.91	Inf	-Inf	4.12	3	Vertical	315	1.00	-	106.79	31.96	6.93	34.77
PK	5.9274G	66.05	68.20	-2.15	5.05	3	Vertical	315	1.00	-	61.00	32.35	7.47	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	81.95	Inf	-Inf	4.12	3	Horizontal	184	1.50	-	77.83	31.96	6.93	34.77
PK	5.5242G	56.39	68.20	-11.81	3.97	3	Horizontal	184	1.50	-	52.42	31.70	7.04	34.77
PK	5.7438G	91.97	Inf	-Inf	4.14	3	Horizontal	184	1.50	-	87.83	31.98	6.93	34.77
PK	6.0006G	58.25	68.20	-9.95	5.42	3	Horizontal	184	1.50	-	52.83	32.40	7.79	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5496G	43.13	54.00	-10.87	14.66	3	Vertical	257	3.00	-	28.47	39.90	9.38	34.62
PK	11.5406G	54.67	74.00	-19.33	14.66	3	Vertical	257	3.00	-	40.01	39.90	9.38	34.62
PK	17.32268G	59.28	68.20	-8.92	18.57	3	Vertical	360	1.59	-	40.71	40.00	12.94	34.37

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55648G	42.27	54.00	-11.73	14.65	3	Horizontal	360	2.98	-	27.62	39.90	9.38	34.63
PK	11.54972G	53.04	74.00	-20.96	14.66	3	Horizontal	360	2.98	-	38.38	39.90	9.38	34.62
PK	17.32952G	58.93	68.20	-9.27	18.64	3	Horizontal	86	1.50	-	40.29	40.07	12.95	34.38